

Descendant rules the legacy parser cannot read

Child and sibling combinators

Rules using `>`, `+` and `~` apply to the element their last part names and to nothing before it. The span, and the second and third paragraphs, are red at 16pt. The rest of the first paragraph is black at the normal size.

First paragraph, with a span

Second paragraph

Third paragraph

Pseudo-classes and pseudo-elements

Rules using `:last-child`, `:hover` and `::before` are dropped. Nothing on this list or these paragraphs is red or bold, and no paragraph has a red background.

- First item
- Second item
- Last item

A paragraph with a link in it

A paragraph with no generated content

A selector the legacy parser cannot read beside one it can

Both selectors apply: the span and the second paragraph are green and bold. The rest of the first paragraph is black.

First paragraph, with a span

Second paragraph

A rule mPDF can match

`div.valid div p` applies: the paragraph is blue and italic.

A paragraph two blocks down

Two nth-child parts

Yellow in the second cell of the second and fourth rows only, not across the whole row.

R1 C1	R1 C2	R1 C3
R2 C1	R2 C2	R2 C3
R3 C1	R3 C2	R3 C3
R4 C1	R4 C2	R4 C3

`tr:nth-child(2n + 1) td:nth-child(odd)`, written with spaces: blue in the first and third cells of the first and third rows.

R1 C1	R1 C2	R1 C3
R2 C1	R2 C2	R2 C3
R3 C1	R3 C2	R3 C3
R4 C1	R4 C2	R4 C3

`td:nth-child(5)` names a column this table does not have: no cell is red.

R1 C1	R1 C2	R1 C3
R2 C1	R2 C2	R2 C3
R3 C1	R3 C2	R3 C3

R4 C1	R4 C2	R4 C3
-------	-------	-------