Lnkd-LLM (0.1.0)


Download OpenAPI specification: Download


LinkedIn LLM Service

Request History

Get History

Responses





```
[
    "lnkd_request_id": "string",
    "tagret_profile": "string",
    "target_headline": "string",
    "target_name": "string",
    "target_about": "string",
    "posts": [ ... ],
    "message": "string",
    "status_message": "string",
    "status_": 1
}
]
```

Get Request


PATH PARAMETERS

→ requestid required
string (Requestid) ^[0-7][0-9A-HJKMNP-TV-Z]{25}\$

HEADER PARAMETERS
X-api-key >
X-Api-Key (string) or X-Api-Key (null) (X-Api-Key)

Responses

> 200 Successful Response
> 422 Validation Error



```
"status": 1
}
```

Create Request

```
HEADER PARAMETERS

X-Api-Key (string) or X-Api-Key (null) (X-Api-Key)

REQUEST BODY SCHEMA: application/json

Inkd_username required string (Lnkd Username)


Inkd_password required string (Lnkd Password)

tagret_profile string (Tagret Profile)
For a profile https://www.linkedin.com/in/grayhat, the target_profile value will be grayhat
```

Responses

"lnkd_request_id": "string",
"tagret_profile": "string",

```
> 200 Successful Response
> 422 Validation Error
```



```
"target_headline": "string",
    "target_name": "string",
    "target_about": "string",
- "posts": [
    + { ... }
],
    "message": "string",
    "status_message": "string",
    "status": 1
}
```