```
package main
type Experience map[string]interface{}
type Project
                map[stringlinterface{}
type Authors
                []string
type Skills
                []string
type PauloBenatto struct {
    me
                string
                map[string]string
    contact
    experiences []Experience
    projects
                []Project
}
func (pb *PauloBenatto) About() {
    pb.me = "Hello, \n" +
        "my name is Paulo Leonardo Benatto, a Brazilian coder\n" +
        "delivering nonsense bugs and still want to be paid for that.n" +
        "I'm interested in software development envolving languages\n" +
        "such as C, Lua, Python, Go, JavaScript and Ruby."
}
func (pb *PauloBenatto) MyExperience() {
    pb.experiences = make([]Experience, 0)
    brandwatch := Experience {
        "Company":
                        "Brandwatch",
        "Role":
                        "Linux System Administrator",
        "Activities":
                        "Keep everything running.",
        "Technologies": Skills{"Linux", "git", "bacula", "ansible", "automation"},
    }
    dba := Experience {
        "Company":
                       "DBA",
        "Role":
                       "Software Engineer Freelance",
        "Activities":
                       `Develop a system, in C language, to analyse vehicle traffic
                        on Brazilian highways.`,
        "Technologies": Skills{"Linux", "C/C++", "git", "python", "Raspberry PI"},
    }
    secplus := Experience {
                      "SEC+",
        "Company":
        "Role":
                      "Software Engineer",
        "Activities": `Backend development of web system for intelligent
                        monitoring and management of natural disasters using
                        Python and the Django framework.`,
        "Technologies": Skills{"Linux", "C/C++", "git", "python", "javascript"},
    }
    digitro := Experience {
        "Company":
                        "Digitro",
        "Role":
                        "Software Engineer",
        "Activities":
                        `I was part of a team responsible to develop VoIP
                        products such as softphone, PBX and IP phone.`,
        "Technologies": Skills{"Linux", "C/C++", "Python", "SIP", "Wireshark"},
    }
    pb.experiences = append(pb.experiences, brandwatch, dba, secplus, digitro)
}
```

```
func (pb *PauloBenatto) Contact() {
    pb.contact = map[string]string {
        "phone":
                    "07424600850",
        "address":
                   "Sudeley Place 14, Brighton, UK",
                    "benatto@gmail.com",
        "email":
        "github":
                    "github.com/patito",
                    "patito.github.io",
        "blog":
        "linkedin": "https://uk.linkedin.com/in/benatto",
    }
}
func (pb *PauloBenatto) OpenSource() {
    pb.projects = make([]Project, 0)
    libmalelf := Project {
        "description": `The libmalelf is an evil library that SHOULD be
            used for good! It was developed with the intent to assist in
            the process of infecting binaries and provide a safe way to
            analyze malwares.`,
        "authors": Authors{"Tiago Natel de Moura", "Paulo Leonardo Benatto"},
        "site":
                  "github.com/SecPlus/libmalelf",
    }
    libpenetra := Project {
        "description": `The libpenetra was created with the goal of
            studying the windows binary format known as Portable
            Executable (PE).`,
        "authors": Authors{"Tiago Natel de Moura", "Paulo Leonardo Benatto"},
                  "github.com/patito/libpenetra",
    }
    pb.projects = append(pb.projects, libmalelf, libpenetra)
}
func main() {
    pb := &PauloBenatto{}
    pb.About()
    pb.MyExperience()
    pb.OpenSource()
    pb.Contact()
}
```