

TCC Automation

Developer's Manual



Submitted By:

Jasvir Singh

1144388

D3 CSE

Department of Computer Science and Engineering

GURU NANAK DEV ENGINEERING COLLEGE

LUDHIANA-141006

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	7
3.1	Class List	7
4	File Index	11
4.1	File List	11
5	Namespace Documentation	13
5.1	Automation Namespace Reference	13
5.2	Automation.settings Namespace Reference	13
5.2.1	Variable Documentation	14
5.2.1.1	ACCOUNT_ACTIVATION_DAYS	14
5.2.1.2	ADMIN_MEDIA_PREFIX	14
5.2.1.3	ADMINS	14
5.2.1.4	AUTH_PROFILE_MODULE	14
5.2.1.5	BACKEND_SESSION_KEY	14
5.2.1.6	DATABASES	14
5.2.1.7	DEBUG	14
5.2.1.8	DEFAULT_FROM_EMAIL	14
5.2.1.9	EASY_MAPS_GOOGLE_KEY	14
5.2.1.10	EMAIL_HOST	14
5.2.1.11	EMAIL_HOST_PASSWORD	14
5.2.1.12	EMAIL_HOST_USER	15
5.2.1.13	EMAIL_PORT	15
5.2.1.14	EMAIL_USE_TLS	15
5.2.1.15	INSTALLED_APPS	15
5.2.1.16	LANGUAGE_CODE	15
5.2.1.17	LOCAL_URL	15

5.2.1.18	LOGIN_REDIRECT_URL	15
5.2.1.19	MANAGERS	15
5.2.1.20	MEDIA_ROOT	15
5.2.1.21	MEDIA_URL	15
5.2.1.22	MIDDLEWARE_CLASSES	15
5.2.1.23	ROOT_URLCONF	15
5.2.1.24	SECRET_KEY	15
5.2.1.25	SESSION_KEY	15
5.2.1.26	SITE_ID	15
5.2.1.27	STATIC_ROOT	15
5.2.1.28	STATIC_URL	16
5.2.1.29	STATICFILES_DIRS	16
5.2.1.30	STATICFILES_FINDERS	16
5.2.1.31	TEMPLATE_CONTEXT_PROCESSORS	16
5.2.1.32	TEMPLATE_DEBUG	16
5.2.1.33	TEMPLATE_DIRS	16
5.2.1.34	TEMPLATE_LOADERS	16
5.2.1.35	TIME_ZONE	17
5.2.1.36	USE_I18N	17
5.2.1.37	USE_L10N	17
5.3	Automation.tcc Namespace Reference	17
5.4	Automation.tcc.admin Namespace Reference	17
5.4.1	Detailed Description	17
5.5	Automation.tcc.choices Namespace Reference	18
5.5.1	Detailed Description	18
5.5.2	Variable Documentation	18
5.5.2.1	DAILY_CHOICES	18
5.5.2.2	DAY_CHOICES	18
5.5.2.3	MONTH_CHOICES	18
5.5.2.4	ORGANISATION_CHOICES	18
5.5.2.5	STATES_CHOICES	19
5.5.2.6	YEAR_CHOICES	19
5.6	Automation.tcc.convert_function Namespace Reference	19
5.6.1	Function Documentation	19
5.6.1.1	num2eng	19
5.7	Automation.tcc.forms Namespace Reference	19
5.7.1	Detailed Description	20
5.8	Automation.tcc.functions Namespace Reference	20
5.8.1	Detailed Description	20
5.8.2	Function Documentation	20

5.8.2.1	dates	20
5.8.2.2	get_query	20
5.8.2.3	months	21
5.8.2.4	normalize_query	21
5.8.2.5	ratio1	21
5.8.2.6	ratio2	21
5.8.2.7	retrieve	21
5.8.3	Variable Documentation	21
5.8.3.1	individual_ratio1	21
5.8.3.2	individual_ratio2	21
5.8.3.3	institutional_ratio1	21
5.8.3.4	institutional_ratio2	21
5.8.3.5	routine_ratio1	21
5.8.3.6	routine_ratio2	21
5.9	Automation.tcc.models Namespace Reference	21
5.9.1	Detailed Description	23
5.10	Automation.tcc.urls Namespace Reference	23
5.10.1	Detailed Description	23
5.10.2	Variable Documentation	23
5.10.2.1	urlpatterns	23
5.11	Automation.tcc.variable Namespace Reference	23
5.11.1	Detailed Description	23
5.11.2	Variable Documentation	24
5.11.2.1	admincharge	24
5.11.2.2	collegeincome	24
5.11.2.3	educationtax	24
5.11.2.4	educationtaxprint	24
5.11.2.5	highereducationtax	24
5.11.2.6	highereducationtaxprint	24
5.11.2.7	individual_ratio1	24
5.11.2.8	individual_ratio2	24
5.11.2.9	institutional_ratio1	24
5.11.2.10	institutional_ratio2	24
5.11.2.11	routine_ratio1	24
5.11.2.12	routine_ratio2	24
5.11.2.13	servicetax	24
5.11.2.14	servicetaxprint	24
5.11.2.15	workcharge	24
5.12	Automation.tcc.views Namespace Reference	24
5.12.1	Detailed Description	25

5.12.2	Function Documentation	25
5.12.2.1	add_job	25
5.12.2.2	add_job_other_test	25
5.12.2.3	add_suspence	26
5.12.2.4	additional	26
5.12.2.5	bill	26
5.12.2.6	clearjob	26
5.12.2.7	clientreport	26
5.12.2.8	contact	26
5.12.2.9	distance	26
5.12.2.10	edit_profile	27
5.12.2.11	g_report	27
5.12.2.12	gen_report	27
5.12.2.13	gen_report_other	27
5.12.2.14	get_documents	27
5.12.2.15	index1	27
5.12.2.16	job_ok	28
5.12.2.17	job_submit	28
5.12.2.18	material	28
5.12.2.19	non_payment_job	28
5.12.2.20	other_charge	28
5.12.2.21	performa	28
5.12.2.22	previous	28
5.12.2.23	prevwork	28
5.12.2.24	profile	29
5.12.2.25	programme	29
5.12.2.26	rate	29
5.12.2.27	receipt_report	29
5.12.2.28	registered_user	29
5.12.2.29	rep	29
5.12.2.30	s_report	29
5.12.2.31	search	29
5.12.2.32	search_new	30
5.12.2.33	search_transport	30
5.12.2.34	select	30
5.12.2.35	selectfield	30
5.12.2.36	suspence_clearance	30
5.12.2.37	suspence_clearence_report	30
5.12.2.38	suspence_clearence_report_transport	30
5.12.2.39	ta_da	30

5.12.2.40 ta_da_bill	31
5.12.2.41 tada_view	31
5.12.2.42 transport	31
5.12.2.43 transport_bill	31
5.13 Automation.tcc.views_ext Namespace Reference	31
5.13.1 Detailed Description	31
5.13.2 Function Documentation	32
5.13.2.1 add_perf	32
5.13.2.2 add_perf_other_test	32
5.13.2.3 add_suspence_perf	32
5.13.2.4 billperf	32
5.13.2.5 edit_work	32
5.13.2.6 gen_report_perf	32
5.13.2.7 get_document_perf	32
5.13.2.8 get_performa_bill	32
5.13.2.9 job_ok_perf	32
5.13.2.10 job_submit_perf	33
5.13.2.11 perf_distance	33
5.13.2.12 perfselect	33
5.13.2.13 perfselectfield	33
5.13.2.14 search_job	33
5.14 Automation.urls Namespace Reference	33
5.14.1 Variable Documentation	33
5.14.1.1 urlpatterns	33
6 Class Documentation	35
6.1 Automation.tcc.models.AdvancedForm Class Reference	35
6.1.1 Detailed Description	35
6.2 Automation.tcc.models.Amount Class Reference	35
6.2.1 Detailed Description	36
6.2.2 Member Function Documentation	36
6.2.2.1 __unicode__	36
6.2.3 Member Data Documentation	36
6.2.3.1 admin_charge	36
6.2.3.2 college_income	36
6.2.3.3 consultancy_asst	36
6.2.3.4 development_fund	36
6.2.3.5 job	36
6.2.3.6 report_type	36
6.2.3.7 unit_price	36

6.3	Automation.tcc.models.Bankdetails Class Reference	36
6.3.1	Detailed Description	37
6.3.2	Member Data Documentation	37
6.3.2.1	accname	37
6.3.2.2	accountcode	37
6.3.2.3	accountno	37
6.3.2.4	address	37
6.4	Automation.tcc.models.BankdetailsForm Class Reference	37
6.4.1	Detailed Description	37
6.5	Automation.tcc.models.Bill Class Reference	38
6.5.1	Detailed Description	38
6.5.2	Member Data Documentation	38
6.5.2.1	balance	38
6.5.2.2	discount_total	38
6.5.2.3	education_tax	38
6.5.2.4	higher_education_tax	38
6.5.2.5	job_no	38
6.5.2.6	net_total	38
6.5.2.7	price	38
6.5.2.8	service_tax	38
6.5.2.9	trans_net_total	38
6.5.2.10	trans_total	38
6.6	Automation.tcc.models.BillForm Class Reference	39
6.6.1	Detailed Description	39
6.7	Automation.tcc.models.BillPerf Class Reference	39
6.7.1	Detailed Description	39
6.7.2	Member Data Documentation	40
6.7.2.1	balance	40
6.7.2.2	discount_total	40
6.7.2.3	education_tax	40
6.7.2.4	higher_education_tax	40
6.7.2.5	job_no	40
6.7.2.6	net_total	40
6.7.2.7	price	40
6.7.2.8	service_tax	40
6.7.2.9	trans_net_total	40
6.7.2.10	trans_total	40
6.8	Automation.tcc.forms.CashBook Class Reference	40
6.8.1	Detailed Description	40
6.8.2	Member Data Documentation	40

6.8.2.1	amount_given	40
6.8.2.2	end_date	41
6.8.2.3	name	41
6.8.2.4	start_date	41
6.9	Automation.tcc.models.CdfAmount Class Reference	41
6.9.1	Detailed Description	41
6.9.2	Member Data Documentation	41
6.9.2.1	date	41
6.9.2.2	field	41
6.9.2.3	job_no	41
6.9.2.4	lab	41
6.9.2.5	other_field	41
6.9.2.6	report_type	42
6.9.2.7	total	42
6.10	Automation.tcc.models.Clientadd Class Reference	42
6.10.1	Detailed Description	42
6.10.2	Member Data Documentation	42
6.10.2.1	client	42
6.10.2.2	job_no	42
6.10.2.3	user	42
6.11	Automation.tcc.admin.ClientAdmin Class Reference	42
6.11.1	Detailed Description	43
6.11.2	Member Data Documentation	43
6.11.2.1	list_display	43
6.11.2.2	list_filter	43
6.11.2.3	search_fields	43
6.12	Automation.tcc.models.ClientEditJob Class Reference	43
6.12.1	Detailed Description	44
6.12.2	Member Function Documentation	44
6.12.2.1	__unicode__	44
6.12.3	Member Data Documentation	44
6.12.3.1	job	44
6.12.3.2	material	44
6.12.3.3	other_test	44
6.12.3.4	test	44
6.13	Automation.tcc.models.ClientJob Class Reference	44
6.13.1	Detailed Description	44
6.13.2	Member Function Documentation	45
6.13.2.1	__unicode__	45
6.13.3	Member Data Documentation	45

6.13.3.1	job	45
6.13.3.2	material	45
6.13.3.3	other_test	45
6.13.3.4	test	45
6.14	Automation.tcc.models.ClientJobForm Class Reference	45
6.14.1	Detailed Description	45
6.15	Automation.tcc.models.ClientjobForm Class Reference	45
6.15.1	Detailed Description	46
6.15.2	Constructor & Destructor Documentation	46
6.15.2.1	__init__	46
6.15.3	Member Data Documentation	46
6.15.3.1	test	46
6.16	Automation.tcc.forms.ContactForm Class Reference	46
6.16.1	Member Data Documentation	47
6.16.1.1	email	47
6.16.1.2	message	47
6.16.1.3	subject	47
6.17	Automation.tcc.forms.DailyReportadd Class Reference	47
6.17.1	Detailed Description	47
6.17.2	Member Data Documentation	47
6.17.2.1	end_date	47
6.17.2.2	start_date	47
6.17.2.3	type	47
6.18	Automation.tcc.forms.DateReport Class Reference	47
6.18.1	Detailed Description	48
6.18.2	Member Function Documentation	48
6.18.2.1	clean_date	48
6.18.3	Member Data Documentation	48
6.18.3.1	end_date	48
6.18.3.2	start_date	48
6.19	Automation.tcc.models.Department Class Reference	48
6.19.1	Detailed Description	49
6.19.2	Member Function Documentation	49
6.19.2.1	__unicode__	49
6.19.3	Member Data Documentation	49
6.19.3.1	about	49
6.19.3.2	address	49
6.19.3.3	dean	49
6.19.3.4	email_1	49
6.19.3.5	email_2	49

6.19.3.6 faxno	49
6.19.3.7 name	49
6.19.3.8 organisation	49
6.19.3.9 phone	49
6.19.3.10 url	49
6.20 Automation.tcc.admin.DepartmentAdmin Class Reference	49
6.20.1 Detailed Description	50
6.20.2 Member Data Documentation	50
6.20.2.1 list_display	50
6.20.2.2 list_filter	50
6.20.2.3 search_fields	50
6.21 Automation.tcc.models.Distance Class Reference	50
6.21.1 Detailed Description	51
6.21.2 Member Data Documentation	51
6.21.2.1 job	51
6.21.2.2 sandy	51
6.22 Automation.tcc.models.DistanceForm Class Reference	51
6.22.1 Detailed Description	51
6.22.2 Member Function Documentation	51
6.22.2.1 __unicode__	51
6.23 Automation.tcc.models.Distanceperf Class Reference	52
6.23.1 Detailed Description	52
6.23.2 Member Data Documentation	52
6.23.2.1 job	52
6.23.2.2 sandy	52
6.24 Automation.tcc.models.DistanceperfForm Class Reference	52
6.24.1 Detailed Description	53
6.24.2 Member Function Documentation	53
6.24.2.1 __unicode__	53
6.25 Automation.tcc.models.Distribution Class Reference	53
6.25.1 Detailed Description	53
6.25.2 Member Function Documentation	53
6.25.2.1 __unicode__	53
6.25.3 Member Data Documentation	53
6.25.3.1 name	53
6.26 Automation.tcc.admin.DistributionAdmin Class Reference	54
6.26.1 Detailed Description	54
6.26.2 Member Data Documentation	54
6.26.2.1 list_display	54
6.26.2.2 list_filter	54

6.26.2.3	search_fields	54
6.27	Automation.tcc.models.editClientadd Class Reference	54
6.27.1	Detailed Description	55
6.27.2	Member Data Documentation	55
6.27.2.1	client	55
6.27.2.2	user	55
6.28	Automation.tcc.models.editClientJobForm Class Reference	55
6.28.1	Detailed Description	55
6.29	Automation.tcc.models.EditJob Class Reference	55
6.29.1	Detailed Description	56
6.29.2	Member Function Documentation	56
6.29.2.1	__unicode__	56
6.29.3	Member Data Documentation	56
6.29.3.1	client	56
6.29.3.2	date	56
6.29.3.3	discount	56
6.29.3.4	ip	56
6.29.3.5	job_no	56
6.29.3.6	letter_date	56
6.29.3.7	letter_no	56
6.29.3.8	note	56
6.29.3.9	report_type	56
6.29.3.10	sample	56
6.29.3.11	site	57
6.29.3.12	tds	57
6.29.3.13	type_of_work	57
6.30	Automation.tcc.models.editJobForm Class Reference	57
6.30.1	Detailed Description	57
6.31	Automation.tcc.models.editSuspenceJobForm Class Reference	57
6.31.1	Detailed Description	58
6.32	Automation.tcc.forms.GovPriReport Class Reference	58
6.32.1	Detailed Description	58
6.32.2	Member Data Documentation	58
6.32.2.1	month	58
6.32.2.2	type_of_work	58
6.32.2.3	year	58
6.33	Automation.tcc.models.Govt Class Reference	58
6.33.1	Detailed Description	59
6.33.2	Member Function Documentation	59
6.33.2.1	__unicode__	59

6.33.3 Member Data Documentation	59
6.33.3.1 name	59
6.34 Automation.tcc.admin.GovtAdmin Class Reference	59
6.34.1 Detailed Description	59
6.34.2 Member Data Documentation	60
6.34.2.1 list_display	60
6.34.2.2 list_filter	60
6.34.2.3 search_fields	60
6.35 Automation.tcc.models.Job Class Reference	60
6.35.1 Detailed Description	60
6.35.2 Member Function Documentation	61
6.35.2.1 __unicode__	61
6.35.3 Member Data Documentation	61
6.35.3.1 check_dd_date	61
6.35.3.2 check_number	61
6.35.3.3 client	61
6.35.3.4 date	61
6.35.3.5 discount	61
6.35.3.6 ip	61
6.35.3.7 job_no	61
6.35.3.8 letter_date	61
6.35.3.9 letter_no	61
6.35.3.10 pay	61
6.35.3.11 report_type	61
6.35.3.12 sample	61
6.35.3.13 site	61
6.35.3.14 tds	61
6.35.3.15 type_of_work	61
6.36 Automation.tcc.admin.JobAdmin Class Reference	61
6.36.1 Detailed Description	62
6.36.2 Member Data Documentation	62
6.36.2.1 list_display	62
6.36.2.2 list_filter	62
6.36.2.3 search_fields	62
6.37 Automation.tcc.models.JobForm Class Reference	62
6.37.1 Detailed Description	62
6.38 Automation.tcc.models.Lab Class Reference	62
6.38.1 Detailed Description	63
6.38.2 Member Function Documentation	63
6.38.2.1 __unicode__	63

6.38.2.2	get_tags	63
6.38.3	Member Data Documentation	63
6.38.3.1	department	63
6.38.3.2	name	63
6.38.3.3	tags	63
6.39	Automation.tcc.admin.LabAdmin Class Reference	63
6.39.1	Detailed Description	64
6.39.2	Member Data Documentation	64
6.39.2.1	list_display	64
6.39.2.2	list_filter	64
6.39.2.3	search_fields	64
6.40	Automation.tcc.models.LabReport Class Reference	64
6.40.1	Detailed Description	64
6.40.2	Member Data Documentation	64
6.40.2.1	end_date	64
6.40.2.2	material	65
6.40.2.3	start_date	65
6.41	Automation.tcc.models.MatComment Class Reference	65
6.41.1	Member Function Documentation	65
6.41.1.1	__unicode__	65
6.41.2	Member Data Documentation	65
6.41.2.1	name	65
6.42	Automation.tcc.admin.MatCommentAdmin Class Reference	65
6.42.1	Member Data Documentation	66
6.42.1.1	list_display	66
6.42.1.2	list_filter	66
6.42.1.3	search_fields	66
6.43	Automation.tcc.models.Material Class Reference	66
6.43.1	Detailed Description	66
6.43.2	Member Function Documentation	67
6.43.2.1	__unicode__	67
6.43.2.2	get_tags	67
6.43.3	Member Data Documentation	67
6.43.3.1	distribution	67
6.43.3.2	image	67
6.43.3.3	lab	67
6.43.3.4	matcomment	67
6.43.3.5	name	67
6.43.3.6	report	67
6.43.3.7	tags	67

6.44 Automation.tcc.admin.MaterialAdmin Class Reference	67
6.44.1 Detailed Description	67
6.44.2 Member Data Documentation	68
6.44.2.1 list_display	68
6.44.2.2 list_filter	68
6.44.2.3 search_fields	68
6.45 Automation.tcc.models.ClientJobForm.Meta Class Reference	68
6.45.1 Member Data Documentation	68
6.45.1.1 exclude	68
6.45.1.2 model	68
6.46 Automation.tcc.models.TadaForm.Meta Class Reference	68
6.46.1 Member Data Documentation	68
6.46.1.1 exclude	68
6.46.1.2 model	68
6.46.1.3 widgets	68
6.47 Automation.tcc.models.editClientJobForm.Meta Class Reference	69
6.47.1 Member Data Documentation	69
6.47.1.1 exclude	69
6.47.1.2 model	69
6.48 Automation.tcc.models.TransportForm.Meta Class Reference	69
6.48.1 Member Data Documentation	69
6.48.1.1 model	69
6.49 Automation.tcc.models.DistanceForm.Meta Class Reference	69
6.49.1 Member Data Documentation	70
6.49.1.1 exclude	70
6.49.1.2 model	70
6.50 Automation.tcc.models.BankdetailsForm.Meta Class Reference	70
6.50.1 Member Data Documentation	70
6.50.1.1 model	70
6.51 Automation.tcc.models.BillForm.Meta Class Reference	70
6.51.1 Member Data Documentation	70
6.51.1.1 model	70
6.52 Automation.tcc.models.SuspenceJobForm.Meta Class Reference	70
6.52.1 Member Data Documentation	70
6.52.1.1 exclude	70
6.52.1.2 model	71
6.53 Automation.tcc.models.NonPaymentJobForm.Meta Class Reference	71
6.53.1 Member Data Documentation	71
6.53.1.1 exclude	71
6.53.1.2 model	71

6.54 Automation.tcc.models.TestTotalPerfForm.Meta Class Reference	71
6.54.1 Member Data Documentation	71
6.54.1.1 exclude	71
6.54.1.2 model	71
6.55 Automation.tcc.models.JobForm.Meta Class Reference	71
6.55.1 Member Data Documentation	72
6.55.1.1 exclude	72
6.55.1.2 model	72
6.56 Automation.tcc.models.ProgrammeForm.Meta Class Reference	72
6.56.1 Member Data Documentation	72
6.56.1.1 model	72
6.56.1.2 widgets	72
6.57 Automation.tcc.models.AdvancedForm.Meta Class Reference	72
6.57.1 Member Data Documentation	72
6.57.1.1 exclude	72
6.57.1.2 model	72
6.58 Automation.tcc.models.TestTotalForm.Meta Class Reference	73
6.58.1 Member Data Documentation	73
6.58.1.1 exclude	73
6.58.1.2 model	73
6.59 Automation.tcc.models.editJobForm.Meta Class Reference	73
6.59.1 Member Data Documentation	73
6.59.1.1 exclude	73
6.59.1.2 model	73
6.60 Automation.tcc.models.editSuspenceJobForm.Meta Class Reference	73
6.60.1 Member Data Documentation	73
6.60.1.1 exclude	73
6.60.1.2 model	73
6.61 Automation.tcc.models.UserProfileForm.Meta Class Reference	74
6.61.1 Member Data Documentation	74
6.61.1.1 exclude	74
6.61.1.2 model	74
6.61.1.3 widgets	74
6.62 Automation.tcc.models.DistanceperfForm.Meta Class Reference	74
6.62.1 Member Data Documentation	74
6.62.1.1 exclude	74
6.62.1.2 model	74
6.63 Automation.tcc.models.SuspenceForm.Meta Class Reference	74
6.63.1 Member Data Documentation	75
6.63.1.1 model	75

6.64	Automation.tcc.models.ClientJobForm.Meta Class Reference	75
6.64.1	Member Data Documentation	75
6.64.1.1	exclude	75
6.64.1.2	model	75
6.65	Automation.tcc.forms.MonthlyReport Class Reference	75
6.65.1	Detailed Description	75
6.65.2	Member Data Documentation	75
6.65.2.1	month	75
6.65.2.2	year	76
6.66	Automation.tcc.forms.MonthlyReportadd Class Reference	76
6.66.1	Detailed Description	76
6.66.2	Member Data Documentation	76
6.66.2.1	month	76
6.66.2.2	paid_education_tax	76
6.66.2.3	paid_higher_education_tax	76
6.66.2.4	paid_service_tax	76
6.66.2.5	year	76
6.67	Automation.tcc.models.NonPaymentJob Class Reference	76
6.67.1	Member Function Documentation	77
6.67.1.1	__unicode__	77
6.67.2	Member Data Documentation	77
6.67.2.1	client	77
6.67.2.2	date	77
6.67.2.3	dated	77
6.67.2.4	job_no	77
6.67.2.5	material_type	77
6.67.2.6	ref_no	77
6.67.2.7	site	77
6.68	Automation.tcc.models.NonPaymentJobForm Class Reference	77
6.68.1	Detailed Description	78
6.69	Automation.tcc.models.Organisation Class Reference	78
6.69.1	Detailed Description	78
6.69.2	Member Function Documentation	79
6.69.2.1	__unicode__	79
6.69.3	Member Data Documentation	79
6.69.3.1	address	79
6.69.3.2	director	79
6.69.3.3	logo_upload	79
6.69.3.4	name	79
6.69.3.5	phone	79

6.69.3.6 status	79
6.70 Automation.tcc.admin.OrganisationAdmin Class Reference	79
6.70.1 Detailed Description	79
6.70.2 Member Data Documentation	79
6.70.2.1 list_display	79
6.70.2.2 list_filter	79
6.70.2.3 search_fields	80
6.71 Automation.tcc.models.Payment Class Reference	80
6.71.1 Detailed Description	80
6.71.2 Member Function Documentation	80
6.71.2.1 __unicode__	80
6.71.3 Member Data Documentation	80
6.71.3.1 name	80
6.72 Automation.tcc.admin.PaymentAdmin Class Reference	80
6.72.1 Detailed Description	81
6.72.2 Member Data Documentation	81
6.72.2.1 list_display	81
6.72.2.2 list_filter	81
6.72.2.3 search_fields	81
6.73 Automation.tcc.models.ProformaTax Class Reference	81
6.73.1 Member Data Documentation	82
6.73.1.1 education_tax	82
6.73.1.2 higher_education_tax	82
6.73.1.3 pro_no	82
6.73.1.4 service_tax	82
6.73.1.5 total	82
6.74 Automation.tcc.models.Prog_letter Class Reference	82
6.74.1 Detailed Description	82
6.74.2 Member Function Documentation	82
6.74.2.1 __unicode__	82
6.74.3 Member Data Documentation	82
6.74.3.1 name	82
6.75 Automation.tcc.models.Programme Class Reference	83
6.75.1 Member Function Documentation	83
6.75.1.1 __unicode__	83
6.75.2 Member Data Documentation	83
6.75.2.1 addr	83
6.75.2.2 at	83
6.75.2.3 city	83
6.75.2.4 client_department_name	83

6.75.2.5	date	83
6.75.2.6	on	83
6.75.2.7	phone_no	83
6.75.2.8	site	83
6.76	Automation.tcc.models.ProgrammeForm Class Reference	84
6.76.1	Member Data Documentation	84
6.76.1.1	staff	84
6.77	Automation.tcc.models.Report Class Reference	84
6.77.1	Detailed Description	85
6.77.2	Member Function Documentation	85
6.77.2.1	__unicode__	85
6.77.3	Member Data Documentation	85
6.77.3.1	name	85
6.78	Automation.tcc.admin.ReportAdmin Class Reference	85
6.78.1	Detailed Description	85
6.78.2	Member Data Documentation	85
6.78.2.1	list_display	85
6.78.2.2	list_filter	85
6.78.2.3	search_fields	85
6.79	Automation.tcc.models.Staff Class Reference	86
6.79.1	Detailed Description	86
6.79.2	Member Function Documentation	86
6.79.2.1	__unicode__	86
6.79.3	Member Data Documentation	86
6.79.3.1	code	86
6.79.3.2	daily_income	86
6.79.3.3	department	86
6.79.3.4	email	86
6.79.3.5	lab	86
6.79.3.6	name	86
6.79.3.7	position	86
6.80	Automation.tcc.admin.StaffAdmin Class Reference	87
6.80.1	Detailed Description	87
6.80.2	Member Data Documentation	87
6.80.2.1	list_display	87
6.80.2.2	list_filter	87
6.80.2.3	search_fields	87
6.81	Automation.tcc.models.Suspence Class Reference	87
6.81.1	Detailed Description	88
6.81.2	Member Data Documentation	88

6.81.2.1	boring_charge_external	88
6.81.2.2	boring_charge_internal	88
6.81.2.3	car_taxi_charge	88
6.81.2.4	field_testing_staff	88
6.81.2.5	job	88
6.81.2.6	lab_testing_staff	88
6.81.2.7	labour_charge	88
6.81.2.8	rate	88
6.81.2.9	sus	88
6.81.2.10	suspence_bill_no	88
6.81.2.11	test_date	88
6.81.2.12	work_charge	88
6.82	Automation.tcc.forms.SuspenceClearence Class Reference	89
6.82.1	Detailed Description	89
6.82.2	Member Data Documentation	89
6.82.2.1	boring_charge_external	89
6.82.2.2	boring_charge_internal	89
6.82.2.3	car_taxi_charge	89
6.82.2.4	field_testing_staff	89
6.82.2.5	lab_testing_staff	89
6.82.2.6	labour_charge	89
6.83	Automation.tcc.models.SuspenceEditJob Class Reference	89
6.83.1	Detailed Description	90
6.83.2	Member Function Documentation	90
6.83.2.1	__unicode__	90
6.83.3	Member Data Documentation	90
6.83.3.1	field	90
6.83.3.2	job	90
6.83.3.3	other	90
6.83.3.4	test	90
6.84	Automation.tcc.models.SuspenceForm Class Reference	90
6.84.1	Detailed Description	91
6.85	Automation.tcc.models.SuspenceJob Class Reference	91
6.85.1	Detailed Description	91
6.85.2	Member Function Documentation	91
6.85.2.1	__unicode__	91
6.85.3	Member Data Documentation	91
6.85.3.1	field	91
6.85.3.2	job	91
6.85.3.3	other	92

6.85.3.4	test	92
6.86	Automation.tcc.models.SuspenceJobForm Class Reference	92
6.86.1	Detailed Description	92
6.87	Automation.tcc.models.TaDa Class Reference	92
6.87.1	Detailed Description	93
6.87.2	Member Data Documentation	93
6.87.2.1	arrival_time_down	93
6.87.2.2	arrival_time_up	93
6.87.2.3	departure_time_down	93
6.87.2.4	departure_time_up	93
6.87.2.5	end_date	93
6.87.2.6	job	93
6.87.2.7	reach_site	93
6.87.2.8	tada_amount	93
6.87.2.9	test_date	93
6.87.2.10	testing_staff_code	93
6.88	Automation.tcc.models.TadaForm Class Reference	93
6.88.1	Detailed Description	94
6.89	Automation.tcc.models.Test Class Reference	94
6.89.1	Detailed Description	94
6.89.2	Member Function Documentation	94
6.89.2.1	__unicode__	94
6.89.2.2	get_tags	94
6.89.3	Member Data Documentation	94
6.89.3.1	cost	94
6.89.3.2	material	94
6.89.3.3	name	95
6.89.3.4	quantity	95
6.89.3.5	tags	95
6.89.3.6	unit	95
6.90	Automation.tcc.admin.TestAdmin Class Reference	95
6.90.1	Detailed Description	95
6.90.2	Member Data Documentation	95
6.90.2.1	list_display	95
6.90.2.2	list_filter	95
6.90.2.3	search_fields	95
6.91	Automation.tcc.models.TestTotal Class Reference	95
6.91.1	Detailed Description	96
6.91.2	Member Function Documentation	96
6.91.2.1	__unicode__	96

6.91.3	Member Data Documentation	96
6.91.3.1	job	96
6.91.3.2	unit_price	96
6.92	Automation.tcc.models.TestTotalForm Class Reference	96
6.92.1	Detailed Description	97
6.93	Automation.tcc.models.TestTotalPerf Class Reference	97
6.93.1	Detailed Description	97
6.93.2	Member Function Documentation	97
6.93.2.1	__unicode__	97
6.93.3	Member Data Documentation	97
6.93.3.1	job	97
6.93.3.2	rate	97
6.93.3.3	unit_price	97
6.94	Automation.tcc.models.TestTotalPerfForm Class Reference	98
6.94.1	Detailed Description	98
6.95	Automation.tcc.models.Transport Class Reference	98
6.95.1	Detailed Description	98
6.95.2	Member Data Documentation	99
6.95.2.1	amounts	99
6.95.2.2	bill_no	99
6.95.2.3	date	99
6.95.2.4	id	99
6.95.2.5	job_no	99
6.95.2.6	kilometer	99
6.95.2.7	test_date	99
6.95.2.8	total	99
6.95.2.9	vehicle	99
6.96	Automation.tcc.models.Transportation Class Reference	99
6.96.1	Detailed Description	100
6.96.2	Member Function Documentation	100
6.96.2.1	__str__	100
6.96.3	Member Data Documentation	100
6.96.3.1	rate	100
6.96.3.2	vehiclno	100
6.97	Automation.tcc.admin.TransportationAdmin Class Reference	100
6.97.1	Detailed Description	100
6.97.2	Member Data Documentation	100
6.97.2.1	list_display	100
6.97.2.2	list_filter	100
6.97.2.3	search_fields	100

6.98 Automation.tcc.models.TransportForm Class Reference	101
6.98.1 Detailed Description	101
6.99 Automation.tcc.models.UserProfile Class Reference	101
6.99.1 Detailed Description	102
6.99.2 Member Function Documentation	102
6.99.2.1 __unicode__	102
6.99.3 Member Data Documentation	102
6.99.3.1 address	102
6.99.3.2 city	102
6.99.3.3 company	102
6.99.3.4 contact_no	102
6.99.3.5 date	102
6.99.3.6 email_address	102
6.99.3.7 first_name	102
6.99.3.8 last_name	102
6.99.3.9 middle_name	102
6.99.3.10 pin_code	102
6.99.3.11 state	102
6.99.3.12 type_of_organisation	103
6.99.3.13 user	103
6.99.3.14 website	103
6.100 Automation.tcc.models.UserProfileForm Class Reference	103
6.100.1 Detailed Description	103
7 File Documentation	105
7.1 settings.py File Reference	105
7.2 tcc/admin.py File Reference	106
7.3 tcc/choices.py File Reference	106
7.4 tcc/convert_function.py File Reference	107
7.5 tcc/forms.py File Reference	107
7.6 tcc/functions.py File Reference	107
7.7 tcc/models.py File Reference	108
7.8 tcc/variable.py File Reference	109
7.9 tcc/views.py File Reference	110
7.10 tcc/views_ext.py File Reference	111
7.11 urls.py File Reference	111
7.12 tcc/urls.py File Reference	111

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Automation	13
Automation.settings	13
Automation.tcc	17
Automation.tcc.admin	17
Automation.tcc.choices	18
Automation.tcc.convert_function	19
Automation.tcc.forms	19
Automation.tcc.functions	20
Automation.tcc.models	21
Automation.tcc.urls	23
Automation.tcc.variable	23
Automation.tcc.views	24
Automation.tcc.views_ext	31
Automation.urls	33

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Form

Automation.tcc.forms.CashBook	40
Automation.tcc.forms.ContactForm	46
Automation.tcc.forms.DailyReportadd	47
Automation.tcc.forms.DateReport	47
Automation.tcc.forms.GovPriReport	58
Automation.tcc.forms.MonthlyReport	75
Automation.tcc.forms.MonthlyReportadd	76
Automation.tcc.forms.SuspenceClearance	89
Automation.tcc.models.LabReport	64
Automation.tcc.models.ClientjobForm.Meta	68
Automation.tcc.models.TadaForm.Meta	68
Automation.tcc.models.editClientJobForm.Meta	69
Automation.tcc.models.TransportForm.Meta	69
Automation.tcc.models.DistanceForm.Meta	69
Automation.tcc.models.BankdetailsForm.Meta	70
Automation.tcc.models.BillForm.Meta	70
Automation.tcc.models.SuspenceJobForm.Meta	70
Automation.tcc.models.NonPaymentJobForm.Meta	71
Automation.tcc.models.TestTotalPerfForm.Meta	71
Automation.tcc.models.JobForm.Meta	71
Automation.tcc.models.ProgrammeForm.Meta	72
Automation.tcc.models.AdvancedForm.Meta	72
Automation.tcc.models.TestTotalForm.Meta	73
Automation.tcc.models.editJobForm.Meta	73
Automation.tcc.models.editSuspenceJobForm.Meta	73
Automation.tcc.models.UserProfileForm.Meta	74
Automation.tcc.models.DistanceperfForm.Meta	74
Automation.tcc.models.SuspenceForm.Meta	74
Automation.tcc.models.ClientJobForm.Meta	75

Model

Automation.tcc.models.Amount	35
Automation.tcc.models.Bankdetails	36
Automation.tcc.models.Bill	38
Automation.tcc.models.BillPerf	39
Automation.tcc.models.CdfAmount	41
Automation.tcc.models.Clientadd	42
Automation.tcc.models.ClientEditJob	43

Automation.tcc.models.ClientJob	44
Automation.tcc.models.Department	48
Automation.tcc.models.Distance	50
Automation.tcc.models.Distanceperf	52
Automation.tcc.models.Distribution	53
Automation.tcc.models.editClientadd	54
Automation.tcc.models.EditJob	55
Automation.tcc.models.Govt	58
Automation.tcc.models.Job	60
Automation.tcc.models.Lab	62
Automation.tcc.models.MatComment	65
Automation.tcc.models.Material	66
Automation.tcc.models.NonPaymentJob	76
Automation.tcc.models.Organisation	78
Automation.tcc.models.Payment	80
Automation.tcc.models.ProformaTax	81
Automation.tcc.models.Prog_letter	82
Automation.tcc.models.Programme	83
Automation.tcc.models.Report	84
Automation.tcc.models.Staff	86
Automation.tcc.models.Suspence	87
Automation.tcc.models.SuspenceEditJob	89
Automation.tcc.models.SuspenceJob	91
Automation.tcc.models.TaDa	92
Automation.tcc.models.Test	94
Automation.tcc.models.TestTotal	95
Automation.tcc.models.TestTotalPerf	97
Automation.tcc.models.Transport	98
Automation.tcc.models.Transportation	99
Automation.tcc.models.UserProfile	101
ModelAdmin	
Automation.tcc.admin.ClientAdmin	42
Automation.tcc.admin.DepartmentAdmin	49
Automation.tcc.admin.DistributionAdmin	54
Automation.tcc.admin.GovtAdmin	59
Automation.tcc.admin.JobAdmin	61
Automation.tcc.admin.LabAdmin	63
Automation.tcc.admin.MatCommentAdmin	65
Automation.tcc.admin.MaterialAdmin	67
Automation.tcc.admin.OrganisationAdmin	79
Automation.tcc.admin.PaymentAdmin	80
Automation.tcc.admin.ReportAdmin	85
Automation.tcc.admin.StaffAdmin	87
Automation.tcc.admin.TestAdmin	95
Automation.tcc.admin.TransportationAdmin	100
ModelForm	
Automation.tcc.models.AdvancedForm	35
Automation.tcc.models.BankdetailsForm	37
Automation.tcc.models.BillForm	39
Automation.tcc.models.BillForm	39
Automation.tcc.models.ClientJobForm	45
Automation.tcc.models.ClientjobForm	45
Automation.tcc.models.DistanceForm	51
Automation.tcc.models.DistanceperfForm	52
Automation.tcc.models.editClientJobForm	55
Automation.tcc.models.editJobForm	57
Automation.tcc.models.editSuspenceJobForm	57
Automation.tcc.models.JobForm	62

Automation.tcc.models.NonPaymentJobForm	77
Automation.tcc.models.ProgrammeForm	84
Automation.tcc.models.SuspenceForm	90
Automation.tcc.models.SuspenceJobForm	92
Automation.tcc.models.TadaForm	93
Automation.tcc.models.TestTotalForm	96
Automation.tcc.models.TestTotalPerfForm	98
Automation.tcc.models.TransportForm	101
Automation.tcc.models.UserProfileForm	103

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Automation.tcc.models.AdvancedForm	35
Automation.tcc.models.Amount	35
Automation.tcc.models.Bankdetails	36
Automation.tcc.models.BankdetailsForm	37
Automation.tcc.models.Bill	38
Automation.tcc.models.BillForm	39
Automation.tcc.models.BillPerf	39
Automation.tcc.forms.CashBook	40
Automation.tcc.models.CdfAmount	41
Automation.tcc.models.Clientadd	42
Automation.tcc.admin.ClientAdmin	42
Automation.tcc.models.ClientEditJob	43
Automation.tcc.models.ClientJob	44
Automation.tcc.models.ClientJobForm	45
Automation.tcc.models.ClientjobForm	45
Automation.tcc.forms.ContactForm	46
Automation.tcc.forms.DailyReportadd	47
Automation.tcc.forms.DateReport	47
Automation.tcc.models.Department	48
Automation.tcc.admin.DepartmentAdmin	49
Automation.tcc.models.Distance	50
Automation.tcc.models.DistanceForm	51
Automation.tcc.models.Distanceperf	52
Automation.tcc.models.DistanceperfForm	52
Automation.tcc.models.Distribution	53
Automation.tcc.admin.DistributionAdmin	54
Automation.tcc.models.editClientadd	54
Automation.tcc.models.editClientJobForm	55
Automation.tcc.models.EditJob	55
Automation.tcc.models.editJobForm	57
Automation.tcc.models.editSuspenceJobForm	57
Automation.tcc.forms.GovPriReport	58
Automation.tcc.models.Govt	58
Automation.tcc.admin.GovtAdmin	59
Automation.tcc.models.Job	60
Automation.tcc.admin.JobAdmin	61
Automation.tcc.models.JobForm	62
Automation.tcc.models.Lab	62

Automation.tcc.admin.LabAdmin	63
Automation.tcc.models.LabReport	64
Automation.tcc.models.MatComment	65
Automation.tcc.admin.MatCommentAdmin	65
Automation.tcc.models.Material	66
Automation.tcc.admin.MaterialAdmin	67
Automation.tcc.models.ClientjobForm.Meta	68
Automation.tcc.models.TadaForm.Meta	68
Automation.tcc.models.editClientJobForm.Meta	69
Automation.tcc.models.TransportForm.Meta	69
Automation.tcc.models.DistanceForm.Meta	69
Automation.tcc.models.BankdetailsForm.Meta	70
Automation.tcc.models.BillForm.Meta	70
Automation.tcc.models.SuspenceJobForm.Meta	70
Automation.tcc.models.NonPaymentJobForm.Meta	71
Automation.tcc.models.TestTotalPerfForm.Meta	71
Automation.tcc.models.JobForm.Meta	71
Automation.tcc.models.ProgrammeForm.Meta	72
Automation.tcc.models.AdvancedForm.Meta	72
Automation.tcc.models.TestTotalForm.Meta	73
Automation.tcc.models.editJobForm.Meta	73
Automation.tcc.models.editSuspenceJobForm.Meta	73
Automation.tcc.models.UserProfileForm.Meta	74
Automation.tcc.models.DistanceperfForm.Meta	74
Automation.tcc.models.SuspenceForm.Meta	74
Automation.tcc.models.ClientJobForm.Meta	75
Automation.tcc.forms.MonthlyReport	75
Automation.tcc.forms.MonthlyReportadd	76
Automation.tcc.models.NonPaymentJob	76
Automation.tcc.models.NonPaymentJobForm	77
Automation.tcc.models.Organisation	78
Automation.tcc.admin.OrganisationAdmin	79
Automation.tcc.models.Payment	80
Automation.tcc.admin.PaymentAdmin	80
Automation.tcc.models.ProformaTax	81
Automation.tcc.models.Prog_letter	82
Automation.tcc.models.Programme	83
Automation.tcc.models.ProgrammeForm	84
Automation.tcc.models.Report	84
Automation.tcc.admin.ReportAdmin	85
Automation.tcc.models.Staff	86
Automation.tcc.admin.StaffAdmin	87
Automation.tcc.models.Suspence	87
Automation.tcc.forms.SuspenceClearance	89
Automation.tcc.models.SuspenceEditJob	89
Automation.tcc.models.SuspenceForm	90
Automation.tcc.models.SuspenceJob	91
Automation.tcc.models.SuspenceJobForm	92
Automation.tcc.models.TaDa	92
Automation.tcc.models.TadaForm	93
Automation.tcc.models.Test	94
Automation.tcc.admin.TestAdmin	95
Automation.tcc.models.TestTotal	95
Automation.tcc.models.TestTotalForm	96
Automation.tcc.models.TestTotalPerf	97
Automation.tcc.models.TestTotalPerfForm	98
Automation.tcc.models.Transport	98
Automation.tcc.models.Transportation	99

Automation.tcc.admin.TransportationAdmin	100
Automation.tcc.models.TransportForm	101
Automation.tcc.models.UserProfile	101
Automation.tcc.models.UserProfileForm	103

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

settings.py	105
urls.py	111
tcc/admin.py	106
tcc/choices.py	106
tcc/convert_function.py	107
tcc/forms.py	107
tcc/functions.py	107
tcc/models.py	108
tcc/urls.py	111
tcc/variable.py	109
tcc/views.py	110
tcc/views_ext.py	111

Chapter 5

Namespace Documentation

5.1 Automation Namespace Reference

Namespaces

- [settings](#)
- [tcc](#)
- [urls](#)

5.2 Automation.settings Namespace Reference

Variables

- `DEBUG` = True
- `TEMPLATE_DEBUG` = `DEBUG`
- tuple `ADMINS`
- `MANAGERS` = `ADMINS`
- dictionary `DATABASES`
- string `TIME_ZONE` = 'Asia/Kolkata'
- string `LANGUAGE_CODE` = 'en-us'
- int `SITE_ID` = 1
- string `DEFAULT_FROM_EMAIL` = 'user@host.com'
- string `EMAIL_HOST` = 'smtp.host.com'
- string `EMAIL_HOST_USER` = 'user@host.com'
- string `EMAIL_HOST_PASSWORD` = 'user@host.com'
- `EMAIL_USE_TLS` = True
- string `EMAIL_PORT` = "587"
- string `SESSION_KEY` = '_auth_user_id'
- string `BACKEND_SESSION_KEY` = '_auth_user_backend'
- `USE_I18N` = True
- `USE_L10N` = True
- string `MEDIA_ROOT` = '/usr/local/lib/python2.7/dist-packages/django/contrib/admin/media/'
- string `STATIC_ROOT` = 'mpath/Automation/static/'
- string `LOCAL_URL` = 'http://localhost/'
- string `MEDIA_URL` = '/media/'
- string `STATIC_URL` = '/static'
- string `ADMIN_MEDIA_PREFIX` = '/media/'
- string `AUTH_PROFILE_MODULE` = 'tcc.UserProfile'

- tuple [STATICFILES_DIRS](#)
- tuple [STATICFILES_FINDERS](#)
- string [SECRET_KEY](#) = '@3t%hg=e4%fuwrxhq#qm4gp!%0albmve6natdxiqoxcx8#8\$wd'
- string [EASY_MAPS_GOOGLE_KEY](#) = "AlzaSyDRekokepCbXBsF7DC8uyR_95pikeWdPqc"
- tuple [TEMPLATE_LOADERS](#)
- tuple [TEMPLATE_CONTEXT_PROCESSORS](#)
- tuple [MIDDLEWARE_CLASSES](#)
- string [ROOT_URLCONF](#) = 'Automation.urls'
- tuple [TEMPLATE_DIRS](#)
- tuple [INSTALLED_APPS](#)
- int [ACCOUNT_ACTIVATION_DAYS](#) = 2
- string [LOGIN_REDIRECT_URL](#) = '/automation/tcc/index'

5.2.1 Variable Documentation

5.2.1.1 int Automation.settings.ACCOUNT_ACTIVATION_DAYS = 2

5.2.1.2 string Automation.settings.ADMIN_MEDIA_PREFIX = '/media/'

5.2.1.3 tuple Automation.settings.ADMINS

Initial value:

```
1 = (
2     #('Your Name', 'your_email@domain.com'),
3 )
```

5.2.1.4 string Automation.settings.AUTH_PROFILE_MODULE = 'tcc.UserProfile'

5.2.1.5 string Automation.settings.BACKEND_SESSION_KEY = '_auth_user_backend'

5.2.1.6 dictionary Automation.settings.DATABASES

Initial value:

```
1 = {
2     'default': {
3         'ENGINE': 'django.db.backends.mysql', # Add 'postgresql_psycopg2', 'postgresql', 'mysql', 'sqlite3'
4         or 'oracle'.
5         'NAME': 'db_name', # Or path to database file if using sqlite3.
6         'USER': 'db_user', # Not used with sqlite3.
7         'PASSWORD': 'db_password',
8         'HOST': '', # Set to empty string for localhost. Not used with sqlite3.
9         'PORT': '', # Set to empty string for default. Not used with sqlite3.
10    }
```

5.2.1.7 Automation.settings.DEBUG = True

5.2.1.8 string Automation.settings.DEFAULT_FROM_EMAIL = 'user@host.com'

5.2.1.9 string Automation.settings.EASY_MAPS_GOOGLE_KEY = "AlzaSyDRekokepCbXBsF7DC8uyR_95pikeWdPqc"

5.2.1.10 string Automation.settings.EMAIL_HOST = 'smtp.host.com'

5.2.1.11 string Automation.settings.EMAIL_HOST_PASSWORD = 'user@host.com'

5.2.1.12 string Automation.settings.EMAIL_HOST_USER = 'user@host.com'

5.2.1.13 string Automation.settings.EMAIL_PORT = "587"

5.2.1.14 Automation.settings.EMAIL_USE_TLS = True

5.2.1.15 tuple Automation.settings.INSTALLED_APPS

Initial value:

```
1 = (  
2     'django.contrib.auth',  
3     'django.contrib.contenttypes',  
4     'django.contrib.sessions',  
5     'django.contrib.sites',  
6     'django.contrib.messages',  
7     'django.contrib.humanize',  
8     # Uncomment the next line to enable the admin:  
9     'django.contrib.admin',  
10    'registration',  
11    'Automation.tcc',  
12    'Automation.report',  
13    'tagging',  
14 )
```

5.2.1.16 string Automation.settings.LANGUAGE_CODE = 'en-us'

5.2.1.17 string Automation.settings.LOCAL_URL = 'http://localhost/'

5.2.1.18 string Automation.settings.LOGIN_REDIRECT_URL = '/automation/tcc/index'

5.2.1.19 Automation.settings.MANAGERS = ADMINS

5.2.1.20 string Automation.settings.MEDIA_ROOT = '/usr/local/lib/python2.7/dist-packages/django/contrib/admin/media/'

5.2.1.21 string Automation.settings.MEDIA_URL = '/media/'

5.2.1.22 tuple Automation.settings.MIDDLEWARE_CLASSES

Initial value:

```
1 = (  
2     'django.middleware.common.CommonMiddleware',  
3     'django.contrib.sessions.middleware.SessionMiddleware',  
4     'django.middleware.csrf.CsrfViewMiddleware',  
5     'django.contrib.auth.middleware.AuthenticationMiddleware',  
6     'django.contrib.messages.middleware.MessageMiddleware',  
7     'django.middleware.cache.UpdateCacheMiddleware',  
8     'django.middleware.common.CommonMiddleware',  
9     'django.middleware.cache.FetchFromCacheMiddleware',  
10 )
```

5.2.1.23 string Automation.settings.ROOT_URLCONF = 'Automation.urls'

5.2.1.24 string Automation.settings.SECRET_KEY = '@3t%hg=e4%fuwrxhq#qm4gp!%0albmve6natdxiqocx8#8\$wd'

5.2.1.25 string Automation.settings.SESSION_KEY = '_auth_user_id'

5.2.1.26 int Automation.settings.SITE_ID = 1

5.2.1.27 string Automation.settings.STATIC_ROOT = 'mpath/Automation/static/'

5.2.1.28 string Automation.settings.STATIC_URL = '/static'

5.2.1.29 tuple Automation.settings.STATICFILES_DIRS

Initial value:

```
1 = (  
2     # Put strings here, like "/home/html/static" or "C:/www/django/static".  
3     # Always use forward slashes, even on Windows.  
4     # Don't forget to use absolute paths, not relative paths.  
5 )
```

5.2.1.30 tuple Automation.settings.STATICFILES_FINDERS

Initial value:

```
1 = (  
2     'django.contrib.staticfiles.finders.FileSystemFinder',  
3     'django.contrib.staticfiles.finders.AppDirectoriesFinder',  
4     # 'django.contrib.staticfiles.finders.DefaultStorageFinder',  
5 )
```

5.2.1.31 tuple Automation.settings.TEMPLATE_CONTEXT_PROCESSORS

Initial value:

```
1 = (  
2     "django.contrib.auth.context_processors.auth",  
3     "Automation.tcc.context_processors.base_template",  
4 )
```

5.2.1.32 Automation.settings.TEMPLATE_DEBUG = DEBUG

5.2.1.33 tuple Automation.settings.TEMPLATE_DIRS

Initial value:

```
1 = ("mpath/Automation/templates"  
2     # Put strings here, like "/home/html/django_templates" or "C:/www/django/templates".  
3     # Always use forward slashes, even on Windows.  
4     # Don't forget to use absolute paths, not relative paths.  
5 )
```

5.2.1.34 tuple Automation.settings.TEMPLATE_LOADERS

Initial value:

```
1 = (  
2     'django.template.loaders.filesystem.Loader',  
3     'django.template.loaders.app_directories.Loader',  
4     # 'django.template.loaders.eggs.Loader',  
5 )
```

5.2.1.35 `string Automation.settings.TIME_ZONE = 'Asia/Kolkata'`

5.2.1.36 `Automation.settings.USE_I18N = True`

5.2.1.37 `Automation.settings.USE_L10N = True`

5.3 Automation.tcc Namespace Reference

Namespaces

- [admin](#)
- [choices](#)
- [convert_function](#)
- [forms](#)
- [functions](#)
- [models](#)
- [urls](#)
- [variable](#)
- [views](#)
- [views_ext](#)

5.4 Automation.tcc.admin Namespace Reference

Classes

- class [JobAdmin](#)
- class [ClientAdmin](#)
- class [LabAdmin](#)
- class [DistributionAdmin](#)
- class [GovtAdmin](#)
- class [ReportAdmin](#)
- class [PaymentAdmin](#)
- class [MaterialAdmin](#)
- class [MatCommentAdmin](#)
- class [TestAdmin](#)
- class [OrganisationAdmin](#)
- class [DepartmentAdmin](#)
- class [StaffAdmin](#)
- class [TransportationAdmin](#)

5.4.1 Detailed Description

```
%% admin.py %%
```

This file display usage information that admin requires to edit or add in database tables, classes, forms and mappers in admin interface. This make the data entry easy as one need to do it through MySQL server.

5.5 Automation.tcc.choices Namespace Reference

Variables

- tuple [STATES_CHOICES](#)
- tuple [MONTH_CHOICES](#)
- tuple [YEAR_CHOICES](#)
- tuple [DAY_CHOICES](#)
- tuple [DAILY_CHOICES](#)
- tuple [ORGANISATION_CHOICES](#)

5.5.1 Detailed Description

```
%% choices.py %%
```

This file is a static file that shows the choices in a particular Drop down list. This conatin the state choic

5.5.2 Variable Documentation

5.5.2.1 tuple Automation.tcc.choices.DAILY_CHOICES

Initial value:

```
1 = (
2     ('CASH', _('CASH')),
3     ('CHEQUE/DD/ONLINE', _('CHEQUE/DD/ONLINE')),
4 )
```

5.5.2.2 tuple Automation.tcc.choices.DAY_CHOICES

5.5.2.3 tuple Automation.tcc.choices.MONTH_CHOICES

Initial value:

```
1 = (
2     ('January', _('January')),
3     ('February', _('February')),
4     ('March', _('March')),
5     ('April', _('April')),
6     ('May', _('May')),
7     ('June', _('June')),
8     ('July', _('July')),
9     ('August', _('August')),
10    ('September', _('September')),
11    ('October', _('October')),
12    ('November', _('November')),
13    ('December', _('December')),
14 )
```

5.5.2.4 tuple Automation.tcc.choices.ORGANISATION_CHOICES

Initial value:

```
1 = (
2     ('GOVERNMENT', _('GOVERNMENT')),
3     ('SEMI-GOVERNMENT', _('SEMI-GOVERNMENT')),
4     ('PRIVATE', _('PRIVATE'))
5 )
```

5.5.2.5 tuple Automation.tcc.choices.STATES_CHOICES

Initial value:

```

1 = (
2     ('Andhra Pradesh', _('Andhra Pradesh')),
3     ('Arunachal Pradesh', _('Arunachal Pradesh')),
4     ('Assam', _('Assam')),
5     ('Bihar', _('Bihar')),
6     ('Chhattisgarh', _('Chhattisgarh')),
7     ('Goa', _('Goa')),
8     ('Gujarat', _('Gujarat')),
9     ('Haryana', _('Haryana')),
10    ('Himachal Pradesh', _('Himachal Pradesh')),
11    ('Jammu and Kashmir', _('Jammu and Kashmir')),
12    ('Jharkhand', _('Jharkhand')),
13    ('Karnataka', _('Karnataka')),
14    ('Kerala', _('Kerala')),
15    ('Madhya Pradesh', _('Madhya Pradesh')),
16    ('Maharashtra', _('Maharashtra')),
17    ('Manipur', _('Manipur')),
18    ('Meghalaya', _('Meghalaya')),
19    ('Mizoram', _('Mizoram')),
20    ('Nagaland', _('Nagaland')),
21    ('Orissa', _('Orissa')),
22    ('Punjab', _('Punjab')),
23    ('Rajasthan', _('Rajasthan')),
24    ('Sikkim', _('Sikkim')),
25    ('Tamil Nadu', _('Tamil Nadu')),
26    ('Tripura', _('Tripura')),
27    ('Uttar Pradesh', _('Uttar Pradesh')),
28    ('Uttarakhand', _('Uttarakhand')),
29    ('West Bengal', _('West Bengal')),
30 )

```

5.5.2.6 tuple Automation.tcc.choices.YEAR_CHOICES

Initial value:

```

1 = (
2     ('2013', _('2013')),
3     ('2012', _('2012')),
4
5     ('2014', _('2014')),
6     ('2015', _('2015')),
7     ('2016', _('2016')),
8     ('2017', _('2017')),
9     ('2018', _('2018')),
10    ('2019', _('2019')),
11    ('2020', _('2020')),
12    ('2021', _('2021')),
13 )

```

5.6 Automation.tcc.convert_function Namespace Reference

Functions

- def [num2eng](#)

5.6.1 Function Documentation

5.6.1.1 def Automation.tcc.convert_function.num2eng(n)

5.7 Automation.tcc.forms Namespace Reference

Classes

- class [SuspenceClearence](#)

- class [ContactForm](#)
- class [MonthlyReportadd](#)
- class [DailyReportadd](#)
- class [MonthlyReport](#)
- class [DateReport](#)
- class [GovPriReport](#)
- class [CashBook](#)

5.7.1 Detailed Description

```
%% forms.py %%
```

This file contain the defination of the forms of Automation Software

5.8 Automation.tcc.functions Namespace Reference

Functions

- def [retrieve](#)
- def [dates](#)
- def [ratio1](#)
- def [ratio2](#)
- def [months](#)
- def [normalize_query](#)
- def [get_query](#)

Variables

- int [individual_ratio1](#) = 60
- int [individual_ratio2](#) = 40
- int [institutional_ratio1](#) = 40
- int [institutional_ratio2](#) = 60
- int [routine_ratio1](#) = 30
- int [routine_ratio2](#) = 70

5.8.1 Detailed Description

```
%% functions.py %%
```

This file is defines some important functions that are then called views.py file.

5.8.2 Function Documentation

5.8.2.1 def Automation.tcc.functions.dates (*start_date*, *end_date*)

5.8.2.2 def Automation.tcc.functions.get_query (*query_string*, *search_fields*)

Returns a query, that is a combination of Q objects. That combination aims to search keywords within a model by testing the given search fields.

5.8.2.3 `def Automation.tcc.functions.months (month)`

**** months ****

months Function converts the months name to there number.

5.8.2.4 `def Automation.tcc.functions.normalize_query (query_string, findterms = re.compile(r' " ([^"]+)" | (\S+)').findall, normspace = re.compile(r'\s{2,}', sub)`

Splits the query string in invidual keywords, getting rid of unecessary spaces and grouping quoted words together.

Example:

```
>>> normalize_query(' some random words "with quotes " and spaces')
['some', 'random', 'words', 'with quotes', 'and', 'spaces']
```

5.8.2.5 `def Automation.tcc.functions.ratio1 (con_type)`

**** ratio1 ****

ratio1 function is creates the numerator of the ratio dependang upon the consultancy(Individual, Routine) type

5.8.2.6 `def Automation.tcc.functions.ratio2 (con_type)`

**** ratio2 ****

ratio2 function is creates the denominator of the ratio depending upon the consultancy type of the work.

5.8.2.7 `def Automation.tcc.functions.retrieve ()`

**** retrieve ****

Retrieve function is used to retrieve the data defined in variable.py file

5.8.3 Variable Documentation

5.8.3.1 `int Automation.tcc.functions.individual_ratio1 = 60`

5.8.3.2 `int Automation.tcc.functions.individual_ratio2 = 40`

5.8.3.3 `int Automation.tcc.functions.institutional_ratio1 = 40`

5.8.3.4 `int Automation.tcc.functions.institutional_ratio2 = 60`

5.8.3.5 `int Automation.tcc.functions.routine_ratio1 = 30`

5.8.3.6 `int Automation.tcc.functions.routine_ratio2 = 70`

5.9 Automation.tcc.models Namespace Reference**Classes**

- class [UserProfileForm](#)

- class [NonPaymentJobForm](#)
- class [JobForm](#)
- class [AdvancedForm](#)
- class [editJobForm](#)
- class [ClientJobForm](#)
- class [ClientjobForm](#)
- class [editClientJobForm](#)
- class [SuspenceJobForm](#)
- class [editSuspenceJobForm](#)
- class [TestTotalForm](#)
- class [TestTotalPerfForm](#)
- class [BillForm](#)
- class [DistanceForm](#)
- class [DistanceperfForm](#)
- class [SuspenceForm](#)
- class [TadaForm](#)
- class [TransportForm](#)
- class [BankdetailsForm](#)
- class [ProgrammeForm](#)
- class [Report](#)
- class [UserProfile](#)
- class [Organisation](#)
- class [Department](#)
- class [Distribution](#)
- class [Lab](#)
- class [MatComment](#)
- class [Material](#)
- class [Test](#)
- class [Clientadd](#)
- class [editClientadd](#)
- class [Govt](#)
- class [Payment](#)
- class [Job](#)
- class [NonPaymentJob](#)
- class [EditJob](#)
- class [ClientJob](#)
- class [ClientEditJob](#)
- class [SuspenceJob](#)
- class [SuspenceEditJob](#)
- class [TestTotal](#)
- class [TestTotalPerf](#)
- class [Bill](#)
- class [BillPerf](#)
- class [Amount](#)
- class [CdfAmount](#)
- class [Distance](#)
- class [Distanceperf](#)
- class [Suspence](#)
- class [Staff](#)
- class [ProfromaTax](#)
- class [TaDa](#)
- class [Transportation](#)
- class [Transport](#)
- class [Bankdetails](#)
- class [LabReport](#)
- class [Prog_letter](#)
- class [Programme](#)

5.9.1 Detailed Description

```
%% models.py %%
```

This file contains all the definition for models of Automation software. including tables, classes, forms and mappers.

5.10 Automation.tcc.urls Namespace Reference

Variables

- tuple [urlpatterns](#)

5.10.1 Detailed Description

```
%% urls.py %%
```

This file define the urls used in the software for tcc application. In this regular expression are used, which

5.10.2 Variable Documentation

5.10.2.1 tuple Automation.tcc.urls.urlpatterns

5.11 Automation.tcc.variable Namespace Reference

Variables

- int [collegeincome](#) = 15
- int [admincharge](#) = 5
- int [workcharge](#) = 2
- int [routine_ratio1](#) = 30
- int [routine_ratio2](#) = 70
- float [servicetax](#) = 0.12
- float [servicetaxprint](#) = 12.0
- float [educationtax](#) = 0.0024
- float [educationtaxprint](#) = 0.24
- float [highereducationtax](#) = 0.0012
- float [highereducationtaxprint](#) = 0.12
- int [individual_ratio1](#) = 60
- int [individual_ratio2](#) = 40
- int [institutional_ratio1](#) = 40
- int [institutional_ratio2](#) = 60

5.11.1 Detailed Description

```
%% variable.py %%
```

This file is a static file that assign some constant values to the variables.

5.11.2 Variable Documentation

- 5.11.2.1 `int Automation.tcc.variable.admincharge = 5`
- 5.11.2.2 `int Automation.tcc.variable.collegeincome = 15`
- 5.11.2.3 `float Automation.tcc.variable.educationtax = 0.0024`
- 5.11.2.4 `float Automation.tcc.variable.educationtaxprint = 0.24`
- 5.11.2.5 `float Automation.tcc.variable.highereducationtax = 0.0012`
- 5.11.2.6 `float Automation.tcc.variable.highereducationtaxprint = 0.12`
- 5.11.2.7 `int Automation.tcc.variable.individual_ratio1 = 60`
- 5.11.2.8 `int Automation.tcc.variable.individual_ratio2 = 40`
- 5.11.2.9 `int Automation.tcc.variable.institutional_ratio1 = 40`
- 5.11.2.10 `int Automation.tcc.variable.institutional_ratio2 = 60`
- 5.11.2.11 `int Automation.tcc.variable.routine_ratio1 = 30`
- 5.11.2.12 `int Automation.tcc.variable.routine_ratio2 = 70`
- 5.11.2.13 `float Automation.tcc.variable.servicetax = 0.12`
- 5.11.2.14 `float Automation.tcc.variable.servicetaxprint = 12.0`
- 5.11.2.15 `int Automation.tcc.variable.workcharge = 2`

5.12 Automation.tcc.views Namespace Reference

Functions

- def [index1](#)
- def [edit_profile](#)
- def [profile](#)
- def [non_payment_job](#)
- def [performa](#)
- def [previous](#)
- def [material](#)
- def [rate](#)
- def [selectfield](#)
- def [select](#)
- def [add_job](#)
- def [add_job_other_test](#)
- def [add_suspence](#)
- def [gen_report](#)
- def [gen_report_other](#)
- def [job_submit](#)
- def [job_ok](#)
- def [get_documents](#)
- def [bill](#)

- def [receipt_report](#)
- def [additional](#)
- def [s_report](#)
- def [g_report](#)
- def [rep](#)
- def [transport](#)
- def [transport_bill](#)
- def [ta_da](#)
- def [tada_view](#)
- def [ta_da_bill](#)
- def [search_transport](#)
- def [distance](#)
- def [clientreport](#)
- def [suspence_clearance](#)
- def [search_new](#)
- def [search](#)
- def [other_charge](#)
- def [suspence_clearence_report](#)
- def [suspence_clearence_report_transport](#)
- def [prevwork](#)
- def [clearjob](#)
- def [contact](#)
- def [registered_user](#)
- def [programme](#)

5.12.1 Detailed Description

```
%% views.py %%
```

This file is used to create the views for the software.
It is the interface between the user interface, urls and database.

5.12.2 Function Documentation

5.12.2.1 def Automation.tcc.views.add_job (*request*)

```
** add_job **
```

This helps the user to add the job. Depending upon the material selected the tests are listed then. Two forms are defined in a single template file, so that there data get stored in different tables one after the other. One is clientJob and other is SuspenceJob.

5.12.2.2 def Automation.tcc.views.add_job_other_test (*request*)

```
** add_job_other_test **
```

This helps the user to add the job. Depending upon the material selected the tests are listed then. Two forms are defined in a single template file, so that there data get stored in different tables one after the other.

5.12.2.3 def Automation.tcc.views.add_suspence (*request*)

**** add_suspence ****

The calculation for the price of the material to be tested is calculated here. The rate for the distance calculated is also calculated here and the same is put in the suspence table.

5.12.2.4 def Automation.tcc.views.additional (*request*)

**** additional ****

This functions displays the additional information that describes all the taxes information.

5.12.2.5 def Automation.tcc.views.bill (*request*)

**** bill ****

This shows the bill in HTML format. All the taxes, amount, materials tested are defined. There are 2 deifferent templates for Gneral report and supence works.

5.12.2.6 def Automation.tcc.views.clearjob (*request*)

**** clearjob ****

Clearjob Function points to the job that is to be cleared listing all the necessary data that is required to be filled.

5.12.2.7 def Automation.tcc.views.clientreport (*request*)

**** clientreport ****

Retrieves out the bill or receipt on demand for a particular job.

5.12.2.8 def Automation.tcc.views.contact (*request*)

**** contact ****

The contact function defines the contact form that is to be filled and emailed by user to give the feedback or to define the problem.

5.12.2.9 def Automation.tcc.views.distance (*request*)

**** distance ****

Distance Function is for calculation of distance of the site on the map. This displays a form fo filling the site.

5.12.2.10 def Automation.tcc.views.edit_profile (request)

```
** edit_profile **
```

This function firstly checks whether the user has already got a profile or not. If it already has, then he is offered an already built profile to edit, however in other case when the profile is not built, user is allowed to fill an empty userprofile form.

5.12.2.11 def Automation.tcc.views.g_report (request)

```
** g_report **
```

g_report Function shows the total vouchers generated in a job.

5.12.2.12 def Automation.tcc.views.gen_report (request)

```
** gen_report **
```

The lab works come here. Then depending upon the mode of payemnt of the Job, it is categorised as General Report work or Suspence work. The jobs whos mode of payment is cash and has 0 TDS amount are called General Report. All the other jobs are categorised as Suspence.

5.12.2.13 def Automation.tcc.views.gen_report_other (request)

```
** gen_report_other **
```

For the Jobs whose material or work type doesn't match with all that defined in the software, there is an option provided i.e other work or material. It means one can himself define the work type and amount for it.

5.12.2.14 def Automation.tcc.views.get_documents (request)

```
** get_documents **
```

This shows the different documents once the job is completely filled and is asked to generate bill. Depending upon the type of user the documents are provided to the user. The various documents are Receipt, Voucher and Bill.

5.12.2.15 def Automation.tcc.views.index1 (request)

```
** index1 **
```

This is to have different views for different type of users. Like here we have 2 types of users :one which is active,staff and is superuser is the superuser of the software. The one who is just active is the normal user. Depending upon there status different views are created in index1.html and index2.html respectively.

5.12.2.16 def Automation.tcc.views.job_ok (request)

**** job_ok ****

This is to do the calculation of taxes on the total amount of a job. The calculation of tax on an amount depend on several factors on which it depend, like transportation charges, discount, tds amount etc.

5.12.2.17 def Automation.tcc.views.job_submit (request)

**** job_submit ****

The view to ensure that job is successfully saved.

5.12.2.18 def Automation.tcc.views.material (request)

**** material ****

Material Function lists all the materials or field works. These are the links, depending on the selection of material selected, there tests are filtered.

5.12.2.19 def Automation.tcc.views.non_payment_job (request)

**** non_payment_job ****

This function displays the form to fill the non payment job, that means the job that describes the work to be done without making any payment.

5.12.2.20 def Automation.tcc.views.other_charge (request)**5.12.2.21 def Automation.tcc.views.performa (request)**

**** performa ****

Gives the detailed view of profile filled by client. Just the data is extracted from UserProfile table.

5.12.2.22 def Automation.tcc.views.previous (request)

**** previous ****

This function lists the previous jobs of the user who have logged in the software. Just filters the jobs done by user from the Job table.

5.12.2.23 def Automation.tcc.views.prework (request)

**** prevwork ****

Prevwork function is used to list down all the previous jobs for the client that was searched using search function. It also states which suspense job is cleared and which is still to be cleared, thus requiring the link to clear that job. The values with double underscore indicates that foreign key values are fetched.

5.12.2.24 def Automation.tcc.views.profile (request)

**** profile ****

This function is used to make the user fill the personal detail. If a normal user fills the detail, then his userprofile get updated, but if a superuser creates a profile that means he/she is registering the client and registration of client can be done as many times as possible.

5.12.2.25 def Automation.tcc.views.programme (request)**5.12.2.26 def Automation.tcc.views.rate (request)**

**** rate ****

Rate Function gets the value of material(that was selected previously) from the url and based on that material, the tests are listed.

5.12.2.27 def Automation.tcc.views.receipt_report (request)

**** receipt_report ****

View the Receipt In Html format. This shows the material tested for the client and total amount for it.

5.12.2.28 def Automation.tcc.views.registered_user (request)**5.12.2.29 def Automation.tcc.views.rep (request)**

**** rep ****

Rep Function Displays the voucher in html format. This displays the all the distributions with there amount like college incomee, admincharge, etc.

5.12.2.30 def Automation.tcc.views.s_report (request)

**** s_report ****

This shows the suspense voucher in HTML format. All the taxes, amount, materials tested are defined.

5.12.2.31 def Automation.tcc.views.search (request)

**** search ****

Search Function is used to search a client using his/her name, type of work and address. The 'icontains' keyword is used which fetches all the rows that contain the query. Then the data related to that client that is required is also enlisted.

5.12.2.32 def Automation.tcc.views.search_new (request)

```

** search **
Here's the new search.
The function get_query is defined in functions.py file

```

5.12.2.33 def Automation.tcc.views.search_transport (request)**5.12.2.34 def Automation.tcc.views.select (request)**

```

** select **

List down the materials or the field work depending on the
selection of the type of work i.e lab or Field work. However is
the report_type is 3 or 4 means, the work to be done is CDF or
advances payment, then the form for the same is opened to be
filled.

```

5.12.2.35 def Automation.tcc.views.selectfield (request)

```

** selectfield **

List the type of work to be done i.e Lab or Field work. It also
checks the url, if the url shows jobno as empty, then job_no is
incremented in clientadd table else it is assumed that new work is
added to same job_no and thus the job_no in clientadd remains
same.

```

5.12.2.36 def Automation.tcc.views.suspence_clearance (request)

```

** suspence_clearance **

Suspence Clearance Function clears the suspence work. It has the
form for filling the extra charges.

```

5.12.2.37 def Automation.tcc.views.suspence_clearance_report (request)

```

** suspence_clearance_report **

This function generates the report for the suspence job after
clearing it. Here the split function splits out the staff code
entry to fetch its name from the tables.

```

5.12.2.38 def Automation.tcc.views.suspence_clearance_report_transport (request)

```

** suspence_clearance_report **

This function generates the report for the suspence job after
clearing it. Here the split function splits out the staff code
entry to fetch its name from the tables.

```

5.12.2.39 def Automation.tcc.views.ta_da (request)

```

** ta_da **

Ta_Da Function displays the form for filling the Transport and Daily
Allowance charges for a Job.

```

5.12.2.40 `def Automation.tcc.views.ta_da_bill (request)`

```
** ta_da_bill **
```

Report of TA/DA Bill For Particular Date.

5.12.2.41 `def Automation.tcc.views.tada_view (request)`

```
** tada_view **
```

Tada_view function confirms that tada is saved.

5.12.2.42 `def Automation.tcc.views.transport (request)`

```
** transport **
```

Transport Function displays the form that get the information like kilometers travelled etc from the user to get the transportation charges.

5.12.2.43 `def Automation.tcc.views.transport_bill (request)`

```
** transport_bill **
```

Transport Bill Function generates transport Bill

5.13 Automation.tcc.views_ext Namespace Reference**Functions**

- `def perf_distance`
- `def perfselectfield`
- `def perfselect`
- `def add_perf`
- `def add_perf_other_test`
- `def gen_report_perf`
- `def add_suspence_perf`
- `def job_submit_perf`
- `def job_ok_perf`
- `def get_document_perf`
- `def get_performa_bill`
- `def billperf`
- `def search_job`
- `def edit_work`

5.13.1 Detailed Description

```
%% Views_ext.py %%
```

This file is used to create the views for the software.

In order to avoid the confusion with generating the temporary jobs and then making them permanents, a differen

5.13.2 Function Documentation

5.13.2.1 `def Automation.tcc.views_ext.add_perf (request)`

**** add_perf ****

This helps the user to add the job. Depending upon the material selected the tests are listed then. Two forms

5.13.2.2 `def Automation.tcc.views_ext.add_perf_other_test (request)`

**** add_perf_other_test ****

This helps the user to add the job. Depending upon the material selected the tests are listed then. Two forms are defined in a single template file, so that there data get stored in different tables one after the other.

5.13.2.3 `def Automation.tcc.views_ext.add_suspence_perf (request)`

**** add_suspence_perf ****

The calculation for the price of the material to be tested is calculated here.

5.13.2.4 `def Automation.tcc.views_ext.billperf (request)`

**** billperf ****

This shows the bill in HTML format. All the taxes, amount, materials tested are defined.

5.13.2.5 `def Automation.tcc.views_ext.edit_work (request)`

**** edit_work ****

Edit Work function is used to edit or delete a particular performa job id and then confirm the job.

5.13.2.6 `def Automation.tcc.views_ext.gen_report_perf (request)`

**** gen_report_perf ****

The jobs which are non suspence comes here. Depending on the material type, it is given a type: Routine or Ins

5.13.2.7 `def Automation.tcc.views_ext.get_document_perf (request)`

5.13.2.8 `def Automation.tcc.views_ext.get_performa_bill (request)`

**** clientreport ****

Retrieves out the bill or receipt on demand for a particular job.

5.13.2.9 `def Automation.tcc.views_ext.job_ok_perf (request)`

**** job_ok_perf ****

This is to do the calculation of taxes on the total amount of a job.

5.13.2.10 `def Automation.tcc.views_ext.job_submit_perf (request)`

```
** job_submit_perf **
```

The view to ensure that job is successfully saved.

5.13.2.11 `def Automation.tcc.views_ext.perf_distance (request)`

```
** distance **
```

Distance Function is for calculation of distance of the site on the map.
This displays a form for filling the site.

5.13.2.12 `def Automation.tcc.views_ext.perfselect (request)`

```
** perfselect **
```

List down the materials or the field work depending on the selection of the type of work.

5.13.2.13 `def Automation.tcc.views_ext.perfselectfield (request)`

```
** perfselectfield **
```

List the type of work to be done i.e Lab or Field work. Here, if the same client is making the selection 2 times

5.13.2.14 `def Automation.tcc.views_ext.search_job (request)`

```
** search_job **
```

Search Job function searches the performance job, for which one wants to get information about or want to confirm that job.

5.14 Automation.urls Namespace Reference

Variables

- tuple [urlpatterns](#)

5.14.1 Variable Documentation

5.14.1.1 tuple Automation.urls.urlpatterns

Initial value:


```
1 = patterns('',
2     # Example:
3     (r'^$', 'Automation.tcc.views.index1'),
4     (r'^hello', direct_to_template,
5      { 'template': 'job_ok.html' }, ),
6     (r'^tcc/', include('Automation.tcc.urls')),
7     (r'^report/', include('Automation.report.urls')),
8
9     # Uncomment the next line to enable the admin:
10    (r'^admin/', include(admin.site.urls)),
11
12    (r'^accounts/', include('registration.urls')),
13
14 )
```


Chapter 6

Class Documentation

6.1 Automation.tcc.models.AdvancedForm Class Reference

Inheritance diagram for Automation.tcc.models.AdvancedForm:



Classes

- class [Meta](#)

6.1.1 Detailed Description


```
** JobForm For Advanced **
JobForm Class define form for Job model.
```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.2 Automation.tcc.models.Amount Class Reference

Inheritance diagram for Automation.tcc.models.Amount:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple `job` = `models.ForeignKey(Job)`
- tuple `college_income` = `models.IntegerField(blank=True, null=True)`
- tuple `admin_charge` = `models.IntegerField(blank=True, null=True)`
- tuple `consultancy_asst` = `models.IntegerField(blank=True, null=True)`
- tuple `development_fund` = `models.IntegerField(blank=True, null=True)`
- tuple `unit_price` = `models.IntegerField(blank=True, null=True)`
- tuple `report_type` = `models.CharField(max_length=100, blank=True, null=True)`

6.2.1 Detailed Description

**** Amount ****

Amount Class define all fields required to submit detail about amount and there distribution for a particular Job id.

6.2.2 Member Function Documentation

6.2.2.1 `def Automation.tcc.models.Amount.__unicode__(self)`

6.2.3 Member Data Documentation

6.2.3.1 `tuple Automation.tcc.models.Amount.admin_charge = models.IntegerField(blank=True, null=True)` [static]

6.2.3.2 `tuple Automation.tcc.models.Amount.college_income = models.IntegerField(blank=True, null=True)` [static]

6.2.3.3 `tuple Automation.tcc.models.Amount.consultancy_asst = models.IntegerField(blank=True, null=True)` [static]

6.2.3.4 `tuple Automation.tcc.models.Amount.development_fund = models.IntegerField(blank=True, null=True)` [static]

6.2.3.5 `tuple Automation.tcc.models.Amount.job = models.ForeignKey(Job)` [static]

6.2.3.6 `tuple Automation.tcc.models.Amount.report_type = models.CharField(max_length=100, blank=True, null=True)` [static]


6.2.3.7 `tuple Automation.tcc.models.Amount.unit_price = models.IntegerField(blank=True, null=True)` [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.3 Automation.tcc.models.Bankdetails Class Reference

Inheritance diagram for Automation.tcc.models.Bankdetails:



Static Public Attributes

- tuple [accname](#) = models.CharField(max_length=50)
- tuple [accountno](#) = models.IntegerField(null=False)
- tuple [accountcode](#) = models.CharField(max_length=50)
- tuple [address](#) = models.CharField(max_length=150)

6.3.1 Detailed Description

**** Bankdetails ****

Bankdetails Class define all fields required to submit detail about a bank.

6.3.2 Member Data Documentation

6.3.2.1 tuple Automation.tcc.models.Bankdetails.accname = models.CharField(max_length=50) [static]

6.3.2.2 tuple Automation.tcc.models.Bankdetails.accountcode = models.CharField(max_length=50) [static]

6.3.2.3 tuple Automation.tcc.models.Bankdetails.accountno = models.IntegerField(null=False) [static]


6.3.2.4 tuple Automation.tcc.models.Bankdetails.address = models.CharField(max_length=150) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.4 Automation.tcc.models.BankdetailsForm Class Reference

Inheritance diagram for Automation.tcc.models.BankdetailsForm:



Classes

- class [Meta](#)

6.4.1 Detailed Description

**** BankdetailsForm ****


BankdetailsForm Class define form for Bankdetails model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.5 Automation.tcc.models.Bill Class Reference

Inheritance diagram for Automation.tcc.models.Bill:



Static Public Attributes

- tuple `job_no` = `models.IntegerField(editable=False)`
- tuple `education_tax` = `models.IntegerField(blank=True,null=True)`
- tuple `higher_education_tax` = `models.IntegerField(blank=True,null=True)`
- tuple `service_tax` = `models.IntegerField(blank=True,null=True)`
- tuple `net_total` = `models.IntegerField(blank=True,null=True)`
- tuple `price` = `models.IntegerField(blank=True,null=True)`
- tuple `discount_total` = `models.IntegerField(blank=True,null=True)`
- tuple `trans_total` = `models.IntegerField(blank=True,null=True)`
- tuple `trans_net_total` = `models.IntegerField(blank=True,null=True)`
- tuple `balance` = `models.IntegerField(blank=True,null=True)`

6.5.1 Detailed Description

**** Bill ****

Bill Class define all fields required to submit detail about a taxes on an amount for a particular job.

6.5.2 Member Data Documentation


- 6.5.2.1 tuple `Automation.tcc.models.Bill.balance` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.2 tuple `Automation.tcc.models.Bill.discount_total` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.3 tuple `Automation.tcc.models.Bill.education_tax` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.4 tuple `Automation.tcc.models.Bill.higher_education_tax` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.5 tuple `Automation.tcc.models.Bill.job_no` = `models.IntegerField(editable=False)` `[static]`
- 6.5.2.6 tuple `Automation.tcc.models.Bill.net_total` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.7 tuple `Automation.tcc.models.Bill.price` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.8 tuple `Automation.tcc.models.Bill.service_tax` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.9 tuple `Automation.tcc.models.Bill.trans_net_total` = `models.IntegerField(blank=True,null=True)` `[static]`
- 6.5.2.10 tuple `Automation.tcc.models.Bill.trans_total` = `models.IntegerField(blank=True,null=True)` `[static]`

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.6 Automation.tcc.models.BillForm Class Reference

Inheritance diagram for Automation.tcc.models.BillForm:



Classes

- class [Meta](#)

6.6.1 Detailed Description

```
** BillForm **
```


TestTotalForm Class define the form for TestTotal model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.7 Automation.tcc.models.BillPerf Class Reference

Inheritance diagram for Automation.tcc.models.BillPerf:



Static Public Attributes

- tuple [job_no](#) = models.IntegerField(editable =False)
- tuple [education_tax](#) = models.IntegerField(blank=True,null=True)
- tuple [higher_education_tax](#) = models.IntegerField(blank=True,null=True)
- tuple [service_tax](#) = models.IntegerField(blank=True,null=True)
- tuple [net_total](#) = models.IntegerField(blank=True,null=True)
- tuple [price](#) = models.IntegerField(blank=True,null=True)
- tuple [discount_total](#) = models.IntegerField(blank=True,null=True)
- tuple [trans_total](#) = models.IntegerField(blank=True,null=True)
- tuple [trans_net_total](#) = models.IntegerField(blank=True,null=True)
- tuple [balance](#) = models.IntegerField(blank=True,null=True)

6.7.1 Detailed Description

```
** BillPerf **
```

BillPerf Class define all fields required to submit detail about a taxes on an amount for a particular performa job.

6.7.2 Member Data Documentation


- 6.7.2.1 tuple Automation.tcc.models.BillPerf.balance = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.2 tuple Automation.tcc.models.BillPerf.discount_total = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.3 tuple Automation.tcc.models.BillPerf.education_tax = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.4 tuple Automation.tcc.models.BillPerf.higher_education_tax = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.5 tuple Automation.tcc.models.BillPerf.job_no = models.IntegerField(editable=False) [static]
- 6.7.2.6 tuple Automation.tcc.models.BillPerf.net_total = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.7 tuple Automation.tcc.models.BillPerf.price = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.8 tuple Automation.tcc.models.BillPerf.service_tax = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.9 tuple Automation.tcc.models.BillPerf.trans_net_total = models.IntegerField(blank=True,null=True) [static]
- 6.7.2.10 tuple Automation.tcc.models.BillPerf.trans_total = models.IntegerField(blank=True,null=True) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.8 Automation.tcc.forms.CashBook Class Reference

Inheritance diagram for Automation.tcc.forms.CashBook:



Static Public Attributes

- tuple [start_date](#) = forms.DateField()
- tuple [end_date](#) = forms.DateField()
- tuple [name](#) = forms.CharField(max_length = 100)
- tuple [amount_given](#) = forms.CharField(max_length = 100)

6.8.1 Detailed Description

CashBook

Cash book to manage the money transactions within a specified date range.

6.8.2 Member Data Documentation

- 6.8.2.1 tuple Automation.tcc.forms.CashBook.amount_given = forms.CharField(max_length = 100) [static]

6.8.2.2 tuple Automation.tcc.forms.CashBook.end_date = forms.DateField() [static]

6.8.2.3 tuple Automation.tcc.forms.CashBook.name = forms.CharField(max_length = 100) [static]


6.8.2.4 tuple Automation.tcc.forms.CashBook.start_date = forms.DateField() [static]

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.9 Automation.tcc.models.CdfAmount Class Reference

Inheritance diagram for Automation.tcc.models.CdfAmount:



Static Public Attributes

- tuple [job_no](#) = models.IntegerField(primary_key=True, editable =False)
- tuple [date](#) = models.DateField(default=datetime.date.today(), editable=False)
- tuple [lab](#) = models.CharField(max_length=100)
- tuple [total](#) = models.IntegerField()
- tuple [field](#) = models.CharField(max_length=10)
- tuple [other_field](#) = models.CharField(max_length=100,blank=True,null=True)
- tuple [report_type](#) = models.CharField(max_length=20,editable=False)

6.9.1 Detailed Description

```
** CdfAmount **
```

```
CdfAmount Class define all fields required to submit detail about
cdf Amount.
```

6.9.2 Member Data Documentation

6.9.2.1 tuple Automation.tcc.models.CdfAmount.date = models.DateField(default=datetime.date.today(), editable=False) [static]

6.9.2.2 tuple Automation.tcc.models.CdfAmount.field = models.CharField(max_length=10) [static]

6.9.2.3 tuple Automation.tcc.models.CdfAmount.job_no = models.IntegerField(primary_key=True, editable =False) [static]

6.9.2.4 tuple Automation.tcc.models.CdfAmount.lab = models.CharField(max_length=100) [static]

6.9.2.5 tuple Automation.tcc.models.CdfAmount.other_field = models.CharField(max_length=100,blank=True,null=True) [static]

6.9.2.6 `tuple Automation.tcc.models.CdfAmount.report_type = models.CharField(max_length=20,editable=False)`
`[static]`


6.9.2.7 `tuple Automation.tcc.models.CdfAmount.total = models.IntegerField()` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.10 Automation.tcc.models.Clientadd Class Reference

Inheritance diagram for Automation.tcc.models.Clientadd:



Static Public Attributes

- `tuple user = models.ForeignKey(User)`
- `tuple client = models.ForeignKey(UserProfile)`
- `tuple job_no = models.IntegerField(blank=True, null=True)`

6.10.1 Detailed Description

`** Clientadd **`

Clientadd Class define that which user for which client is adding the jobid.

6.10.2 Member Data Documentation

6.10.2.1 `tuple Automation.tcc.models.Clientadd.client = models.ForeignKey(UserProfile)` `[static]`

6.10.2.2 `tuple Automation.tcc.models.Clientadd.job_no = models.IntegerField(blank=True, null=True)` `[static]`


6.10.2.3 `tuple Automation.tcc.models.Clientadd.user = models.ForeignKey(User)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.11 Automation.tcc.admin.ClientAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.ClientAdmin:



Static Public Attributes

- tuple `list_display` = ('id', 'name', 'address_1', 'address_2', 'state', 'city')
- tuple `search_fields` = ('name', 'city')
- list `list_filter` = ['name']

6.11.1 Detailed Description

**** ClientAdmin ****

Client Admin is used to add, edit or delete the client and its information directly by the admin.

6.11.2 Member Data Documentation

6.11.2.1 tuple `Automation.tcc.admin.ClientAdmin.list_display` = ('id', 'name', 'address_1', 'address_2', 'state', 'city') `[static]`

6.11.2.2 list `Automation.tcc.admin.ClientAdmin.list_filter` = ['name'] `[static]`


6.11.2.3 tuple `Automation.tcc.admin.ClientAdmin.search_fields` = ('name', 'city') `[static]`

The documentation for this class was generated from the following file:

- `tcc/admin.py`

6.12 Automation.tcc.models.ClientEditJob Class Reference

Inheritance diagram for `Automation.tcc.models.ClientEditJob`:



Public Member Functions

- def `__unicode__`

Static Public Attributes

- tuple `job` = `models.ForeignKey(EditJob)`
- tuple `material` = `models.ForeignKey(Material)`
- tuple `other_test` = `models.CharField(max_length=400, blank=True)`
- tuple `test` = `models.ManyToManyField(Test, blank=True, null=True)`

6.12.1 Detailed Description

**** ClientEditJob ****

ClientEditJob Class define the materials and tests performed on a perform clientjob.

6.12.2 Member Function Documentation

6.12.2.1 `def Automation.tcc.models.ClientEditJob.__unicode__(self)`

6.12.3 Member Data Documentation

6.12.3.1 `tuple Automation.tcc.models.ClientEditJob.job = models.ForeignKey(EditJob) [static]`

6.12.3.2 `tuple Automation.tcc.models.ClientEditJob.material = models.ForeignKey(Material) [static]`

6.12.3.3 `tuple Automation.tcc.models.ClientEditJob.other_test = models.CharField(max_length=400, blank=True) [static]`


6.12.3.4 `tuple Automation.tcc.models.ClientEditJob.test = models.ManyToManyField(Test,blank=True,null=True) [static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.13 Automation.tcc.models.ClientJob Class Reference

Inheritance diagram for Automation.tcc.models.ClientJob:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- `tuple job = models.ForeignKey(Job)`
- `tuple material = models.ForeignKey(Material)`
- `tuple other_test = models.CharField(max_length=400, blank=True)`
- `tuple test = models.ManyToManyField(Test, blank=True)`

6.13.1 Detailed Description

**** ClientJob ****

ClientJob Class define the materials and tests performed on a clientjob.

6.13.2 Member Function Documentation

6.13.2.1 `def Automation.tcc.models.ClientJob.__unicode__(self)`

6.13.3 Member Data Documentation

6.13.3.1 `tuple Automation.tcc.models.ClientJob.job = models.ForeignKey(Job) [static]`

6.13.3.2 `tuple Automation.tcc.models.ClientJob.material = models.ForeignKey(Material) [static]`

6.13.3.3 `tuple Automation.tcc.models.ClientJob.other_test = models.CharField(max_length=400, blank=True) [static]`


6.13.3.4 `tuple Automation.tcc.models.ClientJob.test = models.ManyToManyField(Test, blank=True) [static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.14 Automation.tcc.models.ClientJobForm Class Reference

Inheritance diagram for Automation.tcc.models.ClientJobForm:



Classes

- class [Meta](#)

6.14.1 Detailed Description

`** ClientJobForm **`


ClientJobForm Class define the form for ClientJob model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.15 Automation.tcc.models.ClientjobForm Class Reference

Inheritance diagram for Automation.tcc.models.ClientjobForm:



Classes

- class [Meta](#)

Public Member Functions

- def [__init__](#)

Static Public Attributes

- tuple [test](#)

6.15.1 Detailed Description

**** Test ****

Test Class define all fields required to submit detail about a test under a Material.

6.15.2 Constructor & Destructor Documentation

6.15.2.1 `def Automation.tcc.models.ClientjobForm.__init__(self, args, kwargs)`

6.15.3 Member Data Documentation

6.15.3.1 `tuple Automation.tcc.models.ClientjobForm.test [static]`

Initial value:


```
1 = forms.ModelMultipleChoiceField(queryset=Test.objects.all(),
2     required=False, widget=forms.CheckboxSelectMultiple)
```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.16 Automation.tcc.forms.ContactForm Class Reference

Inheritance diagram for Automation.tcc.forms.ContactForm:



Static Public Attributes

- tuple [subject](#) = forms.CharField(max_length=100)
- tuple [email](#) = forms.EmailField(label='Your e-mail address')
- tuple [message](#) = forms.CharField(widget=forms.Textarea)

6.16.1 Member Data Documentation

6.16.1.1 tuple `Automation.tcc.forms.ContactForm.email` = `forms.EmailField(label='Your e-mail address')` `[static]`

6.16.1.2 tuple `Automation.tcc.forms.ContactForm.message` = `forms.CharField(widget=forms.Textarea)` `[static]`


6.16.1.3 tuple `Automation.tcc.forms.ContactForm.subject` = `forms.CharField(max_length=100)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.17 Automation.tcc.forms.DailyReportadd Class Reference

Inheritance diagram for `Automation.tcc.forms.DailyReportadd`:



Static Public Attributes

- tuple `start_date` = `forms.DateField()`
- tuple `end_date` = `forms.DateField()`
- tuple `type` = `forms.ChoiceField(choices=DAILY_CHOICES)`

6.17.1 Detailed Description

Automation.tcc.forms.DailyReportadd

Daily Report Form to retrieve Daily income Information for a specified payment type like cash, cheque, online

6.17.2 Member Data Documentation

6.17.2.1 tuple `Automation.tcc.forms.DailyReportadd.end_date` = `forms.DateField()` `[static]`

6.17.2.2 tuple `Automation.tcc.forms.DailyReportadd.start_date` = `forms.DateField()` `[static]`


6.17.2.3 tuple `Automation.tcc.forms.DailyReportadd.type` = `forms.ChoiceField(choices=DAILY_CHOICES)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.18 Automation.tcc.forms.DateReport Class Reference

Inheritance diagram for `Automation.tcc.forms.DateReport`:



Public Member Functions

- def [clean_date](#)

Static Public Attributes

- tuple [start_date](#) = forms.DateField()
- tuple [end_date](#) = forms.DateField()

6.18.1 Detailed Description

****DateReport****

Date Report Form that displays start and end date and thus helps in retrieving data between this date range.

6.18.2 Member Function Documentation

6.18.2.1 def Automation.tcc.forms.DateReport.clean_date (self)

6.18.3 Member Data Documentation

6.18.3.1 tuple Automation.tcc.forms.DateReport.end_date = forms.DateField() [static]


6.18.3.2 tuple Automation.tcc.forms.DateReport.start_date = forms.DateField() [static]

The documentation for this class was generated from the following file:

- tcc/[forms.py](#)

6.19 Automation.tcc.models.Department Class Reference

Inheritance diagram for Automation.tcc.models.Department:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [organisation](#) = models.ForeignKey([Organisation](#))
- tuple [name](#) = models.CharField(max_length=50)
- tuple [address](#) = models.CharField(max_length=150)
- tuple [phone](#) = models.CharField(max_length=20, blank=True)
- tuple [dean](#) = models.CharField(max_length=50, blank=True)
- tuple [faxno](#) = models.CharField(max_length=100, blank=True)
- tuple [email_1](#) = models.CharField(max_length=75,blank=True)
- tuple [email_2](#) = models.CharField(max_length=75,blank=True)
- tuple [url](#) = models.CharField(max_length=50,blank=True)
- tuple [about](#) = models.CharField(max_length=150,blank=True)

6.19.1 Detailed Description

`** Department **`

Department Class define all fields required to submit detail about a department for a particular Organisation.

6.19.2 Member Function Documentation

6.19.2.1 `def Automation.tcc.models.Department.__unicode__(self)`

6.19.3 Member Data Documentation

6.19.3.1 `tuple Automation.tcc.models.Department.about = models.CharField(max_length=150,blank=True)` [static]

6.19.3.2 `tuple Automation.tcc.models.Department.address = models.CharField(max_length=150)` [static]

6.19.3.3 `tuple Automation.tcc.models.Department.dean = models.CharField(max_length=50, blank=True)` [static]

6.19.3.4 `tuple Automation.tcc.models.Department.email_1 = models.CharField(max_length=75,blank=True)` [static]

6.19.3.5 `tuple Automation.tcc.models.Department.email_2 = models.CharField(max_length=75,blank=True)` [static]

6.19.3.6 `tuple Automation.tcc.models.Department.faxno = models.CharField(max_length=100, blank=True)` [static]

6.19.3.7 `tuple Automation.tcc.models.Department.name = models.CharField(max_length=50)` [static]

6.19.3.8 `tuple Automation.tcc.models.Department.organisation = models.ForeignKey(Organisation)` [static]

6.19.3.9 `tuple Automation.tcc.models.Department.phone = models.CharField(max_length=20, blank=True)` [static]


6.19.3.10 `tuple Automation.tcc.models.Department.url = models.CharField(max_length=50,blank=True)` [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.20 Automation.tcc.admin.DepartmentAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.DepartmentAdmin:



Static Public Attributes

- tuple `list_display`
- tuple `search_fields` = ('name',)
- list `list_filter` = ['name']

6.20.1 Detailed Description

**** DepartmentAdmin ****

Department Admin is used to add, edit or delete the different departments in the organisation and there information directly by the admin.

6.20.2 Member Data Documentation

6.20.2.1 tuple `Automation.tcc.admin.DepartmentAdmin.list_display` [static]

Initial value:

```

1 = ('organisation', 'name', 'address', 'phone', 'dean',
2   'faxno')
```

6.20.2.2 list `Automation.tcc.admin.DepartmentAdmin.list_filter` = ['name'] [static]


6.20.2.3 tuple `Automation.tcc.admin.DepartmentAdmin.search_fields` = ('name',) [static]

The documentation for this class was generated from the following file:

- `tcc/admin.py`

6.21 Automation.tcc.models.Distance Class Reference

Inheritance diagram for `Automation.tcc.models.Distance`:



Static Public Attributes

- tuple `job` = `models.IntegerField(editable=False)`
- tuple `sandy` = `models.DecimalField(max_digits=10, decimal_places=3)`

6.21.1 Detailed Description

**** Distance ****

Distance Class define all fields required to submit detail about a site and its distance for a prticular Job_id.

6.21.2 Member Data Documentation

6.21.2.1 tuple Automation.tcc.models.Distance.job = models.IntegerField(editable=False) [static]


6.21.2.2 tuple Automation.tcc.models.Distance.sandy = models.DecimalField(max_digits=10, decimal_places=3) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.22 Automation.tcc.models.DistanceForm Class Reference

Inheritance diagram for Automation.tcc.models.DistanceForm:



Classes

- class [Meta](#)

Public Member Functions

- def [__unicode__](#)

6.22.1 Detailed Description

**** DistanceForm ****

DistanceForm Class define form for distance model.

6.22.2 Member Function Documentation


6.22.2.1 def Automation.tcc.models.DistanceForm.__unicode__(self)

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.23 Automation.tcc.models.Distanceperf Class Reference

Inheritance diagram for Automation.tcc.models.Distanceperf:



Static Public Attributes

- tuple `job` = `models.IntegerField(editable=False)`
- tuple `sandy` = `models.DecimalField(max_digits=10, decimal_places=3)`

6.23.1 Detailed Description

Distance

Distance Class define all fields required to submit detail about a site and its distance for a prticular Job_id.

6.23.2 Member Data Documentation

6.23.2.1 tuple `Automation.tcc.models.Distanceperf.job` = `models.IntegerField(editable=False)` [static]


6.23.2.2 tuple `Automation.tcc.models.Distanceperf.sandy` = `models.DecimalField(max_digits=10, decimal_places=3)` [static]

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.24 Automation.tcc.models.DistanceperfForm Class Reference

Inheritance diagram for Automation.tcc.models.DistanceperfForm:



Classes

- class `Meta`

Public Member Functions

- def `__unicode__`

6.24.1 Detailed Description

```
** DistanceForm **
```

```
DistanceForm Class define form for distance model.
```

6.24.2 Member Function Documentation


6.24.2.1 def Automation.tcc.models.DistanceperfForm.__unicode__(self)

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.25 Automation.tcc.models.Distribution Class Reference

Inheritance diagram for Automation.tcc.models.Distribution:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [name](#) = models.CharField(max_length=100)

6.25.1 Detailed Description

```
** Distribution **
```

```
Distribution Class define all didtribution of income that is to be done.
```

6.25.2 Member Function Documentation

6.25.2.1 def Automation.tcc.models.Distribution.__unicode__(self)

6.25.3 Member Data Documentation


6.25.3.1 tuple Automation.tcc.models.Distribution.name = models.CharField(max_length=100) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.26 Automation.tcc.admin.DistributionAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.DistributionAdmin:



Static Public Attributes

- tuple `list_display` = ('name',)
- tuple `search_fields` = ('name',)
- list `list_filter` = ['name']

6.26.1 Detailed Description

Automation.tcc.admin.DistributionAdmin

DistributionAdmin is used to add, edit or delete the various distributions and there information directly by the admin.

6.26.2 Member Data Documentation

6.26.2.1 tuple `Automation.tcc.admin.DistributionAdmin.list_display` = ('name',) [static]

6.26.2.2 list `Automation.tcc.admin.DistributionAdmin.list_filter` = ['name'] [static]


6.26.2.3 tuple `Automation.tcc.admin.DistributionAdmin.search_fields` = ('name',) [static]

The documentation for this class was generated from the following file:

- `tcc/admin.py`

6.27 Automation.tcc.models.editClientadd Class Reference

Inheritance diagram for Automation.tcc.models.editClientadd:



Static Public Attributes

- tuple `user` = models.ForeignKey(User)
- tuple `client` = models.ForeignKey(UserProfile)

6.27.1 Detailed Description

editClientadd

editClientadd Class define that which user for which client is adding the performa jobid.

6.27.2 Member Data Documentation

6.27.2.1 tuple Automation.tcc.models.editClientadd.client = models.ForeignKey(UserProfile) [static]


6.27.2.2 tuple Automation.tcc.models.editClientadd.user = models.ForeignKey(User) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.28 Automation.tcc.models.editClientJobForm Class Reference

Inheritance diagram for Automation.tcc.models.editClientJobForm:



Classes

- class [Meta](#)

6.28.1 Detailed Description

editClientJobForm


editClientJobForm Class define form for editClientJob model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.29 Automation.tcc.models.EditJob Class Reference

Inheritance diagram for Automation.tcc.models.EditJob:



Public Member Functions

- def `__unicode__`

Static Public Attributes

- tuple `client` = models.ForeignKey(`editClientadd`)
- tuple `job_no` = models.IntegerField(`editable =False`)
- tuple `sample` = models.CharField(`max_length=11`, `default="1"`)
- tuple `ip` = models.CharField(`max_length=50`)
- tuple `site` = models.CharField(`max_length=600`,`blank=True`,`null=True`)
- tuple `type_of_work` = models.ForeignKey(`Govt`)
- tuple `report_type` = models.ForeignKey(`Report`)
- tuple `date` = models.DateField(`auto_now_add=True`)
- tuple `letter_no` = models.CharField(`max_length=200`,`blank=True`,`null=True`)
- tuple `letter_date` = models.DateField(`max_length=200`, `null=True`, `blank=True`)
- tuple `tds` = models.IntegerField(`default="0"`)
- tuple `discount` = models.IntegerField(`default="0"`)
- tuple `note` = models.CharField(`max_length=500`, `null=True`, `blank=True`)

6.29.1 Detailed Description

****EditJob****

EditJob Class is define all field required to submit detail about new performa Job.

6.29.2 Member Function Documentation

6.29.2.1 def Automation.tcc.models.EditJob.__unicode__(self)

6.29.3 Member Data Documentation

6.29.3.1 tuple Automation.tcc.models.EditJob.client = models.ForeignKey(`editClientadd`) [static]

6.29.3.2 tuple Automation.tcc.models.EditJob.date = models.DateField(`auto_now_add=True`) [static]

6.29.3.3 tuple Automation.tcc.models.EditJob.discount = models.IntegerField(`default="0"`) [static]

6.29.3.4 tuple Automation.tcc.models.EditJob.ip = models.CharField(`max_length=50`) [static]

6.29.3.5 tuple Automation.tcc.models.EditJob.job_no = models.IntegerField(`editable =False`) [static]

6.29.3.6 tuple Automation.tcc.models.EditJob.letter_date = models.DateField(`max_length=200`, `null=True`, `blank=True`)
[static]

6.29.3.7 tuple Automation.tcc.models.EditJob.letter_no = models.CharField(`max_length=200`,`blank=True`,`null=True`)
[static]

6.29.3.8 tuple Automation.tcc.models.EditJob.note = models.CharField(`max_length=500`, `null=True`, `blank=True`) [static]

6.29.3.9 tuple Automation.tcc.models.EditJob.report_type = models.ForeignKey(`Report`) [static]

6.29.3.10 tuple Automation.tcc.models.EditJob.sample = models.CharField(`max_length=11`, `default="1"`) [static]

6.29.3.11 tuple Automation.tcc.models.EditJob.site = models.CharField(max_length=600,blank=True,null=True) [static]

6.29.3.12 tuple Automation.tcc.models.EditJob.tds = models.IntegerField(default="0") [static]


6.29.3.13 tuple Automation.tcc.models.EditJob.type_of_work = models.ForeignKey(Govt) [static]

The documentation for this class was generated from the following file:

- tcc/[models.py](#)

6.30 Automation.tcc.models.editJobForm Class Reference

Inheritance diagram for Automation.tcc.models.editJobForm:



Classes

- class [Meta](#)

6.30.1 Detailed Description

```
** editJobForm **
```


```
editJobForm Class define form for editJob model.
```

The documentation for this class was generated from the following file:

- tcc/[models.py](#)

6.31 Automation.tcc.models.editSuspenceJobForm Class Reference

Inheritance diagram for Automation.tcc.models.editSuspenceJobForm:



Classes

- class [Meta](#)

6.31.1 Detailed Description

```
** editSuspenceJobForm **
```


`editSuspenceJobForm` Class define the form for `editSuspenceJob` model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.32 Automation.tcc.forms.GovPriReport Class Reference

Inheritance diagram for `Automation.tcc.forms.GovPriReport`:



Static Public Attributes

- tuple `month` = `forms.ChoiceField(choices=MONTH_CHOICES)`
- tuple `year` = `forms.ChoiceField(choices=YEAR_CHOICES)`
- tuple `type_of_work` = `models.ForeignKey(Govt)`

6.32.1 Detailed Description

```
**GovPriReport**
```

Government Private Report is for different Jobs like: Government/Semi-government/Private.

6.32.2 Member Data Documentation

6.32.2.1 tuple `Automation.tcc.forms.GovPriReport.month` = `forms.ChoiceField(choices=MONTH_CHOICES)` `[static]`

6.32.2.2 tuple `Automation.tcc.forms.GovPriReport.type_of_work` = `models.ForeignKey(Govt)` `[static]`


6.32.2.3 tuple `Automation.tcc.forms.GovPriReport.year` = `forms.ChoiceField(choices=YEAR_CHOICES)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.33 Automation.tcc.models.Govt Class Reference

Inheritance diagram for `Automation.tcc.models.Govt`:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [name](#) = models.CharField(max_length=600, blank=True)

6.33.1 Detailed Description

**** Govt ****

Govt Class define all fields required to submit detail about a organisation Type (Government, Semi-Government or Private).

6.33.2 Member Function Documentation

6.33.2.1 def Automation.tcc.models.Govt.__unicode__(self)

6.33.3 Member Data Documentation


6.33.3.1 tuple Automation.tcc.models.Govt.name = models.CharField(max_length=600, blank=True) [static]

The documentation for this class was generated from the following file:

- tcc/[models.py](#)

6.34 Automation.tcc.admin.GovtAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.GovtAdmin:



Static Public Attributes

- tuple [list_display](#) = ('id', 'name')
- tuple [search_fields](#) = ('name',)
- list [list_filter](#) = ['name']

6.34.1 Detailed Description

**** GovtAdmin ****

Govt Admin is used to add, edit or delete the organisation or work type (like Government, Semi-Government or Private) directly by the admin.

6.34.2 Member Data Documentation

6.34.2.1 tuple `Automation.tcc.admin.GovtAdmin.list_display = ('id', 'name')` `[static]`

6.34.2.2 list `Automation.tcc.admin.GovtAdmin.list_filter = ['name']` `[static]`


6.34.2.3 tuple `Automation.tcc.admin.GovtAdmin.search_fields = ('name',)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.35 Automation.tcc.models.Job Class Reference

Inheritance diagram for `Automation.tcc.models.Job`:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `client` = `models.ForeignKey(Clientadd)`
- tuple `job_no` = `models.IntegerField(editable=False)`
- tuple `sample` = `models.IntegerField()`
- tuple `ip` = `models.CharField(max_length=50)`
- tuple `site` = `models.CharField(max_length=5000,blank=True,null=True)`
- tuple `type_of_work` = `models.ForeignKey(Govt)`
- tuple `report_type` = `models.ForeignKey(Report)`
- tuple `pay` = `models.CharField(max_length=600)`
- tuple `check_number` = `models.CharField(max_length=15,blank=True)`
- tuple `check_dd_date` = `models.CharField(blank=True, max_length=15)`
- tuple `date` = `models.DateField(auto_now_add=True)`
- tuple `letter_no` = `models.CharField(max_length=400,blank=True)`
- tuple `letter_date` = `models.DateField(blank=True, null=True)`
- tuple `tds` = `models.IntegerField(default="0")`
- tuple `discount` = `models.IntegerField(default="0")`

6.35.1 Detailed Description

****Job****

Job Class is define all field required to submit detail about new Job.

6.35.2 Member Function Documentation

6.35.2.1 `def Automation.tcc.models.Job.__unicode__(self)`

6.35.3 Member Data Documentation

6.35.3.1 `tuple Automation.tcc.models.Job.check_dd_date = models.CharField(blank=True, max_length=15)` [static]

6.35.3.2 `tuple Automation.tcc.models.Job.check_number = models.CharField(max_length=15,blank=True)` [static]

6.35.3.3 `tuple Automation.tcc.models.Job.client = models.ForeignKey(Clientadd)` [static]

6.35.3.4 `tuple Automation.tcc.models.Job.date = models.DateField(auto_now_add=True)` [static]

6.35.3.5 `tuple Automation.tcc.models.Job.discount = models.IntegerField(default="0")` [static]

6.35.3.6 `tuple Automation.tcc.models.Job.ip = models.CharField(max_length=50)` [static]

6.35.3.7 `tuple Automation.tcc.models.Job.job_no = models.IntegerField(editable=False)` [static]

6.35.3.8 `tuple Automation.tcc.models.Job.letter_date = models.DateField(blank=True, null=True)` [static]

6.35.3.9 `tuple Automation.tcc.models.Job.letter_no = models.CharField(max_length=400,blank=True)` [static]

6.35.3.10 `tuple Automation.tcc.models.Job.pay = models.CharField(max_length=600)` [static]

6.35.3.11 `tuple Automation.tcc.models.Job.report_type = models.ForeignKey(Report)` [static]

6.35.3.12 `tuple Automation.tcc.models.Job.sample = models.IntegerField()` [static]

6.35.3.13 `tuple Automation.tcc.models.Job.site = models.CharField(max_length=5000,blank=True,null=True)` [static]

6.35.3.14 `tuple Automation.tcc.models.Job.tds = models.IntegerField(default="0")` [static]


6.35.3.15 `tuple Automation.tcc.models.Job.type_of_work = models.ForeignKey(Govt)` [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.36 Automation.tcc.admin.JobAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.JobAdmin:



Static Public Attributes

- `tuple list_display = ('job_no', 'client', 'site')`
- `tuple search_fields = ('job_no',)`

- list [list_filter](#) = ['job_no']

6.36.1 Detailed Description

**** JobAdmin ****

Job Admin is required to add, edit or delete the content into the Job model directly. The list to be displayed after adding and search and list filter are also there.

6.36.2 Member Data Documentation

6.36.2.1 tuple `Automation.tcc.admin.JobAdmin.list_display = ('job_no', 'client','site')` [static]

6.36.2.2 list `Automation.tcc.admin.JobAdmin.list_filter = ['job_no']` [static]


6.36.2.3 tuple `Automation.tcc.admin.JobAdmin.search_fields = ('job_no',)` [static]

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.37 Automation.tcc.models.JobForm Class Reference

Inheritance diagram for `Automation.tcc.models.JobForm`:



Classes

- class [Meta](#)

6.37.1 Detailed Description

**** JobForm ****


JobForm Class define form for Job model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.38 Automation.tcc.models.Lab Class Reference

Inheritance diagram for `Automation.tcc.models.Lab`:



Public Member Functions

- def [__unicode__](#)
- def [get_tags](#)

Static Public Attributes

- tuple [name](#) = models.CharField(max_length=300)
- tuple [department](#) = models.ForeignKey([Department](#))
- tuple [tags](#) = TagField()

6.38.1 Detailed Description

Lab

Lab Class define all fields required to submit detail about a LAB of a Department.

6.38.2 Member Function Documentation

6.38.2.1 def Automation.tcc.models.Lab.__unicode__(self)

6.38.2.2 def Automation.tcc.models.Lab.get_tags(self)

6.38.3 Member Data Documentation

6.38.3.1 tuple Automation.tcc.models.Lab.department = models.ForeignKey([Department](#)) [static]

6.38.3.2 tuple Automation.tcc.models.Lab.name = models.CharField(max_length=300) [static]


6.38.3.3 tuple Automation.tcc.models.Lab.tags = TagField() [static]

The documentation for this class was generated from the following file:

- tcc/[models.py](#)

6.39 Automation.tcc.admin.LabAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.LabAdmin:



Static Public Attributes

- tuple `list_display` = ('name',)
- tuple `search_fields` = ('name',)
- list `list_filter` = ['name']

6.39.1 Detailed Description

**** LabAdmin ****

Lab Admin is used to add, edit or delete the Labs and there inforamtion directly by the admin.

6.39.2 Member Data Documentation

6.39.2.1 tuple `Automation.tcc.admin.LabAdmin.list_display` = ('name',) [static]

6.39.2.2 list `Automation.tcc.admin.LabAdmin.list_filter` = ['name'] [static]


6.39.2.3 tuple `Automation.tcc.admin.LabAdmin.search_fields` = ('name',) [static]

The documentation for this class was generated from the following file:

- `tcc/admin.py`

6.40 Automation.tcc.models.LabReport Class Reference

Inheritance diagram for `Automation.tcc.models.LabReport`:



Static Public Attributes

- tuple `start_date` = `forms.DateField()`
- tuple `end_date` = `forms.DateField()`
- tuple `material` = `forms.ModelChoiceField(queryset=Material.objects.all())`

6.40.1 Detailed Description

**** LabReport ****

LabReport Form that displays start and end date and thus helps in retrieving data between this date range for a particular material.

6.40.2 Member Data Documentation

6.40.2.1 tuple `Automation.tcc.models.LabReport.end_date` = `forms.DateField()` [static]

6.40.2.2 tuple Automation.tcc.models.LabReport.material = forms.ModelChoiceField(queryset=Material.objects.all())
[static]


6.40.2.3 tuple Automation.tcc.models.LabReport.start_date = forms.DateField() [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.41 Automation.tcc.models.MatComment Class Reference

Inheritance diagram for Automation.tcc.models.MatComment:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [name](#) = models.CharField(max_length=300)

6.41.1 Member Function Documentation

6.41.1.1 def Automation.tcc.models.MatComment.__unicode__(self)

6.41.2 Member Data Documentation


6.41.2.1 tuple Automation.tcc.models.MatComment.name = models.CharField(max_length=300) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.42 Automation.tcc.admin.MatCommentAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.MatCommentAdmin:



Static Public Attributes

- tuple `list_display` = ('name',)
- tuple `search_fields` = ('name',)
- list `list_filter` = ['name']

6.42.1 Member Data Documentation

6.42.1.1 tuple `Automation.tcc.admin.MatCommentAdmin.list_display` = ('name',) `[static]`

6.42.1.2 list `Automation.tcc.admin.MatCommentAdmin.list_filter` = ['name'] `[static]`


6.42.1.3 tuple `Automation.tcc.admin.MatCommentAdmin.search_fields` = ('name',) `[static]`

The documentation for this class was generated from the following file:

- `tcc/admin.py`

6.43 Automation.tcc.models.Material Class Reference

Inheritance diagram for `Automation.tcc.models.Material`:



Public Member Functions

- def `__unicode__`
- def `get_tags`

Static Public Attributes

- tuple `lab` = `models.ForeignKey(Lab)`
- tuple `distribution` = `models.ForeignKey(Distribution)`
- tuple `name` = `models.CharField(max_length=300)`
- tuple `matcomment` = `models.ForeignKey(MatComment)`
- tuple `tags` = `TagField()`
- tuple `report` = `models.ForeignKey(Report)`
- tuple `image` = `models.ImageField(upload_to='logo', blank='True', null='True')`

6.43.1 Detailed Description

**** Material ****

Material Class define all fields required to submit detail about a Material under a Lab.

6.43.2 Member Function Documentation

6.43.2.1 `def Automation.tcc.models.Material.__unicode__(self)`

6.43.2.2 `def Automation.tcc.models.Material.get_tags (self)`

6.43.3 Member Data Documentation

6.43.3.1 `tuple Automation.tcc.models.Material.distribution = models.ForeignKey(Distribution) [static]`

6.43.3.2 `tuple Automation.tcc.models.Material.image = models.ImageField(upload_to='logo', blank='True', null='True') [static]`

6.43.3.3 `tuple Automation.tcc.models.Material.lab = models.ForeignKey(Lab) [static]`

6.43.3.4 `tuple Automation.tcc.models.Material.matcomment = models.ForeignKey(MatComment) [static]`

6.43.3.5 `tuple Automation.tcc.models.Material.name = models.CharField(max_length=300) [static]`

6.43.3.6 `tuple Automation.tcc.models.Material.report = models.ForeignKey(Report) [static]`


6.43.3.7 `tuple Automation.tcc.models.Material.tags = TagField() [static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.44 Automation.tcc.admin.MaterialAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.MaterialAdmin:



Static Public Attributes

- tuple `list_display = ('lab', 'name', 'report')`
- tuple `search_fields = ('name',)`
- list `list_filter = ['name']`

6.44.1 Detailed Description

**** MaterialAdmin ****

Material Admin is used to add, edit or delete the different materials to be tested in differnt labs and there inforamtion directly by the admin.

6.44.2 Member Data Documentation

6.44.2.1 tuple `Automation.tcc.admin.MaterialAdmin.list_display = ('lab', 'name','report')` `[static]`

6.44.2.2 list `Automation.tcc.admin.MaterialAdmin.list_filter = ['name']` `[static]`

6.44.2.3 tuple `Automation.tcc.admin.MaterialAdmin.search_fields = ('name',)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.45 Automation.tcc.models.ClientjobForm.Meta Class Reference

Static Public Attributes

- `model = ClientJob`
- list `exclude = ['job']`

6.45.1 Member Data Documentation

6.45.1.1 list `Automation.tcc.models.ClientjobForm.Meta.exclude = ['job']` `[static]`

6.45.1.2 `Automation.tcc.models.ClientjobForm.Meta.model = ClientJob` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.46 Automation.tcc.models.TadaForm.Meta Class Reference

Static Public Attributes

- `model = TaDa`
- list `exclude = ['job']`
- dictionary `widgets`

6.46.1 Member Data Documentation

6.46.1.1 list `Automation.tcc.models.TadaForm.Meta.exclude = ['job']` `[static]`

6.46.1.2 `Automation.tcc.models.TadaForm.Meta.model = TaDa` `[static]`

6.46.1.3 dictionary `Automation.tcc.models.TadaForm.Meta.widgets` `[static]`

Initial value:

```
1 = {
2     'job' : TextInput(attrs={'size':20}),
3     'departure_time_up' : TextInput(attrs={'size':20}),
4     'arrival_time_up' : TextInput(attrs={'size':20}),
5     'departure_time_down' : TextInput(attrs={'size':20}),
6     'arrival_time_down' : TextInput(attrs={'size':20}),
7     'tada_amount' : TextInput(attrs={'size':20}),
```

```

8         'reach_site' : TextInput(attrs={'size':20}),
9         'test_date' : TextInput(attrs={'size':20}),
10        'end_date' : TextInput(attrs={'size':20}),
11        'testing_staff_code' : TextInput(attrs={'size':20}),
12    }

```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.47 Automation.tcc.models.editClientJobForm.Meta Class Reference

Static Public Attributes

- `model` = [ClientEditJob](#)
- list `exclude` = ['job','material']

6.47.1 Member Data Documentation

6.47.1.1 list `Automation.tcc.models.editClientJobForm.Meta.exclude` = ['job','material'] `[static]`

6.47.1.2 `Automation.tcc.models.editClientJobForm.Meta.model` = [ClientEditJob](#) `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.48 Automation.tcc.models.TransportForm.Meta Class Reference

Static Public Attributes

- `model` = [Transport](#)

6.48.1 Member Data Documentation

6.48.1.1 `Automation.tcc.models.TransportForm.Meta.model` = [Transport](#) `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.49 Automation.tcc.models.DistanceForm.Meta Class Reference

Static Public Attributes

- `model` = [Distance](#)
- list `exclude` = ['job']

6.49.1 Member Data Documentation

6.49.1.1 `list Automation.tcc.models.DistanceForm.Meta.exclude = ['job']` `[static]`

6.49.1.2 `Automation.tcc.models.DistanceForm.Meta.model = Distance` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.50 Automation.tcc.models.BankdetailsForm.Meta Class Reference

Static Public Attributes

- `model = Bankdetails`

6.50.1 Member Data Documentation

6.50.1.1 `Automation.tcc.models.BankdetailsForm.Meta.model = Bankdetails` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.51 Automation.tcc.models.BillForm.Meta Class Reference

Static Public Attributes

- `model = Bill`

6.51.1 Member Data Documentation

6.51.1.1 `Automation.tcc.models.BillForm.Meta.model = Bill` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.52 Automation.tcc.models.SuspenceJobForm.Meta Class Reference

Static Public Attributes

- `model = SuspenceJob`
- `list exclude = ['job','field','test']`

6.52.1 Member Data Documentation

6.52.1.1 `list Automation.tcc.models.SuspenceJobForm.Meta.exclude = ['job','field','test']` `[static]`

6.52.1.2 Automation.tcc.models.SuspenceJobForm.Meta.model = **SuspenceJob** [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.53 Automation.tcc.models.NonPaymentJobForm.Meta Class Reference

Static Public Attributes

- **model** = [NonPaymentJob](#)
- list **exclude** = ['date','client']

6.53.1 Member Data Documentation

6.53.1.1 list Automation.tcc.models.NonPaymentJobForm.Meta.exclude = ['date','client'] [static]

6.53.1.2 Automation.tcc.models.NonPaymentJobForm.Meta.model = **NonPaymentJob** [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.54 Automation.tcc.models.TestTotalPerfForm.Meta Class Reference

Static Public Attributes

- **model** = [TestTotalPerf](#)
- list **exclude** = ['job']

6.54.1 Member Data Documentation

6.54.1.1 list Automation.tcc.models.TestTotalPerfForm.Meta.exclude = ['job'] [static]

6.54.1.2 Automation.tcc.models.TestTotalPerfForm.Meta.model = **TestTotalPerf** [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.55 Automation.tcc.models.JobForm.Meta Class Reference

Static Public Attributes

- **model** = [Job](#)
- list **exclude** = ['client','job_no','report_type','date','ip']

6.55.1 Member Data Documentation

6.55.1.1 list `Automation.tcc.models.JobForm.Meta.exclude` = ['client','job_no','report_type','date','ip'] `[static]`

6.55.1.2 `Automation.tcc.models.JobForm.Meta.model` = `Job` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.56 Automation.tcc.models.ProgrammeForm.Meta Class Reference

Static Public Attributes

- `model` = `Programme`
- dictionary `widgets`

6.56.1 Member Data Documentation

6.56.1.1 `Automation.tcc.models.ProgrammeForm.Meta.model` = `Programme` `[static]`

6.56.1.2 dictionary `Automation.tcc.models.ProgrammeForm.Meta.widgets` `[static]`

Initial value:

```
1 = {
2     'contract_name' : TextInput(attrs={'size':60}),
3     'address' : TextInput(attrs={'size':60}),
4     'on' : TextInput(attrs={'size':60}),
5     'at' : TextInput(attrs={'size':60}),
6     'addr' : TextInput(attrs={'size':60}),
7     'name1' : TextInput(attrs={'size':60}),
8     'name2' : TextInput(attrs={'size':60}),
9 }
```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.57 Automation.tcc.models.AdvancedForm.Meta Class Reference

Static Public Attributes

- `model` = `Job`
- list `exclude` = ['client','job_no','report_type','date','ip',]

6.57.1 Member Data Documentation

6.57.1.1 list `Automation.tcc.models.AdvancedForm.Meta.exclude` = ['client','job_no','report_type','date','ip',] `[static]`

6.57.1.2 `Automation.tcc.models.AdvancedForm.Meta.model` = `Job` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.58 Automation.tcc.models.TestTotalForm.Meta Class Reference

Static Public Attributes

- `model` = `TestTotal`
- list `exclude` = `['job',]`

6.58.1 Member Data Documentation

6.58.1.1 list `Automation.tcc.models.TestTotalForm.Meta.exclude` = `['job',]` `[static]`

6.58.1.2 `Automation.tcc.models.TestTotalForm.Meta.model` = `TestTotal` `[static]`

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.59 Automation.tcc.models.editJobForm.Meta Class Reference

Static Public Attributes

- `model` = `EditJob`
- list `exclude` = `['client','job_no','report_type','date','ip']`

6.59.1 Member Data Documentation

6.59.1.1 list `Automation.tcc.models.editJobForm.Meta.exclude` = `['client','job_no','report_type','date','ip']` `[static]`

6.59.1.2 `Automation.tcc.models.editJobForm.Meta.model` = `EditJob` `[static]`

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.60 Automation.tcc.models.editSuspenceJobForm.Meta Class Reference

Static Public Attributes

- `model` = `SuspenceEditJob`
- list `exclude` = `['job','field','test']`

6.60.1 Member Data Documentation

6.60.1.1 list `Automation.tcc.models.editSuspenceJobForm.Meta.exclude` = `['job','field','test']` `[static]`

6.60.1.2 `Automation.tcc.models.editSuspenceJobForm.Meta.model` = `SuspenceEditJob` `[static]`

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.61 Automation.tcc.models.UserProfileForm.Meta Class Reference

Static Public Attributes

- [model](#) = [UserProfile](#)
- list [exclude](#) = ['user']
- dictionary [widgets](#)

6.61.1 Member Data Documentation

6.61.1.1 list `Automation.tcc.models.UserProfileForm.Meta.exclude = ['user']` `[static]`

6.61.1.2 `Automation.tcc.models.UserProfileForm.Meta.model = UserProfile` `[static]`

6.61.1.3 dictionary `Automation.tcc.models.UserProfileForm.Meta.widgets` `[static]`

Initial value:

```
1 = {
2     'first_name' : TextInput(attrs={'size':60}),
3     'middle_name' : TextInput(attrs={'size':60}),
4     'last_name' : TextInput(attrs={'size':60}),
5     'address' : TextInput(attrs={'size':60}),
6     'company' : TextInput(attrs={'size':60}),
7     'city' : TextInput(attrs={'size':60}),
8     'pin_code' : TextInput(attrs={'size':60}),
9     'website' : TextInput(attrs={'size':60}),
10    'email_address' : TextInput(attrs={'size':60}),
11    'contact_no' : TextInput(attrs={'size':60}),
12 }
```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.62 Automation.tcc.models.DistanceperfForm.Meta Class Reference

Static Public Attributes

- [model](#) = [Distanceperf](#)
- list [exclude](#) = ['job']

6.62.1 Member Data Documentation

6.62.1.1 list `Automation.tcc.models.DistanceperfForm.Meta.exclude = ['job']` `[static]`

6.62.1.2 `Automation.tcc.models.DistanceperfForm.Meta.model = Distanceperf` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.63 Automation.tcc.models.SuspenceForm.Meta Class Reference

Static Public Attributes

- [model](#) = [Suspence](#)

6.63.1 Member Data Documentation

6.63.1.1 Automation.tcc.models.SuspenceForm.Meta.model = **Suspence** [static]

The documentation for this class was generated from the following file:

- tcc/[models.py](#)

6.64 Automation.tcc.models.ClientJobForm.Meta Class Reference

Static Public Attributes

- model = [ClientJob](#)
- list exclude = ['job','material']

6.64.1 Member Data Documentation

6.64.1.1 list Automation.tcc.models.ClientJobForm.Meta.exclude = ['job','material'] [static]


6.64.1.2 Automation.tcc.models.ClientJobForm.Meta.model = **ClientJob** [static]

The documentation for this class was generated from the following file:

- tcc/[models.py](#)

6.65 Automation.tcc.forms.MonthlyReport Class Reference

Inheritance diagram for Automation.tcc.forms.MonthlyReport:



Static Public Attributes

- tuple month = forms.ChoiceField(choices=MONTH_CHOICES)
- tuple year = forms.ChoiceField(choices=YEAR_CHOICES)

6.65.1 Detailed Description

MonthlyReport

Montly Report Form to retrieve Montly Tax Information.

6.65.2 Member Data Documentation

6.65.2.1 tuple Automation.tcc.forms.MonthlyReport.month = forms.ChoiceField(choices=MONTH_CHOICES) [static]


6.65.2.2 tuple `Automation.tcc.forms.MonthlyReport.year = forms.ChoiceField(choices=YEAR_CHOICES)` [static]

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.66 Automation.tcc.forms.MonthlyReportadd Class Reference

Inheritance diagram for `Automation.tcc.forms.MonthlyReportadd`:



Static Public Attributes

- tuple `month = forms.ChoiceField(choices=MONTH_CHOICES)`
- tuple `year = forms.ChoiceField(choices=YEAR_CHOICES)`
- tuple `paid_service_tax = forms.IntegerField(initial= '0')`
- tuple `paid_education_tax = forms.IntegerField(initial= '0')`
- tuple `paid_higher_education_tax = forms.IntegerField(initial= '0')`

6.66.1 Detailed Description

MonthlyReportadd

Monthly Reportadd Form is for getting the monthly income and taxes of the company and then subtrating the paid

6.66.2 Member Data Documentation

6.66.2.1 tuple `Automation.tcc.forms.MonthlyReportadd.month = forms.ChoiceField(choices=MONTH_CHOICES)` [static]

6.66.2.2 tuple `Automation.tcc.forms.MonthlyReportadd.paid_education_tax = forms.IntegerField(initial= '0')` [static]

6.66.2.3 tuple `Automation.tcc.forms.MonthlyReportadd.paid_higher_education_tax = forms.IntegerField(initial= '0')` [static]

6.66.2.4 tuple `Automation.tcc.forms.MonthlyReportadd.paid_service_tax = forms.IntegerField(initial= '0')` [static]


6.66.2.5 tuple `Automation.tcc.forms.MonthlyReportadd.year = forms.ChoiceField(choices=YEAR_CHOICES)` [static]

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.67 Automation.tcc.models.NonPaymentJob Class Reference

Inheritance diagram for `Automation.tcc.models.NonPaymentJob`:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `job_no` = `models.IntegerField(editable=False)`
- tuple `client` = `models.ForeignKey(UserProfile)`
- tuple `ref_no` = `models.CharField(max_length=400,blank=True)`
- tuple `dated` = `models.DateField(blank=True, null=True)`
- tuple `site` = `models.CharField(max_length=5000,blank=True,null=True)`
- tuple `material_type` = `models.CharField(max_length=500)`
- tuple `date` = `models.DateField(auto_now_add=True)`

6.67.1 Member Function Documentation

6.67.1.1 `def Automation.tcc.models.NonPaymentJob.__unicode__(self)`

6.67.2 Member Data Documentation

6.67.2.1 `tuple Automation.tcc.models.NonPaymentJob.client = models.ForeignKey(UserProfile) [static]`

6.67.2.2 `tuple Automation.tcc.models.NonPaymentJob.date = models.DateField(auto_now_add=True) [static]`

6.67.2.3 `tuple Automation.tcc.models.NonPaymentJob.dated = models.DateField(blank=True, null=True) [static]`

6.67.2.4 `tuple Automation.tcc.models.NonPaymentJob.job_no = models.IntegerField(editable=False) [static]`

6.67.2.5 `tuple Automation.tcc.models.NonPaymentJob.material_type = models.CharField(max_length=500) [static]`

6.67.2.6 `tuple Automation.tcc.models.NonPaymentJob.ref_no = models.CharField(max_length=400,blank=True) [static]`


6.67.2.7 `tuple Automation.tcc.models.NonPaymentJob.site = models.CharField(max_length=5000,blank=True,null=True) [static]`

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.68 Automation.tcc.models.NonPaymentJobForm Class Reference

Inheritance diagram for Automation.tcc.models.NonPaymentJobForm:



Classes

- class [Meta](#)

6.68.1 Detailed Description

**** NonPaymentJobForm ****


NonPaymentJobForm Class define form for NonPaymentJob model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.69 Automation.tcc.models.Organisation Class Reference

Inheritance diagram for Automation.tcc.models.Organisation:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [name](#) = models.CharField(max_length=50)
- tuple [address](#) = models.CharField(max_length=150)
- tuple [phone](#) = models.CharField(max_length=20)
- tuple [director](#) = models.CharField(max_length=50)
- tuple [status](#) = models.CharField(max_length=5000)
- tuple [logo_upload](#) = models.ImageField(upload_to='logo')

6.69.1 Detailed Description

**** Organisation ****

Organisation Class define all fields required to submit detail about Organisation.

6.69.2 Member Function Documentation

6.69.2.1 `def Automation.tcc.models.Organisation.__unicode__(self)`

6.69.3 Member Data Documentation

6.69.3.1 `tuple Automation.tcc.models.Organisation.address = models.CharField(max_length=150) [static]`

6.69.3.2 `tuple Automation.tcc.models.Organisation.director = models.CharField(max_length=50) [static]`

6.69.3.3 `tuple Automation.tcc.models.Organisation.logo_upload = models.ImageField(upload_to='logo') [static]`

6.69.3.4 `tuple Automation.tcc.models.Organisation.name = models.CharField(max_length=50) [static]`

6.69.3.5 `tuple Automation.tcc.models.Organisation.phone = models.CharField(max_length=20) [static]`


6.69.3.6 `tuple Automation.tcc.models.Organisation.status = models.CharField(max_length=5000) [static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.70 Automation.tcc.admin.OrganisationAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.OrganisationAdmin:



Static Public Attributes

- tuple `list_display = ('name','address', 'phone','director')`
- tuple `search_fields = ('name',)`
- list `list_filter = ['name']`

6.70.1 Detailed Description

OrganisationAdmin

Organisation Admin is used to add, edit or delete the organisation and its information directly by the admin.

6.70.2 Member Data Documentation

6.70.2.1 `tuple Automation.tcc.admin.OrganisationAdmin.list_display = ('name','address', 'phone','director') [static]`

6.70.2.2 `list Automation.tcc.admin.OrganisationAdmin.list_filter = ['name'] [static]`


6.70.2.3 tuple `Automation.tcc.admin.OrganisationAdmin.search_fields = ('name',)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.71 Automation.tcc.models.Payment Class Reference

Inheritance diagram for `Automation.tcc.models.Payment`:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `name = models.CharField(max_length = 50,blank =True)`

6.71.1 Detailed Description

**** Payment ****

Payment Class define all fields required to submit detail about Payment type (Cash, Cheque, Online or DD).

6.71.2 Member Function Documentation

6.71.2.1 `def Automation.tcc.models.Payment.__unicode__(self)`

6.71.3 Member Data Documentation


6.71.3.1 tuple `Automation.tcc.models.Payment.name = models.CharField(max_length = 50,blank =True)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.72 Automation.tcc.admin.PaymentAdmin Class Reference

Inheritance diagram for `Automation.tcc.admin.PaymentAdmin`:



Static Public Attributes

- tuple `list_display` = ('id', 'name')
- tuple `search_fields` = ('name',)
- list `list_filter` = ['name']

6.72.1 Detailed Description

**** PaymentAdmin ****

Payment Admin is used to add or edit or delete the different modes of payment like Cash, Cheque, Online or Demand Draft directly by the admin.

6.72.2 Member Data Documentation

6.72.2.1 tuple `Automation.tcc.admin.PaymentAdmin.list_display` = ('id', 'name') [static]

6.72.2.2 list `Automation.tcc.admin.PaymentAdmin.list_filter` = ['name'] [static]


6.72.2.3 tuple `Automation.tcc.admin.PaymentAdmin.search_fields` = ('name',) [static]

The documentation for this class was generated from the following file:

- `tcc/admin.py`

6.73 Automation.tcc.models.ProfromaTax Class Reference

Inheritance diagram for Automation.tcc.models.ProfromaTax:



Static Public Attributes

- tuple `pro_no` = models.IntegerField(primary_key=True)
- tuple `service_tax` = models.IntegerField()
- tuple `higher_education_tax` = models.IntegerField()
- tuple `education_tax` = models.IntegerField()
- tuple `total` = models.IntegerField()

6.73.1 Member Data Documentation

6.73.1.1 tuple `Automation.tcc.models.ProfromaTax.education_tax = models.IntegerField()` `[static]`

6.73.1.2 tuple `Automation.tcc.models.ProfromaTax.higher_education_tax = models.IntegerField()` `[static]`

6.73.1.3 tuple `Automation.tcc.models.ProfromaTax.pro_no = models.IntegerField(primary_key=True)` `[static]`

6.73.1.4 tuple `Automation.tcc.models.ProfromaTax.service_tax = models.IntegerField()` `[static]`


6.73.1.5 tuple `Automation.tcc.models.ProfromaTax.total = models.IntegerField()` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.74 Automation.tcc.models.Prog_letter Class Reference

Inheritance diagram for `Automation.tcc.models.Prog_letter`:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `name = models.CharField(max_length=50)`

6.74.1 Detailed Description

`** ClientJob **`

`ClientJob` Class define the materials and tests performed on a `clientjob`.

6.74.2 Member Function Documentation

6.74.2.1 `def Automation.tcc.models.Prog_letter.__unicode__(self)`

6.74.3 Member Data Documentation


6.74.3.1 tuple `Automation.tcc.models.Prog_letter.name = models.CharField(max_length=50)` `[static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.75 Automation.tcc.models.Programme Class Reference

Inheritance diagram for Automation.tcc.models.Programme:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `client_department_name` = `models.CharField(max_length=50)`
- tuple `phone_no` = `models.CharField(max_length=100,blank=True, null=True)`
- tuple `on` = `models.DateField()`
- tuple `addr` = `models.CharField(max_length=100,blank=True, null=True)`
- tuple `city` = `models.CharField(max_length=100,blank=True, null=True)`
- tuple `at` = `models.TimeField()`
- tuple `site` = `models.CharField(max_length=100,blank=True, null=True)`
- tuple `date` = `models.DateField(default=datetime.date.today())`

6.75.1 Member Function Documentation

6.75.1.1 `def Automation.tcc.models.Programme.__unicode__(self)`

6.75.2 Member Data Documentation

6.75.2.1 `tuple Automation.tcc.models.Programme.addr = models.CharField(max_length=100,blank=True, null=True)`
[static]

6.75.2.2 `tuple Automation.tcc.models.Programme.at = models.TimeField()` [static]

6.75.2.3 `tuple Automation.tcc.models.Programme.city = models.CharField(max_length=100,blank=True, null=True)`
[static]

6.75.2.4 `tuple Automation.tcc.models.Programme.client_department_name = models.CharField(max_length=50)` [static]

6.75.2.5 `tuple Automation.tcc.models.Programme.date = models.DateField(default=datetime.date.today())` [static]

6.75.2.6 `tuple Automation.tcc.models.Programme.on = models.DateField()` [static]

6.75.2.7 `tuple Automation.tcc.models.Programme.phone_no = models.CharField(max_length=100,blank=True, null=True)`
[static]


6.75.2.8 `tuple Automation.tcc.models.Programme.site = models.CharField(max_length=100,blank=True, null=True)`
[static]

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.76 Automation.tcc.models.ProgrammeForm Class Reference

Inheritance diagram for Automation.tcc.models.ProgrammeForm:



Classes

- class [Meta](#)

Static Public Attributes

- tuple [staff](#)

6.76.1 Member Data Documentation

6.76.1.1 tuple Automation.tcc.models.ProgrammeForm.staff [static]

Initial value:

```

1 = forms.ModelMultipleChoiceField(queryset=Prog_letter.objects.all(),
2     required=False, widget=forms.CheckboxSelectMultiple)


```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.77 Automation.tcc.models.Report Class Reference

Inheritance diagram for Automation.tcc.models.Report:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [name](#) = models.CharField(max_length=50)

6.77.1 Detailed Description

**** Report ****

Report Class to reterive any Report Information,
when we fill Job Number and type of Report Store in Database

6.77.2 Member Function Documentation

6.77.2.1 `def Automation.tcc.models.Report.__unicode__(self)`

6.77.3 Member Data Documentation


6.77.3.1 `tuple Automation.tcc.models.Report.name = models.CharField(max_length=50) [static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.78 Automation.tcc.admin.ReportAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.ReportAdmin:



Static Public Attributes

- tuple `list_display = ('id', 'name')`
- tuple `search_fields = ('name',)`
- list `list_filter = ['name']`

6.78.1 Detailed Description

**** ReportAdmin ****

Report Admin is used to add, edit or delete the type of work(like
Lab or Field work) directly by the admin.

6.78.2 Member Data Documentation

6.78.2.1 `tuple Automation.tcc.admin.ReportAdmin.list_display = ('id', 'name') [static]`

6.78.2.2 `list Automation.tcc.admin.ReportAdmin.list_filter = ['name'] [static]`


6.78.2.3 `tuple Automation.tcc.admin.ReportAdmin.search_fields = ('name',) [static]`

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.79 Automation.tcc.models.Staff Class Reference

Inheritance diagram for Automation.tcc.models.Staff:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `department` = models.ForeignKey([Department](#))
- tuple `code` = models.CharField(max_length=5)
- tuple `name` = models.CharField(max_length=50)
- tuple `daily_income` = models.IntegerField(blank=True)
- tuple `position` = models.CharField(max_length=100)
- tuple `lab` = models.ForeignKey([Lab](#))
- tuple `email` = models.EmailField(blank=True)

6.79.1 Detailed Description

```
** Staff **
```

Staff Class define all fields required to submit detail about a particular Staff member.

6.79.2 Member Function Documentation

6.79.2.1 `def Automation.tcc.models.Staff.__unicode__(self)`

6.79.3 Member Data Documentation

6.79.3.1 `tuple Automation.tcc.models.Staff.code = models.CharField(max_length=5) [static]`

6.79.3.2 `tuple Automation.tcc.models.Staff.daily_income = models.IntegerField(blank=True) [static]`

6.79.3.3 `tuple Automation.tcc.models.Staff.department = models.ForeignKey(Department) [static]`

6.79.3.4 `tuple Automation.tcc.models.Staff.email = models.EmailField(blank=True) [static]`

6.79.3.5 `tuple Automation.tcc.models.Staff.lab = models.ForeignKey(Lab) [static]`

6.79.3.6 `tuple Automation.tcc.models.Staff.name = models.CharField(max_length=50) [static]`


6.79.3.7 `tuple Automation.tcc.models.Staff.position = models.CharField(max_length=100) [static]`

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.80 Automation.tcc.admin.StaffAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.StaffAdmin:



Static Public Attributes

- tuple [list_display](#)
- tuple [search_fields](#) = ('code',)
- list [list_filter](#) = ['code']

6.80.1 Detailed Description

```
** StaffAdmin **
```

Staff Admin is used to add, edit or delete the staff members of particular lab and there information directly by the admin.

6.80.2 Member Data Documentation

6.80.2.1 tuple `Automation.tcc.admin.StaffAdmin.list_display` `[static]`

Initial value:

```
1 = ('department', 'code', 'name', 'daily_income',
2   'position', 'lab')
```

6.80.2.2 list `Automation.tcc.admin.StaffAdmin.list_filter` = ['code'] `[static]`


6.80.2.3 tuple `Automation.tcc.admin.StaffAdmin.search_fields` = ('code',) `[static]`

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.81 Automation.tcc.models.Suspence Class Reference

Inheritance diagram for Automation.tcc.models.Suspence:



Static Public Attributes

- tuple `job` = `models.ForeignKey(Job)`
- tuple `rate` = `models.IntegerField(null=True, blank=True)`
- tuple `sus` = `models.ForeignKey(SuspenceJob, null=True, blank=True)`
- tuple `work_charge` = `models.IntegerField(null=True, blank=True)`
- tuple `labour_charge` = `models.IntegerField(blank=True, null=True)`
- tuple `boring_charge_external` = `models.IntegerField(blank=True, null=True)`
- tuple `boring_charge_internal` = `models.IntegerField(blank=True, null=True)`
- tuple `car_taxi_charge` = `models.IntegerField(blank=True, null=True)`
- tuple `lab_testing_staff` = `models.CharField(max_length=90, blank=True)`
- tuple `field_testing_staff` = `models.CharField(max_length=90, blank=True)`
- tuple `test_date` = `models.DateField(blank=True, null=True)`
- tuple `suspence_bill_no` = `models.IntegerField(blank=True, null=True)`

6.81.1 Detailed Description

**** Suspence ****

Suspence Class define all fields required to submit detail about a Suspence Job.

6.81.2 Member Data Documentation


- 6.81.2.1 tuple `Automation.tcc.models.Suspence.boring_charge_external` = `models.IntegerField(blank=True, null=True)`
[static]
- 6.81.2.2 tuple `Automation.tcc.models.Suspence.boring_charge_internal` = `models.IntegerField(blank=True, null=True)`
[static]
- 6.81.2.3 tuple `Automation.tcc.models.Suspence.car_taxi_charge` = `models.IntegerField(blank=True, null=True)` [static]
- 6.81.2.4 tuple `Automation.tcc.models.Suspence.field_testing_staff` = `models.CharField(max_length=90, blank=True)`
[static]
- 6.81.2.5 tuple `Automation.tcc.models.Suspence.job` = `models.ForeignKey(Job)` [static]
- 6.81.2.6 tuple `Automation.tcc.models.Suspence.lab_testing_staff` = `models.CharField(max_length=90, blank=True)`
[static]
- 6.81.2.7 tuple `Automation.tcc.models.Suspence.labour_charge` = `models.IntegerField(blank=True, null=True)` [static]
- 6.81.2.8 tuple `Automation.tcc.models.Suspence.rate` = `models.IntegerField(null=True, blank=True)` [static]
- 6.81.2.9 tuple `Automation.tcc.models.Suspence.sus` = `models.ForeignKey(SuspenceJob, null=True, blank=True)`
[static]
- 6.81.2.10 tuple `Automation.tcc.models.Suspence.suspence_bill_no` = `models.IntegerField(blank=True, null=True)`
[static]
- 6.81.2.11 tuple `Automation.tcc.models.Suspence.test_date` = `models.DateField(blank=True, null=True)` [static]
- 6.81.2.12 tuple `Automation.tcc.models.Suspence.work_charge` = `models.IntegerField(null=True, blank=True)` [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.82 Automation.tcc.forms.SuspenceClearance Class Reference

Inheritance diagram for Automation.tcc.forms.SuspenceClearance:



Static Public Attributes

- tuple `labour_charge` = forms.IntegerField(initial= '0')
- tuple `car_taxi_charge` = forms.IntegerField(initial= '0')
- tuple `boring_charge_external` = forms.IntegerField(initial= '0')
- tuple `boring_charge_internal` = forms.IntegerField(initial= 0)
- tuple `lab_testing_staff` = forms.CharField(max_length = 20)
- tuple `field_testing_staff` = forms.CharField(max_length = 20,required=False)

6.82.1 Detailed Description

****SuspenceClearance****

Suspence Clearance Form for adding extra Charges like labour, car taxi, boring charge, etc.

6.82.2 Member Data Documentation


- 6.82.2.1 tuple Automation.tcc.forms.SuspenceClearance.boring_charge_external = forms.IntegerField(initial= '0')
[static]
- 6.82.2.2 tuple Automation.tcc.forms.SuspenceClearance.boring_charge_internal = forms.IntegerField(initial= 0) [static]
- 6.82.2.3 tuple Automation.tcc.forms.SuspenceClearance.car_taxi_charge = forms.IntegerField(initial= '0') [static]
- 6.82.2.4 tuple Automation.tcc.forms.SuspenceClearance.field_testing_staff = forms.CharField(max_length = 20,required=False)
[static]
- 6.82.2.5 tuple Automation.tcc.forms.SuspenceClearance.lab_testing_staff = forms.CharField(max_length = 20) [static]
- 6.82.2.6 tuple Automation.tcc.forms.SuspenceClearance.labour_charge = forms.IntegerField(initial= '0') [static]

The documentation for this class was generated from the following file:

- [tcc/forms.py](#)

6.83 Automation.tcc.models.SuspenceEditJob Class Reference

Inheritance diagram for Automation.tcc.models.SuspenceEditJob:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `job` = `models.ForeignKey(EditJob)`
- tuple `field` = `models.ForeignKey(Material)`
- tuple `test` = `models.ForeignKey(Test,blank=True,null=True)`
- tuple `other` = `models.CharField(max_length=600, blank=True)`

6.83.1 Detailed Description

****SuspenceEditJob****

SuspenceJob Class is used to define all fields required to submit detail about new performa Suspence Job.

6.83.2 Member Function Documentation

6.83.2.1 `def Automation.tcc.models.SuspenceEditJob.__unicode__(self)`

6.83.3 Member Data Documentation

6.83.3.1 tuple `Automation.tcc.models.SuspenceEditJob.field` = `models.ForeignKey(Material)` [static]

6.83.3.2 tuple `Automation.tcc.models.SuspenceEditJob.job` = `models.ForeignKey(EditJob)` [static]

6.83.3.3 tuple `Automation.tcc.models.SuspenceEditJob.other` = `models.CharField(max_length=600, blank=True)` [static]


6.83.3.4 tuple `Automation.tcc.models.SuspenceEditJob.test` = `models.ForeignKey(Test,blank=True,null=True)` [static]

The documentation for this class was generated from the following file:

- `tcc/models.py`

6.84 Automation.tcc.models.SuspenceForm Class Reference

Inheritance diagram for Automation.tcc.models.SuspenceForm:



Classes

- class [Meta](#)

6.84.1 Detailed Description

```
** SuspenceForm **
```


SuspenceForm Class define form for Suspence model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.85 Automation.tcc.models.SuspenceJob Class Reference

Inheritance diagram for Automation.tcc.models.SuspenceJob:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [job](#) = models.ForeignKey([Job](#))
- tuple [field](#) = models.ForeignKey([Material](#))
- tuple [test](#) = models.ForeignKey([Test](#), blank=True, null=True)
- tuple [other](#) = models.CharField(max_length=600, blank=True)

6.85.1 Detailed Description

```
**SuspenceJob**
```

SuspenceJob Class is used to define all fields required to submit detail about new Suspence Job.

6.85.2 Member Function Documentation

6.85.2.1 def Automation.tcc.models.SuspenceJob.[__unicode__](#)(self)

6.85.3 Member Data Documentation

6.85.3.1 tuple Automation.tcc.models.SuspenceJob.[field](#) = models.ForeignKey([Material](#)) [static]

6.85.3.2 tuple Automation.tcc.models.SuspenceJob.[job](#) = models.ForeignKey([Job](#)) [static]

6.85.3.3 tuple Automation.tcc.models.SuspenceJob.other = models.CharField(max_length=600, blank=True) [static]


6.85.3.4 tuple Automation.tcc.models.SuspenceJob.test = models.ForeignKey(Test,blank=True,null=True) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.86 Automation.tcc.models.SuspenceJobForm Class Reference

Inheritance diagram for Automation.tcc.models.SuspenceJobForm:



Classes

- class [Meta](#)

6.86.1 Detailed Description

```
** SuspenceJobForm **
```


SuspenceJobForm Class define the form for SuspenceJob model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.87 Automation.tcc.models.TaDa Class Reference

Inheritance diagram for Automation.tcc.models.TaDa:



Static Public Attributes

- tuple [job](#) = models.ForeignKey(Job)
- tuple [departure_time_up](#) = models.TimeField(default = "00:00:00")
- tuple [arrival_time_up](#) = models.TimeField(default = "00:00:00")
- tuple [departure_time_down](#) = models.TimeField(default = "00:00:00")
- tuple [arrival_time_down](#) = models.TimeField(default = "00:00:00")
- tuple [tada_amount](#) = models.IntegerField(blank=True, null=True, editable=False)

- tuple `reach_site` = `models.CharField(max_length=60, blank=True)`
- tuple `test_date` = `models.CharField(max_length=15)`
- tuple `end_date` = `models.CharField(max_length=15)`
- tuple `testing_staff_code` = `models.CharField(max_length=50)`

6.87.1 Detailed Description

**** TaDa ****

TaDa Class define all fields required to submit detail about transport and Daily Allowance for a particular Job id.

6.87.2 Member Data Documentation


- 6.87.2.1 tuple `Automation.tcc.models.TaDa.arrival_time_down` = `models.TimeField(default = "00:00:00")` [static]
- 6.87.2.2 tuple `Automation.tcc.models.TaDa.arrival_time_up` = `models.TimeField(default = "00:00:00")` [static]
- 6.87.2.3 tuple `Automation.tcc.models.TaDa.departure_time_down` = `models.TimeField(default = "00:00:00")` [static]
- 6.87.2.4 tuple `Automation.tcc.models.TaDa.departure_time_up` = `models.TimeField(default = "00:00:00")` [static]
- 6.87.2.5 tuple `Automation.tcc.models.TaDa.end_date` = `models.CharField(max_length=15)` [static]
- 6.87.2.6 tuple `Automation.tcc.models.TaDa.job` = `models.ForeignKey(Job)` [static]
- 6.87.2.7 tuple `Automation.tcc.models.TaDa.reach_site` = `models.CharField(max_length=60, blank=True)` [static]
- 6.87.2.8 tuple `Automation.tcc.models.TaDa.tada_amount` = `models.IntegerField(blank=True, null=True, editable=False)` [static]
- 6.87.2.9 tuple `Automation.tcc.models.TaDa.test_date` = `models.CharField(max_length=15)` [static]
- 6.87.2.10 tuple `Automation.tcc.models.TaDa.testing_staff_code` = `models.CharField(max_length=50)` [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.88 Automation.tcc.models.TadaForm Class Reference

Inheritance diagram for `Automation.tcc.models.TadaForm`:



Classes

- class [Meta](#)

6.88.1 Detailed Description

```
** TadaForm **
```


```
TadaForm Class define form for Tada model.
```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.89 Automation.tcc.models.Test Class Reference

Inheritance diagram for Automation.tcc.models.Test:



Public Member Functions

- `def __unicode__`
- `def get_tags`

Static Public Attributes

- tuple `material` = `models.ForeignKey(Material)`
- tuple `name` = `models.CharField(max_length=300)`
- tuple `quantity` = `models.IntegerField(blank=True, null=True)`
- tuple `unit` = `models.CharField(max_length=15)`
- tuple `cost` = `models.IntegerField(blank=True, null=True)`
- tuple `tags` = `TagField()`

6.89.1 Detailed Description

```
** Test **
```

```
Test Class define all fields required to submit detail about a  
test under a Material.
```

6.89.2 Member Function Documentation

6.89.2.1 `def Automation.tcc.models.Test.__unicode__(self)`

6.89.2.2 `def Automation.tcc.models.Test.get_tags(self)`

6.89.3 Member Data Documentation

6.89.3.1 `tuple Automation.tcc.models.Test.cost = models.IntegerField(blank=True, null=True)` `[static]`

6.89.3.2 `tuple Automation.tcc.models.Test.material = models.ForeignKey(Material)` `[static]`

6.89.3.3 tuple Automation.tcc.models.Test.name = models.CharField(max_length=300) [static]

6.89.3.4 tuple Automation.tcc.models.Test.quantity = models.IntegerField(blank=True, null=True) [static]

6.89.3.5 tuple Automation.tcc.models.Test.tags = TagField() [static]


6.89.3.6 tuple Automation.tcc.models.Test.unit = models.CharField(max_length=15) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.90 Automation.tcc.admin.TestAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.TestAdmin:



Static Public Attributes

- tuple [list_display](#) = ('material', 'name', 'quantity', 'unit', 'cost')
- tuple [search_fields](#) = ('name',)
- list [list_filter](#) = ['name']

6.90.1 Detailed Description

**** TestAdmin ****

Test Admin is used to add, edit or delete the tests performed on the material and there informantion directly by the admin.

6.90.2 Member Data Documentation

6.90.2.1 tuple Automation.tcc.admin.TestAdmin.list_display = ('material', 'name', 'quantity', 'unit', 'cost') [static]

6.90.2.2 list Automation.tcc.admin.TestAdmin.list_filter = ['name'] [static]


6.90.2.3 tuple Automation.tcc.admin.TestAdmin.search_fields = ('name',) [static]

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.91 Automation.tcc.models.TestTotal Class Reference

Inheritance diagram for Automation.tcc.models.TestTotal:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [job](#) = models.ForeignKey([Job](#))
- tuple [unit_price](#) = models.IntegerField(blank=True,null=True)

6.91.1 Detailed Description

**** TestTotal ****

TestTotal Class define all fields required to submit amount detail about a [job_id](#).

6.91.2 Member Function Documentation

6.91.2.1 def Automation.tcc.models.TestTotal.[__unicode__](#)(*self*)

6.91.3 Member Data Documentation

6.91.3.1 tuple Automation.tcc.models.TestTotal.[job](#) = models.ForeignKey([Job](#)) [*static*]


6.91.3.2 tuple Automation.tcc.models.TestTotal.[unit_price](#) = models.IntegerField(blank=True,null=True) [*static*]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.92 Automation.tcc.models.TestTotalForm Class Reference

Inheritance diagram for Automation.tcc.models.TestTotalForm:



Classes

- class [Meta](#)

6.92.1 Detailed Description

**** TestTotalForm ****


TestTotalForm Class define the form for TestTotal model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.93 Automation.tcc.models.TestTotalPerf Class Reference

Inheritance diagram for Automation.tcc.models.TestTotalPerf:



Public Member Functions

- `def __unicode__`

Static Public Attributes

- tuple `job` = `models.ForeignKey(EditJob)`
- tuple `unit_price` = `models.IntegerField(blank=True, null=True)`
- tuple `rate` = `models.IntegerField(null=True, blank=True)`

6.93.1 Detailed Description

**** TestTotalPerf ****

TestTotalPerf Class define all fields required to submit amount detail about a performa job_id.

6.93.2 Member Function Documentation

6.93.2.1 `def Automation.tcc.models.TestTotalPerf.__unicode__(self)`

6.93.3 Member Data Documentation

6.93.3.1 `tuple Automation.tcc.models.TestTotalPerf.job = models.ForeignKey(EditJob)` [static]

6.93.3.2 `tuple Automation.tcc.models.TestTotalPerf.rate = models.IntegerField(null=True, blank=True)` [static]


6.93.3.3 `tuple Automation.tcc.models.TestTotalPerf.unit_price = models.IntegerField(blank=True, null=True)` [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.94 Automation.tcc.models.TestTotalPerfForm Class Reference

Inheritance diagram for Automation.tcc.models.TestTotalPerfForm:



Classes

- class [Meta](#)

6.94.1 Detailed Description

```
** TestTotalForm **
```


TestTotalForm Class define the form for TestTotal model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.95 Automation.tcc.models.Transport Class Reference

Inheritance diagram for Automation.tcc.models.Transport:



Static Public Attributes

- tuple [vehicle](#) = models.ForeignKey([Transportation](#))
- tuple [id](#) = models.AutoField(primary_key=True)
- tuple [job_no](#) = models.IntegerField()
- tuple [bill_no](#) = models.IntegerField(null=True, editable=False)
- tuple [kilometer](#) = models.CharField(max_length=150, default="00, 00, 00")
- tuple [amounts](#) = models.CharField(max_length=180, blank=True, editable=False)
- tuple [total](#) = models.IntegerField(blank=True, null=True, editable=False)
- tuple [date](#) = models.DateField(default=datetime.date.today())
- tuple [test_date](#)

6.95.1 Detailed Description

```
** Transport **
```

Transport Class define all fields required for transportation for a particular job id.

6.95.2 Member Data Documentation

6.95.2.1 tuple Automation.tcc.models.Transport.amounts = models.CharField(max_length=180, blank=True, editable=False) [static]

6.95.2.2 tuple Automation.tcc.models.Transport.bill_no = models.IntegerField(null=True, editable=False) [static]

6.95.2.3 tuple Automation.tcc.models.Transport.date = models.DateField(default=datetime.date.today()) [static]

6.95.2.4 tuple Automation.tcc.models.Transport.id = models.AutoField(primary_key=True) [static]

6.95.2.5 tuple Automation.tcc.models.Transport.job_no = models.IntegerField() [static]

6.95.2.6 tuple Automation.tcc.models.Transport.kilometer = models.CharField(max_length=150, default="00, 00, 00") [static]

6.95.2.7 tuple Automation.tcc.models.Transport.test_date [static]

Initial value:

```
1 = models.CharField(max_length=300, default="0000-00-00,\n2   0000-00-00")
```

6.95.2.8 tuple Automation.tcc.models.Transport.total = models.IntegerField(blank=True, null=True, editable=False) [static]


6.95.2.9 tuple Automation.tcc.models.Transport.vehicle = models.ForeignKey(Transportation) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.96 Automation.tcc.models.Transportation Class Reference

Inheritance diagram for Automation.tcc.models.Transportation:



Public Member Functions

- [def __str__](#)

Static Public Attributes

- tuple [vehiclenu](#) = models.CharField(max_length=150)
- tuple [rate](#) = models.IntegerField(default='7')

6.96.1 Detailed Description

**** Transportation ****

Transportation Class define all fields required to submit detail about transportation.

6.96.2 Member Function Documentation

6.96.2.1 `def Automation.tcc.models.Transportation.__str__(self)`

6.96.3 Member Data Documentation

6.96.3.1 `tuple Automation.tcc.models.Transportation.rate = models.IntegerField(default='7') [static]`


6.96.3.2 `tuple Automation.tcc.models.Transportation.vehiclno = models.CharField(max_length=150) [static]`

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.97 Automation.tcc.admin.TransportationAdmin Class Reference

Inheritance diagram for Automation.tcc.admin.TransportationAdmin:



Static Public Attributes

- tuple `list_display = ('vehiclno','rate')`
- tuple `search_fields = ('vehiclno',)`
- list `list_filter = ['vehiclno']`

6.97.1 Detailed Description

**** TransportationAdmin ****

Transportation Admin is used to add, edit or delete the transportation inforamtion directly by the admin.

6.97.2 Member Data Documentation

6.97.2.1 `tuple Automation.tcc.admin.TransportationAdmin.list_display = ('vehiclno','rate') [static]`

6.97.2.2 `list Automation.tcc.admin.TransportationAdmin.list_filter = ['vehiclno'] [static]`


6.97.2.3 `tuple Automation.tcc.admin.TransportationAdmin.search_fields = ('vehiclno',) [static]`

The documentation for this class was generated from the following file:

- [tcc/admin.py](#)

6.98 Automation.tcc.models.TransportForm Class Reference

Inheritance diagram for Automation.tcc.models.TransportForm:



Classes

- class [Meta](#)

6.98.1 Detailed Description

```
** TransportForm **
```


TransportForm Class define form for Transport model.

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.99 Automation.tcc.models.UserProfile Class Reference

Inheritance diagram for Automation.tcc.models.UserProfile:



Public Member Functions

- def [__unicode__](#)

Static Public Attributes

- tuple [user](#) = models.ForeignKey(User)
- tuple [first_name](#) = models.CharField(max_length=100)
- tuple [middle_name](#) = models.CharField(max_length=100,blank=True, null=True)
- tuple [last_name](#) = models.CharField(max_length=100,blank=True, null=True)
- tuple [address](#) = models.CharField(max_length=255,blank=True, null=True)
- tuple [company](#) = models.CharField(max_length=255,blank=True, null=True)
- tuple [city](#) = models.CharField(blank=True,max_length=255, null=True)
- tuple [pin_code](#) = models.IntegerField(blank=True,null=True)

- tuple `state`
- tuple `website` = `models.URLField(blank=True, null=True)`
- tuple `email_address` = `models.EmailField(max_length=70, blank=True, null=True)`
- tuple `contact_no` = `models.CharField(max_length=500)`
- tuple `type_of_organisation`
- tuple `date` = `models.DateField(auto_now_add=True)`

6.99.1 Detailed Description

**** UserProfile ****

UserProfile Class define all field required to submit detail about new Client.

6.99.2 Member Function Documentation

6.99.2.1 `def Automation.tcc.models.UserProfile.__unicode__(self)`

6.99.3 Member Data Documentation

6.99.3.1 `tuple Automation.tcc.models.UserProfile.address = models.CharField(max_length=255,blank=True, null=True)`
[static]

6.99.3.2 `tuple Automation.tcc.models.UserProfile.city = models.CharField(blank=True,max_length=255, null=True)`
[static]

6.99.3.3 `tuple Automation.tcc.models.UserProfile.company = models.CharField(max_length=255,blank=True, null=True)`
[static]

6.99.3.4 `tuple Automation.tcc.models.UserProfile.contact_no = models.CharField(max_length=500)` [static]

6.99.3.5 `tuple Automation.tcc.models.UserProfile.date = models.DateField(auto_now_add=True)` [static]

6.99.3.6 `tuple Automation.tcc.models.UserProfile.email_address = models.EmailField(max_length=70, blank=True, null=True)`
[static]

6.99.3.7 `tuple Automation.tcc.models.UserProfile.first_name = models.CharField(max_length=100)` [static]

6.99.3.8 `tuple Automation.tcc.models.UserProfile.last_name = models.CharField(max_length=100,blank=True, null=True)`
[static]

6.99.3.9 `tuple Automation.tcc.models.UserProfile.middle_name = models.CharField(max_length=100,blank=True, null=True)`
[static]

6.99.3.10 `tuple Automation.tcc.models.UserProfile.pin_code = models.IntegerField(blank=True,null=True)` [static]

6.99.3.11 `tuple Automation.tcc.models.UserProfile.state` [static]

Initial value:

```
1 = models.CharField(max_length=30,choices=STATES_CHOICES,
2     default='Punjab')
```

6.99.3.12 tuple Automation.tcc.models.UserProfile.type_of_organisation [static]

Initial value:

```
1 = models.CharField(max_length=20, choices =
2     ORGANISATION_CHOICES)
```

6.99.3.13 tuple Automation.tcc.models.UserProfile.user = models.ForeignKey(User) [static]


6.99.3.14 tuple Automation.tcc.models.UserProfile.website = models.URLField(blank=True, null=True) [static]

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

6.100 Automation.tcc.models.UserProfileForm Class Reference

Inheritance diagram for Automation.tcc.models.UserProfileForm:



Classes

- class [Meta](#)

6.100.1 Detailed Description

```
** UserProfileForm **
```

```
UserProfileForm Class define the form for UserProfile model.
```

The documentation for this class was generated from the following file:

- [tcc/models.py](#)

Chapter 7

File Documentation

7.1 settings.py File Reference

Namespaces

- [Automation.settings](#)

Variables

- [Automation.settings.DEBUG](#) = True
- [Automation.settings.TEMPLATE_DEBUG](#) = DEBUG
- tuple [Automation.settings.ADMINS](#)
- [Automation.settings.MANAGERS](#) = ADMINS
- dictionary [Automation.settings.DATABASES](#)
- string [Automation.settings.TIME_ZONE](#) = 'Asia/Kolkata'
- string [Automation.settings.LANGUAGE_CODE](#) = 'en-us'
- int [Automation.settings.SITE_ID](#) = 1
- string [Automation.settings.DEFAULT_FROM_EMAIL](#) = 'user@host.com'
- string [Automation.settings.EMAIL_HOST](#) = 'smtp.host.com'
- string [Automation.settings.EMAIL_HOST_USER](#) = 'user@host.com'
- string [Automation.settings.EMAIL_HOST_PASSWORD](#) = 'user@host.com'
- [Automation.settings.EMAIL_USE_TLS](#) = True
- string [Automation.settings.EMAIL_PORT](#) = "587"
- string [Automation.settings.SESSION_KEY](#) = '_auth_user_id'
- string [Automation.settings.BACKEND_SESSION_KEY](#) = '_auth_user_backend'
- [Automation.settings.USE_I18N](#) = True
- [Automation.settings.USE_L10N](#) = True
- string [Automation.settings.MEDIA_ROOT](#) = '/usr/local/lib/python2.7/dist-packages/django/contrib/admin/media/'
- string [Automation.settings.STATIC_ROOT](#) = 'mpath/Automation/static/'
- string [Automation.settings.LOCAL_URL](#) = 'http://localhost/'
- string [Automation.settings.MEDIA_URL](#) = '/media/'
- string [Automation.settings.STATIC_URL](#) = '/static/'
- string [Automation.settings.ADMIN_MEDIA_PREFIX](#) = '/media/'
- string [Automation.settings.AUTH_PROFILE_MODULE](#) = 'tcc.UserProfile'
- tuple [Automation.settings.STATICFILES_DIRS](#)
- tuple [Automation.settings.STATICFILES_FINDERS](#)
- string [Automation.settings.SECRET_KEY](#) = '@3t%hg=e4%fuwxhq#qm4gp!%0albmve6natdxiqoxcx8#8\$wd'
- string [Automation.settings.EASY_MAPS_GOOGLE_KEY](#) = "AlzaSyDRekokepCbXBsF7DC8uyR_95pikeWd-Pqc"

- tuple [Automation.settings.TEMPLATE_LOADERS](#)
- tuple [Automation.settings.TEMPLATE_CONTEXT_PROCESSORS](#)
- tuple [Automation.settings.MIDDLEWARE_CLASSES](#)
- string [Automation.settings.ROOT_URLCONF](#) = 'Automation.urls'
- tuple [Automation.settings.TEMPLATE_DIRS](#)
- tuple [Automation.settings.INSTALLED_APPS](#)
- int [Automation.settings.ACCOUNT_ACTIVATION_DAYS](#) = 2
- string [Automation.settings.LOGIN_REDIRECT_URL](#) = '/automation/tcc/index'

7.2 tcc/admin.py File Reference

Classes

- class [Automation.tcc.admin.JobAdmin](#)
- class [Automation.tcc.admin.ClientAdmin](#)
- class [Automation.tcc.admin.LabAdmin](#)
- class [Automation.tcc.admin.DistributionAdmin](#)
- class [Automation.tcc.admin.GovtAdmin](#)
- class [Automation.tcc.admin.ReportAdmin](#)
- class [Automation.tcc.admin.PaymentAdmin](#)
- class [Automation.tcc.admin.MaterialAdmin](#)
- class [Automation.tcc.admin.MatCommentAdmin](#)
- class [Automation.tcc.admin.TestAdmin](#)
- class [Automation.tcc.admin.OrganisationAdmin](#)
- class [Automation.tcc.admin.DepartmentAdmin](#)
- class [Automation.tcc.admin.StaffAdmin](#)
- class [Automation.tcc.admin.TransportationAdmin](#)

Namespaces

- [Automation.tcc.admin](#)

7.3 tcc/choices.py File Reference

Namespaces

- [Automation.tcc.choices](#)

Variables

- tuple [Automation.tcc.choices.STATES_CHOICES](#)
- tuple [Automation.tcc.choices.MONTH_CHOICES](#)
- tuple [Automation.tcc.choices.YEAR_CHOICES](#)
- tuple [Automation.tcc.choices.DAY_CHOICES](#)
- tuple [Automation.tcc.choices.DAILY_CHOICES](#)
- tuple [Automation.tcc.choices.ORGANISATION_CHOICES](#)

7.4 tcc/convert_function.py File Reference

Namespaces

- [Automation.tcc.convert_function](#)

Functions

- def [Automation.tcc.convert_function.num2eng](#)

7.5 tcc/forms.py File Reference

Classes

- class [Automation.tcc.forms.SuspenceClearence](#)
- class [Automation.tcc.forms.ContactForm](#)
- class [Automation.tcc.forms.MonthlyReportadd](#)
- class [Automation.tcc.forms.DailyReportadd](#)
- class [Automation.tcc.forms.MonthlyReport](#)
- class [Automation.tcc.forms.DateReport](#)
- class [Automation.tcc.forms.GovPriReport](#)
- class [Automation.tcc.forms.CashBook](#)

Namespaces

- [Automation.tcc.forms](#)

7.6 tcc/functions.py File Reference

Namespaces

- [Automation.tcc.functions](#)

Functions

- def [Automation.tcc.functions.retrieve](#)
- def [Automation.tcc.functions.dates](#)
- def [Automation.tcc.functions.ratio1](#)
- def [Automation.tcc.functions.ratio2](#)
- def [Automation.tcc.functions.months](#)
- def [Automation.tcc.functions.normalize_query](#)
- def [Automation.tcc.functions.get_query](#)

Variables

- int [Automation.tcc.functions.individual_ratio1](#) = 60
- int [Automation.tcc.functions.individual_ratio2](#) = 40
- int [Automation.tcc.functions.institutional_ratio1](#) = 40
- int [Automation.tcc.functions.institutional_ratio2](#) = 60
- int [Automation.tcc.functions.routine_ratio1](#) = 30
- int [Automation.tcc.functions.routine_ratio2](#) = 70

7.7 tcc/models.py File Reference

Classes

- class [Automation.tcc.models.Report](#)
- class [Automation.tcc.models.UserProfile](#)
- class [Automation.tcc.models.UserProfileForm](#)
- class [Automation.tcc.models.UserProfileForm.Meta](#)
- class [Automation.tcc.models.Organisation](#)
- class [Automation.tcc.models.Department](#)
- class [Automation.tcc.models.Distribution](#)
- class [Automation.tcc.models.Lab](#)
- class [Automation.tcc.models.MatComment](#)
- class [Automation.tcc.models.Material](#)
- class [Automation.tcc.models.Test](#)
- class [Automation.tcc.models.Clientadd](#)
- class [Automation.tcc.models.editClientadd](#)
- class [Automation.tcc.models.Govt](#)
- class [Automation.tcc.models.Payment](#)
- class [Automation.tcc.models.Job](#)
- class [Automation.tcc.models.NonPaymentJob](#)
- class [Automation.tcc.models.NonPaymentJobForm](#)
- class [Automation.tcc.models.NonPaymentJobForm.Meta](#)
- class [Automation.tcc.models.EditJob](#)
- class [Automation.tcc.models.JobForm](#)
- class [Automation.tcc.models.JobForm.Meta](#)
- class [Automation.tcc.models.AdvancedForm](#)
- class [Automation.tcc.models.AdvancedForm.Meta](#)
- class [Automation.tcc.models.editJobForm](#)
- class [Automation.tcc.models.editJobForm.Meta](#)
- class [Automation.tcc.models.ClientJob](#)
- class [Automation.tcc.models.ClientEditJob](#)
- class [Automation.tcc.models.ClientJobForm](#)
- class [Automation.tcc.models.ClientJobForm.Meta](#)
- class [Automation.tcc.models.ClientjobForm](#)
- class [Automation.tcc.models.ClientjobForm.Meta](#)
- class [Automation.tcc.models.editClientJobForm](#)
- class [Automation.tcc.models.editClientJobForm.Meta](#)
- class [Automation.tcc.models.SuspenceJob](#)
- class [Automation.tcc.models.SuspenceEditJob](#)
- class [Automation.tcc.models.SuspenceJobForm](#)
- class [Automation.tcc.models.SuspenceJobForm.Meta](#)
- class [Automation.tcc.models.editSuspenceJobForm](#)
- class [Automation.tcc.models.editSuspenceJobForm.Meta](#)
- class [Automation.tcc.models.TestTotal](#)
- class [Automation.tcc.models.TestTotalForm](#)
- class [Automation.tcc.models.TestTotalForm.Meta](#)
- class [Automation.tcc.models.TestTotalPerf](#)
- class [Automation.tcc.models.TestTotalPerfForm](#)
- class [Automation.tcc.models.TestTotalPerfForm.Meta](#)
- class [Automation.tcc.models.Bill](#)
- class [Automation.tcc.models.BillForm](#)
- class [Automation.tcc.models.BillForm.Meta](#)
- class [Automation.tcc.models.BillForm](#)

- class [Automation.tcc.models.BillForm.Meta](#)
- class [Automation.tcc.models.BillPerf](#)
- class [Automation.tcc.models.Amount](#)
- class [Automation.tcc.models.CdfAmount](#)
- class [Automation.tcc.models.Distance](#)
- class [Automation.tcc.models.DistanceForm](#)
- class [Automation.tcc.models.DistanceForm.Meta](#)
- class [Automation.tcc.models.Distanceperf](#)
- class [Automation.tcc.models.DistanceperfForm](#)
- class [Automation.tcc.models.DistanceperfForm.Meta](#)
- class [Automation.tcc.models.Suspence](#)
- class [Automation.tcc.models.SuspenceForm](#)
- class [Automation.tcc.models.SuspenceForm.Meta](#)
- class [Automation.tcc.models.Staff](#)
- class [Automation.tcc.models.ProfromaTax](#)
- class [Automation.tcc.models.TaDa](#)
- class [Automation.tcc.models.TadaForm](#)
- class [Automation.tcc.models.TadaForm.Meta](#)
- class [Automation.tcc.models.Transportation](#)
- class [Automation.tcc.models.Transport](#)
- class [Automation.tcc.models.TransportForm](#)
- class [Automation.tcc.models.TransportForm.Meta](#)
- class [Automation.tcc.models.Bankdetails](#)
- class [Automation.tcc.models.BankdetailsForm](#)
- class [Automation.tcc.models.BankdetailsForm.Meta](#)
- class [Automation.tcc.models.LabReport](#)
- class [Automation.tcc.models.Prog_letter](#)
- class [Automation.tcc.models.Programme](#)
- class [Automation.tcc.models.ProgrammeForm](#)
- class [Automation.tcc.models.ProgrammeForm.Meta](#)

Namespaces

- [Automation.tcc.models](#)

7.8 tcc/variable.py File Reference

Namespaces

- [Automation.tcc.variable](#)

Variables

- int [Automation.tcc.variable.collegeincome](#) = 15
- int [Automation.tcc.variable.admincharge](#) = 5
- int [Automation.tcc.variable.workcharge](#) = 2
- int [Automation.tcc.variable.routine_ratio1](#) = 30
- int [Automation.tcc.variable.routine_ratio2](#) = 70
- float [Automation.tcc.variable.servicetax](#) = 0.12
- float [Automation.tcc.variable.servicetaxprint](#) = 12.0
- float [Automation.tcc.variable.educationtax](#) = 0.0024
- float [Automation.tcc.variable.educationtaxprint](#) = 0.24

- float [Automation.tcc.variable.highereducationtax](#) = 0.0012
- float [Automation.tcc.variable.highereducationtaxprint](#) = 0.12
- int [Automation.tcc.variable.individual_ratio1](#) = 60
- int [Automation.tcc.variable.individual_ratio2](#) = 40
- int [Automation.tcc.variable.institutional_ratio1](#) = 40
- int [Automation.tcc.variable.institutional_ratio2](#) = 60

7.9 tcc/views.py File Reference

Namespaces

- [Automation.tcc.views](#)

Functions

- def [Automation.tcc.views.index1](#)
- def [Automation.tcc.views.edit_profile](#)
- def [Automation.tcc.views.profile](#)
- def [Automation.tcc.views.non_payment_job](#)
- def [Automation.tcc.views.performa](#)
- def [Automation.tcc.views.previous](#)
- def [Automation.tcc.views.material](#)
- def [Automation.tcc.views.rate](#)
- def [Automation.tcc.views.selectfield](#)
- def [Automation.tcc.views.select](#)
- def [Automation.tcc.views.add_job](#)
- def [Automation.tcc.views.add_job_other_test](#)
- def [Automation.tcc.views.add_suspence](#)
- def [Automation.tcc.views.gen_report](#)
- def [Automation.tcc.views.gen_report_other](#)
- def [Automation.tcc.views.job_submit](#)
- def [Automation.tcc.views.job_ok](#)
- def [Automation.tcc.views.get_documents](#)
- def [Automation.tcc.views.bill](#)
- def [Automation.tcc.views.receipt_report](#)
- def [Automation.tcc.views.additional](#)
- def [Automation.tcc.views.s_report](#)
- def [Automation.tcc.views.g_report](#)
- def [Automation.tcc.views.rep](#)
- def [Automation.tcc.views.transport](#)
- def [Automation.tcc.views.transport_bill](#)
- def [Automation.tcc.views.ta_da](#)
- def [Automation.tcc.views.tada_view](#)
- def [Automation.tcc.views.ta_da_bill](#)
- def [Automation.tcc.views.search_transport](#)
- def [Automation.tcc.views.distance](#)
- def [Automation.tcc.views.clientreport](#)
- def [Automation.tcc.views.suspence_clearance](#)
- def [Automation.tcc.views.search_new](#)
- def [Automation.tcc.views.search](#)
- def [Automation.tcc.views.other_charge](#)
- def [Automation.tcc.views.suspence_clearance_report](#)
- def [Automation.tcc.views.suspence_clearance_report_transport](#)

- def [Automation.tcc.views.prevwork](#)
- def [Automation.tcc.views.clearjob](#)
- def [Automation.tcc.views.contact](#)
- def [Automation.tcc.views.registered_user](#)
- def [Automation.tcc.views.programme](#)

7.10 tcc/views_ext.py File Reference

Namespaces

- [Automation.tcc.views_ext](#)

Functions

- def [Automation.tcc.views_ext.perf_distance](#)
- def [Automation.tcc.views_ext.perfselectfield](#)
- def [Automation.tcc.views_ext.perfselect](#)
- def [Automation.tcc.views_ext.add_perf](#)
- def [Automation.tcc.views_ext.add_perf_other_test](#)
- def [Automation.tcc.views_ext.gen_report_perf](#)
- def [Automation.tcc.views_ext.add_suspence_perf](#)
- def [Automation.tcc.views_ext.job_submit_perf](#)
- def [Automation.tcc.views_ext.job_ok_perf](#)
- def [Automation.tcc.views_ext.get_document_perf](#)
- def [Automation.tcc.views_ext.get_performa_bill](#)
- def [Automation.tcc.views_ext.billperf](#)
- def [Automation.tcc.views_ext.search_job](#)
- def [Automation.tcc.views_ext.edit_work](#)

7.11 urls.py File Reference

Namespaces

- [Automation.urls](#)

Variables

- tuple [Automation.urls.urlpatterns](#)

7.12 tcc/urls.py File Reference

Namespaces

- [Automation.tcc.urls](#)

Variables

- tuple [Automation.tcc.urls.urlpatterns](#)

Index

- `__init__`
 - `Automation::tcc::models::ClientJobForm`, 46
- `__str__`
 - `Automation::tcc::models::Transportation`, 100
- `__unicode__`
 - `Automation::tcc::models::Amount`, 36
 - `Automation::tcc::models::ClientEditJob`, 44
 - `Automation::tcc::models::ClientJob`, 45
 - `Automation::tcc::models::Department`, 49
 - `Automation::tcc::models::DistanceForm`, 51
 - `Automation::tcc::models::DistanceperfForm`, 53
 - `Automation::tcc::models::Distribution`, 53
 - `Automation::tcc::models::EditJob`, 56
 - `Automation::tcc::models::Govt`, 59
 - `Automation::tcc::models::Job`, 61
 - `Automation::tcc::models::Lab`, 63
 - `Automation::tcc::models::MatComment`, 65
 - `Automation::tcc::models::Material`, 67
 - `Automation::tcc::models::NonPaymentJob`, 77
 - `Automation::tcc::models::Organisation`, 79
 - `Automation::tcc::models::Payment`, 80
 - `Automation::tcc::models::Prog_letter`, 82
 - `Automation::tcc::models::Programme`, 83
 - `Automation::tcc::models::Report`, 85
 - `Automation::tcc::models::Staff`, 86
 - `Automation::tcc::models::SuspenceEditJob`, 90
 - `Automation::tcc::models::SuspenceJob`, 91
 - `Automation::tcc::models::Test`, 94
 - `Automation::tcc::models::TestTotal`, 96
 - `Automation::tcc::models::TestTotalPerf`, 97
 - `Automation::tcc::models::UserProfile`, 102
- `ADMIN_MEDIA_PREFIX`
 - `Automation::settings`, 14
- `ADMINS`
 - `Automation::settings`, 14
- `AUTH_PROFILE_MODULE`
 - `Automation::settings`, 14
- `about`
 - `Automation::tcc::models::Department`, 49
- `accname`
 - `Automation::tcc::models::Bankdetails`, 37
- `accountcode`
 - `Automation::tcc::models::Bankdetails`, 37
- `accountno`
 - `Automation::tcc::models::Bankdetails`, 37
- `add_job`
 - `Automation::tcc::views`, 25
- `add_job_other_test`
 - `Automation::tcc::views`, 25
- `add_perf`
 - `Automation::tcc::views_ext`, 32
- `add_perf_other_test`
 - `Automation::tcc::views_ext`, 32
- `add_suspence`
 - `Automation::tcc::views`, 25
- `add_suspence_perf`
 - `Automation::tcc::views_ext`, 32
- `additional`
 - `Automation::tcc::views`, 26
- `addr`
 - `Automation::tcc::models::Programme`, 83
- `address`
 - `Automation::tcc::models::Bankdetails`, 37
 - `Automation::tcc::models::Department`, 49
 - `Automation::tcc::models::Organisation`, 79
 - `Automation::tcc::models::UserProfile`, 102
- `admin_charge`
 - `Automation::tcc::models::Amount`, 36
- `admincharge`
 - `Automation::tcc::variable`, 24
- `amount_given`
 - `Automation::tcc::forms::CashBook`, 40
- `amounts`
 - `Automation::tcc::models::Transport`, 99
- `arrival_time_down`
 - `Automation::tcc::models::TaDa`, 93
- `arrival_time_up`
 - `Automation::tcc::models::TaDa`, 93
- `at`
 - `Automation::tcc::models::Programme`, 83
- `Automation`, 13
- `Automation.settings`, 13
- `Automation.tcc`, 17
- `Automation.tcc.admin`, 17
- `Automation.tcc.admin.ClientAdmin`, 42
- `Automation.tcc.admin.DepartmentAdmin`, 49
- `Automation.tcc.admin.DistributionAdmin`, 54
- `Automation.tcc.admin.GovtAdmin`, 59
- `Automation.tcc.admin.JobAdmin`, 61
- `Automation.tcc.admin.LabAdmin`, 63
- `Automation.tcc.admin.MatCommentAdmin`, 65
- `Automation.tcc.admin.MaterialAdmin`, 67
- `Automation.tcc.admin.OrganisationAdmin`, 79
- `Automation.tcc.admin.PaymentAdmin`, 80
- `Automation.tcc.admin.ReportAdmin`, 85
- `Automation.tcc.admin.StaffAdmin`, 87
- `Automation.tcc.admin.TestAdmin`, 95
- `Automation.tcc.admin.TransportationAdmin`, 100

- Automation.tcc.choices, 18
- Automation.tcc.convert_function, 19
- Automation.tcc.forms, 19
- Automation.tcc.forms.CashBook, 40
- Automation.tcc.forms.ContactForm, 46
- Automation.tcc.forms.DailyReportadd, 47
- Automation.tcc.forms.DateReport, 47
- Automation.tcc.forms.GovPriReport, 58
- Automation.tcc.forms.MonthlyReport, 75
- Automation.tcc.forms.MonthlyReportadd, 76
- Automation.tcc.forms.SuspenceClearance, 89
- Automation.tcc.functions, 20
- Automation.tcc.models, 21
- Automation.tcc.models.AdvancedForm, 35
- Automation.tcc.models.AdvancedForm.Meta, 72
- Automation.tcc.models.Amount, 35
- Automation.tcc.models.Bankdetails, 36
- Automation.tcc.models.BankdetailsForm, 37
- Automation.tcc.models.BankdetailsForm.Meta, 70
- Automation.tcc.models.Bill, 38
- Automation.tcc.models.BillForm, 39
- Automation.tcc.models.BillForm.Meta, 70
- Automation.tcc.models.BillPerf, 39
- Automation.tcc.models.CdfAmount, 41
- Automation.tcc.models.ClientEditJob, 43
- Automation.tcc.models.ClientJob, 44
- Automation.tcc.models.ClientJobForm, 45
- Automation.tcc.models.ClientJobForm.Meta, 75
- Automation.tcc.models.Clientadd, 42
- Automation.tcc.models.ClientjobForm, 45
- Automation.tcc.models.ClientjobForm.Meta, 68
- Automation.tcc.models.Department, 48
- Automation.tcc.models.Distance, 50
- Automation.tcc.models.DistanceForm, 51
- Automation.tcc.models.DistanceForm.Meta, 69
- Automation.tcc.models.Distanceperf, 52
- Automation.tcc.models.DistanceperfForm, 52
- Automation.tcc.models.DistanceperfForm.Meta, 74
- Automation.tcc.models.Distribution, 53
- Automation.tcc.models.editClientJobForm, 55
- Automation.tcc.models.editClientJobForm.Meta, 69
- Automation.tcc.models.editClientadd, 54
- Automation.tcc.models.EditJob, 55
- Automation.tcc.models.editJobForm, 57
- Automation.tcc.models.editJobForm.Meta, 73
- Automation.tcc.models.editSuspenceJobForm, 57
- Automation.tcc.models.editSuspenceJobForm.Meta, 73
- Automation.tcc.models.Govt, 58
- Automation.tcc.models.Job, 60
- Automation.tcc.models.JobForm, 62
- Automation.tcc.models.JobForm.Meta, 71
- Automation.tcc.models.Lab, 62
- Automation.tcc.models.LabReport, 64
- Automation.tcc.models.MatComment, 65
- Automation.tcc.models.Material, 66
- Automation.tcc.models.NonPaymentJob, 76
- Automation.tcc.models.NonPaymentJobForm, 77
- Automation.tcc.models.NonPaymentJobForm.Meta, 71
- Automation.tcc.models.Organisation, 78
- Automation.tcc.models.Payment, 80
- Automation.tcc.models.ProformaTax, 81
- Automation.tcc.models.Prog_letter, 82
- Automation.tcc.models.Programme, 83
- Automation.tcc.models.ProgrammeForm, 84
- Automation.tcc.models.ProgrammeForm.Meta, 72
- Automation.tcc.models.Report, 84
- Automation.tcc.models.Staff, 86
- Automation.tcc.models.Suspence, 87
- Automation.tcc.models.SuspenceEditJob, 89
- Automation.tcc.models.SuspenceForm, 90
- Automation.tcc.models.SuspenceForm.Meta, 74
- Automation.tcc.models.SuspenceJob, 91
- Automation.tcc.models.SuspenceJobForm, 92
- Automation.tcc.models.SuspenceJobForm.Meta, 70
- Automation.tcc.models.TaDa, 92
- Automation.tcc.models.TadaForm, 93
- Automation.tcc.models.TadaForm.Meta, 68
- Automation.tcc.models.Test, 94
- Automation.tcc.models.TestTotal, 95
- Automation.tcc.models.TestTotalForm, 96
- Automation.tcc.models.TestTotalForm.Meta, 73
- Automation.tcc.models.TestTotalPerf, 97
- Automation.tcc.models.TestTotalPerfForm, 98
- Automation.tcc.models.TestTotalPerfForm.Meta, 71
- Automation.tcc.models.Transport, 98
- Automation.tcc.models.TransportForm, 101
- Automation.tcc.models.TransportForm.Meta, 69
- Automation.tcc.models.Transportation, 99
- Automation.tcc.models.UserProfile, 101
- Automation.tcc.models.UserProfileForm, 103
- Automation.tcc.models.UserProfileForm.Meta, 74
- Automation.tcc.urls, 23
- Automation.tcc.variable, 23
- Automation.tcc.views, 24
- Automation.tcc.views_ext, 31
- Automation.urls, 33
- Automation::settings
 - ADMIN_MEDIA_PREFIX, 14
 - ADMINS, 14
 - AUTH_PROFILE_MODULE, 14
 - BACKEND_SESSION_KEY, 14
 - DATABASES, 14
 - DEBUG, 14
 - DEFAULT_FROM_EMAIL, 14
 - EMAIL_HOST, 14
 - EMAIL_HOST_PASSWORD, 14
 - EMAIL_HOST_USER, 14
 - EMAIL_PORT, 15
 - EMAIL_USE_TLS, 15
 - INSTALLED_APPS, 15
 - LANGUAGE_CODE, 15
 - LOCAL_URL, 15
 - LOGIN_REDIRECT_URL, 15
 - MANAGERS, 15
 - MEDIA_ROOT, 15
 - MEDIA_URL, 15

- MIDDLEWARE_CLASSES, 15
- ROOT_URLCONF, 15
- SECRET_KEY, 15
- SESSION_KEY, 15
- SITE_ID, 15
- STATIC_ROOT, 15
- STATIC_URL, 15
- STATICFILES_DIRS, 16
- STATICFILES_FINDERS, 16
- TEMPLATE_DEBUG, 16
- TEMPLATE_DIRS, 16
- TEMPLATE_LOADERS, 16
- TIME_ZONE, 16
- USE_I18N, 17
- USE_L10N, 17
- Automation::tcc::admin::ClientAdmin
 - list_display, 43
 - list_filter, 43
 - search_fields, 43
- Automation::tcc::admin::DepartmentAdmin
 - list_display, 50
 - list_filter, 50
 - search_fields, 50
- Automation::tcc::admin::DistributionAdmin
 - list_display, 54
 - list_filter, 54
 - search_fields, 54
- Automation::tcc::admin::GovtAdmin
 - list_display, 60
 - list_filter, 60
 - search_fields, 60
- Automation::tcc::admin::JobAdmin
 - list_display, 62
 - list_filter, 62
 - search_fields, 62
- Automation::tcc::admin::LabAdmin
 - list_display, 64
 - list_filter, 64
 - search_fields, 64
- Automation::tcc::admin::MatCommentAdmin
 - list_display, 66
 - list_filter, 66
 - search_fields, 66
- Automation::tcc::admin::MaterialAdmin
 - list_display, 68
 - list_filter, 68
 - search_fields, 68
- Automation::tcc::admin::OrganisationAdmin
 - list_display, 79
 - list_filter, 79
 - search_fields, 79
- Automation::tcc::admin::PaymentAdmin
 - list_display, 81
 - list_filter, 81
 - search_fields, 81
- Automation::tcc::admin::ReportAdmin
 - list_display, 85
 - list_filter, 85
 - search_fields, 85
- Automation::tcc::admin::StaffAdmin
 - list_display, 87
 - list_filter, 87
 - search_fields, 87
- Automation::tcc::admin::TestAdmin
 - list_display, 95
 - list_filter, 95
 - search_fields, 95
- Automation::tcc::admin::TransportationAdmin
 - list_display, 100
 - list_filter, 100
 - search_fields, 100
- Automation::tcc::choices
 - DAILY_CHOICES, 18
 - DAY_CHOICES, 18
 - MONTH_CHOICES, 18
 - STATES_CHOICES, 18
 - YEAR_CHOICES, 19
- Automation::tcc::convert_function
 - num2eng, 19
- Automation::tcc::forms::CashBook
 - amount_given, 40
 - end_date, 40
 - name, 41
 - start_date, 41
- Automation::tcc::forms::ContactForm
 - email, 47
 - message, 47
 - subject, 47
- Automation::tcc::forms::DailyReportadd
 - end_date, 47
 - start_date, 47
 - type, 47
- Automation::tcc::forms::DateReport
 - clean_date, 48
 - end_date, 48
 - start_date, 48
- Automation::tcc::forms::GovPriReport
 - month, 58
 - type_of_work, 58
 - year, 58
- Automation::tcc::forms::MonthlyReport
 - month, 75
 - year, 75
- Automation::tcc::forms::MonthlyReportadd
 - month, 76
 - paid_education_tax, 76
 - paid_higher_education_tax, 76
 - paid_service_tax, 76
 - year, 76
- Automation::tcc::forms::SuspenceClearence
 - boring_charge_external, 89
 - boring_charge_internal, 89
 - car_taxi_charge, 89
 - field_testing_staff, 89
 - lab_testing_staff, 89
 - labour_charge, 89

- Automation::tcc::functions
 - dates, 20
 - get_query, 20
 - individual_ratio1, 21
 - individual_ratio2, 21
 - institutional_ratio1, 21
 - institutional_ratio2, 21
 - months, 20
 - normalize_query, 21
 - ratio1, 21
 - ratio2, 21
 - retrieve, 21
 - routine_ratio1, 21
 - routine_ratio2, 21
- Automation::tcc::models::AdvancedForm::Meta
 - exclude, 72
 - model, 72
- Automation::tcc::models::Amount
 - __unicode__, 36
 - admin_charge, 36
 - college_income, 36
 - consultancy_asst, 36
 - development_fund, 36
 - job, 36
 - report_type, 36
 - unit_price, 36
- Automation::tcc::models::Bankdetails
 - accname, 37
 - accountcode, 37
 - accountno, 37
 - address, 37
- Automation::tcc::models::BankdetailsForm::Meta
 - model, 70
- Automation::tcc::models::Bill
 - balance, 38
 - discount_total, 38
 - education_tax, 38
 - higher_education_tax, 38
 - job_no, 38
 - net_total, 38
 - price, 38
 - service_tax, 38
 - trans_net_total, 38
 - trans_total, 38
- Automation::tcc::models::BillForm::Meta
 - model, 70
- Automation::tcc::models::BillPerf
 - balance, 40
 - discount_total, 40
 - education_tax, 40
 - higher_education_tax, 40
 - job_no, 40
 - net_total, 40
 - price, 40
 - service_tax, 40
 - trans_net_total, 40
 - trans_total, 40
- Automation::tcc::models::CdfAmount
 - date, 41
 - field, 41
 - job_no, 41
 - lab, 41
 - other_field, 41
 - report_type, 41
 - total, 42
- Automation::tcc::models::ClientEditJob
 - __unicode__, 44
 - job, 44
 - material, 44
 - other_test, 44
 - test, 44
- Automation::tcc::models::ClientJob
 - __unicode__, 45
 - job, 45
 - material, 45
 - other_test, 45
 - test, 45
- Automation::tcc::models::ClientJobForm::Meta
 - exclude, 75
 - model, 75
- Automation::tcc::models::Clientadd
 - client, 42
 - job_no, 42
 - user, 42
- Automation::tcc::models::ClientjobForm
 - __init__, 46
 - test, 46
- Automation::tcc::models::ClientjobForm::Meta
 - exclude, 68
 - model, 68
- Automation::tcc::models::Department
 - __unicode__, 49
 - about, 49
 - address, 49
 - dean, 49
 - email_1, 49
 - email_2, 49
 - faxno, 49
 - name, 49
 - organisation, 49
 - phone, 49
 - url, 49
- Automation::tcc::models::Distance
 - job, 51
 - sandy, 51
- Automation::tcc::models::DistanceForm
 - __unicode__, 51
- Automation::tcc::models::DistanceForm::Meta
 - exclude, 70
 - model, 70
- Automation::tcc::models::Distanceperf
 - job, 52
 - sandy, 52
- Automation::tcc::models::DistanceperfForm
 - __unicode__, 53
- Automation::tcc::models::DistanceperfForm::Meta

- exclude, 74
 - model, 74
- Automation::tcc::models::Distribution
 - __unicode__, 53
 - name, 53
- Automation::tcc::models::EditJob
 - __unicode__, 56
 - client, 56
 - date, 56
 - discount, 56
 - ip, 56
 - job_no, 56
 - letter_date, 56
 - letter_no, 56
 - note, 56
 - report_type, 56
 - sample, 56
 - site, 56
 - tds, 57
 - type_of_work, 57
- Automation::tcc::models::Govt
 - __unicode__, 59
 - name, 59
- Automation::tcc::models::Job
 - __unicode__, 61
 - check_dd_date, 61
 - check_number, 61
 - client, 61
 - date, 61
 - discount, 61
 - ip, 61
 - job_no, 61
 - letter_date, 61
 - letter_no, 61
 - pay, 61
 - report_type, 61
 - sample, 61
 - site, 61
 - tds, 61
 - type_of_work, 61
- Automation::tcc::models::JobForm::Meta
 - exclude, 72
 - model, 72
- Automation::tcc::models::Lab
 - __unicode__, 63
 - department, 63
 - get_tags, 63
 - name, 63
 - tags, 63
- Automation::tcc::models::LabReport
 - end_date, 64
 - material, 64
 - start_date, 65
- Automation::tcc::models::MatComment
 - __unicode__, 65
 - name, 65
- Automation::tcc::models::Material
 - __unicode__, 67
 - distribution, 67
 - get_tags, 67
 - image, 67
 - lab, 67
 - matcomment, 67
 - name, 67
 - report, 67
 - tags, 67
- Automation::tcc::models::NonPaymentJob
 - __unicode__, 77
 - client, 77
 - date, 77
 - dated, 77
 - job_no, 77
 - material_type, 77
 - ref_no, 77
 - site, 77
- Automation::tcc::models::NonPaymentJobForm::Meta
 - exclude, 71
 - model, 71
- Automation::tcc::models::Organisation
 - __unicode__, 79
 - address, 79
 - director, 79
 - logo_upload, 79
 - name, 79
 - phone, 79
 - status, 79
- Automation::tcc::models::Payment
 - __unicode__, 80
 - name, 80
- Automation::tcc::models::ProformaTax
 - education_tax, 82
 - higher_education_tax, 82
 - pro_no, 82
 - service_tax, 82
 - total, 82
- Automation::tcc::models::Prog_letter
 - __unicode__, 82
 - name, 82
- Automation::tcc::models::Programme
 - __unicode__, 83
 - addr, 83
 - at, 83
 - city, 83
 - client_department_name, 83
 - date, 83
 - on, 83
 - phone_no, 83
 - site, 83
- Automation::tcc::models::ProgrammeForm
 - staff, 84
- Automation::tcc::models::ProgrammeForm::Meta
 - model, 72
 - widgets, 72
- Automation::tcc::models::Report
 - __unicode__, 85
 - name, 85

- Automation::tcc::models::Staff
 - __unicode__, 86
 - code, 86
 - daily_income, 86
 - department, 86
 - email, 86
 - lab, 86
 - name, 86
 - position, 86
- Automation::tcc::models::Suspence
 - boring_charge_external, 88
 - boring_charge_internal, 88
 - car_taxi_charge, 88
 - field_testing_staff, 88
 - job, 88
 - lab_testing_staff, 88
 - labour_charge, 88
 - rate, 88
 - sus, 88
 - suspence_bill_no, 88
 - test_date, 88
 - work_charge, 88
- Automation::tcc::models::SuspenceEditJob
 - __unicode__, 90
 - field, 90
 - job, 90
 - other, 90
 - test, 90
- Automation::tcc::models::SuspenceForm::Meta
 - model, 75
- Automation::tcc::models::SuspenceJob
 - __unicode__, 91
 - field, 91
 - job, 91
 - other, 91
 - test, 92
- Automation::tcc::models::SuspenceJobForm::Meta
 - exclude, 70
 - model, 70
- Automation::tcc::models::TaDa
 - arrival_time_down, 93
 - arrival_time_up, 93
 - departure_time_down, 93
 - departure_time_up, 93
 - end_date, 93
 - job, 93
 - reach_site, 93
 - tada_amount, 93
 - test_date, 93
 - testing_staff_code, 93
- Automation::tcc::models::TadaForm::Meta
 - exclude, 68
 - model, 68
 - widgets, 68
- Automation::tcc::models::Test
 - __unicode__, 94
 - cost, 94
 - get_tags, 94
 - material, 94
 - name, 94
 - quantity, 95
 - tags, 95
 - unit, 95
- Automation::tcc::models::TestTotal
 - __unicode__, 96
 - job, 96
 - unit_price, 96
- Automation::tcc::models::TestTotalForm::Meta
 - exclude, 73
 - model, 73
- Automation::tcc::models::TestTotalPerf
 - __unicode__, 97
 - job, 97
 - rate, 97
 - unit_price, 97
- Automation::tcc::models::TestTotalPerfForm::Meta
 - exclude, 71
 - model, 71
- Automation::tcc::models::Transport
 - amounts, 99
 - bill_no, 99
 - date, 99
 - id, 99
 - job_no, 99
 - kilometer, 99
 - test_date, 99
 - total, 99
 - vehicle, 99
- Automation::tcc::models::TransportForm::Meta
 - model, 69
- Automation::tcc::models::Transportation
 - __str__, 100
 - rate, 100
 - vehiclno, 100
- Automation::tcc::models::UserProfile
 - __unicode__, 102
 - address, 102
 - city, 102
 - company, 102
 - contact_no, 102
 - date, 102
 - email_address, 102
 - first_name, 102
 - last_name, 102
 - middle_name, 102
 - pin_code, 102
 - state, 102
 - type_of_organisation, 102
 - user, 103
 - website, 103
- Automation::tcc::models::UserProfileForm::Meta
 - exclude, 74
 - model, 74
 - widgets, 74
- Automation::tcc::models::editClientJobForm::Meta
 - exclude, 69

- model, 69
- Automation::tcc::models::editClientadd
 - client, 55
 - user, 55
- Automation::tcc::models::editJobForm::Meta
 - exclude, 73
 - model, 73
- Automation::tcc::models::editSuspenceJobForm::Meta
 - exclude, 73
 - model, 73
- Automation::tcc::urls
 - urlpatterns, 23
- Automation::tcc::variable
 - admincharge, 24
 - collegeincome, 24
 - educationtax, 24
 - educationtaxprint, 24
 - highereducationtax, 24
 - highereducationtaxprint, 24
 - individual_ratio1, 24
 - individual_ratio2, 24
 - institutional_ratio1, 24
 - institutional_ratio2, 24
 - routine_ratio1, 24
 - routine_ratio2, 24
 - servicetax, 24
 - servicetaxprint, 24
 - workcharge, 24
- Automation::tcc::views
 - add_job, 25
 - add_job_other_test, 25
 - add_suspence, 25
 - additional, 26
 - bill, 26
 - clearjob, 26
 - clientreport, 26
 - contact, 26
 - distance, 26
 - edit_profile, 26
 - g_report, 27
 - gen_report, 27
 - gen_report_other, 27
 - get_documents, 27
 - index1, 27
 - job_ok, 27
 - job_submit, 28
 - material, 28
 - non_payment_job, 28
 - other_charge, 28
 - performa, 28
 - previous, 28
 - prevwork, 28
 - profile, 28
 - programme, 29
 - rate, 29
 - receipt_report, 29
 - registered_user, 29
 - rep, 29
 - s_report, 29
 - search, 29
 - search_new, 29
 - search_transport, 30
 - select, 30
 - selectfield, 30
 - suspence_clearance, 30
 - suspence_clearance_report, 30
 - suspence_clearance_report_transport, 30
 - ta_da, 30
 - ta_da_bill, 30
 - tada_view, 31
 - transport, 31
 - transport_bill, 31
- Automation::tcc::views_ext
 - add_perf, 32
 - add_perf_other_test, 32
 - add_suspence_perf, 32
 - billperf, 32
 - edit_work, 32
 - gen_report_perf, 32
 - get_document_perf, 32
 - get_performa_bill, 32
 - job_ok_perf, 32
 - job_submit_perf, 32
 - perf_distance, 33
 - perfselect, 33
 - perfselectfield, 33
 - search_job, 33
- Automation::urls
 - urlpatterns, 33
- BACKEND_SESSION_KEY
 - Automation::settings, 14
- balance
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- bill
 - Automation::tcc::views, 26
- bill_no
 - Automation::tcc::models::Transport, 99
- billperf
 - Automation::tcc::views_ext, 32
- boring_charge_external
 - Automation::tcc::forms::SuspenceClearance, 89
 - Automation::tcc::models::Suspence, 88
- boring_charge_internal
 - Automation::tcc::forms::SuspenceClearance, 89
 - Automation::tcc::models::Suspence, 88
- car_taxi_charge
 - Automation::tcc::forms::SuspenceClearance, 89
 - Automation::tcc::models::Suspence, 88
- check_dd_date
 - Automation::tcc::models::Job, 61
- check_number
 - Automation::tcc::models::Job, 61
- city
 - Automation::tcc::models::Programme, 83

- Automation::tcc::models::UserProfile, 102
- clean_date
 - Automation::tcc::forms::DateReport, 48
- clearjob
 - Automation::tcc::views, 26
- client
 - Automation::tcc::models::Clientadd, 42
 - Automation::tcc::models::editClientadd, 55
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
 - Automation::tcc::models::NonPaymentJob, 77
- client_department_name
 - Automation::tcc::models::Programme, 83
- clientreport
 - Automation::tcc::views, 26
- code
 - Automation::tcc::models::Staff, 86
- college_income
 - Automation::tcc::models::Amount, 36
- collegeincome
 - Automation::tcc::variable, 24
- company
 - Automation::tcc::models::UserProfile, 102
- consultancy_asst
 - Automation::tcc::models::Amount, 36
- contact
 - Automation::tcc::views, 26
- contact_no
 - Automation::tcc::models::UserProfile, 102
- cost
 - Automation::tcc::models::Test, 94
- DAILY_CHOICES
 - Automation::tcc::choices, 18
- DATABASES
 - Automation::settings, 14
- DAY_CHOICES
 - Automation::tcc::choices, 18
- DEBUG
 - Automation::settings, 14
- DEFAULT_FROM_EMAIL
 - Automation::settings, 14
- daily_income
 - Automation::tcc::models::Staff, 86
- date
 - Automation::tcc::models::CdfAmount, 41
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
 - Automation::tcc::models::NonPaymentJob, 77
 - Automation::tcc::models::Programme, 83
 - Automation::tcc::models::Transport, 99
 - Automation::tcc::models::UserProfile, 102
- dated
 - Automation::tcc::models::NonPaymentJob, 77
- dates
 - Automation::tcc::functions, 20
- dean
 - Automation::tcc::models::Department, 49
- department
 - Automation::tcc::models::Lab, 63
 - Automation::tcc::models::Staff, 86
- departure_time_down
 - Automation::tcc::models::TaDa, 93
- departure_time_up
 - Automation::tcc::models::TaDa, 93
- development_fund
 - Automation::tcc::models::Amount, 36
- director
 - Automation::tcc::models::Organisation, 79
- discount
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
- discount_total
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- distance
 - Automation::tcc::views, 26
- distribution
 - Automation::tcc::models::Material, 67
- EMAIL_HOST
 - Automation::settings, 14
- EMAIL_HOST_PASSWORD
 - Automation::settings, 14
- EMAIL_HOST_USER
 - Automation::settings, 14
- EMAIL_PORT
 - Automation::settings, 15
- EMAIL_USE_TLS
 - Automation::settings, 15
- edit_profile
 - Automation::tcc::views, 26
- edit_work
 - Automation::tcc::views_ext, 32
- education_tax
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
 - Automation::tcc::models::ProformaTax, 82
- educationtax
 - Automation::tcc::variable, 24
- educationtaxprint
 - Automation::tcc::variable, 24
- email
 - Automation::tcc::forms::ContactForm, 47
 - Automation::tcc::models::Staff, 86
- email_1
 - Automation::tcc::models::Department, 49
- email_2
 - Automation::tcc::models::Department, 49
- email_address
 - Automation::tcc::models::UserProfile, 102
- end_date
 - Automation::tcc::forms::CashBook, 40
 - Automation::tcc::forms::DailyReportadd, 47
 - Automation::tcc::forms::DateReport, 48
 - Automation::tcc::models::LabReport, 64
 - Automation::tcc::models::TaDa, 93
- exclude

- Automation::tcc::models::AdvancedForm::Meta, 72
- Automation::tcc::models::ClientJobForm::Meta, 75
- Automation::tcc::models::ClientjobForm::Meta, 68
- Automation::tcc::models::DistanceForm::Meta, 70
- Automation::tcc::models::DistanceperfForm::Meta, 74
- Automation::tcc::models::editClientJobForm::Meta, 69
- Automation::tcc::models::editJobForm::Meta, 73
- Automation::tcc::models::editSuspenceJobForm::Meta, 73
- Automation::tcc::models::JobForm::Meta, 72
- Automation::tcc::models::NonPaymentJobForm::Meta, 71
- Automation::tcc::models::SuspenceJobForm::Meta, 70
- Automation::tcc::models::TadaForm::Meta, 68
- Automation::tcc::models::TestTotalForm::Meta, 73
- Automation::tcc::models::TestTotalPerfForm::Meta, 71
- Automation::tcc::models::UserProfileForm::Meta, 74
- faxno
 - Automation::tcc::models::Department, 49
- field
 - Automation::tcc::models::CdfAmount, 41
 - Automation::tcc::models::SuspenceEditJob, 90
 - Automation::tcc::models::SuspenceJob, 91
- field_testing_staff
 - Automation::tcc::forms::SuspenceClearence, 89
 - Automation::tcc::models::Suspence, 88
- first_name
 - Automation::tcc::models::UserProfile, 102
- g_report
 - Automation::tcc::views, 27
- gen_report
 - Automation::tcc::views, 27
- gen_report_other
 - Automation::tcc::views, 27
- gen_report_perf
 - Automation::tcc::views_ext, 32
- get_document_perf
 - Automation::tcc::views_ext, 32
- get_documents
 - Automation::tcc::views, 27
- get_performa_bill
 - Automation::tcc::views_ext, 32
- get_query
 - Automation::tcc::functions, 20
- get_tags
 - Automation::tcc::models::Lab, 63
 - Automation::tcc::models::Material, 67
 - Automation::tcc::models::Test, 94
- higher_education_tax
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- Automation::tcc::models::ProfromaTax, 82
- highereducationtax
 - Automation::tcc::variable, 24
- highereducationtaxprint
 - Automation::tcc::variable, 24
- INSTALLED_APPS
 - Automation::settings, 15
- id
 - Automation::tcc::models::Transport, 99
- image
 - Automation::tcc::models::Material, 67
- index1
 - Automation::tcc::views, 27
- individual_ratio1
 - Automation::tcc::functions, 21
 - Automation::tcc::variable, 24
- individual_ratio2
 - Automation::tcc::functions, 21
 - Automation::tcc::variable, 24
- institutional_ratio1
 - Automation::tcc::functions, 21
 - Automation::tcc::variable, 24
- institutional_ratio2
 - Automation::tcc::functions, 21
 - Automation::tcc::variable, 24
- ip
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
- job
 - Automation::tcc::models::Amount, 36
 - Automation::tcc::models::ClientEditJob, 44
 - Automation::tcc::models::ClientJob, 45
 - Automation::tcc::models::Distance, 51
 - Automation::tcc::models::Distanceperf, 52
 - Automation::tcc::models::Suspence, 88
 - Automation::tcc::models::SuspenceEditJob, 90
 - Automation::tcc::models::SuspenceJob, 91
 - Automation::tcc::models::TaDa, 93
 - Automation::tcc::models::TestTotal, 96
 - Automation::tcc::models::TestTotalPerf, 97
- job_no
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
 - Automation::tcc::models::CdfAmount, 41
 - Automation::tcc::models::Clientadd, 42
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
 - Automation::tcc::models::NonPaymentJob, 77
 - Automation::tcc::models::Transport, 99
- job_ok
 - Automation::tcc::views, 27
- job_ok_perf
 - Automation::tcc::views_ext, 32
- job_submit
 - Automation::tcc::views, 28
- job_submit_perf
 - Automation::tcc::views_ext, 32

- kilometer
 - Automation::tcc::models::Transport, 99
- LANGUAGE_CODE
 - Automation::settings, 15
- LOCAL_URL
 - Automation::settings, 15
- LOGIN_REDIRECT_URL
 - Automation::settings, 15
- lab
 - Automation::tcc::models::CdfAmount, 41
 - Automation::tcc::models::Material, 67
 - Automation::tcc::models::Staff, 86
- lab_testing_staff
 - Automation::tcc::forms::SuspenceClearence, 89
 - Automation::tcc::models::Suspence, 88
- labour_charge
 - Automation::tcc::forms::SuspenceClearence, 89
 - Automation::tcc::models::Suspence, 88
- last_name
 - Automation::tcc::models::UserProfile, 102
- letter_date
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
- letter_no
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
- list_display
 - Automation::tcc::admin::ClientAdmin, 43
 - Automation::tcc::admin::DepartmentAdmin, 50
 - Automation::tcc::admin::DistributionAdmin, 54
 - Automation::tcc::admin::GovtAdmin, 60
 - Automation::tcc::admin::JobAdmin, 62
 - Automation::tcc::admin::LabAdmin, 64
 - Automation::tcc::admin::MatCommentAdmin, 66
 - Automation::tcc::admin::MaterialAdmin, 68
 - Automation::tcc::admin::OrganisationAdmin, 79
 - Automation::tcc::admin::PaymentAdmin, 81
 - Automation::tcc::admin::ReportAdmin, 85
 - Automation::tcc::admin::StaffAdmin, 87
 - Automation::tcc::admin::TestAdmin, 95
 - Automation::tcc::admin::TransportationAdmin, 100
- list_filter
 - Automation::tcc::admin::ClientAdmin, 43
 - Automation::tcc::admin::DepartmentAdmin, 50
 - Automation::tcc::admin::DistributionAdmin, 54
 - Automation::tcc::admin::GovtAdmin, 60
 - Automation::tcc::admin::JobAdmin, 62
 - Automation::tcc::admin::LabAdmin, 64
 - Automation::tcc::admin::MatCommentAdmin, 66
 - Automation::tcc::admin::MaterialAdmin, 68
 - Automation::tcc::admin::OrganisationAdmin, 79
 - Automation::tcc::admin::PaymentAdmin, 81
 - Automation::tcc::admin::ReportAdmin, 85
 - Automation::tcc::admin::StaffAdmin, 87
 - Automation::tcc::admin::TestAdmin, 95
 - Automation::tcc::admin::TransportationAdmin, 100
- logo_upload
 - Automation::tcc::models::Organisation, 79
- MANAGERS
 - Automation::settings, 15
- MEDIA_ROOT
 - Automation::settings, 15
- MEDIA_URL
 - Automation::settings, 15
- MIDDLEWARE_CLASSES
 - Automation::settings, 15
- MONTH_CHOICES
 - Automation::tcc::choices, 18
- matcomment
 - Automation::tcc::models::Material, 67
- material
 - Automation::tcc::models::ClientEditJob, 44
 - Automation::tcc::models::ClientJob, 45
 - Automation::tcc::models::LabReport, 64
 - Automation::tcc::models::Test, 94
 - Automation::tcc::views, 28
- material_type
 - Automation::tcc::models::NonPaymentJob, 77
- message
 - Automation::tcc::forms::ContactForm, 47
- middle_name
 - Automation::tcc::models::UserProfile, 102
- model
 - Automation::tcc::models::AdvancedForm::Meta, 72
 - Automation::tcc::models::BankdetailsForm::Meta, 70
 - Automation::tcc::models::BillForm::Meta, 70
 - Automation::tcc::models::ClientJobForm::Meta, 75
 - Automation::tcc::models::ClientjobForm::Meta, 68
 - Automation::tcc::models::DistanceForm::Meta, 70
 - Automation::tcc::models::DistanceperfForm::Meta, 74
 - Automation::tcc::models::editClientJobForm::Meta, 69
 - Automation::tcc::models::editJobForm::Meta, 73
 - Automation::tcc::models::editSuspenceJobForm::Meta, 73
 - Automation::tcc::models::JobForm::Meta, 72
 - Automation::tcc::models::NonPaymentJobForm::Meta, 71
 - Automation::tcc::models::ProgrammeForm::Meta, 72
 - Automation::tcc::models::SuspenceForm::Meta, 75
 - Automation::tcc::models::SuspenceJobForm::Meta, 70
 - Automation::tcc::models::TadaForm::Meta, 68
 - Automation::tcc::models::TestTotalForm::Meta, 73
 - Automation::tcc::models::TestTotalPerfForm::Meta, 71
 - Automation::tcc::models::TransportForm::Meta, 69
 - Automation::tcc::models::UserProfileForm::Meta, 74
- month
 - Automation::tcc::forms::GovPriReport, 58
 - Automation::tcc::forms::MonthlyReport, 75
 - Automation::tcc::forms::MonthlyReportadd, 76

- months
 - Automation::tcc::functions, 20
- name
 - Automation::tcc::forms::CashBook, 41
 - Automation::tcc::models::Department, 49
 - Automation::tcc::models::Distribution, 53
 - Automation::tcc::models::Govt, 59
 - Automation::tcc::models::Lab, 63
 - Automation::tcc::models::MatComment, 65
 - Automation::tcc::models::Material, 67
 - Automation::tcc::models::Organisation, 79
 - Automation::tcc::models::Payment, 80
 - Automation::tcc::models::Prog_letter, 82
 - Automation::tcc::models::Report, 85
 - Automation::tcc::models::Staff, 86
 - Automation::tcc::models::Test, 94
- net_total
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- non_payment_job
 - Automation::tcc::views, 28
- normalize_query
 - Automation::tcc::functions, 21
- note
 - Automation::tcc::models::EditJob, 56
- num2eng
 - Automation::tcc::convert_function, 19
- on
 - Automation::tcc::models::Programme, 83
- organisation
 - Automation::tcc::models::Department, 49
- other
 - Automation::tcc::models::SuspenceEditJob, 90
 - Automation::tcc::models::SuspenceJob, 91
- other_charge
 - Automation::tcc::views, 28
- other_field
 - Automation::tcc::models::CdfAmount, 41
- other_test
 - Automation::tcc::models::ClientEditJob, 44
 - Automation::tcc::models::ClientJob, 45
- paid_education_tax
 - Automation::tcc::forms::MonthlyReportadd, 76
- paid_higher_education_tax
 - Automation::tcc::forms::MonthlyReportadd, 76
- paid_service_tax
 - Automation::tcc::forms::MonthlyReportadd, 76
- pay
 - Automation::tcc::models::Job, 61
- perf_distance
 - Automation::tcc::views_ext, 33
- performa
 - Automation::tcc::views, 28
- perfselect
 - Automation::tcc::views_ext, 33
- perfselectfield
 - Automation::tcc::views_ext, 33
- phone
 - Automation::tcc::models::Department, 49
 - Automation::tcc::models::Organisation, 79
- phone_no
 - Automation::tcc::models::Programme, 83
- pin_code
 - Automation::tcc::models::UserProfile, 102
- position
 - Automation::tcc::models::Staff, 86
- previous
 - Automation::tcc::views, 28
- prevwork
 - Automation::tcc::views, 28
- price
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- pro_no
 - Automation::tcc::models::ProfromaTax, 82
- profile
 - Automation::tcc::views, 28
- programme
 - Automation::tcc::views, 29
- quantity
 - Automation::tcc::models::Test, 95
- ROOT_URLCONF
 - Automation::settings, 15
- rate
 - Automation::tcc::models::Suspence, 88
 - Automation::tcc::models::TestTotalPerf, 97
 - Automation::tcc::models::Transportation, 100
 - Automation::tcc::views, 29
- ratio1
 - Automation::tcc::functions, 21
- ratio2
 - Automation::tcc::functions, 21
- reach_site
 - Automation::tcc::models::TaDa, 93
- receipt_report
 - Automation::tcc::views, 29
- ref_no
 - Automation::tcc::models::NonPaymentJob, 77
- registered_user
 - Automation::tcc::views, 29
- rep
 - Automation::tcc::views, 29
- report
 - Automation::tcc::models::Material, 67
- report_type
 - Automation::tcc::models::Amount, 36
 - Automation::tcc::models::CdfAmount, 41
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
- retrieve
 - Automation::tcc::functions, 21
- routine_ratio1
 - Automation::tcc::functions, 21

- Automation::tcc::variable, 24
- routine_ratio2
 - Automation::tcc::functions, 21
 - Automation::tcc::variable, 24
- s_report
 - Automation::tcc::views, 29
- SECRET_KEY
 - Automation::settings, 15
- SESSION_KEY
 - Automation::settings, 15
- SITE_ID
 - Automation::settings, 15
- STATES_CHOICES
 - Automation::tcc::choices, 18
- STATIC_ROOT
 - Automation::settings, 15
- STATIC_URL
 - Automation::settings, 15
- STATICFILES_DIRS
 - Automation::settings, 16
- STATICFILES_FINDERS
 - Automation::settings, 16
- sample
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
- sandy
 - Automation::tcc::models::Distance, 51
 - Automation::tcc::models::Distanceperf, 52
- search
 - Automation::tcc::views, 29
- search_fields
 - Automation::tcc::admin::ClientAdmin, 43
 - Automation::tcc::admin::DepartmentAdmin, 50
 - Automation::tcc::admin::DistributionAdmin, 54
 - Automation::tcc::admin::GovtAdmin, 60
 - Automation::tcc::admin::JobAdmin, 62
 - Automation::tcc::admin::LabAdmin, 64
 - Automation::tcc::admin::MatCommentAdmin, 66
 - Automation::tcc::admin::MaterialAdmin, 68
 - Automation::tcc::admin::OrganisationAdmin, 79
 - Automation::tcc::admin::PaymentAdmin, 81
 - Automation::tcc::admin::ReportAdmin, 85
 - Automation::tcc::admin::StaffAdmin, 87
 - Automation::tcc::admin::TestAdmin, 95
 - Automation::tcc::admin::TransportationAdmin, 100
- search_job
 - Automation::tcc::views_ext, 33
- search_new
 - Automation::tcc::views, 29
- search_transport
 - Automation::tcc::views, 30
- select
 - Automation::tcc::views, 30
- selectfield
 - Automation::tcc::views, 30
- service_tax
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- Automation::tcc::models::ProfromaTax, 82
- servicetax
 - Automation::tcc::variable, 24
- servicetaxprint
 - Automation::tcc::variable, 24
- settings.py, 105
- site
 - Automation::tcc::models::EditJob, 56
 - Automation::tcc::models::Job, 61
 - Automation::tcc::models::NonPaymentJob, 77
 - Automation::tcc::models::Programme, 83
- staff
 - Automation::tcc::models::ProgrammeForm, 84
- start_date
 - Automation::tcc::forms::CashBook, 41
 - Automation::tcc::forms::DailyReportadd, 47
 - Automation::tcc::forms::DateReport, 48
 - Automation::tcc::models::LabReport, 65
- state
 - Automation::tcc::models::UserProfile, 102
- status
 - Automation::tcc::models::Organisation, 79
- subject
 - Automation::tcc::forms::ContactForm, 47
- sus
 - Automation::tcc::models::Suspence, 88
- suspence_bill_no
 - Automation::tcc::models::Suspence, 88
- suspence_clearance
 - Automation::tcc::views, 30
- suspence_clearance_report
 - Automation::tcc::views, 30
- suspence_clearance_report_transport
 - Automation::tcc::views, 30
- TEMPLATE_DEBUG
 - Automation::settings, 16
- TEMPLATE_DIRS
 - Automation::settings, 16
- TEMPLATE_LOADERS
 - Automation::settings, 16
- TIME_ZONE
 - Automation::settings, 16
- ta_da
 - Automation::tcc::views, 30
- ta_da_bill
 - Automation::tcc::views, 30
- tada_amount
 - Automation::tcc::models::TaDa, 93
- tada_view
 - Automation::tcc::views, 31
- tags
 - Automation::tcc::models::Lab, 63
 - Automation::tcc::models::Material, 67
 - Automation::tcc::models::Test, 95
- tcc/admin.py, 106
- tcc/choices.py, 106
- tcc/convert_function.py, 107
- tcc/forms.py, 107

- tcc/functions.py, 107
- tcc/models.py, 108
- tcc/urls.py, 111
- tcc/variable.py, 109
- tcc/views.py, 110
- tcc/views_ext.py, 111
- tds
 - Automation::tcc::models::EditJob, 57
 - Automation::tcc::models::Job, 61
- test
 - Automation::tcc::models::ClientEditJob, 44
 - Automation::tcc::models::ClientJob, 45
 - Automation::tcc::models::ClientjobForm, 46
 - Automation::tcc::models::SuspenceEditJob, 90
 - Automation::tcc::models::SuspenceJob, 92
- test_date
 - Automation::tcc::models::Suspence, 88
 - Automation::tcc::models::TaDa, 93
 - Automation::tcc::models::Transport, 99
- testing_staff_code
 - Automation::tcc::models::TaDa, 93
- total
 - Automation::tcc::models::CdfAmount, 42
 - Automation::tcc::models::ProformaTax, 82
 - Automation::tcc::models::Transport, 99
- trans_net_total
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- trans_total
 - Automation::tcc::models::Bill, 38
 - Automation::tcc::models::BillPerf, 40
- transport
 - Automation::tcc::views, 31
- transport_bill
 - Automation::tcc::views, 31
- type
 - Automation::tcc::forms::DailyReportadd, 47
- type_of_organisation
 - Automation::tcc::models::UserProfile, 102
- type_of_work
 - Automation::tcc::forms::GovPriReport, 58
 - Automation::tcc::models::EditJob, 57
 - Automation::tcc::models::Job, 61
- USE_I18N
 - Automation::settings, 17
- USE_L10N
 - Automation::settings, 17
- unit
 - Automation::tcc::models::Test, 95
- unit_price
 - Automation::tcc::models::Amount, 36
 - Automation::tcc::models::TestTotal, 96
 - Automation::tcc::models::TestTotalPerf, 97
- url
 - Automation::tcc::models::Department, 49
- urlpatterns
 - Automation::tcc::urls, 23
 - Automation::urls, 33
- urls.py, 111
- user
 - Automation::tcc::models::Clientadd, 42
 - Automation::tcc::models::editClientadd, 55
 - Automation::tcc::models::UserProfile, 103
- vehicle
 - Automation::tcc::models::Transport, 99
- vehiclenu
 - Automation::tcc::models::Transportation, 100
- website
 - Automation::tcc::models::UserProfile, 103
- widgets
 - Automation::tcc::models::ProgrammeForm::Meta, 72
 - Automation::tcc::models::TadaForm::Meta, 68
 - Automation::tcc::models::UserProfileForm::Meta, 74
- work_charge
 - Automation::tcc::models::Suspence, 88
- workcharge
 - Automation::tcc::variable, 24
- YEAR_CHOICES
 - Automation::tcc::choices, 19
- year
 - Automation::tcc::forms::GovPriReport, 58
 - Automation::tcc::forms::MonthlyReport, 75
 - Automation::tcc::forms::MonthlyReportadd, 76