

LAPORAN PRATIKUM MANAJEMEN PROYEK PERANGKAT LUNAK




Oleh
Sahrul Gunawan (6304221495)

PROGRAM STUDI
JURUSAN
POLITEKNIK NEGERI BENGKALIS
2024

HASIL

I. Halaman Index FlashSale Admin

```
@extends('layouts.admin.main')
@section('title', 'Admin Flash Sale')
@section('content')
    <div class="main-content">
        <section class="section">
            <div class="section-header">
                <h1>Flash Sale</h1>
                <div class="section-header-breadcrumb">
                    <div class="breadcrumb-item active"><a
href="{{ route('admin.dashboard') }}">
                        Dashboard</a></div>
                    <div class="breadcrumb-item">Flash Sale</div>
                </div>
            </div>
            <a href="{{ route('flashsale.create') }}" class="btn
btn-icon icon-left btn-primary">
                <i class="fas fa-plus"></i> Tambah Flash Sale</a>
            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-bordered table-md">
                        <tr>
                            <th>#</th>
                            <th>Nama Produk</th>
                            <th>Harga Asli</th>
                            <th>Harga Diskon</th>
                            <th>Stok</th>
                            <th>Tanggal Mulai</th>
                            <th>Tanggal Berakhir</th>
                            <th>Action</th>
                        </tr>
                        @php
                            $no = 0;
                        @endphp
                        @forelse ($data as $item)
                            <tr>
```

II. Halaman Create FlashSale

```
@extends('layouts.admin.main')
@section('title', 'Admin Tambah Flash Sale')
@section('content')
    <div class="main-content">
        <section class="section">
            <div class="section-header">
                <h1>Tambah Flash Sale</h1>
                <div class="section-header-breadcrumb">
                    <div class="breadcrumb-item active"><a
href="{{ route('admin.dashboard') }}">Dashboard</a></div>
                    <div class="breadcrumb-item active"><a
href="{{ route('admin.flashsale') }}">Flash Sale</a></div>
                    <div class="breadcrumb-item">Tambah Flash
Sale</div>
                </div>
            </div>
            <a href="{{ route('admin.flashsale') }}" class="btn
btn-icon icon-left btn-warning"> Kembali</a>
            <div class="card mt-4">
                <form action="{{ route('flashsale.store') }}"
class="needs-validation" novalidate=""
enctype="multipart/form-data" method="POST">
```

```

@csrf
<div class="card-body">
  <div class="row">
    <div class="col-6">
      <div class="form-group">
        <div class="form-group">
          <label for="id_product">Nama
Produk</label>
          <select name="id_product"
class="form-control">
            @foreach ($product as
$item) <option value="{{ $item->id }}">{{ $item->name }}</option>
            @endforeach
          </select>
        </div>
      </div>
    </div>
    <div class="col-6">
      <div class="form-group">
        <div class="form-group">
          <label for="id_product">Harga
Asli</label>
          <select name="id_product"
class="form-control">
            @foreach ($product as
$item) <option value="{{ $item->id }}">{{ $item->price }}</option>
            @endforeach
          </select>
        </div>
      </div>
    </div>
    <div class="col-6">
      <div class="form-group">
        <label
for="discount_price">Harga Diskon (Point)</label>
        <input id="discount_price"
type="number" class="form-control" name="discount_price"
required="">
        <div class="invalid-feedback">
          Kolom ini harus di isi!
        </div>
      </div>
    </div>
  </div>
</div>

```

```

        </div>
    </div>
    <div class="col-6">
        <div class="form-group">
            <label for="stock">Stok
Produk</label>
            <input id="stock"
type="number" class="form-control" name="stock" required="">
            <div class="invalid-feedback">
                Kolom ini harus di isi!
            </div>
        </div>
    </div>
    <div class="col-6">
        <div class="form-group">
            <label
for="start_time">Tanggal Mulai</label>
            <input id="start_time"
type="datetime-local" class="form-control" name="start_time"
required="">
            <div class="invalid-feedback">
                Kolom ini harus di isi!
            </div>
        </div>
    </div>
    <div class="col-6">
        <div class="form-group">
            <label for="end_time">Tanggal
Berakhir</label>
            <input id="end_time"
type="datetime-local" class="form-control" name="end_time"
required="">
            <div class="invalid-feedback">
                Kolom ini harus di isi!
            </div>
        </div>
    </div>
    <div class="col-12">
        <div class="form-group">
            <label
for="description">Deskripsi Flash Sale</label>

```

```

        <textarea class="form-control"
name="description" id="description" cols="30" rows="10"
required=""></textarea>

        <div class="invalid-feedback">
            Kolom ini harus di isi!
        </div>
    </div>
</div>
<div class="col-12">
    <div class="form-group">
        <div class="custom-file">
            <input class="custom-file-
input" name="image" id="customFile" type="file" required="">
            <label class="custom-file-
label" for="customFile">Pilih Gambar</label>
        </div>
        <div class="invalid-feedback">
            Kolom ini harus di isi!
        </div>
    </div>
</div>
<button type="submit" class="btn btn-icon
icon-left btn-primary">
    <i class="fas fa-plus"></i> Tambah
Flash Sale
    </button>
</div>
</form>
</div>
</section>
</div>
@endsection

```

Hasil

TEKNIK INFORMATIKA | RPL

Tambah Flash Sale

Dashboard / Flash Sale / Tambah Flash Sale

MENU

- Dashboard
- Produk
- distributor
- Diskon
- Riwayat Pembelian

Kembali

Nama Produk: Ice Milk and Green Tea Matcha

Harga Asli: 12000

Harga Diskon (Point): 6000

Stok Produk: 48

Tanggal Mulai: 14/11/2024 15:24

Tanggal Berakhir: 14/11/2024 21:24

Deskripsi Flash Sale: Diskon Hanya Hari Ini

Pilih Gambar: Browse

+ Tambah Flash Sale

III. Halaman Edit FlashSale

```
@extends('layouts.admin.main')
@section('title', 'Admin Edit Flash Sale Product')
@section('content')
<div class="main-content">
  <section class="section">
    <div class="section-header">
      <h1>Edit Produk Flash Sale</h1>
      <div class="section-header-breadcrumb">
        <div class="breadcrumb-item active"><a href="{{
route('admin.dashboard') }}">
          Dashboard</a></div>
        <div class="breadcrumb-item active"><a href="{{
route('admin.flashsale') }}">Flash Sale</a></div>
        <div class="breadcrumb-item">Edit Produk Flash
Sale</div>
      </div>
    </div>
  </div>

  <a href="{{ route('admin.flashsale') }}" class="btn btn-
icon icon-left btn-warning"> Kembali</a>
</pre>

```

```

<div class="card mt-4">
    <form action="{ { route('flashsale.update', $flashSale-
>id) } }" class="needs-validation" novalidate=""
        enctype="multipart/form-data" method="POST">
        @csrf
        <div class="card-body">
            <div class="row">
                <div class="col-6">
                    <div class="form-group">
                        <label for="id_product">Nama
Produk</label>

                        <select name="id_product"
class="form-control">

                            @foreach ($product as $item)
                                <option value="{ { $item-
>id } }" { { $flashSale->id_product == $item->id ? 'selected' : ''
}}>{ { $item->name } }</option>

                            @endforeach
                        </select>
                    </div>
                </div>
                <div class="col-6">
                    <div class="form-group">
                        <label for="original_price">Harga
Asli</label>

                        <select name="original_price"
class="form-control" disabled>

                            @foreach ($product as $item)
                                <option value="{ { $item-
>id } }" { { $flashSale->id_product == $item->id ? 'selected' : ''
}}>{ { $item->price } }</option>

                            @endforeach
                        </select>
                    </div>
                </div>
                <div class="col-6">
                    <div class="form-group">
                        <label for="discount_price">Harga
Diskon (Point)</label>

```

```

<input id="discount_price"
type="number" class="form-control" name="discount_price"
required="" value="{{ $flashSale->discount_price }}">
    <div class="invalid-feedback">
        Kolom ini harus di isi!
    </div>
</div>
</div>
<div class="col-6">
    <div class="form-group">
        <label for="start_time">Waktu
Mulai</label>
        <input id="start_time" type="date"
class="form-control" name="start_time" required="" value="{{
$flashSale->start_time }}">
        <div class="invalid-feedback">
            Kolom ini harus di isi!
        </div>
    </div>
</div>
<div class="col-6">
    <div class="form-group">
        <label for="end_time">Waktu
Berakhir</label>
        <input id="end_time" type="date"
class="form-control" name="end_time" required="" value="{{
$flashSale->end_time }}">
        <div class="invalid-feedback">
            Kolom ini harus di isi!
        </div>
    </div>
</div>
<div class="col-6">
    <div class="form-group">
        <label for="stock">Stok
Produk</label>
        <input id="stock" type="text"
class="form-control" name="stock" required="" value="{{
$flashSale->stock }}">
        <div class="invalid-feedback">
            Kolom ini harus di isi!


```

```

        </div>
    </div>
</div>
<div class="col-12">
    <div class="form-group">
        <div class="custom-file">
            <input class="custom-file-
input" name="image" id="customFile" type="file">
            <label class="custom-file-
label" for="customFile">Pilih Gambar</label>
        </div>
    </div>
</div>
<div>
    <button type="submit" class="btn btn-icon
icon-left btn-primary">
        <i class="fas fa-save"></i> Simpan
    </button>
</div>
</form>
</div>
</section>
</div>
@endsection

```

Hasil



IV. Halaman Detail FlashSale Admin

```
@extends('layouts.admin.main')
@section('title', 'Admin Detail Flash Sale')
@section('content')
<div class="main-content">
  <section class="section">
    <div class="section-header">
      <h1>Detail Flash Sale</h1>
      <div class="section-header-breadcrumb">
        <div class="breadcrumb-item active"><a href="{{
route('admin.dashboard') }}">Dashboard</a></div>
        <div class="breadcrumb-item active"><a href="{{
route('admin.flashsale') }}">Flash Sale</a></div>
        <div class="breadcrumb-item">Detail Flash
Sale</div>
      </div>
    </div>
  </div>

  <a href="{{ route('admin.flashsale') }}" class="btn btn-
icon icon-left btn-warning">
    <i class="fas fa-arrow-left"></i> Kembali
  </a>

  <div class="row mt-4">
    <div class="col-12 col-md-4 col-lg-12 m-auto">
```

```

<article class="article article-style-c">
  <div class="article-header">
    <div class="article-image" data-
background="{{ asset('images/' . $data->image) }}">
    </div>
  </div>
  <div class="article-details">
    <div class="article-category">
      <a href="#">{{ $data->name }}</a>
      <div class="bullet"></div>
    </div>
    <div class="article-title">
      <h2><a href="#">Harga Diskon: {{
$data->discount_price }} Points</a></h2>
    </div>
    <hr>
    <p>{{ $data->description }}</p>
    <p><strong>Harga Asli: </strong>{{ $data-
>price }} Points</p>
  </div>
</article>
</div>
</section>
</div>
@endsection

```

V.

Hasil

← → ↺ 127.0.0.1:8000/admin/flashsale/detail/2 🔍 ☆ 📄 📄 📄

📧 Gmail 📺 YouTube 🗺️ Maps 🗣️ Translate 📰 News 🖥️ koper - Presentatio... 🖨️ Poster Lomba Foto L...

TEKNIK INFORMATIKA | RPL

Hi, Admin


MENU

- 🏠 Dashboard
- 📦 Produk
- 👤 distributor
- ✂️ Diskon
- 📄 Riwayat Pembelian

Detail Flash Sale

Dashboard / Flash Sale / Detail Flash Sale

← Kembali



MATCHA CAKE WITH CHOCOLATE MATCHA CUBE •

Harga Diskon: 20000.00 Points

Matcha Cake with Many Topping

Harga Asli: 30000 Points

VI. Halaman Index FlashSalae User

```
@extends('layouts.user.main')
@section('content')
<!-- start banner Area -->
<section class="banner-area">
    <div class="container">
        <div class="row fullscreen align-items-center justify-
content-start">
            <div class="col-lg-12">
                <div class="">
                    <!-- single-slide -->
                    <div class="row">
                        <div class="col-lg-5 col-md-6">
                            <div class="banner-content">
                                <h1>Nike New <br>Collection!</h1>
                                <p>Lorem ipsum dolor sit amet,
consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis
nostrud exercitation.</p>
                                </div>
                            </div>
                        <div class="col-lg-7">
                            <div class="banner-img">
                                
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- End banner Area -->

<!-- start product Area -->
<section class="section_gap">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-lg-6 text-center">
```



```

        <div class="section-title">
            <h1>Latest Products</h1>
            <p>Lorem ipsum dolor sit amet, consectetur
adipisicing elit, sed do eiusmod tempor incididunt ut labore et
dolore magna aliqua.</p>
        </div>
    </div>
</div>

<div class="row">
    <!-- single product -->
    @forelse ($products as $item)
        <div class="col-lg-3 col-md-6">
            <div class="single-product">
                
                <div class="product-details">
                    <h6>{{ $item->name }}</h6>
                    <div class="price">
                        <h6>Harga: {{ $item->price }}
Points</h6>
                    </div>
                    <div class="prd-bottom">
                        <a class="social-info"
href="javascript:void(0);"
                                onclick="confirmPurchase('{{
$item->id }}', '{{ Auth::user()->id }}')">
                            <span class="ti-bag"></span>
                            <p class="hover-text">Beli</p>
                        </a>
                        <a href="{{
route('user.detail.product', $item->id) }}" class="social-info">
                            <span class="lnr lnr-
move"></span>
                            <p class="hover-
text">Detail</p>
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        @empty
        <div class="col-lg-12 col-md-12">
            <div class="single-product">
                <h3 class="text-center">Tidak ada
produk</h3>
            </div>
        </div>
    @endforelse
</div>

<h1 id="Flashsale">Flash Sale</h1>
<div class="row">
    @foreach($data as $flashSaleItem)
        <div class="col-lg-4 col-md-6 mb-4">
            <div class="product card text-center">
                image
}}">

                <div class="card-body">
                    <h2 class="card-title">{{ $flashSaleItem->name
}}</h2>

                    <p class="card-text"><strike>Rp{{
number_format($flashSaleItem->price, 2) }}</strike></p>
                    <h2 class="card-title">Rp{{
number_format($flashSaleItem->discount_price, 2) }}</h2>
                    <p class="card-text">Diskon: {{
$flashSaleItem->discount_percentage }}%</p>
                    <button class="btn btn-primary"
onclick="confirmFlashSalePurchase('{{ $flashSaleItem->id }}', '{{
Auth::user()->id }}')">Beli Sekarang</button>
                </div>
            </div>
        </div>
    @endforeach
</div>

</div>
</section>
<!-- end product Area -->

```

```

<script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
<script>
    function confirmPurchase(productId, userId) {
        Swal.fire({
            title: 'Apakah Anda yakin?',
            text: "Anda akan membeli produk ini!",
            icon: 'warning',
            showCancelButton: true,
            confirmButtonColor: '#3085d6',
            cancelButtonColor: '#d33',
            confirmButtonText: 'Ya, Beli!',
            cancelButtonText: 'Batal'
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href = '/product/purchase/' +
productId + '/' + userId;
            }
        });
    }


    function confirmFlashSalePurchase(flashSaleId, userId) {
        Swal.fire({
            title: 'Apakah Anda yakin?',
            text: "Anda akan membeli produk Flash Sale ini!",
            icon: 'warning',
            showCancelButton: true,
            confirmButtonColor: '#3085d6',
            cancelButtonColor: '#d33',
            confirmButtonText: 'Ya, Beli!',
            cancelButtonText: 'Batal'
        }).then((result) => {
            if (result.isConfirmed) {
                window.location.href = '/product/purchase/' +
productId + '/' + userId;
            }
        });
    }
</script>

@endsection

```



Hasil



VII. UserController

```
<?php

namespace App\Http\Controllers\User;

use App\Http\Controllers\Controller;
use App\Models\History;
use Illuminate\Http\Request;
use App\Models\Product;
use App\Models\User;
use App\Models\Flashsale;
use Carbon\Carbon;
use RealRashid\SweetAlert\Facades\Alert;
```

```

use Illuminate\Support\Facades\DB;

class UserController extends Controller
{
    public function index()
    {
        $data = DB::table('products')
            -
        >join('flashsales', 'products.id', '=', 'flashsales.id_product')
            ->select('products.*', 'flashsales.*')
            ->get();

        $flashsales = FlashSale::where('status', true)->get();
        $products = Product::all();

        // Add discount percentage to each flash sale item
        foreach ($data as $item) {
            $item->discount_percentage = $this-
        >calculateDiscountPercentage($item->price, $item->discount_price);
        }

        return view('pages.user.index', compact('data', 'products'));
    }

    // Method to calculate the discount percentage
    private function calculateDiscountPercentage($originalPrice,
        $discountedPrice)
    {
        if ($originalPrice > 0) {
            return round((( $originalPrice - $discountedPrice) /
        $originalPrice) * 100);
        }
        return 0;
    }

    public function detail_product($id)
    {
        $product = Product::findOrFail($id);

        return view('pages.user.detail', compact('product'));
    }
}

```

```

public function purchase($productId, $userId) {
    $product = Product::findOrFail($productId);
    $user = User::findOrFail($userId);

    $currentTime = Carbon::now()->setTimezone('Asia/Jakarta');
    $flashSaleStart = Carbon::createFromTimeString('12:00:00',
'Asia/Jakarta');
    $flashSaleEnd = Carbon::createFromTimeString('23:00:00',
'Asia/Jakarta');

    if ($currentTime->between($flashSaleStart, $flashSaleEnd)) {
        $discountedPrice = $product->price * 0.5;
    } else {
        $discountedPrice = $product->price;
    }

    if ($user->point >= $discountedPrice) {
        $totalPoints = $user->point - $discountedPrice;

        $user->update([
            'point' => $totalPoints,
        ]);

        History::create([
            'id_user' => $userId,
            'id_product' => $productId,
            'total_harga' => $discountedPrice,
        ]);

        Alert::success('Berhasil!', 'Produk berhasil dibeli dengan
harga ' . $discountedPrice);
        return redirect()->back();
    } else {
        Alert::error('Gagal!', 'Point anda tidak cukup!');
        return redirect()->back();
    }
}

public function history($id)
{
    $data = DB::table('histories')

```

```

        ->join('products', 'product.id', '=',
'histories.id_product')
        ->where('histories.id_user', '=', $id)
        ->get();

        return view('pages.user.history', compact('data'));
    }

    public function detail_history($id)
    {
        $data = DB::table('histories')
            ->join('products', 'products.id', '=',
'histories.id_product')
            ->where('histories.id', '=', $id)
            ->first();

        return view('pages.user.detail-history', compact('data'));
    }
}

```

VIII. Route untuk Halaman FlashSale


```

Route::get('/admin/flashsale', [FlashsaleController::class,
'index'])->name('admin.flashsale');
Route::get('/flashsale/create', [FlashsaleController::class,
'create'])->name('flashsale.create');
Route::post('/flashsale/store', [FlashsaleController::class,
'store'])->name('flashsale.store');
Route::get('/admin/flashsale/detail/{id}',
[FlashsaleController::class, 'detail'])->name('flashsale.detail');
Route::get('/flashsale/edit/{id}', [FlashsaleController::class,
'edit'])->name('flashsale.edit');
Route::post('/flashsale/update/{id}', [FlashsaleController::class,
'update'])->name('flashsale.update');

```

```
Route::delete('/flashsale/delete/{id}',  
[FlashsaleController::class, 'delete'])->name('flashsale.delete');
```

Capture Halaman History



The screenshot shows a web application interface for 'TEKNIK INFORMATIKA | RPL'. The user is logged in as 'Hi, Admin'. The sidebar menu includes 'Dashboard', 'Produk', 'distributor', 'Diskon', and 'Riwayat Pembelian' (highlighted). The main content area is titled 'History Pembelian' and displays a table with the following data:

#	Nama Pengguna	Nama Produk	Total Harga	Action
1	user1	Donut Green Tea Matcha With Topping Peanut	10000	Detail
2	user1	Matcha Cake With Chocolate Matcha Cube	15000	Detail
3	user1	Ice Cream Con Matcha Green Tea With Milk	3500	Detail