

Contents

	HTML 1.1 Preamble and head	1 1
2	Javascript	2
3	CSS	3
A	HTML Source	4
В	Javascript Source	8
\mathbf{C}	CSS Source	13

1 HTML

1.1 Preamble and head

```
1 <!DOCTYPE html>
```

This line declares that the document is an HTML5 document.

<head> tags are used to contain meta information about the document. Within the head element:

- The first line defines the character set of the document.
- The second line defines the source of an external CSS document.
- The third line defines the source of an external Javascript document.

2 Javascript

3 CSS

A HTML Source

```
<!DOCTYPE html>
1
   <html>
3
       <head>
4
            <meta charset = "UTF-8"/>
5
            <link rel="stylesheet" type="text/css" href="./style.css"/>
6
            <script src="./script.js"></script>
7
        </head>
8
        <body>
9
            <article id="inputFields">
                <form onsubmit="return false" autocomplete="off">
10
11
                     <section>
                         <label for="date">Date:</label><br/>
12
                         <input id="date" name="date" type="date" placeholder="</pre>
13
                            → Date" required/>
14
                     </section>
15
16
                    <section>
                         <label for="account">Account Number:</label><br/>>
17
                         <input id="account" name="account" type="text"</pre>
18

→ placeholder="Account Number" required/>

19
                     </section>
20
21
                     <section>
22
                         <label for="type">Transaction Type:</label><br/>
23
                         <select id="type" name="type">
24
                             <option value=""></option>
25
                             <option value="BUY">BUY</option>
26
                             <option value="SELL">SELL</option>
                             <option value="DIVIDEND">DIVIDEND</option>
27
28
                             <option value="INTEREST">INTEREST</option>
29
                             <option value="WITHDRAW">WITHDRAW</option>
30
                             <option value="DEPOSIT">DEPOSIT</option>
31
                         </select>
32
                     </section>
33
34
                     <section>
35
                         <label for="security">Security:</label><br/>>
36
                         <input id="security" name="security" type="text"</pre>
                            → placeholder="Security" required/>
37
                     </section>
38
39
                     <section>
40
                         <label for="amount">Amount:</label><br/>>
                         <input id="amount" name="amount" type="text"</pre>
41
                            \hookrightarrow placeholder="Unit Amount" required/>
42
                     </section>
43
44
                     <section>
45
                         <label for="dAmount">$ Amount:</label><br/>
46
                         <input id="dAmount" name="dAmount" type="text"</pre>
                            → placeholder="$ Amount" required/>
47
                     </section>
```

```
48
49
                    <section>
50
                         <button id="add" type="submit" onclick="</pre>
                            → addTransactionButton();">Add Transaction</button</pre>
51
                         <button id="save" type="submit" hidden="true" onclick</pre>
                            → = "saveChanges(); ">Save</button>
52
                         <button id="discard" type="button" hidden="true"</pre>

→ onclick="discardChanges();">Discard</button>
53
                     </section>
54
                <form>
55
            </article>
56
            <article id="table">
57
58
                59
                    <thead>
60
                         61
                             >
62
                                  <section>
63
                                      Transaction ID
64
                                  </section>
65
                                  <section class="sort">
66
                                      <button type=button onclick="sortTable(0,</pre>
                                         → true)">^</button>
67
                                      <button type=button onclick="sortTable(0,</pre>
                                         → false)">v</button>
68
                                  </section>
69
                             70
                             >
                                  <section>
71
72
                                      Date
73
                                  </section>
74
                                  <section class="sort">
75
                                      <button type=button onclick="sortTable(1,</pre>
                                         → true)">^</button>
76
                                      <button type=button onclick="sortTable(1,</pre>
                                         → false)">v</button>
77
                                  </section>
                             78
79
                             80
                                  <section>
81
                                      Account Number
82
                                  </section>
83
                                  <section class="sort">
                                      <button type=button onclick="sortTable(2,</pre>
84
                                         → true)">^</button>
85
                                      <button type=button onclick="sortTable(2,</pre>
                                         → false)">v</button>
86
                                  </section>
87
                             88
                             >
89
                                  <section>
90
                                      Transaction Type
91
                                  </section>
```

```
92
                                  <section class="sort">
93
                                       <button type=button onclick="sortTable(3,</pre>
                                          → true)">^</button>
94
                                       <button type=button onclick="sortTable(3,</pre>
                                          → false)">v</button>
95
                                   </section>
                              96
97
                              <t.h>>
98
                                  <section>
99
                                       Security
100
                                  </section>
101
                                  <section class="sort">
102
                                       <button type=button onclick="sortTable(4,</pre>
                                          → true)">^</button>
103
                                       <button type=button onclick="sortTable(4,</pre>
                                          → false)">v</button>
104
                                  </section>
                              105
106
                              >
107
                                  <section>
108
                                       Amount
109
                                  </section>
110
                                  <section class="sort">
111
                                       <button type=button onclick="sortTable(5,</pre>
                                          → true)">^</button>
112
                                       <button type=button onclick="sortTable(5,</pre>
                                          → false)">v</button>
113
                                  </section>
                              114
                              >
115
116
                                  <section>
117
                                       $ Amount
                                  </section>
118
119
                                  <section class="sort">
120
                                       <button type=button onclick="sortTable(6,</pre>
                                          → true)">^</button>
121
                                       <button type=button onclick="sortTable(6,</pre>
                                          → false)">v</button>
122
                                   </section>
                              123
124
                              >
125
                                  <section>
126
                                       Cost Basis
127
                                  </section>
128
                                  <section class="sort">
129
                                       <button type=button onclick="sortTable(7,</pre>
                                          → true)">^</button>
130
                                       <button type=button onclick="sortTable(7,</pre>
                                          → false)">v</button>
131
                                  </section>
                              132
                              Actions 
133
                          134
135
                     </thead>
```

B Javascript Source

```
function addTransactionButton() {
       var data = getData();
3
       if(data) {
4
           var date = data[0];
5
           var account = data[1];
6
           var type = data[2];
7
           var security = data[3];
           var amount = data[4];
8
9
           var dAmount = data[5];
10
           var costBasis = data[6];
11
12
           var id = generateId();
13
14
           addTransaction(id, date, account, type, security, amount, dAmount,
              15
       }
16 }
17
   function addTransaction(id, date, account, type, security, amount, dAmount
      \hookrightarrow , costBasis) {
       var tableBody = document.getElementById('tableBody');
19
20
       var newRow = tableBody.insertRow(0);
21
       newRow.classList += "bodyRow";
22
23
       var actionsContent = "<button type='button' onclick='editRow(this)'>

→ Edit </button > <button type='button' onclick='deleteRow(this)'>

          → Delete </button > ";
       var rowContents = [id, date, account, type, security, amount, dAmount,
24

    costBasis, actionsContent];
25
26
       for(var i = 0; i < rowContents.length; i++) {</pre>
27
           var newCell = newRow.insertCell(i);
           newCell.innerHTML = rowContents[i];
28
29
           if(i == 0) {
30
                newCell.classList += "idCell";
31
32
       }
33 }
34
   function getData() {
36
       var date = document.getElementById("date").value;
37
       var account = document.getElementById("account").value;
       var type = document.getElementById("type").value;
38
       var security = document.getElementById("security").value;
39
       var amount = document.getElementById("amount").value;
40
       var dAmount = document.getElementById("dAmount").value;
41
42
43
       amount = Number(amount);
44
       if(dAmount[0] == '$') {
45
46
           dAmount = dAmount.substr(1);
47
       }
```

```
48
        dAmount = Number(dAmount);
49
50
        if(validate(date, account, type, security, amount, dAmount)) {
51
            var costBasis = calculateCostBasis(amount, dAmount);
52
            dAmount = '$' + dAmount.toFixed(2);
53
54
            return [ date, account, type, security, amount, dAmount, costBasis
                \hookrightarrow ];
55
56
        else return false;
57
    }
58
    function validate(date, account, type, security, amount, dAmount) {
59
        if(!validateDate(date)) return false;
60
61
        if(!validateAccount(account)) return false;
        if(!validateType(type)) return false;
62
63
        if(!validateSecurity(security)) return false;
        if(!validateAmount(amount)) return false;
64
        if(!validateDAmount(dAmount)) return false;
65
66
67
        return true;
68 }
69
70 function validateDate(date) {
71
        realDate = new Date();
72
        inputDate = document.getElementById('date').valueAsNumber;
73
74
        if(isNaN(inputDate)) {
75
            alert('Error: No date specified');
76
            return false;
77
        }
78
79
        if(realDate.valueOf() < inputDate) {</pre>
            alert('Error: Date is in the future');
80
            return false;
81
82
        }
83
84
        return true;
85 }
86
87 function validateAccount(account) {
        if(account == '') {
88
89
            alert('Error: Missing Account Number');
90
            return false;
91
        }
92
93
        return true;
94 }
95
    function validateType(type) {
96
97
        if(type == '') {
            alert('Error: Missing Transaction Type');
98
99
            return false;
100
        }
```

```
101
102
        return true;
103 }
104
105 function validateSecurity(security) {
106
         if(security == '') {
107
             alert('Error: Missing Security');
108
             return false;
109
        }
110
111
        return true;
112 }
113
114 function validateAmount(amount) {
115
         if(amount == ',') {
116
             alert('Error: Missing Amount');
117
             return false;
        }
118
119
120
        if(isNaN(amount)) {
121
             alert('Error: Invalid Amount');
122
             return false;
123
        }
124
125
        return true;
126 }
127
128 function validateDAmount(dAmount) {
         if(dAmount == ',') {
129
130
             alert('Error: Missing $ Amount');
131
             return false;
132
        }
133
        if(isNaN(dAmount)) {
134
             alert('Error: Invalid $ Amount');
135
136
             return false;
137
        }
138
139
        return true;
140 }
141
142 function generateId() {
143
        var id = '';
144
        var idLength = 6;
145
        var characters = 'ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789';
146
         var charactersLength = characters.length;
147
148
149
        var unique = false;
150
151
        while(!unique) {
152
             for(var i = 0; i < idLength; i++) {</pre>
                 id += characters.charAt(Math.floor(Math.random() *
153
                     → charactersLength));
```

```
154
            }
155
156
            unique = true;
157
             for(var i = 0; i < document.getElementsByClassName('idCell').</pre>
                \hookrightarrow length; i++) {
158
                 if(document.getElementsByClassName('idCell')[i].innerText ==
                    \hookrightarrow id) {
159
                     unique = false;
160
                     break:
161
                 }
162
            }
163
        }
164
        return id;
165
    }
166
167
    function calculateCostBasis(amount, dAmount) {
168
        costBasis = '$' + (dAmount / amount).toFixed(2);
169
        return costBasis;
170
    }
171
172
    function deleteRow(button) {
173
        var row = button.parentElement.parentElement;
174
        document.getElementById("tableBody").removeChild(row);
175
        if(document.getElementsByClassName('editing').length == 0) {
176
177
             document.getElementById('add').removeAttribute('hidden');
178
             document.getElementById('save').setAttribute('hidden', true);
179
             document.getElementById('discard').setAttribute('hidden', true);
180
        }
    }
181
182
183
    function editRow(button) {
        if(document.getElementsByClassName('editing').length > 0)
184
             document.getElementsByClassName('editing')[0].classList = "bodyRow"
185
                \hookrightarrow ";
186
187
        var row = button.parentElement.parentElement;
188
        var rowContent = row.getElementsByTagName('td');
        row.classList = "bodyRow editing";
189
190
191
        document.getElementById('date').value = rowContent[1].innerText;
192
        document.getElementById('account').value = rowContent[2].innerText;
193
        document.getElementById('type').value = rowContent[3].innerText;
194
        document.getElementById('security').value = rowContent[4].innerText;
195
        document.getElementById('amount').value = rowContent[5].innerText;
        document.getElementById('dAmount').value = rowContent[6].innerText;
196
197
198
        document.getElementById('add').setAttribute('hidden', true);
        document.getElementById('save').removeAttribute('hidden');
199
200
        document.getElementById('discard').removeAttribute('hidden');
201 }
202
    function saveChanges() {
203
204
        data = getData();
```

```
205
        if(data) {
206
            rowToEdit = document.getElementsByClassName('editing')[0];
207
            cellsToEdit = rowToEdit.getElementsByTagName('td');
208
209
            for(var i = 0; i < data.length; i++) {</pre>
210
                cellsToEdit[i + 1].innerHTML = data[i];
211
212
            rowToEdit.classList = "bodyRow";
213
214
215
        document.getElementById('add').removeAttribute('hidden');
216
        document.getElementById('save').setAttribute('hidden', true);
217
        document.getElementById('discard').setAttribute('hidden', true);
218 }
219
220
    function discardChanges() {
221
        document.getElementsByClassName('editing')[0].classList = "bodyRow";
222
223
        document.getElementById('add').removeAttribute('hidden');
224
        document.getElementById('save').setAttribute('hidden', true);
225
        document.getElementById('discard').setAttribute('hidden', true);
226 }
227
    function sortTable(column, ascending) {
228
        var tableBody = document.getElementById('tableBody');
229
230
        var rows = document.getElementsByClassName('bodyRow');
231
232
        var sorting = true;
233
        while(sorting) {
234
            sorting = false;
235
            for(var i = 0; i < (rows.length - 1); i++) {</pre>
                rowA = rows[i].getElementsByTagName('td')[column];
236
237
                rowB = rows[i + 1].getElementsByTagName('td')[column];
238
239
                var swap = false;
240
241
                if(ascending && rowA.innerHTML.toLowerCase() > rowB.innerHTML.
                    → toLowerCase()) swap = true;
242
                else if(!ascending && rowA.innerHTML.toLowerCase() < rowB.
                    → innerHTML.toLowerCase()) swap = true;
243
244
                if(swap) {
245
                     sorting = true;
246
                     rows[i].parentNode.insertBefore(rows[i + 1], rows[i]);
247
                }
248
            }
249
        }
250 }
```

C CSS Source

```
1 \text{ body } \{
       font-size: 14px;
3 }
4
5 #inputFields {
       padding: 10px 0;
       overflow-x: auto;
7
8 }
9
10 form {
       min-width: 1900px;
11
12 }
13
       form > section {
14
15
            width: 14%;
16
            display: inline-block;
17
       }
18
19
       input,
20
       select {
21
            min-width: 100px;
22
            width: 80%;
23
24
25
       button {
26
            width: 40%;
27
28
29 #table {
       max-height: 80vh;
30
31
       overflow: auto;
32 }
33
34 table {
35
       width: 100%;
36
       margin: auto;
37
       border-collapse: collapse;
38 }
39
       th {
            min-width: 200px;
40
41
            width: 10%;
            position: sticky;
42
43
            background: white;
44
            top: 0;
45
       }
46
47
       th > section {
48
            width: 80%;
            display: inline-block;
49
50
            padding: 0;
51
            margin: 0;
52
       }
```

```
53
54
       .sort {
55
           width: 10%;
56
57
58
       .sort > button {
59
           padding: 0;
60
           border: 0;
           display: block;
61
62
           width: 100%;
63
       }
64
65
       .editing {
66
           background-color: yellow;
67
       }
68
69
       #table,
70
       table,
71
       td,
72
       th {
73
           box-shadow: 1px 1px black, inset 1px 1px black;
74
```