Schedule NEM-V Sheet 1

VIRTUAL NET ENERGY METERING FOR MULTI-TENANT AND MULTI-METER PROPERTIES

APPLICABILITY

Applicable to Qualified Customers whose Service account(s) are located within a multi-tenant and multi-meter property[i] (Property) which include all residential (whether rental properties or condominiums), and commercial and industrial properties on which an Eligible Generator(s) has been installed at a Service Delivery Point (SDP) and for which the Owner or Operator of the Property contracts with SCE to have all eligible energy produced by the Eligible Generator and exported to the grid supplied to SCE for the sole purpose of providing Allocated Credits to accounts served by the same SDP as the generator within the Property. Customers served under Schedules TOU-GS-1-RTP, TOU-GS-2-RTP, TOU-GS-3-RTP, TOU-8-RTP, and TOU-8-RTP-S are not eligible to participate on this Schedule.

This Schedule is closed to new Customers as of July 1, 2017. Qualified Customers who are receiving service on this Schedule, or who have submitted all documentation necessary for receiving service on this Schedule, prior to July 1, 2017, are subject to the transition provisions as provided in Special Condition 15 below.

To the extent an Electric Service Provider (ESP) or Community Choice Aggregator (CCA) offers virtual net energy metering services, SCE shall provide applicable NEM-V services under this Schedule to a CCA Eligible Customer-Generator or DA customer consistent with services provided to its bundled service customers. As a condition of receiving service under this Schedule, the CCA or ESP shall be responsible for timely providing the applicable generation related bill charges or credits for each DA or CCA account. Each CCA or DA customer shall look to its CCA or ESP for NEM-V services related to the electric generation charges and credits that result from receiving services under this Schedule. The CCA or ESP shall also be responsible for the applicable generation-related bill credit structure associated with this service option and providing the DA Customer with the applicable generation-related bill credit. DA and CCA customers are not eligible to receive Net Surplus Compensation (NSC) from SCE.

NEM-V Transition Qualified Customers, as defined in Special Condition 16, who replace a Renewable Electrical Generating Facility due to impacts of a Natural Disaster will remain eligible under this Schedule pursuant to Special Condition 18.

Qualified Customers and Benefiting Customers cannot be served under any Net Energy Metering schedule concurrently with this Schedule. Benefiting Customers may participate as a Net Billing Tariff customer under the provisions of Special Condition 20. (N) | (N)

TERRITORY

Within the entire territory served.

RATES

All terms and conditions of the Qualified Customer's Otherwise Applicable Tariff (OAT) will apply except that the Allocated Credits for which this Schedule provides will be applied to the monthly bills for all Qualified Customer Service Accounts designated by the Owner/Operator to receive Allocated Credits.

An Allocated Credit is determined by multiplying the kilowatt hours (kWh) that the Eligible Generator delivers to the grid by the allocation percentages designated by the Owner or Operator in the Allocation Request Form for the Benefiting Accounts located on the Property. The Allocated Credit reduces the energy billed to the Qualified Customer, as described in Special Condition 9. (T)

[i] Multi-Meter means two or more utility revenue meters participating in the NEM-V program, in addition to the Generating Account meter.

(Continued)

Schedule NEM-V Sheet 2
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

RATES (Continued)

NSC is equal to the Net Surplus Compensation Rate (NSCR) multiplied by Net Allocated Energy Pursuant to PU Code Section 2827 (h)(4)(A). NSC is designed to compensate participating Service Accounts for energy allocated to them in excess of their total consumption over their Relevant Period, as defined in Special Condition 8. The NSCR is based on the default load aggregation point (DLAP) price. See Special Condition 9.g.for calculation of NSCR.

Renewable Energy Credits (RECs) are equal to Renewable Attribute Adder (RAA) multiplied by Net Surplus Energy. See Special Condition 9.h. (N) (N)

Account Set up Charges and Administrative Charges will apply as follows:

1. A one-time set up charge per newly established Benefitting Account of $25 and capped at $500 per arrangement.

2. For changes to the Benefitting Account allocation percentage, as described in Special Condition 9.b.(1), there will be no charge for up to one change per Benefitting Account per 12 month period. Subsequent changes to each account within the 12 month period will be charged at $7.50 per account change billed to the Generating Account.

3. Disconnect/Reconnect - SCE will inform the Owner at the site assessment about what reasonable disconnect/reconnect procedure charges they may expect at the time of interconnection. Cost for disconnect/reconnect will vary depending on the number of hours required to complete this work-based on factors including but not limited to: grounding or splicing requirements, effect of disconnect on multiple customers, SCE's need to stand by during customer performed work or if the disconnect/reconnect occurs outside normal business hours. This policy and cost variations are consistent with charges for disconnect/reconnect for all customers, not just for Schedule NEM-V. The Disconnect/Reconnect charge could range from $0-$5,000.

SPECIAL CONDITIONS

1. Definitions: Except as otherwise defined in Rule 1, terms utilized in the context of this Schedule are defined below:

   a. Qualified Customer: A Qualified Customer is either: (i) the Owner or Operator of the multi-tenant, multi-meter Property with one or more separately metered accounts; (ii) an entity authorized by the owner to install and/or operate the generating facility and who will be the IOU's customer of record for the Generating Facility; or (iii) a tenant/occupant of the Property with a separately metered account which is physically connected to the same SDP to which the Eligible Generator is connected.

   b. Owner: An Owner is the Qualified Customer who has the legal right or rightful claim to ownership of the Property on which one or more Eligible Generator(s) have been installed.

   c. Operator: An Operator is a Qualified Customer who operates a business by leasing or renting the property from an Owner and who has an Eligible Generator located on the Property.

(Continued)

Schedule NEM-V Sheet 3
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

1. Definitions: (Continued)

d. Generating Account: An Eligible Generator interconnected with SCE through a single meter for which the Owner or Operator is an SCE customer.

e. Benefitting Account: Each Qualified Customer Service Account which the Owner has designated on the Allocation Request Form to receive an Allocated Credit. The Qualified Customer currently served under Schedule NEM is not qualified to be a Benefitting Account to receive Allocated Credits.

f. Arrangement: An individual Generating Account and all associated Benefitting Accounts that will be allocated generation credit from the Generating Account. A customer may have more than one Arrangement, but Generating Accounts and Benefitting Accounts may not be shared across multiple Arrangements. There should be more than one Benefitting Account per Arrangement.

g. Eligible Generator: A Renewable Electrical Generating Facility with a capacity of not more than one megawatt that is: (i) located on the Owner or Operator's Property; (ii) interconnected and operates in parallel with the electric grid; and (iii) intended primarily to offset part or all of the combined electrical requirements of all Benefitting Accounts interconnected at the same SDP. If multiple Eligible Generators are connected to the same SDP, as specified in Special Condition 1.b. of this Schedule, they must all be connected to the same meter.

(Continued)

Schedule NEM-V Sheet 4
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

1. Definitions: (Continued)

h. Renewable Electrical Generation Facility: A facility that generates electricity from a renewable source listed below pursuant to paragraph (1) of subdivision (a) of Section 25741 of the Public Resources Code. These renewable sources are further defined in the California Energy Commission's (CEC's) Renewable Portfolio Standard (RPS) Guidebooks:[ii]

Biomass, solar thermal, photovoltaic, wind, geothermal, fuel cells using renewable fuels, small hydroelectric generation, digester gas, municipal solid waste conversion, landfill gas, ocean wave, ocean thermal, or tidal current (Renewable Generator), and any additions or enhancements to the facility using that technology. (T)

Qualified Customers will be required to sign an affidavit (Form 14-912) certifying that they are an Eligible Customer-Generator. In addition, a Qualified Customer using municipal solid waste conversion, fuel cells, or small hydroelectric generation will be required to certify that the following technology specific criteria have been met: (T) (T)

(1) For purposes of this Schedule, qualifying "solid waste conversion" is defined pursuant to PR Code Section 25741(b). (T)

(2) For purposes of qualifying under fuel cells using renewable fuels, the Renewable Electrical Generation Facility must use fuel that is powered solely with renewable fuel. (T) (T)

(3) For purposes of qualifying as a small hydroelectric generation facility, the Qualified Customer must certify that the Renewable Electrical Generation Facility will neither cause an adverse impact on in stream beneficial uses nor cause a change in the volume or timing of stream flow. (T) (T)

[ii] RPS Eligibility Guidebook: http://www.energy.ca.gov/renewables/documents/#rps. (T)

(Continued)

Schedule NEM-V Sheet 5
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

1. Definitions: (Continued)

i. NEM-Paired Storage System: An Eligible Generator that includes a Renewable Generator(s) and an Integrated or Directly Connected Energy Storage Device(s) behind the same SCE revenue meter and/or Service Account. Integrated or Directly Connected Energy Storage Devices are considered an addition or enhancement to the Renewable Generator and not a separate generating facility for the purposes of applying the cost exemptions specified in Special Condition 15 below when interconnecting at the same time as the Renewable Generator. (N)

An energy storage device shall be considered an addition or enhancement to the Renewable Generator if the energy storage device is either:

i. Integrated into the Eligible Generator, such that the energy storage device is capable of storing only energy produced by the Renewable Generator, either as an intermediary form of energy during the generation cycle or after electricity has been generated (Integrated Energy Storage Device); or,

ii. Directly connected to the Eligible Generator, such that electricity is delivered from the Renewable Generator to the energy storage device behind the meter used for RPS purposes and any electricity from a source other than the Renewable Generator is included as an energy input to the Eligible Generator; the energy storage device must be operated as part of the Eligible Generator represented in the application and not in conjunction with any other facility, renewable or otherwise (Directly Connected Energy Storage Device). As such, a Directly Connected Energy Storage Device is not required to be charged exclusively from the Renewable Generator and may also be charged from the grid.

j. Large NEM-Paired Storage System: A NEM-Paired Storage System where the Integrated or Directly Connected Energy Storage Device(s) is sized larger than 10 kW (AC) (i.e., maximum aggregate discharge capacity) and that meets the applicable sizing and metering requirements included in Special Condition 15 below.

k. Small NEM-Paired Storage System: A NEM-Paired Storage System where the Integrated or Directly Connected Energy Storage Device(s) is sized 10 kW (AC) or smaller (i.e., maximum aggregate discharge capacity) and that meets the applicable sizing and metering requirements included in Special Condition 15 below. (N)
(L)

(Continued)

Schedule NEM-V Sheet 6
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

1. Definitions: (Continued)

l. Aggregate Customer Peak Demand: Aggregate Customer Peak Demand is defined as the highest sum of all customers' non-coincident peak demands that occur in any calendar year (i.e., the aggregation, or sum, of each individual customer's peak demand in any calendar year) and is the denominator used in the formula to calculate progress toward reaching the NEM program cap. For this purpose, SCE utilizes load research studies based on a four-year moving average (e.g., 2012 calculations are based on 2007-2010 annual load research data, and 2013 calculations are based on 2008-2011 annual load research data) using 15-minute interval data. Aggregate Customer Peak Demand, when used for determining the NEM program cap, is updated annually but may not decrease below the most recent level determined.

m. Net Allocated Energy: Electricity allocated to a Common Area Service Account or Tenant Service Account in excess of the Account's total metered usage over its Relevant Period.[iii]

n. Virtual Net Energy Metering (VNEM) – Paired Storage System: An arrangement where a storage device is included on the VNEM generating facility, where the storage device is located behind the same generation meter as that of the VNEM generating account and where control systems or relays are implemented to maintain NEM integrity by preventing the energy storage system from charging from the grid.

If the VNEM-paired storage device is found to charge from the grid, then this arrangement shall no longer be eligible for this tariff.

o. Modular Home: Modular home, although better constructed, is like manufactured home (as defined in the California Health and Safety Code) where both are constructed offsite. Unlike manufactured home, modular home must meet the same local or state building codes as an on-site home. Modular home does not have the requirement to have a wheeled chassis permanently attached.

p. Modular Home Community: A community with two or more Modular Homes.

q. Virtual Dual Tariff-Virtual Net Metering (VDT-VNM) Net Surplus Energy. Combined kWh electricity allocated to and generated by a Benefiting Account in excess of the Benefiting Account's total metered usage over its Relevant Period. (N) | (N)

2. Service Delivery Point is as defined in SCE's Rule 16, where SCE's Service Facilities are connected to either Applicant's conductors or other service termination facility designated and approved by SCE. Customer-owned line extensions that deliver power to other meters on the same property are not considered separate Service Delivery Points.

[iii] kWh subject to forfeit under the NEM-Paired Storage System estimation methodology provisions of Special Condition 15 below are not used in the determination of Net Allocated Energy.

(Continued)

Schedule NEM-V Sheet 7
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

3. Contracts: The Owner or Operator must execute the following contract(s) to qualify for this Schedule.

   a. Net Energy Metering (NEM) Generating Facility Interconnection Application (Form 14-957);

   b. Virtual Net Energy Metering For Multi-Tenant and Multi-Meter Properties Interconnection Agreement (Form 14-909); and

   c. Virtual Net Energy Metering For Multi-Tenant and Multi-Meter Properties Allocation Request Form (Form 14-910).

   d. A Net Surplus Compensation Rate and Renewable Energy Credit Compensation Selection Form (Form 14-906) to certify that the Owner's or Operator's generating facility is a Qualifying Facility pursuant to the Public Utility Regulatory Policies Act of 1978 that is exempt from certification at the Federal Energy Regulatory Commission. Service Accounts receiving NSC are defaulted to the bill credit option.

   e. Renewable Energy Compensation Form (Form 14-935) at the end of each Relevant Period to receive Renewable Energy Compensation. See Special Condition 9.h.

4. Metering Requirement: The Owner or Operator will be responsible for and will pay all costs associated with the installation by SCE of a Net Generator Output Meter (NGOM) capable of recording generator output in 15-minute intervals. SCE must approve the location of the net generator output metering equipment. Except as permitted in Special Condition 4.e below, the NGOM should record the entire generation intended for the benefit of all the Benefitting Accounts, which will be allocated in accordance with Special Condition 9 (Billing Process). The Owner or Operator using a Performance Based Incentive (PBI) meter for CSI incentives will not be required to install an additional net generation output meter; however, the PBI meter will need to be: (i) a utility owned meter; (ii) a utility read meter where SCE will read the PBI meter data for purposes of providing CSI incentive payment; and (iii) installed in a location approved by SCE. Mutually exclusive of this metering requirement for CSI incentives, the Owner and Operator of a PBI system will need to contract separately for Performance Monitoring and Reporting Service (PMRS) as required by the CSI Program. (T) (N) (N) (N)

   a. The point of common coupling where the Eligible Generator transfers energy to SCE's grid will be measured (metered) using a single net generator output meter capable of registering the flow of energy in two directions. If the Owner or Operator's existing meter is not capable of measuring the flow of energy in two directions, an appropriate meter will be provided at the expense of the Owner or Operator to provide the information necessary to determine Allocated Credits as provided under this Schedule. No additional load other than incidental load related to the inverters and support of the Eligible Generator(s) may be registered on the generator output meter.

(Continued)

Schedule NEM-V Sheet 8
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

4. Metering Requirement: (Continued)

b. Each Benefitting Account will have a standard SCE billing meter. If any Benefitting Account designated to receive Allocated Credits takes service on a time-of-use (TOU) rate schedule, a meter capable of Interval Metering will be required on the Generating Account.

c. The cost of the NGOM varies from project to project, depending on the type of meter required to interconnect the particular project. The specific meter depends on several factors, including the generating capacity, the interconnection voltage, the type of real-time communication built in to the meter, and the reporting interval of the specific meter. The cost of the meter is a one-time payment that covers the costs of material, labor, replacement, and maintenance. The table below shows examples of a wide variety of available meters and their costs. This list is not a comprehensive list, and several other meters are available. The particular meter required for a customer's project may not appear on this list, and SCE will work with the customer to determine the specific meter needed for the project. The costs of the meters shown in the table are existing costs and may be updated as needed.

Sample Costs By Meter	
Meter Type	Estimated
Self-Contained Meter Installation (Interconnection Voltage: 600 V) (Generator Capacity: < 200 kW)	$861.68
Self-Contained Three Phase IDR Meter Installation (Interconnection Voltage: 600 V) (Generator Capacity: < 200 kW)	$950.44
Instrument-Rated Meter Installation with RTEM* (Interconnection Voltage: 600 V) (Generator Capacity: 730-860 kW)	$5,322.97
Primary Instrument rated Meter Installation with RTEM (Interconnection Voltage: 4 kV) (Generator Capacity: 360-540 kW)	$10,232.72
Primary Instrument rated Meter Installation with RTEM (Interconnection Voltage: 12 kV) (Generator Capacity: <1000 kW)	$13,535.34

* RTEM: Real Time Energy Metering

d. Additional metering provisions specific to NEM-Paired Storage Systems are included in Special Condition 15 below.

(L)

(Continued)

Schedule NEM-V Sheet 9
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

e. Behind the Meter Isolated Operation:[iv] Owners or Operators may isolate the operation of their Generating Facility from SCE's electric grid to provide backup/standby services to one or more Benefitting Customers during a grid outage or testing periods. All loads the Generating Facility serves during isolated operation must share the same Point of Common Coupling as the Generating Account. The Owner Operator's participating accounts must be configured in such a manner that no load or generation is registered on the Generating or Benefitting Customers meters during isolated operation. Prior to installing a new Generating Facility that can be operated in isolation mode, or reconfiguring an existing Generating Facility to provide backup services, the Owner or Operator must receive written approval from SCE confirming that the configuration or reconfiguration of the Eligible Generator complies with SCE's electrical and interconnection requirements. To obtain that approval, the Owner or Operator is not required to submit SCE's Rule 21 Application for Non-Exporting Generators. Instead, Owners and Operators can indicate their intent to isolate the operation of a new or existing Generating Facility through SCE's interconnection portal as reflected in SCE Form 14-957. (T)

At all times, SCE has the right, in its sole discretion, to evaluate, deny a configuration, or approve other configurations designed to provide backup services to service meters connected behind the same Point of Common Coupling in a manner that does not register generation on the benefitting account meters. (T)

5. Interconnection Costs: The Owner or Operator of the Eligible Generator must pay all interconnection costs required under Rule 21, including but not limited to re-wiring, trenching, conduit, and other facility costs.

6. Annual Solar Energy Credit: The total energy (in kWh) estimated to be recorded by the generation output meter and allocated to Benefitting Account at any SDP must not exceed the total estimated energy usage (in kWh) of the Benefitting Accounts connected to the same SDP for the next twelve months for a new Property, or the previous twelve months' recorded energy usage for an existing Property. Compliance with this requirement will be determined when SCE conducts an energy audit of the Qualified Customer's Property.

[iv] Planned or Emergency Outages: During planned or emergency outages, operation in isolation of the Renewable Electrical Generating Facility and storage is permitted to serve onsite loads.

(Continued)

Schedule NEM-V Sheet 10
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

9. Billing Process: The following billing process will be used:

a. Gross Credit: The metered kWh output of the Eligible Generator, delivered to SCE's grid, as metered at the point of common coupling, described in Special Condition 3.a., during the billing period of the Generating Account.

b. Allocated Credits:

(1) The Owner or Operator determines the percentage of Gross Credit that will be allocated to the individual Benefitting Account(s) on the Virtual Net Energy Metering For Multi-Tenant and Multi-Meter Properties Allocation Request Form (Form 14-910). The owner may designate in the same Allocation Request Form unallocated credit to either the Common Area Account or one Benefitting Account. This is credit that is allocated to a particular unit but not applied to a Qualified Customer's bill due to occupant nonparticipation or unit vacancy. These allocations will become effective on the next regularly scheduled meter read date following the date on which SCE provides the Owner or Operator with written approval to begin parallel operation of the Eligible Generator with the electric grid. If the Owner or Operator wishes to request a change in the allocation percentages, a charge will be assessed as reflected under the Rates section. Revised allocation percentages under this provision will become effective on the next regularly scheduled meter read date that is at least 30 days after SCE receives the allocation request form.

(2) The individual allocation of kWh to each Benefitting Account is calculated by multiplying the Gross Credit by the designated percentage allocation for each individual Benefitting Account.

(3) Allocated Credits for Qualified Customers utilizing NEM-Paired Storage Systems are billed in accordance with the provisions of Special Condition 15 below.

(4) Change in Tenancy: When the customer of record of a Benefitting Account in an Arrangement served on this Schedule changes, the new customer (or New Party In, NPI) will receive the same allocated percentage provided to the previous Benefitting Account with no action being required from the Customer. (N)

(5) Vacant Units: Residential or nonresidential vacant units may have a zero percent allocation from the Renewable Electrical Generation Facility while the unit is vacant between tenancies. If a "Default Account" has been designated, then the allocated percentage benefit will be transferred to that "Default Account" based on the process detailed in this Schedule. (N)

(Continued)

Schedule NEM-V Sheet 11 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued) (L)

9. Billing Process: (Continued)

c. Qualified Customer Bill: Qualified Customers served under this Schedule are responsible for all charges of their OAT. Each billing cycle, Allocated Credits, in kWh, are subtracted from the metered usage. Charges are applied to the resulting kWh according to the provisions of the Benefitting Account's OAT. The bill may therefore reflect either a charge or a credit.

For DA and CCA Service Qualified Customers, charges are applied to the resulting kWh difference according to the Delivery Service charge of the customer's OAT. Applicable components of the Cost Responsibility Surcharge (CRS) are also applied to the resulting kWh difference according to the provisions of Schedule DA-CRS or Schedule CCA-CRS. The bill may therefore reflect either a charge or a credit.

d. Benefitting Account OAT with Baseline Rates: Allocated Credits are subtracted first from the non-baseline usage, if any, and then subtracted from baseline usage until credits are exhausted.

e. Benefitting Account OAT with TOU Rates: Allocated Credits for each TOU period are subtracted from the energy usage for that same TOU period.

(Continued)

Schedule NEM-V Sheet 12 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

9. Billing Process: (Continued)

f. Bill Payment: Qualified Customers are required to pay their bill on a monthly basis. Excess credits, in dollars, are carried over to the following billing period, until the end of the Relevant Period. An annual true-up occurs at the end of the Relevant Period, pursuant to PU Code Section 2827(h). Upon completion of the annual true-up, any remaining credits will be retained by SCE and the Qualified Customer will not be entitled to any compensation unless the Owner or Operator has executed the Net Surplus Compensation Rate Selection Form (Form 14-906) to certify that the generating facility is a Qualifying Facility pursuant to the Public Utility Regulatory Policies Act of 1978 that is exempt from certification at the Federal Energy Regulatory Commission. If the Owner or Operator elects such compensation, the Qualified Customer may receive credit or compensation based on a comparison of the Benefitting Accounts allocated energy and metered consumption at the conclusion of the relevant period. Additionally, Special Condition 14 may apply for Residential Customers.

The Qualified Customer will continue to receive such compensation for each Relevant Period following the execution of such election, unless the Owner or Operator affirmatively elects to end Net Surplus Energy compensation. The Owner or Operator is eligible to revise their Net Surplus Energy elections, annually, as provided under Rule 12.

For DA and CCA Service Qualified Customers, separate annual true-ups of all charges and credits, consistent with the provisions set forth under this Schedule, will be calculated 1) by SCE for the applicable SCE charges and credits and 2) by the ESP or Community Choice Aggregator for the applicable ESP and CCA charges and credits. Upon completion of the annual true-up, any remaining Delivery Service and/or CRS credits will be retained by SCE and the Qualified Customer will not be entitled to any compensation from SCE. DA and CCA Service Qualified Customers are not eligible to receive Net Surplus Compensation (NSC) from SCE.

g. NSCR is equal to the simple rolling average of SCE hourly $ per kWh prices from Hour Ending 08 through Hour Ending 17 (7 a.m. to 5 p.m.) for each day for the 12 month period corresponding to the customer's 12 month Relevant Period. The rolling average is calculated on a monthly basis to be effective the first of each month and is applied to all customers with a Relevant Period ending in that month. SCE uses a full 12 months (365 days, or 366 days for leap years) of DLAP price, as published on the (20th) day of each month. SCE then calculates the NSCR within five days of the first of the month to allow the CASSO to finalize the day-ahead DLAP prices. This rate will be applied to all eligible net surplus generators, irrespective of their rate class. The NSCR will be posted on SCE's website and updated monthly.

(Continued)

Schedule NEM-V Sheet 13 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS: (Continued)

9. Billing Process: (Continued)

h. The CEC has determined the eligibility of net energy metering customer facilities for the RPS and has developed an ownership verification, tracking and certification process for Renewable Energy Credits (RECs) created by net surplus generators, which is set forth in the CEC's RPS Eligibility Guidebook, available at:

http://www.energy.ca.gov/renewables/documents/#rps.

Pursuant to D.11-06-016, SCE will include a Renewable Attribute Adder (RAA) with the NSC rate if an eligible customer or the customer's aggregator provides a completed Form 14-935 to SCE (see Special Condition 3.e) verifying that the customer; (1) has registered the generation facility at the WREGIS system: (2) has obtained RPS ownership certification from the CEC for the customer's net surplus generation and provides this certification to SCE; and (3) allows for the ownership of the RECs associated with the customer's net surplus electricity to be transferred to SCE.

For details on the CEC and WREGIS certification process, refer to the CEC's RPS Eligibility Guidebook, which can be found at the link shown above.

The RAA will be calculated using the most recent Western Electricity Coordinating Council (WECC) average renewable premium, based on United States Department of Energy (DOE) published data. The RAA will only be paid to those net surplus generators who provide RECs to SCE.

Value of RECs = Net surplus kWhs x RAA. See RATES section.

At the conclusion of each Relevant Period, the eligible customer will notify SCE that the customer has transferred in WREGIS the RECs associated with the net surplus generation by completing Form 14-935 and will send the CEC RPS certificate with the form to SCE.

The RAA will be updated annually and is available at:

https://www.sce.com/wps/portal/home/regulatory/tariff-books/rates-pricing-choices/renewable-energy-credit

i. Bill payments made by the Qualified Customer within the relevant period will continue to be applied to the Qualified Customer account.

j. Billing information: SCE shall provide each Customer with its net energy consumption information with each regular bill. That information shall include the current monetary balance owed to SCE for the net energy consumed since the start of the current relevant period.

(Continued)

Schedule NEM-V Sheet 14
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

9. Billing Process: (Continued)

   j. For purposes of calculation of all customer charges, standby charges, and demand charges, a NEM-V customer will be treated identically as a NEM customer, pursuant to PU Code § 2827(g). NEM-V customers who are on an OAT with demand charges, and who wish to receive a demand credit, will need to notify SCE, an incremental billing fee of $400 per month, per account, will be charged. This is a demand credit that is not provided to an NEM customer, since the reduced demand is a function of on-site generation.

10. Participation in Demand Response Programs. Generating Account Holders and Benefiting Account Customers can participate in demand response or emergency reliability programs for which they are otherwise eligible. All demand response programmatic elements (e.g., eligibility and payments) are based on metered usage. (T) (T)

11. Insurance: Owner/Operator must keep in force the amount of property, common general liability and/or personal liability insurance Owner/Operator has in place at the time they initiate service on this tariff.

12. Release of Information: Owner/Operator agrees that SCE may from time to time release to the California Energy Commission and/or the California Public Utilities Commission information regarding the Owner/Operator's name, the Solar Generating Facility location, its capacity and operating characteristics.

13. Pursuant to Public Utilities Code Section. 2827 (c)(2), any customer with an existing electrical generating facility and meter who enters into a new net energy metering contract shall complete and submit a copy of form 14-903 NEM/MASH-VNM/NEM-V Inspection Report to SCE, unless the electrical generating facility and meter have been installed or inspected within the previous three years. The NEM/MASH-VNM/NEM-V Inspection Report shall be prepared by a California licensed contractor who is not the owner or operator of the facility and meter. A California licensed electrician shall perform the inspection of the electrical portion of the facility and meter and sign the NEM/MASH-VNM/NEM-V Inspection Report. If an inspection is required, the customer shall submit the fully completed NEM/MASH-VNM/NEM-V Inspection Report to SCE within 90 days of the customer becoming the customer of record at this account, or else the customer agrees to disconnect their Generating Facility and inform SCE it no longer will take service on Schedule NEM or MASH-VNM or NEM-V. By signing the interconnection agreement, the NEM/MASH-VNM/NEM-V Inspection Report shall be incorporated into it.

(Continued)

Schedule NEM-V Sheet 15
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

14. California Climate Credit Cash-Out Provision for Residential Customers: Customers receiving service on a Residential rate schedule receive a semi-annual California Climate Credit from the State of California. In the event that a portion or all of the dollar value of the California Climate Credit cannot be consumed by the end of the Qualified Customer's Relevant Period, one of the following will occur: 1) For Residential Qualified Customers eligible to receive NSC via the separate check option – any remaining California Climate Credit balance will be added to the NSC owed the Qualified Customer and sent with the NSC check, or 2) for all other Residential Qualified Customers – any remaining California Climate Credit balance will be sent to the Qualified Customer via a separate check after the final billing statement for the current Relevant Period is issued.

15. NEM-Paired Storage Systems.

Pursuant to D.16-04-020 and D.14-05-033, where an Owner or Operator utilizes a NEM-Paired Storage System (as defined in Special Condition 1.i), the applicable provisions of this Special Condition 15 shall apply. Additionally, where this Special Condition conflicts with any other Special Condition within this Schedule, the provisions contained in this Special Condition shall prevail. Qualified Customers with NEM-Paired Storage Systems who take service under this Special Condition are exempt from Interconnection Request fees, Supplemental Review fees, Detailed Study costs, the costs associated with any Distribution or Network upgrades triggered by the Interconnection Request, and Standby charges.[v]

a. Sizing Requirements. The size of the Integrated or Directly Connected Energy Storage Device is determined by the inverter alternating current (AC) nameplate rating.

i. Small NEM-Paired Storage System: There are no additional sizing requirements for the Integrated or Directly Connected Energy Storage Device(s) relative to the size of the Renewable Generator.

ii. Large NEM-Paired Storage System: The maximum aggregate output capacity of the Integrated or Directly Connected Energy Storage Device(s) can be no greater than 150 percent of the Renewable Generator's maximum output capacity. For example, if the maximum output capacity of the Renewable Generator is 15 kW, the maximum aggregate output capacity of the Integrated or Directly Connected Energy Storage Device(s) can be no greater than 30 kW. Pursuant to D.20-06-017, the maximum aggregate output capacity limitation shall not apply for a period of three years beginning August 16, 2020 and ending August 15, 2023. (N) | (N)

[v] In the event the Integrated or Directly Connected Energy Storage Device is added subsequent to the date that the Renewable Generator received Permission to Operate, the same interconnection cost categories applicable to the Renewable Generator shall apply to the Integrated or Directly Connected Energy Storage Device

(Continued)

Schedule NEM-V Sheet 16 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

15. NEM-Paired Storage Systems. (Continued)

b. Metering Requirements.

i. Small NEM-Paired Storage Systems.

A. Solar Photovoltaic (PV): Where the Renewable Generator(s) utilizes solar PV only, an estimation methodology, as described in Section 15.c below, shall apply in lieu of additional metering. As an alternative option, at the start of a new Relevant Period, Qualified Customers may elect to adhere to the metering and billing requirements applicable to Large NEM-Paired Storage Systems. Qualified Customers who elect this option shall not be subject to the estimation methodology so long as the necessary metering requirements are in place. The cost of the metering required under this option shall not exceed $600, unless Complex Metering, as described below, is required. For Small NEM-Paired Storage Systems that are unable to meet the metering requirements of Large NEM-Paired Storage Systems, the estimation methodology shall apply.

B. Non-Solar PV: Where the Renewable Generator(s) utilizes a technology other than only solar PV, Qualified Customers must adhere to the metering and billing requirements applicable to Large NEM-Paired Storage Systems. The cost of the metering required under this provision shall not exceed $600, unless Complex Metering, as described below, is required.

ii. Large NEM-Paired Storage Systems. Qualified Customers must adhere to the metering and billing requirements contained within Special Condition 4.b of Schedule NEM. For metering and billing purposes only, the Integrated or Directly Connected Energy Storage Device is treated as the Non-NEM Eligible Generator when applying the provisions of Special Condition 4.b of Schedule NEM. The cost of the metering required under this provision shall not exceed $600, unless Complex Metering, as described below, is required. Eligible Generators that are unable to meet the metering requirements of Special Condition 4.b of Schedule NEM are ineligible for service under this Schedule as a NEM-Paired Storage System.

iii. Complex Metering. A NEM-Paired Storage System that utilizes more than two self-contained meters in addition to the SCE revenue meter(s) or any non-self-contained meters (i.e., those that include CTs/PTs) (not including the SCE revenue meter(s)) is considered as having Complex Metering for the purposes of this Special Condition.

(Continued)

Schedule NEM-V Sheet 17 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

15. NEM-Paired Storage Systems. (Continued)

c. Estimation Methodology for Small NEM-Paired Storage Systems (where storage is < or = 10 kW rated capacity).

Small NEM-Paired Storage billing uses an "estimation method" that caps maximum allowable NEM bill credits based on solar photovoltaic (PV) generation estimates. The approach used to develop the generation estimates applied to NEM-Paired Storage billing is as follows:

i. SCE has established a maximum cap for NEM-eligible exports by California Energy Commission (CEC) Climate Zone for each calendar month based on standardized monthly estimates that are scaled for a given NEM customer based on the size of the customer's solar system.

ii. To develop the generation estimates, SCE used the California Solar Initiative Expected Performance-Based Buydown (CSI EPBB) calculator to produce a single, scalable, production factor table. This table captures the estimated amount of kWh generated per installed kW of solar PV capacity (kWh/kW production factor) for each calendar month and each of the nine CEC Climate Zones in SCE's service area. Climate Zones are referred to as Baseline Regions in SCE's tariffs.

iii. For a given NEM-Paired Storage customer, the NEM-eligible cap on exports is calculated by multiplying the Qualified Customer-appropriate production factor for a given month and Climate Zone (based on billing period and location) and scaling the kWh by the customer's PV installed capacity (in kW).

iv. The solar PV configuration assumptions used in the CSI EPBB calculator to generate the scalable production factor table are the following:

- Tilt: If Optimal Tilt as defined by the EPBB Calculator was <20 degrees for a given Climate Zone, then 20 degree tilt was used, otherwise Optimal Tilt as defined by the EPBB Calculator was used
- Azimuth: 180 degrees
- For each climate zone, identified the three zip codes with the most residential PV installations; chose the zip code with the highest generation estimate per the EPBB calculator
- Panel: SunPower.SPR-327NE-WHT-D
- Inverter: SPR-X20-327-C-AC (240V) or any other micro-inverter designed to match the panels.
  - As a reference, inverter efficiency is 96%.
- Mounting Method: > 6 " average standoff (EPBB default)
- Shade: Minimal (EPBB default)

(Continued)

Schedule NEM-V Sheet 18 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

15. NEM-Paired Storage Systems. (Continued)

c. Estimation Methodology for Small NEM-Paired Storage Systems…(Continued)

v. Once implemented in SCE's billing system, Qualified Customers subject to this provision shall have a maximum monthly generation output cap established for each calendar month based on the "production factor table."

vi. In all cases, the first day of the Customer's Billing Period determines which calendar month cap is used for that Billing Period. For example, if the Qualified Customer's Billing Period starts on January 15 and ends on February 15, the January cap is used.

vii. Any Allocated Credits that exceed the monthly cap are not eligible for NEM credit and are forfeited by the Qualified Customer. For example, if a Qualified Customer's monthly cap amount for January is 500 kWh and the Qualified Customer is allocated 525 kWh for that monthly Billing Period, 25 kWh are not eligible for NEM credit and are forfeited. The forfeited kWh are assumed to have occurred during the Qualified Customer's highest priced TOU period, regardless of when the energy was actually exported. If the amount of forfeited kWh for a Billing Period exceeds the amount of Allocated Credits for the Qualified Customer's highest priced TOU period, the remaining kWh subject to forfeit are then removed from the next highest priced TOU period and so on until all kWh subject to forfeit are accounted for. For example, if a Qualified Customer has a July monthly cap amount of 700 kWh and is allocated 1,000 kWh, 300 kWh must be forfeited. If the Qualified Customer was allocated 200 kWh in the Summer On-peak period and 800 kWh in the Summer Mid-Peak period, 200 kWh of the forfeited 300 kWh are removed from the Summer On-Peak period (so the Qualified Customer's Allocated Credit during the Summer On-Peak period is billed at zero); the remaining 100 kWh of the forfeited 300 kWh are removed from the Summer Mid-Peak period (so the Qualified Customer's Allocated Credit during the Summer Mid-Peak period is billed at 700 kWh). Forfeited kWh are not eligible for NSC.

d. Interconnection and Safety Requirements. NEM-Paired Storage Systems must meet the technical and safety standards required for interconnection under Rule 21. This includes evaluation under the same technical interconnection standards currently applied to Generating Facilities that are not paired with energy storage devices.

e. NEM Transition Provisions. NEM-Paired Storage Systems are subject to the transition provisions included in Special Condition 16 below. In regards to Special Condition 16.b, NEM-Paired Storage Systems shall remain eligible for service under this Schedule provided the capacity of the Integrated or Directly Connected Energy Storage Device(s) is not increased by more than 10 percent of its original maximum aggregate output capacity.

(Continued)

Schedule NEM-V Sheet 19 (T)
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

16. NEM-V Transition Provisions: This Special Condition is applicable to all Qualified Customers who are receiving service on this Schedule, or who have submitted all documentation necessary for receiving service on this Schedule, prior to SCE reaching its NEM trigger level or July 1, 2017, whichever is earlier.

    a. 20-Year Transition Period.

    Pursuant to Decision 14-03-041, Qualified Customers who are receiving service on this Schedule prior to SCE reaching its NEM trigger level or July 1, 2017, whichever is earlier, are eligible to continue receiving service on this Schedule for a period of 20 years from the original year in which their Eligible Generator was interconnected to SCE's grid, indicated by and measured from the date on which the Qualified Customer initially received permission to operate (PTO) the Eligible Generator from SCE and ending at the conclusion of the Qualified Customer's applicable Relevant Period that ends immediately on or after the 20th anniversary of the original PTO date. For example, if a Qualified Customer initially received PTO on April 1, 2014, the Qualified Customer is eligible to continue receiving service on this Schedule through the conclusion of the Qualified Customer's Relevant Period ending immediately on or after March 31, 2034. Qualified Customers that complete and submit all required documentation for service on this Schedule to SCE prior to SCE reaching its NEM trigger level or July 1, 2017, whichever is earlier, are eligible for the 20-year transition period, which will commence on the Qualified Customer's PTO date, even if the PTO date is on or after the date SCE reaches its NEM trigger level or July 1, 2017, whichever is earlier. Qualified Customers have the option of transitioning to the successor tariff to this Schedule (i.e., Schedule NEM-V-ST), subject to the terms and conditions contained therein, prior to the conclusion of their 20-year transition period. However, Qualified Customers electing this option permanently forfeit any of their Eligible Generator's remaining transition period eligibility on this Schedule and may not later change back to receiving service under this Schedule.

(Continued)

Schedule NEM-V Sheet 20
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

16. NEM-V Transition Provisions. (Continued)

b. Modifications.

Eligible Generators eligible for the 20-year transition period that are modified and/or repaired on or after when SCE reaches its NEM trigger level or July 1, 2017, whichever is earlier, shall remain eligible for the remainder of their 20-year transition period as long as the modifications and/or repairs do not increase the Eligible Generator by more than the greater of (1) 10 percent of the Eligible Generator's nameplate rating capacity, as established when the Eligible Generator was originally interconnected, or (2) 1 kW; and provided the modifications and/or repairs do not result in the Eligible Generator exceeding a total generation capacity of 1 MW and the generation limitation as provided in Special Conditions 1.g.iii and 7 of this Schedule. Qualified Customers making modifications and/or additions to their Eligible Generators on or after when SCE reaches its NEM trigger level or July 1, 2017, whichever is earlier, that exceed the 10 percent or 1 kW limit referenced above have the option of either metering the additions and/or modifications separately under the successor tariff, or having the entire Eligible Generator served under the successor tariff, subject to the terms and conditions contained therein.

c. Transferability.

Eligible Generators eligible for the 20-year transition period shall not lose their eligibility if transferred to a new owner, operator, or SCE account, provided the Eligible Generator remains at its original location and the Qualified Customer has not elected or does not elect to transition to the successor tariff. The transfer of an Eligible Generator to a new location is considered a new installation requiring a new interconnection agreement and would not qualify for the 20-year transition period if the relocation occurs on or after when SCE reaches its NEM trigger level or July 1, 2017, whichever is earlier.

d. Integrated or Directly Connected Energy Storage Devices.

Integrated or Directly Connected Energy Storage Devices shall be treated in the same way, and be subject to the same transition period, as the Eligible Generators to which they are connected. Pursuant to D.23-11-068, Owner or Operators adding only energy storage to the existing Renewable Electrical Generating Facility shall remain eligible for the remainder of the 20-Year Transition Period. (N) | (N)

(Continued)

Schedule NEM-V Sheet 21
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

17. Virtual Net Energy Metering (VNEM)-Paired Storage Systems.

Pursuant to D.17-12-005, where an Owner or Operator utilizes a VNEM-Paired Storage System (as defined in Special Condition 1.n.), the applicable provisions of this Special Condition shall apply. Additionally, where this Special Condition conflicts with any other Special Condition within this Schedule, the provisions contained in this Special Condition shall prevail. Qualified Customers with VNEM-Paired Storage Systems who take service under this Special Condition are exempt from Interconnection Request fees, Supplemental Review fees, Detailed Study Costs, the costs associated with any Distribution or Network upgrades triggered by the Interconnection Request, and Standby Charges.[vi]

a. A VNEM-Paired Storage System shall consist of one of the following; (1) physical non-import relay to prevent storage from charging from the grid, (2) Control functionally equivalent physical non-import relay as outlined in the SCE NEM Handbook to prevent the storage from charging from the grid.

b. Sizing Requirements. The storage device size is determined by the inverter alternating current (AC) nameplate rating. Requirements may differ depending on the size of the storage device.

18. Natural Disaster (Disaster): This Special Condition is applicable to NEM-V Transition Qualified Customers impacted by an event in affected areas declared in a state of emergency[vii] and included in either the California Governor's Proclamation of a State of Emergency or the President of the United States'. Disaster impacted customers will retain their original permission to operate (PTO) date. The original 20-Year Transition Period will remain in effect under this Schedule as defined in Special Condition 16. (N) | | | (N)

[vi] In the event the storage device is added subsequent to the date that the solar PV received Permission to Operate, the same interconnection cost categories applicable to the solar PV shall apply to VNEM-Paired Storage System device.

[vii] Government Code 8558(b) https://leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=GOV&sectionNum=8558

(Continued)

Schedule NEM-V Sheet 22
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

18. Natural Disaster (Disaster): (Continued)

Disaster impacted Eligible Customer-Generators must:

a. Submit a new Interconnection Request with a replacement Renewable Electrical Generating Facility located on the same parcel as the original for capacity size (i) that does not exceed a total generation capacity of 1 MW, and (ii) and where the new Schedule NEM-V Arrangement is located behind one service delivery point on the same parcel as the original Schedule NEM-V Arrangement, and

b. Submit proof of destruction of the Renewable Electrical Generating Facility, if requested by SCE.

c. If the Generating Account is impacted by a Disaster, SCE will true-up the Property and issue Net Surplus Compensation, as applicable, pursuant to Special Condition 4.d and 4.g., up to the date of the Disaster. If the Generating Account is not impacted while one or more of the Benefitting Accounts are, a True-Up will only occur for the impacted accounts, and SCE will continue to bill the remaining accounts on Schedule NEM-V, unless otherwise requested by the Owner. Any other Owner-requested changes to the NEM-V Arrangement beyond being impacted by a Disaster will be in accordance with Special Condition 1.m.

Owners impacted by Disasters must comply with all requirements associated with the installation of Smart Inverter technology, as defined in Electric Rule 21.

d. The period from destruction of the Renewable Electrical Generating Facility to PTO of the replacement Renewable Electrical Generating Facility must not exceed four years, unless reasonable documentation acceptable to SCE is provided showing that a new Interconnection Request has been submitted. The new Interconnection Request must be completed by the same Customer of Record who was taking service under Schedule NEM-V prior to the Disaster. If the Renewable Electrical Generating Facility is not replaced by the Customer, but the property is sold to a new Customer after the destruction of the Renewable Electrical Generating Facility, this provision does not extend to the new customer of record or new party in. (T)

(Continued)

Schedule NEM-V Sheet 23
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

19. Prevailing Wage (N)

California Public Utilities (PU) Code Section 769.2 requires a contractor that installs a Renewable Electrical Generation Facility or associated battery storage to comply with prevailing wage requirements in order for the facility to participate in a tariff developed pursuant to PU Code Section 2827 or 2827.1. These requirements are stated in PU Code Section 769.2 and in case of any discrepancy between tariff language and the PU Code, the language in the PU Code prevails.

The requirements are:

(1) The contractor shall pay each construction worker employed, at minimum, the general prevailing rate of per diem wages, except that an apprentice registered in a program approved by the Chief of the Division of Apprenticeship Standards shall be paid, at minimum, the applicable apprentice prevailing rate.

(2) The contractor shall maintain and verify payroll records pursuant to Section 1776 of the Labor Code and make those records available for inspection and copying as provided in that Section. The contractor shall not be required to provide copies of certified payroll records to any entity other than the Department of Industrial Relations or the California Public Utilities Commission (Commission).[viii]

(3) The contractor shall biannually, on July 1 and December 31 of each year, submit to the Commission digital copies of its certified payroll records for projects.[ix] The contractor's submission of payroll records is a condition to access tariffs developed pursuant to PU Code Section 2827 or 2827.1 for a Customer's Renewable Electrical Generating Facility subject to PU Code Section 769.2. (N)

[viii] Pursuant to Decision 23-11-068 the contractor may also be required to provide these records to any entity that the Commission designates to act on its behalf to implement this requirement. (N)

[ix] Contractors may submit their records on a voluntary basis more often than the biannual requirement stated in the PU Code 769.2. (N)

(Continued)

Schedule NEM-V Sheet 24
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

19. Prevailing Wage (Continued) (N)

The requirements of PU Code Section 769.2 do not apply to projects with a complete interconnection application submission date before January 1, 2024.[x] All projects with an interconnection application submission date on or after January 1, 2024, including applications to modify an existing Renewable Electrical Generating Facility, are subject to the PU Code Section 769.2 requirements with the following exceptions:

(1) A residential Renewable Electrical Generating Facility that has a maximum generating capacity of 15 kilowatts or less of electricity.

(2) A residential Renewable Electrical Generating Facility that is installed on a single-family home.

(3) A project that is a public work, as defined in Section 1720 of the Labor Code, and that is subject to Article 2 (commencing with Section 1770) of Chapter 1 of Part 7 of Division 2 of the Labor Code.

(4) A Renewable Electrical Generating Facility that serves only a Modular Home, a Modular Home Community, or multiunit housing that has two or fewer stories.

If PU Code Section 769.2 applies, the Customer must execute the "Prevailing Wage Disclosure Form" and submit the form with their interconnection application, and Customer's contractor shall confirm to SCE that it is up to date with their past required submittals of payroll records.

If Customer's contractor has been found to have willfully violated PU Code Section 769.2 in connection with the construction of Customer's Renewable Electrical Generating Facility, ***that facility*** shall not be eligible to receive service pursuant to a tariff developed based on PU Code Sections 2827 or 2827.1. Only in the case of multi-tariff configuration, where there is more than one renewable generator behind the same utility billing meter, SCE will treat all the generators as one system and therefore none of the renewable generators will be served on tariffs developed based on PU Code Section 2827 or 2827.1, and those renewable generators will be compensated based on PURPA compliant tariff, regardless which facility is subject to the violation of PU Code 769.2. (N)

[x] If a Customer or contractor provides documentation confirming that the facility that they are applying for was built on or before December 31, 2023, the prevailing wage requirements will not apply to that project. (N) (N)

(Continued)

Schedule NEM-V Sheet 25
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

19. Prevailing Wage (Continued) (N)

If a willful wage violation is alleged, the Customer's Renewable Electrical Generating Facility will remain on the tariff until the Department of Industrial Relations (Department) or a court completes their assessment and makes a final determination. At that time, if the contractor is found in willful violation, then SCE will be required to remove the Customer's Renewable Electrical Generating Facility implicated by the violation from this Schedule and transition the Customer to the PURPA compliant tariff on the next billing cycle (after the required 30/60-day notification). While on the PURPA compliant tariff, the Renewable Electrical Generating Facility will be compensated based on that tariff and the Renewable Electrical Generating Facility shall be subject to SCE Schedule Customer Generation Departing Load Cost Responsibility Surcharge and SCE Schedule Standby charges as the Renewable Electrical Generating Facility is no longer eligible to be served on tariffs developed pursuant to PU Code Section 2827 or 2827.1. The Customer's Renewable Electrical Generating Facility billing meter will be trued up at the end of the billing cycle (after the required 30/60-day notification) before transitioning to the PURPA compliant tariff and any credits remaining after the true-up (including all benefitting/ aggregated accounts) will be forfeited.

If the violation occurs on a single generating account and there are no benefitting/aggregated account(s), SCE will notify the Customer at least 30-days in advance of automatically transitioning the Customer's Renewable Electrical Generating Facility on their next billing cycle to a PURPA compliant tariff.

If the violation occurs on a single generating with benefitting/aggregated accounts SCE will notify the Customer(s) at least 60-days in advance of automatically transitioning the Customer's Renewable Electrical Generating Facility on their next billing cycle to a PURPA compliant tariff.
If a willful wage violation is reversed or nullified by the determining body and the generation account holder or Customer/property owner provides documentation to the utility evidencing such reversal/nullification, then the Renewable Electrical Generating Facility (or the whole system for multi-tariff) will be able to regain access to the applicable NEM/NBT tariff as of the next billing cycle or within 30-days after receiving the notification of the reversal of the willful wage violation.

Beginning January 1, 2025, contractors who have been found in willful violation of the prevailing wage rule in PU Code Section 769.2 will not be permitted to apply to interconnect facilities utilizing tariffs established pursuant to PU Code Sections 2827 or 2827.1. (N)

(Continued)

Schedule NEM-V Sheet 26
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

20. Virtual Dual Tariff (VDT) (N)

This Special Condition is applicable to a Benefiting Customer that installs an additional generator behind the SCE Customer meter while receiving allocated credits from the Virtual Generator(s) on the same Premises. Pursuant to Resolution E-5374, VDT arrangements are intended to primarily provide resiliency.

Where a Benefiting Customer utilizes a Virtual Dual Tariff this Special Condition 10 shall apply. Additionally, where this Special Condition conflicts with any other Special Condition within this Schedule, the provisions contained in this Special Condition shall prevail.

There is no limit on the number of such VDT customers per NBTV arrangement or network. The VDT is not offered for the generating account of the virtual arrangement; it is only available to the Benefiting Customers.

Billing Service Charges: An eligible VDT customer shall remit one time service charges of $25.00 per Dual-Tariff Account. These set-up fees may not be charged for tenancy changeovers and shall be limited to no more than $500 per Property.

Net Surplus Compensation: Shall follow the procedures outlined in Rates Section 4 of Schedule NBT.

Non-Bypassable Charges: will be calculated on the Benefiting Customer's metered usage.
A Benefiting Customer is allowed to depart from the Virtual Net Billing Tariff, ending their VDT status.

a. VDT-VNM: NBT Renewable Electrical Generating Facilities

A Customer taking service under this Special Condition is a Virtual Dual Tariff Virtual Net Metering (VDT-VNM) Customer. The Benefiting Customer that installs a behind-the-meter Net Billing Tariff eligible generator must meet all requirements of Schedule NBT Net Billing Tariff. The provisions of Schedule NBT will apply unless otherwise specified in this Schedule. (N)

(Continued)

Schedule NEM-V Sheet 27
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

20. Virtual Dual Tariff (VDT) (Continued) (N)

a. VDT-VNM: NBT Renewable Electrical Generating Facilities (Continued)

The eligible VDT-VNM Customer Renewable Electrical Generating Facility must meet all applicable safety, and performance standards established by the National Electrical Code, the Institute of Electrical and Electronics Engineers, and accredited testing laboratories such as Underwriters Laboratories and, where applicable, rules of the California Public Utilities Commission regarding safety and reliability.

i. System Sizing: The eligible VDT-VNM Customer must adhere to the sizing requirements as described in Special Condition section 6 and 1.g of this Schedule. Additionally, a VDT-VNM customer may not have the capacity of their allocated credits from the Virtual Generating Facility(ies) together with the behind the meter NBT Renewable Electrical Generating Facility generate more than their individual prior annual usage.

ii. Metering: The eligible VDT-VNM Customer must install at their cost or at the cost of the Owner or Operator any necessary metering equipment to accurately bill the Benefiting Customer for the allocated credits from the Virtual Generating Facility(ies) and the behind the meter NBT Renewable Electrical Generating Facility.

iii. Legacy Period: The Legacy period may not be altered or combined as a result of participation as a VDT-VNM Customer.

iv. Annual True-Up Process: Upon the Customer receiving Permission to Operate (PTO) for the behind the meter NBT Renewable Electrical Generating Facility a one-time true-up will occur on the Benefiting Customers NEM-V account for the purposes of a one-time adjustment to align the Annual True-Up of both the NEM-V and the behind the meter NBT Renewable Electrical Generating Facility.

v. This Special Condition is not available to Customers that are served by Schedule NEM or Schedule NEM-ST. (N)

(Continued)

Schedule NEM-V Sheet 28
VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

SPECIAL CONDITIONS (Continued)

20. Virtual Dual Tariff (VDT) (Continued) (N)

a. VDT-VNM: NBT Renewable Electrical Generating Facilities (Continued)

vi. VDT-VNM Monthly Rate Calculation Methodology

a. First, the Monthly Energy Charges will be calculated and applied as described in Rates Section 3 of this Schedule.

b. Second, the Benefiting Customer's Energy Export (channel 2) in kWh from the Benefiting Customer's Renewable Electrical Generating Facility export channel will be calculated and applied as described in Rates section 3 of Schedule NBT.

If applicable, the Energy Export (channel 2) in kWh will be used to calculate the Benefiting Customer Renewable Electrical Generating Facility ACC Plus Adder as described in Rates section 3 of Schedule NBT.

vii. VDT-VNM Annual True-up Process

Pursuant to Resolution E-5374, the VDT-VNM Annual True-up Process shall follow the process described in Schedule NBT, Special Condition 4.e. except that the calculation will use the VDT-VNM Net Surplus Energy definition as described in Special Condition 1.t. of this Schedule.

b. VDT-NE: Rule 21 Non-Export Generating Facility

A Benefiting Customer taking service under this Special Condition is a Virtual Dual-Tariff Non-Export (VDT-NE) Customer. The Benefiting Customer that installs a behind the meter Rule 21 non-export generator must meet all requirements of SCE's Rule 21.

VDT-NE Customers are not allowed to install a Net Energy Metering (NEM) or Net Billing Tariff (NBT) eligible generator behind the SCE customer meter nor is the VDT customer eligible to participate in Schedule(s) NEM, NEM-ST or NBT.

The eligible VDT-NE customer Rule 21 non-export generating facility must meet all applicable safety and performance standards established by the National Electrical Code, the Institute of Electrical and Electronics Engineers, and accredited testing laboratories such as Underwriters Laboratories and, where applicable, rules of the California Public Utilities Commission regarding safety and reliability. (N)

(Continued)

Schedule NEM-V Sheet 29 (T)

VIRTUAL NET ENERGY METERING
FOR MULTI-TENANT AND MULTI-METER PROPERTIES

REQUIRED DISCLOSURE (N)

All customers must: Accept that SCE may release to the California Energy Commission, the California Public Utilities Commission, and/or other state agencies, information regarding the Customer's facility, including such Customer's name and Renewable Electrical Generating Facility location, capacity, and operational characteristics. Pursuant to CPUC Decisions 14-11-001, 21-06-026, and 23-11-068, SCE is required to provide certain data, including, but not limited to, confidential Customer information, to the CPUC, its contractors, the California Department of Consumer Affairs Contractors State License Board, the California Department of Financial Protection & Innovation, and the California Department of Industrial Relations. As a condition of receiving service under this tariff, the eligible customer authorizes SCE to release any and all information provided in the Interconnection Request to the entities identified above without further notification or consent. For Renewable Electrical Generating Facilities that are subject to Pub. Util. Code § 769.2, in addition to consenting to SCE sharing the data or information with those regulatory entities, Customer also consents to those entities making that information publicly available. (N)