Schedule DR-CRPP Sheet 1
DEMAND RESPONSE - CHARGE READY PROGRAM PILOT

APPLICABILITY

The Demand Response - Charge Ready Program Pilot (DR-CRPP) is a pilot for Customer Participants who installed Level 2 Charging Stations and are receiving service under Schedule CRPP and all Customer Participants who are receiving service under Schedule CRP. Customer Participants served by a Community Choice Aggregator (CCA) are eligible to participate in DR-CRPP under this Schedule while continuing to be served by their CCA. DR-CRPP is a day-ahead pilot program that offers incentives to Customer Participants for changing energy consumption behavior during an Event. (C) (N)

TERRITORY

Within the entire territory served.

RATES

The rates as applicable under the Customer Participant's Otherwise Applicable Tariff (OAT) shall apply.

ENERGY PAYMENT INCENTIVE CALCULATION:

LOAD REDUCTION INCENTIVE:
$0.10 for each kWh reduced during a Load Reduction Event Incentive Period during the Winter Season and $0.15 for each kWh reduced during a Load Reduction Event Incentive Period during the Summer Season.

LOAD SHIFTING INCENTIVE:
$0.05 for each kWh used during a Load Shift Event Incentive Period during the Winter Season and $0.10 for each kWh used during a Load Shift Event Incentive Period during the Summer Season.

(Continued)

Schedule DR-CRPP Sheet 2
DEMAND RESPONSE - CHARGE READY PROGRAM PILOT

SPECIAL CONDITIONS

1. Event: An Event is when a Customer Participant responds to a combination of Event Notifications (as described in Special Condition 9), and Control Signals (as described in Special Condition 8) from SCE by reducing or shifting its load. The Charge Ready Demand Response Pilot will test two types of Events:

   a. Load Reduction Events: Customer Participants are compensated for load reduced during the Event Incentive Period.

   b. Load Shift Events: Customer Participants are compensated for load shifted during the Event Incentive Period.

2. Event Control Period: An Event Control Period is the time period when a portion of available load or charging capacity at Electric Vehicle Supply Equipment (EVSE) may be reduced for either a Load Reduction Event or a Load Shift Event called by SCE:

   a. The Load Reduction Event Control Period is between 4 pm and 9 pm

   b. The Load Shift Event Control Period is between 6 am and 11 am

3. Event Incentive Period: Incentives will be calculated based on changes in load during a specific period of time referred to as the Event Incentive Period:

   a. The Load Reduction Event Incentive Period is between 4 pm and 9 pm during the same time as the Load Reduction Event Control Period

   b. The Load Shift Event Incentive Period is between 11 am and 3 pm, immediately following the Load Shift Event Control Period

4. Event Parameters: The following parameters apply to each type of event:

   a. Load Reduction Events can occur on non-holiday weekdays up to 15 times per calendar year. Only a single Load Reduction Event will occur within a calendar day for each Customer Participant's service account. The Load Reduction Event Control Period may be a minimum of one hour and maximum of five hours. (C)

   b. Load Shift Events can occur on non-holiday weekdays up to 15 times per calendar year. Only a single Load Shift Event will be called in a calendar day for a Customer Participant's service account. The Load Shift Event Control Period may be a minimum of one hour and maximum of five hours. (C)

(Continued)

Schedule DR-CRPP Sheet 3
DEMAND RESPONSE - CHARGE READY PROGRAM PILOT

SPECIAL CONDITIONS (Continued)

5. Event Trigger: SCE may, at its discretion, call either a Load Reduction Event or a Load Shift Event based on any one of the following criteria:

   a. California Independent System Operator (CAISO) Energy Emergency Alert (EEA) Watch, EEA-1, or EEA-2 Notice (C) (C)

   b. Forecasts of SCE system emergencies – may be declared at the generation, transmission, or distribution circuit level

   c. Forecasts of extreme or unusual temperature conditions impacting system demand

   d. Day-ahead load and/or price forecasts

   e. At SCE's discretion, to better inform the most effective strategies for future DR Programs, by testing the ability to influence charging behavior with messaging, incentives and controls.

6. Customer Specific Reference Level (CSRL): The CSRL or the "peak average usage level" is the average kWh usage of the Customer Participant's service account during the 4 pm to 9 pm time window of the three (3) highest kWh usage days of the five (5) non-event, non-holiday weekdays immediately preceding a Load Reduction Event. The CSRL is used to determine the kWh reduction during Event Control Periods for Load Reduction Events.

7. Calculation of Incentives: Incentives will be based on the kWh usage of the Customer Participant's service account during the applicable Event Control and Event Incentive Periods. Incentive amounts will be calculated and paid to Customer Participants twice a year, using the following methods:

   a. The Load Reduction Event Incentive will be multiplied by the amount of kWh reduced during the Load Reduction Event Incentive Period. If the CSRL is greater than the recorded usage during an Event Control Period, then a reduction was achieved.

   b. The Load Shift Event Incentive will be multiplied by the amount of kWh used during the Load Shift Event Incentive Period. If a Customer Participant reaches its monthly peak demand during any 15-minute interval of the Load Shift Incentive Period, that demand will be excluded from the Customer Participant's monthly demand charge calculations.

(Continued)

Schedule DR-CRPP Sheet 4
DEMAND RESPONSE - CHARGE READY PROGRAM PILOT

SPECIAL CONDITIONS (Continued)

8. Control Signals: One day prior to a Load Shift Event or a Load Reduction Event, all Charge Ready EVSE service providers will be sent a control signal. This signal will contain the parameters for the Control Period of the Event including date, start time, end time, duration, load reduction percentage and SubLaps. The amount of load to be reduced for each Event is determined by SCE based on grid conditions when an Event is scheduled, and must be automatically applied to EVSE by the service provider when the control signal is received. Depending on EVSE or service provider capabilities, control signals may be overridden by Customer Participants or EV drivers who wish not to participate in a specific event.

9. Event Notification: The day-ahead control signal from SCE must trigger notification to Customer Participants from their EVSE service provider via their preferred form of notification via voice, text, electronic mail messages, or a display on the EV charging station. Notification may also be sent to EV drivers from their EVSE service providers via their preferred form of notification via voice, text, electronic mail messages, or a display on the EV charging station. SCE may notify the Customer Participant via e-mail regarding the upcoming event. However, SCE does not guarantee Customer Participants or EV drivers receipt of any notification.

10. Holidays: Holidays are New Year's Day (January 1), Presidents' Day (third Monday in February), Memorial Day (last Monday in May), Independence Day (July 4), Labor Day (first Monday in September), Veterans Day (November 11), Thanksgiving Day (fourth Thursday in November), and Christmas (December 25).

    When any holiday listed above falls on Sunday, the following Monday will be recognized as a holiday. No change will be made for holidays falling on Saturday.

11. Customer Participant: The non-residential entity that has elected to participate on Schedule CRPP and Schedule CRP. Only Customer Participants who installed Level 2 Charging Stations and receiving service under Schedule CRPP are eligible and required to participate in this Schedule. All Customer Participants receiving service under Schedule CRP are eligible to participate in this Schedule. . (C) | | (C)

(Continued)

Schedule DR-CRPP Sheet 5
DEMAND RESPONSE - CHARGE READY PROGRAM PILOT

SPECIAL CONDITIONS (Continued)

12. Electric Vehicle Service Equipment (EVSE): The equipment that interconnects the electricity grid at a Charging Site to the Eligible Vehicle, whether using alternating current (AC) or direct current (DC), but not including the Make-Ready or other charging Infrastructure. EVSE is sometimes referred to as Charging Stations. All charging equipment installed under the Charge Ready Program must be selected from SCE's Approved Product List (APL) or otherwise approved by SCE for installation under this Program, in the quantity approved by SCE. (C)

    i. Level 1 (L1) Charging: Charging station capable of charging at 120 volts.

    ii. Level 2 (L2) Charging: Charging station capable of charging at 240 volts.

    iii. Direct Current Fast Charging (DCFC): Charging station that rapidly charges a vehicle battery by connecting it directly to a higher power, direct current source. (C)

13. SubLap: A CAISO defined subset of Pricing Node within a Default Load Aggregation Point.