Schedule TOU-8-RBU Sheet 1
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

APPLICABILITY

Applicable to the additional meter and service connection installed for reliability purposes (reliability back-up service) in accordance with the Added Facilities provisions of Rule 2 to serve load which is regularly served through a separate meter and service connection under Schedule TOU-8, TOU-8-S, or TOU-8-RTP-S including Schedule TOU-8, TOU-8-S, or TOU-8-RTP-S Customers concurrently served under an interruptible/curtailable rate option (main service). This Schedule is applicable when the maximum demand for the load to which reliability back-up service is provided is, in the opinion of SCE, expected to exceed 500kW. Under this Schedule, reliability back-up service shall be provided only when SCE's service, including standby service, is not available at the main service. Service under this Schedule does not act as a guarantee of uninterrupted service. Furthermore, reliability back-up service shall not be used to serve the load that is curtailed/interrupted under a load curtailment program in which a participating Customer agrees to curtail/interrupt its load when called upon to do so under the terms of such program or the curtailed load of a circuit during a California Independent System Operator (CAISO) Stage III Emergency Rotating Outage. The Customer is ineligible for service under this Schedule when the main service is no longer eligible for Schedule TOU-8, TOU-8-S, or TOU-8-RTP-S. Effective with the date of such ineligibility, the reliability back-up service and service under this Schedule shall terminate (See Special Conditions). Service under this Schedule is subject to meter availability.

TERRITORY

Within the entire territory served.

RATES

The following rates are set forth for reliability back-up service metered and delivered at secondary, primary, and subtransmission voltages.

SERVICE METERED AND DELIVERED AT VOLTAGES BELOW 2 KV

	Delivery Service									Generation[9]	
	Trans[1]	Distrbtn[2]	NSGC[3]	NDC[4]	PPPC[5]	WFC[6]	DWRA[11]	PUCRF[7]	Total[8]	UG**	DWREC[10]
Energy Charge - $/kWh											
Summer Season - On-Peak	(0.00051) (R)	0.00109	0.00542	0.00003	0.02065 (R)	0.00591	0.00000	0.00100	0.03359 (R)	0.10128	0.00000
Mid-Peak	(0.00051) (R)	0.00109	0.00542	0.00003	0.02065 (R)	0.00591	0.00000	0.00100	0.03359 (R)	0.09236	0.00000
Off-Peak	(0.00051) (R)	0.00109	0.00542	0.00003	0.02065 (R)	0.00591	0.00000	0.00100	0.03359 (R)	0.06256	0.00000
Winter Season											
Mid-Peak	(0.00051) (R)	0.00109	0.00542	0.00003	0.02065 (R)	0.00591	0.00000	0.00100	0.03359 (R)	0.07221	0.00000
Off-Peak	(0.00051) (R)	0.00109	0.00542	0.00003	0.02065 (R)	0.00591	0.00000	0.00100	0.03359 (R)	0.07266	0.00000
Super-Off-Peak	(0.00051) (R)	0.00109	0.00542	0.00003	0.02065 (R)	0.00591	0.00000	0.00100	0.03359 (R)	0.03813	0.00000
Fixed Recovery Charge - $/kWh									0.00365		
MCAM Charge[12] - $/kWh									0.00146		
Customer Charge - $/Meter/Month		445.34 (I)							445.34 (I)		
Demand Charge* - $/kW of Billing Demand/Meter/Month											
Time Related											
Summer Season - On-Peak		0.00							0.00	18.36	
Winter Season - Mid-Peak - Weekdays (4-9pm)		0.00							0.00	5.63	
Power Factor Adjustment** - $/kVAR		0.52							0.52		

(Continued)

Schedule TOU-8-RBU Sheet 2
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

RATES (Continued)
SERVICE METERED AND DELIVERED AT VOLTAGES BELOW 2 KV (Continued)

* For each billing period the On-, Mid-, and Off-Peak demand charges of this Schedule shall be reduced by the corresponding On-, Mid-, and Off-Peak demand charges of the main service rate schedule, but shall not be less than zero.
** For each billing period the Power Factor Adjustment billing of this Schedule shall be reduced by the Power Factor Adjustment billing amount of the main service rate schedule, but shall not be less than zero.
*** The ongoing Competition Transition Charge (CTC) of $0.00010 per kWh is recovered in the UG component of Generation.
1 Trans = Transmission and the Transmission Owners Tariff Charge Adjustments (TOTCA) which are FERC approved. The TOTCA represents the Transmission Revenue Balancing Account Adjustment (TRBAA) of $(0.00222) per kWh, Reliability Services Balancing Account Adjustment (RSBAA) of $0.00010 per kWh, and Transmission Access Charge Balancing Account Adjustment (TACBAA) of $0.00161 per kWh. (R)

2 Distrbtn = Distribution
3 NSGC = New System Generation Charge
4 NDC = Nuclear Decommissioning Charge
5 PPPC = Public Purpose Programs Charge (includes Diablo Canyon Power Plant charge and California Alternate Rates for Energy Surcharge where applicable.)
6 WFC = Wildfire Fund Non-Bypassable Charge. The Wildfire Fund Non-Bypassable Charge supports the California Wildfire Fund and is not applicable to exempt Customers pursuant to D.19-10-056.
7 PUCRF = The PUC Reimbursement Fee is described in Schedule RF-E.
8 Total = Total Delivery Service rates are applicable to Bundled Service, Direct Access (DA) and Community Choice Aggregation Service (CCA Service) Customers, except DA and CCA Service Customers are not subject to the DWRBC rate component of this Schedule but instead pay the DWRBC as provided by Schedule DA-CRS or Schedule CCA-CRS.
9 Generation = The Generation rates are applicable only to Bundled Service Customers. See Special Condition below for PCIA recovery.
10 DWREC = Department of Water Resources (DWR) Energy Credit – For more information on the DWR Energy Credit, see the Billing Calculation Special Condition of this Schedule.
11 DWRA = A refund from the California Department of Water Resources (DWR) relating to the purchase of power during the 2000-2001 energy crisis.
12 The Modified Cost Allocation Mechanism (MCAM) charge recovers the net cost associated with system reliability procurement ordered by the CPUC that SCE has procured on behalf of customers whose generation services are provided by certain Electric Service Providers or Community Choice Aggregators.

SERVICE METERED AND DELIVERED AT VOLTAGES FROM 2 kV THROUGH 50 KV

	Delivery Service									Generation[9]	
	Trans[1]	Distrbtn[2]	NSGC[3]	NDC[4]	PPPC[5]	WFC[6]	DWRA[11]	PUCRF[7]	Total[8]	UG**	DWREC[10]
Energy Charge - $/kWh											
Summer Season - On-Peak	(0.00052) (R)	0.00107	0.00490	0.00003	0.01983 (R)	0.00591	0.00000	0.00100	0.03222 (R)	0.09587	0.00000
Mid-Peak	(0.00052) (R)	0.00107	0.00490	0.00003	0.01983 (R)	0.00591	0.00000	0.00100	0.03222 (R)	0.08761	0.00000
Off-Peak	(0.00052) (R)	0.00107	0.00490	0.00003	0.01983 (R)	0.00591	0.00000	0.00100	0.03222 (R)	0.05924	0.00000
Winter Season											
Mid-Peak	(0.00052) (R)	0.00107	0.00490	0.00003	0.01983 (R)	0.00591	0.00000	0.00100	0.03222 (R)	0.06851	0.00000
Off-Peak	(0.00052) (R)	0.00107	0.00490	0.00003	0.01983 (R)	0.00591	0.00000	0.00100	0.03222 (R)	0.06908	0.00000
Super-Off-Peak	(0.00052) (R)	0.00107	0.00490	0.00003	0.01983 (R)	0.00591	0.00000	0.00100	0.03222 (R)	0.03624	0.00000
Fixed Recovery Charge - $/kWh									0.00329		
MCAM Charge[12] - $/kWh									0.00141		
Customer Charge - $/Meter/Month		454.87 (I)							454.87 (I)		
Demand Charge* - $/kW of Billing Demand/Meter/Month											
Time Related											
Summer Season - On-Peak		0.00							0.00	17.46	
Winter Season - Mid-Peak - Weekdays (4-9pm)		0.00							0.00	6.54	
Power Factor Adjustment** - $/kVAR		0.52							0.52		

* For each billing period the On-, Mid-, and Off-Peak demand charges of this Schedule shall be reduced by the corresponding On-, Mid-, and Off-Peak demand charges of the main service rate schedule, but shall not be less than zero.
** For each billing period the Power Factor Adjustment billing of this Schedule shall be reduced by the Power Factor Adjustment billing amount of the main service rate schedule, but shall not be less than zero.
*** The ongoing Competition Transition Charge (CTC) of $0.00010 per kWh is recovered in the UG component of Generation.
1 Trans = Transmission and the Transmission Owners Tariff Charge Adjustments (TOTCA) which are FERC approved. The TOTCA represents the Transmission Revenue Balancing Account Adjustment (TRBAA) of $(0.00222) per kWh, Reliability Services Balancing Account Adjustment (RSBAA) of $0.00009 per kWh, and Transmission Access Charge Balancing Account Adjustment (TACBAA) of $0.00161 per kWh. (R)
2 Distrbtn = Distribution
3 NSGC = New System Generation Charge
4 NDC = Nuclear Decommissioning Charge
5 PPPC = Public Purpose Programs Charge (includes Diablo Canyon Power Plant charge and California Alternate Rates for Energy Surcharge where applicable.)
6 WFC = Wildfire Fund Non-Bypassable Charge. The Wildfire Fund Non-Bypassable Charge supports the California Wildfire Fund and is not applicable to exempt Customers pursuant to D.19-10-056.
7 PUCRF = The PUC Reimbursement Fee is described in Schedule RF-E.
8 Total = Total Delivery Service rates are applicable to Bundled Service, Direct Access (DA) and Community Choice Aggregation Service (CCA Service) Customers, except DA and CCA Service Customers are not subject to the DWRBC rate component of this Schedule but instead pay the DWRBC as provided by Schedule DA-CRS or Schedule CCA-CRS.
9 Generation = The Generation rates are applicable only to Bundled Service Customers. Please see Special Condition below for PCIA recovery.
10 DWREC = Department of Water Resources (DWR) Energy Credit – For more information on the DWR Energy Credit, see the Billing Calculation Special Condition of this Schedule.
11 DWRA = A refund from the California Department of Water Resources (DWR) relating to the purchase of power during the 2000-2001 energy crisis.
12 The Modified Cost Allocation Mechanism (MCAM) charge recovers the net cost associated with system reliability procurement ordered by the CPUC that SCE has procured on behalf of customers whose generation services are provided by certain Electric Service Providers or Community Choice Aggregators.

(Continued)

Schedule TOU-8-RBU Sheet 3
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

RATES (Continued)

SERVICE METERED AND DELIVERED AT VOLTAGES ABOVE 50 KV

	Delivery Service									Generation[9]	
	Trans[1]	Distrbtn[2]	NSGC[3]	NDC[4]	PPPC[5]	WFC[6]	DWRA[11]	PUCRF[7]	Total[8]	UG**	DWREC[10]
Energy Charge - $/kWh											
Summer Season - On-Peak	(0.00053) (R)	0.00100	0.00389	0.00003	0.01783 (R)	0.00591	0.00000	0.00100	0.02913 (R)	0.08994	0.00000
Mid-Peak	(0.00053) (R)	0.00100	0.00389	0.00003	0.01783 (R)	0.00591	0.00000	0.00100	0.02913 (R)	0.08242	0.00000
Off-Peak	(0.00053) (R)	0.00100	0.00389	0.00003	0.01783 (R)	0.00591	0.00000	0.00100	0.02913 (R)	0.05542	0.00000
Winter Season											
Mid-Peak	(0.00053) (R)	0.00100	0.00389	0.00003	0.01783 (R)	0.00591	0.00000	0.00100	0.02913 (R)	0.06414	0.00000
Off-Peak	(0.00053) (R)	0.00100	0.00389	0.00003	0.01783 (R)	0.00591	0.00000	0.00100	0.02913 (R)	0.06491	0.00000
Super-Off-Peak	(0.00053) (R)	0.00100	0.00389	0.00003	0.01783 (R)	0.00591	0.00000	0.00100	0.02913 (R)	0.03404	0.00000
Fixed Recovery Charge - $/kWh									0.00194		
MCAM Charge[12] - $/kWh									0.00140		
Customer Charge - $/Meter/Month		5,404.50 (I)							5,404.50 (I)		
Demand Charge* - $/kW of Billing Demand/Meter/Month											
Time Related											
Summer Season - On-Peak		0.00							0.00	19.29	
Winter Season - Mid-Peak - Weekdays (4-9pm)		0.00							0.00	6.23	
Power Factor Adjustment** - $/kVAR		0.66							0.66		
Voltage Discount, Demand 220kV - $/kW											
Facilities Related		0.00							0.00	0.00	
Time Related											
Summer On Peak Demand - $/kW		0.00							0.00	(0.19)	
Winter Weekdays (4-9pm) Demand - $/kW		0.00							0.00	(0.05)	
Voltage Discount , Energy 220 kV - $kWh		0.00000							0.00000	(0.00058)	

* For each billing period the On-, Mid-, and Off-Peak demand charges of this Schedule shall be reduced by the corresponding On-, Mid-, and Off-Peak demand charges of the main service rate schedule, but shall not be less than zero.

** For each billing period the Power Factor Adjustment billing of this Schedule shall be reduced by the Power Factor Adjustment billing amount of the main service rate schedule, but shall not be less than zero.

*** The ongoing Competition Transition Charge (CTC) of $0.00009 per kWh is recovered in the UG component of Generation.

1 Trans = Transmission and the Transmissions Owners Tariff Charge Adjustments (TOTCA) which are FERC approved. The TOTCA represents the Transmission Revenue Balancing Account Adjustment (TRBAA) of $(0.00222) per kWh, Reliability Services Balancing Account Adjustment (RSBAA) of $0.00008 per kWh, and Transmission Access Charge Balancing Account Adjustment (TACBAA) of $0.00161 per kWh. (R)

2 Distrbtn = Distribution

3 NSGC = New System Generation Charge

4 NDC = Nuclear Decommissioning Charge

5 PPPC = Public Purpose Programs Charge (includes Diablo Canyon Power Plant charge and California Alternate Rates for Energy Surcharge where applicable.)

6 WFC = Wildfire Fund Non-Bypassable Charge. The Wildfire Fund Non-Bypassable Charge supports the California Wildfire Fund and is not applicable to exempt Customers pursuant to D.19-10-056.

7 PUCRF = The PUC Reimbursement Fee is described in Schedule RF-E.

8 Total = Total Delivery Service rates are applicable to Bundled Service, Direct Access (DA) and Community Choice Aggregation Service (CCA Service) Customers, except DA and CCA Service Customers are not subject to the DWRBC rate component of this Schedule but instead pay the DWRBC as provided by Schedule DA-CRS or Schedule CCA-CRS.

9 Generation = The Generation rates are applicable only to Bundled Service Customers. Please see Special Condition below for PCIA recovery.

10 DWREC = Department of Water Resources (DWR) Energy Credit – For more information on the DWR Energy Credit, see the Billing Calculation Special Condition of this Schedule.

11 DWRA = A refund from the California Department of Water Resources (DWR) relating to the purchase of power during the 2000-2001 energy crisis.

12 The Modified Cost Allocation Mechanism (MCAM) charge recovers the net cost associated with system reliability procurement ordered by the CPUC that SCE has procured on behalf of customers whose generation services are provided by certain Electric Service Providers or Community Choice Aggregators.

(Continued)

Schedule TOU-8-RBU Sheet 4
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

SPECIAL CONDITIONS

1. Time periods are defined as follows: (N)

TOU Period	Weekdays		Weekends and Holidays	
	Summer	Winter	Summer	Winter
On-Peak	4 p.m. - 9 p.m.	N/A	N/A	N/A
Mid-Peak	N/A	4 p.m. - 9 p.m.	4 p.m. - 9 p.m.	4 p.m. - 9 p.m.
Off-Peak	All other hours	9 p.m. - 8 a.m.	All other hours	9 p.m. - 8 a.m.
Super-Off-Peak	N/A	8 a.m. - 4 p.m.	N/A	8 a.m. - 4 p.m.

(N)

Holidays are New Year's Day (January 1), Presidents' Day (third Monday in February), Memorial Day (last Monday in May), Independence Day (July 4), Labor Day (first Monday in September), Veterans Day (November 11), Thanksgiving Day (fourth Thursday in November), and Christmas (December 25).

When any holiday listed above falls on Sunday, the following Monday will be recognized as a holiday. No change will be made for holidays falling on Saturday. (T)

The Summer Season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year. The Winter Season shall commence at 12:00 a.m. on October 1 and continue until 12:00 a.m. on June 1 of the following year. (T) (T)

2. Voltage. Service under this Schedule will be supplied at one standard voltage.

3. Maximum Demand. Maximum demands shall be established for all applicable TOU periods. The Maximum Demand for each TOU period shall be the measured maximum average kilowatt input indicated or recorded by instruments, during any 15-minute metered interval, but, where applicable, not less than the diversified resistance welder load computed in accordance with the section designated Welder Service in Rule 2. Where the demand is intermittent or subject to violent fluctuations, a 5-minute interval may be used. (T) (T)

4. Billing Demand. The Billing Demand shall be the kilowatts of Maximum Demand, determined to the nearest kW. Under the conditions described in the RATES section of this Schedule, the Demand Charge shall apply and shall include the following billing component. The Time Related Demand (TRD) component shall be for the kilowatts of Maximum Demand recorded during (or established for) each of the TOU periods, as applicable, according to the Customer's Rate Option. (T) (T)

(Continued)

Schedule TOU-8-RBU Sheet 5
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

SPECIAL CONDITIONS (Continued)

5. Power Factor Adjustment: The customer's bill will be increased each month for power factor by the amount shown in the RATES section above for service metered and delivered at the applicable voltage level, based on the per kilovar of maximum reactive demand imposed on SCE.

   The maximum reactive demand shall be the highest measured maximum average kilovar demand indicated or recorded by metering during any 15-minute metered interval in the month. The kilovars shall be determined to the nearest unit. A device will be installed on each kilovar meter to prevent reverse operation of the meter.

   Interconnection Customers who have entered into a FERC Large Generation Interconnection Agreement with SCE and who are otherwise obligated to comply with SCE's Voltage and VAR schedule that requires the Interconnection Customer to operate its facility in a manner that maintains system voltage within allowable limits, shall be exempt from the Power Factor Adjustment provided that the Interconnection Customer is in compliance with all valid SCE voltage orders. (N)

   An Interconnection Customer shall mean the entity that interconnects its generating facility with SCE's transmission system. (N)

6. Temporary Discontinuance of Service. Where the use of energy is seasonal or intermittent, no adjustments will be made for a temporary discontinuance of service. Any customer prior to resuming service within twelve months after such service was discontinued will be required to pay all charges which would have been billed if service had not been discontinued.

7. Parallel Connections. No parallel connection of the main and reliability back-up services shall be permitted. SCE shall control the transfer of the customer's load from the main service to the reliability back-up service.

8. Contracts. A contract is required for service under this Schedule. In addition to the reliability back-up service contract, the customer shall have executed an added facilities contract for the reliability back-up service facilities.

9. Removal From Schedule. Customers receiving service under this Schedule who become ineligible for service under Schedule TOU-8, TOU-8-S, or TOU-8-RTP-S for the main service are, effective with the date of such ineligibility, no longer eligible for service under this Schedule, and may be subject to the termination provision of the added facilities contract for the reliability back-up service facilities. Should the customer elect to terminate its added facilities contract for the reliability back-up service facilities, service under this Schedule shall expire concurrent with the effective date of such termination.

(Continued)

Schedule TOU-8-RBU Sheet 6
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

SPECIAL CONDITIONS (Continued)

10. Compensated Metering. This provision is applicable to service metered and delivered at voltages above 50 kV. Where customer/applicant requests and SCE agrees, SCE may install a transformer loss compensating device (Compensated Metering) acceptable to SCE in order to provide high voltage (over 50 kV) metered service. Where provided, this service will be considered as metered and delivered on SCE's side of the serving transformer. SCE shall rely on transformer loss data provided by the transformer manufacturer or transformer loss tests performed by SCE to calibrate the compensating device. Service under this provision is contingent upon customer/applicant's entering into an agreement which requires payment for the serving transformer and related substation equipment in accordance with Rule 2, Section H, Added Facilities, except where such transformer equipment is owned, operated, and maintained by the customer/applicant. Where the transformer equipment is owned, operated, and maintained by the customer/applicant, the customer/applicant is required to pay for the Compensated Metering and related equipment in accordance with Rule 2, Section H, Added Facilities, and shall also agree to provide SCE unrestricted access to the serving transformer, metering, and compensating equipment.

11. Voltage Discount. Bundled Service, CCA Service, and Direct Access customers will have the Distribution rate component of the applicable Delivery Service charges reduced by the corresponding Voltage Discount amount for service metered and delivered at the applicable voltage level as shown in the Rates section above. In addition, Bundled Service Customers will have the Utility Generation (UG) rate component of the applicable Generation charges reduced by the corresponding Voltage Discount amount for service metered and delivered at the applicable voltage level as shown in the Rates section. (T)

12. Billing Calculation: A customer's bill is calculated according to the rates and conditions above.

    The charges listed in the Rates section are calculated by multiplying the Total Delivery Service rates and the Generation rates, when applicable, by the billing determinants (e.g., per kilowatt [kW], kilowatthour [kWh], kilovar [kVAR], etc.).

    As of January 1, 2012, all generation supplied to Bundled Service Customers is provided by SCE. The DWR Energy Credit provided to Bundled Service Customers is determined by multiplying the DWR Energy Credit rate component by the customer's total kWhs.

    a. Bundled Service Customers receive Delivery Service and Generation service from SCE. The customer's bill is the sum of the charges for Delivery Service and Generation service determined, as described in this Special Condition, and subject to applicable discounts or adjustments provided under SCE's tariff schedules.

    b. Direct Access Customers receive Delivery Service from SCE and purchase energy from an Energy Service Provider. The customer's bill is the sum of the charges for Delivery Service determined as described in this Special Condition except that the DWRBC rate component is subtracted from the Total Delivery Service rates before the billing determinants are multiplied by such resulting Total rates; plus the applicable charges as shown in Schedule DA-CRS and subject to applicable discounts or adjustments provided under SCE's tariff schedules.

(Continued)

Schedule TOU-8-RBU Sheet 7
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

SPECIAL CONDITIONS (Continued)

12. Billing Calculation: A customer's bill is calculated according to the rates and conditions above. (Continued)

    c. CCA Service Customers receive Delivery Service from SCE and purchase energy from their Community Choice Aggregator (CCA). SCE will read the meters and present the bill for both Delivery and Generation Services to the CCA Service Customer. The customer's bill is the sum of the charges for Delivery Service as displayed in this Rate Schedule and Generation charges determined by the CCA plus the applicable charges as shown in Schedule CCA-CRS, and subject to applicable discounts or adjustments provided under SCE's tariff schedules.

13. Reliability Back-Up Service Not A Guarantee Of Uninterrupted Electric Service. Reliability back-up service under this Schedule does not prevent a customer from being subject to rotating outages. In the event the customer is designated by the California Public Utilities Commission's decisions or staff as exempted essential use, the reliability back-up service shall not be deemed as essential or exempt from rotating outages.

14. Customers with Service Metered and Delivered at Voltages above 50 kV (Sub-transmission customers) Included in Rotating Outages.

    Sub-transmission customers, except for those customers exempt from rotating outages, are to be included in controlled, rotating outages when required by the California Independent System Operator (CAISO). To the extent feasible, SCE will coordinate rotating outages applicable to Sub-transmission customers who are fossil fuel producers and pipeline operators and users to minimize disruption to public health and safety. SCE shall not include a Sub-transmission customer in an applicable rotating outage group if the customer's inclusion would jeopardize electric system integrity. Sub-transmission customers who are not exempt from rotating outages, and seek such exemption, may submit an Optional Binding Mandatory Curtailment (OBMC) Plan to SCE in accordance with Schedule OBMC. If SCE approves a customer's OBMC Plan, the customer will become exempt from rotating outages and will be subject to the terms and conditions of Schedule OBMC and its associated contract. (T) (T)

    Non-exempt Sub-transmission customers shall be required to drop their entire electrical load during applicable rotating outages by either (1) implementing the load reduction on their own initiative, in accordance with subsection a, below; or (2) having SCE implement the load reduction through remote-controlled load drop equipment (control equipment) in accordance with subsection b, below. A Sub-transmission customer shall normally be subject to the provisions of subsection a. If SCE approves a customer's request to have SCE implement the load reduction or if the customer does not comply with prior required load reductions, as specified in subsection c, the customer will be subject to the provisions of subsection b.

    a. Customer-Implemented Load Reduction. (T)

        (1) Notification of Required Load Reduction. At the direction of the CAISO, SCE shall notify each Sub-transmission customer in an affected rotating outage group to drop its entire load. Within 30 minutes of such notification, the customer must drop its entire load. The customer shall not return the dropped load to service until 90 minutes after SCE sent the notification to the customer to drop its load, unless SCE notifies the customer that it may return its load to service prior to the expiration of the 90 minutes.

(Continued)

Schedule TOU-8-RBU Sheet 8
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

SPECIAL CONDITIONS (Continued)

14. Customers with Service Metered and Delivered at Voltages above 50 kV (Sub-transmission customers) Included in Rotating Outages. (Continued)

a. Customer-Implemented Load Reduction. (Continued)

(2) Method of Notification. The method in which SCE will notify Sub-transmission customers, who are required to implement their own load reduction, includes email, phone, and/or text message. The customer is responsible for providing SCE their designated contact(s) information and preferred method for notifications. Customers must ensure the notification delivery method is functional at all times and are responsible for their charges incurred with the notification delivery service. Failure to provide at least one functional notification contact may result in Excess Energy Charges. When SCE sends the notification to the designated contact(s) the customer is responsible for dropping its entire load in accordance with subsection a., above. (T)

(3) Excess Energy Charges. If a Sub-transmission customer fails to drop its entire load within 30 minutes of notification by SCE, and/or fails to maintain the entire load drop until 90 minutes after the time notification was sent to the customer, unless SCE otherwise notified the customer that it may return its load to service earlier in accordance with subsection a. (1) above, SCE shall assess Excess Energy Charges of $6 per kWh for all kWh usage in excess of the Authorized Residual Ancillary Load. Such charges will be based on the total kWh usage during the applicable rotating outage penalty period, less the product of Authorized Residual Ancillary Load in kW and the applicable rotating outage penalty period in hours. Excess Energy Charges will be determined and applied by SCE subsequent to the Sub-transmission customer's regularly scheduled meter read date following the applicable rotating outage.

(4) Authorized Residual Ancillary Load. Authorized Residual Ancillary Load is load that is deemed to be equivalent to five percent of the Sub-transmission customer's prior billing month's recorded Maximum Demand. This minimum load level is used as a proxy to allow for no-load transformer losses and/or load attributed to minimum grid parallel operation for generators connected under Rule 21.

(Continued)

Schedule TOU-8-RBU Sheet 9 (T)
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE (T)

SPECIAL CONDITIONS (Continued)

14. Customers with Service Metered and Delivered at Voltages above 50 kV (Sub-transmission customers) Included in Rotating Outages. (Continued)

b. SCE-Implemented Load Reduction.

Non-exempt Sub-transmission customers may request, in writing, to have SCE drop the customer's entire load during all applicable rotating outages using SCE's remote-controlled load drop equipment (control equipment). If SCE agrees to such arrangement, SCE will implement the load drop by using one of the following methods:

(1) Control Equipment Installed. For a Sub-transmission customer whose load can be dropped by SCE's existing control equipment, SCE will implement the load drop during a rotating outage applicable to the customer. The customer will not be subject to the Notification and Excess Energy Charge provisions set forth in subsection a, above. (T)

(2) Control Equipment Pending Installation. For a Sub-transmission customer whose load can not be dropped by SCE's existing control equipment, the customer must request the installation of such equipment at the customer's expense in accordance with SCE's Rule 2, Section H, Added Facilities. Pending the installation of the control equipment, the customer will be responsible for dropping load in accordance with the provisions of subsection a, above, including the Notification and Excess Energy Charge provisions. (T)

c. Non-compliance: A non-exempt Sub-transmission customer subject to subsection a, above, who fails to drop load during three rotating outages in a three year period to a demand level of 20% or less of the customer's prior billing month's recorded Maximum Demand averaged over the applicable rotating outage period, is not in compliance with this tariff. The three year period shall commence with the first failure to drop load as specified in this subsection. A customer not in compliance with this condition will be placed at the top of the Sub-transmission customer rotating outage group list and will be expected to comply with subsequent applicable rotating outages. In addition, the customer must select one of the two options below within fifteen days after receiving written notice of non-compliance from SCE. A customer failing to make a selection within the specified time frame will be subject to subsection c. (2) below. (T)

(1) Subject to Schedule OBMC: The customer shall submit an OBMC Plan, in accordance with Schedule OBMC, within 30 calendar days of receiving written notice of non-compliance from SCE. Pending the submittal of the OBMC Plan by the customer and pending the review and acceptance of the OBMC Plan by SCE, the customer will remain responsible for dropping load in accordance with the provisions of subsection a, above, including the Notification and Excess Energy charge provisions. If the customer fails to submit an OBMC Plan within 30 days of receiving notice of non-compliance from SCE, or if the customer's OBMC Plan is not approved by SCE, or if the customer fails to meet the requirements of Schedule OBMC once the OBMC Plan is approved, the customer shall be subject subsection c. (2), below. (T)

(Continued)

Schedule TOU-8-RBU Sheet 10
TIME-OF-USE - GENERAL SERVICE - LARGE -
RELIABILITY BACK-UP SERVICE

SPECIAL CONDITIONS (Continued)

14. Customers with Service Metered and Delivered at Voltages above 50 kV (Sub-transmission customers) Included in Rotating Outages. (Continued)

c. Non-compliance: (Continued)

(2) Installation of Control Equipment. The customer shall be subject to the installation of control equipment at the customer's expense in accordance with SCE's Rule 2, Section H, Added Facilities, if such equipment is not currently installed. If such switching capability is installed, SCE will drop the customer's load for all applicable subsequent rotating outages in accordance with the provisions of subsection b, above. Pending the installation of control equipment, the customer will remain responsible for dropping load in accordance with the provisions of subsection a, above, including the Notification and Excess Energy Charge provisions.

d. Net-Generators

Sub-transmission customers who are also net-generators are normally exempt from rotating outages, but they must be net suppliers of power to the grid during all rotating outages. For the purpose of this Special Condition, a net-generator is an SCE customer who operates an electric generating facility as part of its industrial or commercial process, and the generating facility normally produces more electrical power than is consumed in the industrial or commercial process, with the excess power supplied to the grid. Sub-transmission customers whose primary business purpose is to generate power are not included in this Special Condition.

(1) Notification of Rotating Outages. SCE will notify sub-transmission customers who are net-generators of all rotating outages applicable to customers within SCE's service territory. Within 30 minutes of notification, the customer must ensure it is a net supplier of power to the grid throughout the entire rotating outage period. Failure to do so will result in the customer losing its exemption from rotating outages, and the customer will be subject to Excess Energy Charges, as provided below.

(2) Excess Energy Charges. Net generators who are not net suppliers to the grid during each rotating outage period will be subject to Excess Energy Charges of $6 per kWh for all kWh usage in excess of the Authorized Residual Ancillary Load. Such charges will be based on the total kWh usage during a rotating outage penalty period, less the product of Authorized Residual Ancillary Load in kW and the applicable rotating outage period hours. Excess Energy Charges will be determined and applied by SCE subsequent to the customer's regularly scheduled meter read date following the applicable rotating outage. Excess Energy Charges shall not apply during periods of verifiable scheduled generator maintenance or if the customer's generator suffers a verifiable forced outage. The scheduled maintenance must be approved in advance by either the CAISO or SCE, but approval may not be unreasonably withheld. (T)