


MEANING OF THE THREE INDICATOR LIGHTS



If on (**green**) :
You are ready to rename the file and the basic conditions are met.
OR
The renaming ended successfully (after pressing "Start Replacement")

Corresponding
Statuses:

"Ready": Ready for renaming. Active when all the necessary fields are filled.

"Completed Successfully": File is ready and renamed correctly. The program will reset itself to "Idle" mode and delete all the values entered into it.

If on (**yellow**) :
The renaming is in process. If the processing takes over 5min, the processing stops and the new file is deleted, the yellow light goes out and the red light is on.

Corresponding
Statuses:

"Processing, please wait...": The program is actively renaming the file you've entered.

"Process stopped by user": The ongoing process was safely interrupted and canceled manually by the user.

If on (**red**) :
The renaming didn't end successfully, and there was an error. You should see a pop-up message describing the error.
OR
The processing time was too long (>5 min), the processing stopped and the new file was deleted.

Corresponding
Statuses:

"Not enough space"

"Processing time >5min"

"Error occurred":
Critical runtime error (corrupted archive, permission issue, etc.).

TECHNICAL STATUS DETAILS

1. All Indicators Off

- *Status: Idle*

- Meaning: The application is waiting for user action.
- Origin: This status is active upon launch or as soon as at least one of the three main fields (Mod archive file, Text to search for, Replace with) is empty.

2. Green Indicator

- *Status: Ready*

- Meaning: All minimum required information has been provided.
- Origin: The program verified that the source file, search text, and replacement text are filled in. The Start Replacement button is ready to be used.

- *Status: Completed successfully!*

- Meaning: The entire process (extraction, text/file/folder replacement, and generation of the new .scs or .zip file) completed without any errors.
- Origin: End of execution of the process_mod() method. A pop-up displays the total time (0Xmin and XXs). Note: Clicking OK resets the fields and changes the status back to Status: Idle.

3. Yellow Indicator

- *Status: Processing, please wait...*

- Meaning: A replacement process is currently running in a background thread.
- Origin: Triggered immediately after clicking Start Replacement. During this state, the loading spinner and progress percentage animate on the right.

- *Status: Process stopped by user.*

- Meaning: The ongoing process was safely interrupted and canceled manually by the user.
- Origin: Triggered when clicking "Stop Replacement". Any partially created output archive is automatically cleaned up, and a blinking yellow sequence indicates the cancellation before returning to idle.

4. Red Indicator

- *Status: Replacement text and searched text terms are identical.*

- Meaning: The replacement operation was prevented because the search term and the replacement term are strictly identical (case-sensitive context).
- Origin: Triggered immediately if both fields match upon running, or automatically after a 2-second delay if the user types identical values. Displays an Acknowledge button to reset the state.

- *Status: Not enough storage space.*

- Meaning: The operation was canceled prior to extraction for safety.

- Origin: The `check_free_space()` function detected that the free disk space (temporary folder or destination drive) is lower than the estimated requirement to extract the archive and build the final file.

- *Status: File locked or in use*

- Meaning: The process failed because a file or archive is currently opened or locked by another program.

- Origin: A `PermissionError` was caught during file writing or moving. Any partially generated file is cleaned up, and an error pop-up shows the elapsed time.

- *Status: Character encoding error*

- Meaning: The process encountered a file with non-standard text encoding that couldn't be parsed.

- Origin: A `UnicodeDecodeError` was raised while reading a file's content. Any partial output is cleaned up.

- *Status: Archive corrupted*

- Meaning: The source file is invalid, damaged, or corrupted.

- Origin: A `BadZipFile` or `BadRarFile` exception was caught during extraction.

- *Status: Memory limit exceeded*

- Meaning: The file is exceptionally massive and exceeded available RAM limits.

- Origin: A `MemoryError` was triggered during processing.

- *Status: Path length limit exceeded*

- Meaning: The generated file path or internal folder structure exceeded Windows limitations.

- Origin: An `OSError` matching Windows path length restrictions (260 characters) was raised.

- *Status: Invalid file or folder name*

- Meaning: The text replacement generated a reserved or forbidden character sequence for file systems.

- Origin: An `OSError` related to syntax or invalid naming was caught.

- *Status: File system error*

- Meaning: A general input/output or low-level file system error interrupted the task.

- Origin: An unspecified `OSError` was caught during execution.

- *Status: Processing time >5 min*

- Meaning: Processing was automatically interrupted because it exceeded the maximum allowed limit of 5 minutes (300 seconds).

- Origin: Triggered by the continuous timeout verification. If the archive is too large or the system is too slow, the process stops, deletes any partially generated file, and displays the error pop-up with the elapsed time.

- *Status: Error occurred.*

- Meaning: An unexpected critical error interrupted the operation.

- Origin: An unhandled Python exception was raised during processing. Any partially generated file is cleaned up/deleted, and the error trace is written to `log/app.log`.