Experience is the solution
314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

June 26, 2024

Brian Evans
Beam Enterprises
be@beamenterprisesinc.com

Work Order No: 240610073

TEL: (917) 775-9333

RE: Laboratory Analysis
Chrysler Pond

Adirondack Environmental Services, Inc received 6 samples on 6/10/2024 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

Matthew Daigneault
Laboratory Manager

Adirondack Environmental Services, Inc

CASE NARRATIVE

Beam Enterprises

Laboratory Analysis

Chrysler Pond

Date: *26-Jun-24*

Lab WorkOrder: **240610073**

Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers:

ND : Not Detected at reporting limit	C: CCV below acceptable Limits
J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
H: Hold time exceeded	Z: Duplication outside acceptable limits
N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: *26-Jun-24*

CLIENT:	Beam Enterprises	**Client Sample ID:**	EMF - Water
Work Order:	**240610073**	**Collection Date:**	6/10/2024 1:30:00 PM
Reference:	Laboratory Analysis / Chrysler Pond	**Lab Sample ID:**	240610073-001
PO#:		**Matrix:**	WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY - EPA 300.0 REV 2.1						Analyst: **GK**
Nitrate, Nitrogen (As N)	**ND**	0.010		mg/L	1	6/11/2024 3:41:53 PM
COLILERT 18						Analyst: **AF**
(Prep: Colilert - 6/10/2024)						
Escherichia Coli	**1.0**	1.0		MPN/100mL	1	6/10/2024 5:32:00 PM
AMMONIA (NON-DISTILLED) - EPA 350.1 REV 2.0						Analyst: **CP**
Nitrogen, Ammonia (As N)	**ND**	0.1		mg/L	1	6/19/2024 10:10:45 AM
TOTAL PHOSPHATE - SM 4500-P (F-H)-2011						Analyst: **DG**
Prep: SM4500-PB(5)-2011 - 6/14/2024)						
Phosphorus, Total (as P)	**0.06**	0.02	S+	mg/L	1	6/17/2024 2:13:03 PM
TKN (INCL PREP) - SM 4500 N C-2011						Analyst: **DG**
(Prep: SM4500-N C - 6/21/2024)						
Nitrogen, Kjeldahl, Total	**ND**	1.0		mg/L	1	6/21/2024
NITRITE - SM4500 NO2 B-2011						Analyst: **LH**
Nitrite Nitrogen (as N)	**ND**	0.01		mg/L	1	6/11/2024 9:05:00 AM

Adirondack Environmental Services, Inc

Date: *26-Jun-24*

CLIENT:	Beam Enterprises	**Client Sample ID:**	EMF - Sludge Top
Work Order:	**240610073**	**Collection Date:**	6/10/2024 1:30:00 PM
Reference:	Laboratory Analysis / Chrysler Pond	**Lab Sample ID:**	240610073-002
PO#:		**Matrix:**	SLUDGE

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SOLUBLE ANIONS/ ION CHROMATOGRAPHY - SW 9056A						Analyst: **GK**
(Prep: SW9056 - 6/11/2024)						
Nitrogen, Nitrite	**ND**	17.4		µg/g-dry	2	6/11/2024 9:06:29 PM
Nitrogen, Nitrate (As N)	**ND**	17.4		µg/g-dry	2	6/11/2024 9:06:29 PM
AMMONIA AS N - SM 4500 NH3 G-2011						Analyst: **CP**
(Prep: SM4500-NH3 G - 6/26/2024)						
Nitrogen, Ammonia- (as N)	**ND**	220		µg/g-dry	5	6/26/2024 11:17:51 AM
MOISTURE CONTENT-ASTM D2216 (NOT ELAP CERTIFIED)						Analyst: **KM**
Percent Moisture	**95.4**	0.1		wt%	1	6/24/2024
TOTAL PHOSPHATE AS P- SM 4500 P F-2011						Analyst: **DG**
(Prep: SM 4500 P B(5) - 6/24/2024)						
Phosphorus, Total (as P)	**942**	21.7		µg/g-dry	1	6/24/2024 1:40:55 PM
TKN (INCLUDES PREP) - SM 4500 N C-2011						Analyst: **DG**
(Prep: SM4500-N C - 6/24/2024)						
Total Kjeldahl Nitrogen as N	**15900**	870		µg/g-dry	1	6/24/2024

Adirondack Environmental Services, Inc

Date: *26-Jun-24*

CLIENT:	Beam Enterprises	**Client Sample ID:**	EMF - Sludge Bottom
Work Order:	**240610073**	**Collection Date:**	6/10/2024 1:30:00 PM
Reference:	Laboratory Analysis / Chrysler Pond	**Lab Sample ID:**	240610073-003
PO#:		**Matrix:**	SLUDGE

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SOLUBLE ANIONS/ ION CHROMATOGRAPHY - SW 9056A						Analyst: **GK**
(Prep: SW9056 - 6/11/2024)						
Nitrogen, Nitrite	**ND**	13.6		µg/g-dry	2	6/11/2024 9:25:31 PM
Nitrogen, Nitrate (As N)	**ND**	13.6		µg/g-dry	2	6/11/2024 9:25:31 PM
AMMONIA AS N - SM 4500 NH3 G-2011						Analyst: **CP**
(Prep: SM4500-NH3 G - 6/26/2024)						
Nitrogen, Ammonia- (as N)	**ND**	170		µg/g-dry	5	6/26/2024 11:19:23 AM
MOISTURE CONTENT-ASTM D2216 (NOT ELAP CERTIFIED)						Analyst: **KM**
Percent Moisture	**94.1**	0.1		wt%	1	6/24/2024
TOTAL PHOSPHATE AS P- SM 4500 P F-2011						Analyst: **DG**
(Prep: SM 4500 P B(5) - 6/24/2024)						
Phosphorus, Total (as P)	**299**	16.9		µg/g-dry	1	6/24/2024 1:42:16 PM
TKN (INCLUDES PREP) - SM 4500 N C-2011						Analyst: **DG**
(Prep: SM4500-N C - 6/24/2024)						
Total Kjeldahl Nitrogen as N	**18300**	763		µg/g-dry	1	6/24/2024

Adirondack Environmental Services, Inc

Date: *26-Jun-24*

CLIENT:	Beam Enterprises	**Client Sample ID:**	Center - Water
Work Order:	**240610073**	**Collection Date:**	6/10/2024 1:30:00 PM
Reference:	Laboratory Analysis / Chrysler Pond	**Lab Sample ID:**	240610073-004
PO#:		**Matrix:**	WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ANIONS BY ION CHROMATOGRAPHY - EPA 300.0 REV 2.1						Analyst: **GK**
Nitrate, Nitrogen (As N)	**ND**	0.010		mg/L	1	6/11/2024 4:19:58 PM
COLILERT 18						Analyst: **AF**
(Prep: Colilert - 6/10/2024)						
Escherichia Coli	**1.0**	1.0		MPN/100mL	1	6/10/2024 5:32:00 PM
AMMONIA (NON-DISTILLED) - EPA 350.1 REV 2.0						Analyst: **CP**
Nitrogen, Ammonia (As N)	**ND**	0.1		mg/L	1	6/19/2024 10:09:08 AM
TOTAL PHOSPHATE - SM 4500-P (F-H)-2011						Analyst: **DG**
Prep: SM4500-PB(5)-2011 - 6/14/2024)						
Phosphorus, Total (as P)	**0.08**	0.02	S+	mg/L	1	6/17/2024 2:14:23 PM
TKN (INCL PREP) - SM 4500 N C-2011						Analyst: **DG**
(Prep: SM4500-N C - 6/21/2024)						
Nitrogen, Kjeldahl, Total	**1.1**	1.0		mg/L	1	6/21/2024
NITRITE - SM4500 NO2 B-2011						Analyst: **LH**
Nitrite Nitrogen (as N)	**ND**	0.01		mg/L	1	6/11/2024 9:05:00 AM

Adirondack Environmental Services, Inc

Date: *26-Jun-24*

CLIENT:	Beam Enterprises	**Client Sample ID:**	Center - Sludge Top
Work Order:	**240610073**	**Collection Date:**	6/10/2024 1:30:00 PM
Reference:	Laboratory Analysis / Chrysler Pond	**Lab Sample ID:**	240610073-005
PO#:		**Matrix:**	SLUDGE

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SOLUBLE ANIONS/ ION CHROMATOGRAPHY - SW 9056A						Analyst: **GK**
(Prep: SW9056 - 6/11/2024)						
Nitrogen, Nitrite	**ND**	11.6		µg/g-dry	2	6/11/2024 9:44:33 PM
Nitrogen, Nitrate (As N)	**ND**	11.6		µg/g-dry	2	6/11/2024 9:44:33 PM
AMMONIA AS N - SM 4500 NH3 G-2011						Analyst: **CP**
(Prep: SM4500-NH3 G - 6/26/2024)						
Nitrogen, Ammonia- (as N)	**ND**	140		µg/g-dry	5	6/26/2024 11:20:55 AM
MOISTURE CONTENT-ASTM D2216 (NOT ELAP CERTIFIED)						Analyst: **KM**
Percent Moisture	**93.1**	0.1		wt%	1	6/24/2024
TOTAL PHOSPHATE AS P- SM 4500 P F-2011						Analyst: **DG**
(Prep: SM 4500 P B(5) - 6/24/2024)						
Phosphorus, Total (as P)	**626**	14.5		µg/g-dry	1	6/24/2024 1:43:36 PM
TKN (INCLUDES PREP) - SM 4500 N C-2011						Analyst: **DG**
(Prep: SM4500-N C - 6/24/2024)						
Total Kjeldahl Nitrogen as N	**15600**	623		µg/g-dry	1	6/24/2024

Adirondack Environmental Services, Inc

Date: *26-Jun-24*

CLIENT:	Beam Enterprises	**Client Sample ID:**	Center - Sludge Bottom
Work Order:	**240610073**	**Collection Date:**	6/10/2024 1:30:00 PM
Reference:	Laboratory Analysis / Chrysler Pond	**Lab Sample ID:**	240610073-006
PO#:		**Matrix:**	SLUDGE

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SOLUBLE ANIONS/ ION CHROMATOGRAPHY - SW 9056A						Analyst: **GK**
(Prep: SW9056 - 6/11/2024)						
Nitrogen, Nitrite	**ND**	8.70		µg/g-dry	2	6/11/2024 10:03:36 PM
Nitrogen, Nitrate (As N)	**ND**	8.70		µg/g-dry	2	6/11/2024 10:03:36 PM
AMMONIA AS N - SM 4500 NH3 G-2011						Analyst: **CP**
(Prep: SM4500-NH3 G - 6/26/2024)						
Nitrogen, Ammonia- (as N)	**ND**	110		µg/g-dry	5	6/26/2024 11:22:27 AM
MOISTURE CONTENT-ASTM D2216 (NOT ELAP CERTIFIED)						Analyst: **KM**
Percent Moisture	**90.8**	0.1		wt%	1	6/24/2024
TOTAL PHOSPHATE AS P- SM 4500 P F-2011						Analyst: **DG**
(Prep: SM 4500 P B(5) - 6/24/2024)						
Phosphorus, Total (as P)	**309**	10.9		µg/g-dry	1	6/24/2024 1:44:56 PM
TKN (INCLUDES PREP) - SM 4500 N C-2011						Analyst: **DG**
(Prep: SM4500-N C - 6/24/2024)						
Total Kjeldahl Nitrogen as N	**19900**	489		µg/g-dry	1	6/24/2024

LC

Adirondack Environmental Services Inc.
314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#: 240610073

COC Reference:

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: BEAM ENTERPRISES

Address:

Send Report to: BRIAN EVANS

Project Name (Location): CHRYSLER POND

Samplers Name: BRIAN

Client Phone #: 2017410000

Client PO #:

Samplers Signature: B

Client Email:

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type Matrix	C	G	# of Cont's	Preser-vative	Analysis
001	EMF - water	6/10/24	1:30 AP						Coliform MPN *
	EMF - water		AP						Nitrate Nitrite
	EMF - water		AP						NH3/TKN/PO4
002	EMF - SLUDGE TOP		AP						NO3/NO2/NH3/TKN/
003	EMF - SLUDGE BOTTOM		AP						PO4
			AP						↓
004	CENTER - WATER		AP						Coliform MPN *
	CENTER - WATER		AP						Nitrate Nitrite
	CENTER - WATER		AP						NH3/TKN/PO4
	~~CENTER - WATER~~		AP						NO3/NO2/NH3/TKN/PO4
005	CENTER - SLUDGE		AP						
006	CENTER - SLUDGE		AP						↓
			AP						
			AP						
			AP						

Shipment Arrived Via:
FedEx UPS Client AES Other:_____

Turnaround Time Requested:
1 Day 2 Day 3 Day 5 Day Standard
NOTE: Samples received after 3:30pm are considered next business day.

Special Instructions/Remarks:
* Ecoli Colilert ER 6110

Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received for Laboratory by:	Date 6/10/24	Time 5:06

Sample Temperature
Ambient ~ Chilled ~ Chilling Begun
Notes:

Custody Seal Intact: Y / N

Bottles AES: Y / N

Properly Preserved: Y / N

0=None
1=H_2SO_4 pH<2
2=HNO_3 pH<2
3=HCl pH<2
4=$Na_2S_2O_3$
5=NH_4Cl
6=Ascorbic Acid
7=FAS
8=ZnAc/NaOH pH>9
9=NaOH pH>10
10=Other_____

Received Within Holding Times: Y / N
Notes:

Demo
240610073

Adirondack Environmental Services Inc.®
Experience is the solution
314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

(a) Neither **Adirondack Environmental Services, Inc.,** nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.

(b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.

(c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.

(d) In no event shall **Adirondack Environmental Services, Inc.,** its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.

(e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**

(f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

(g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.