```
Checker.java:20: warning: [serial] serializable class Checker has no definition of serialVersionUID
public class Checker extends JFrame implements ActionListener{
       ^
1 warning
4, 4
```

**Run Kitty Run**

UP

LEFT

=^.^=

RIGHT

DOWN

```
Checker.java:20: warning: [serial] serializable class Checker has no definition of serialVersionUID
public class Checker extends JFrame implements ActionListener{
        ^
1 warning
4, 4
4, 5
```

Run Kitty Run

UP

LEFT

RIGHT

=^.^=

DOWN

```
Checker.java:20: warning: [serial] serializable class Checker has no definition of serialVersionUID
public class Checker extends JFrame implements ActionListener{
       ^
1 warning
4, 4
4, 5
5, 5
```

Run Kitty Run

UP

LEFT

RIGHT

=^.^=

DOWN

```
Checker.java:20: warning: [serial] serializable class Checker has no definition of serialVersionUID
public class Checker extends JFrame implements ActionListener{
       ^
1 warning
4, 4
4, 5
5, 5
5, 4
```

Run Kitty Run

UP

LEFT

=^.^=

RIGHT

DOWN

```
Checker.java:20: warning: [serial] serializable class Checker has no definition of serialVersionUID
public class Checker extends JFrame implements ActionListener{
       ^
1 warning
4, 4
4, 5
5, 5
5, 4
```

4, 4

Run Kitty Run

UP

LEFT

=^.^=

RIGHT

DOWN