Battle stats formula

Kivou [2000607]

April 27, 2020

Starting from a formula that gives the battle stats gains for a certain amount of energy, we derive here a formula that gives the battle stats as a function of energy and, in turns, the energy needed to reach a certain battle stats level from a given one.

1 Gym gain formula

Vladar [1996140] gives a formula defining the stat gains as a function of the current stat, the energy spent on train and other parameters.

In this formula and for the rest we will need:

- 2 variables and their increments
  - Energy E and dE
  - Stat S and dS
- 6 known coefficients
  - $a = 0.0000003480061091$
  - $b = 250$
  - $c = 0.000003091619094$
  - $d = 0.0000682775184551527$
  - $e = -0.0301431777$
  - $S_{\text{cap}} = 50000000$ (known as the stat cap)
- 3 states variables
  - Happy level $\mathcal{H}$
  - Gym coefficient $\mathcal{G}$
  - Gym gain bonus $\mathcal{B}$

The Valdar formula eq.(1) gives the stats gains dS as a function of the current stats S and the energy spent dE. It is usually written:

$$dS = \left[(a\ln(\mathcal{H}+b)+c)\bar{S} + d(\mathcal{H}+b)+e\right](1+\mathcal{B})\mathcal{G}dE \tag{1}$$

with $\bar{S} = \min(S_{\text{cap}}, S)$

By introducing 2 new parameters α and β that depend only on the 5 coefficients a, b, c, d, e and the state variables $\mathcal{H}, \mathcal{B}, \mathcal{G}$, eq.(1) can be written as follow:

$$\frac{dS}{dE} = \alpha\bar{S} + \beta \quad \Leftrightarrow \quad \frac{dS}{dE} - \alpha\bar{S} = \beta \tag{2}$$

with

$$\begin{cases} \alpha = (a\ln(\mathcal{H}+b)+c)(1+\mathcal{B})\mathcal{G} \\ \beta = (d(\mathcal{H}+b)+e)(1+\mathcal{B})\mathcal{G} \end{cases} \tag{3}$$

2 Battle stats formula: $S(E)$

Assumption: $\mathcal{H}$, $\mathcal{G}$ and $\mathcal{B}$ remain constant (which is not realistic for a long term prediction at early stages).

From eq.(2) it can clearly be seen that $S(E)$ is driven by a simple ODE. Because of the piece wise definition of the equation the two cases $S < S_{\text{cap}}$ (before cap) and $S > S_{\text{cap}}$ (after cap) have to be treated separatly.

2.1 Before cap

With $S < S_{\text{cap}}$ eq.(2) can be written:

$$\frac{dS}{dE} - \alpha S = \beta \tag{4}$$

Which leads to the solution:

$$\forall k \in \mathbb{R}, \quad S(E) = ke^{\alpha E} - \frac{\beta}{\alpha} \tag{5}$$

With the initial condition $S(0) = 0$ we have

$$S(E) = \frac{\beta}{\alpha}\left(e^{\alpha E} - 1\right) \tag{6}$$

It can be interesting to compute $E = E_{\text{cap}}$ such that $S(E_{\text{cap}}) = S_{\text{cap}}$ which can be done by inverting eq.(6). It gives:

$$E_{\text{cap}} = \frac{1}{\alpha}\ln\left(\frac{\alpha S_{\text{cap}}}{\beta} + 1\right) \tag{7}$$

2.2 After cap

With $S < S_{\text{cap}}$ eq.(2) can be written:

$$\frac{dS}{dE} = \alpha S_{\text{cap}} + \beta \tag{8}$$

which directly yields

$$\forall k \in \mathbb{R}, \quad S(E) = (\alpha S_{\text{cap}} + \beta)E + k \tag{9}$$

With the condition $S(E_{\text{cap}}) = S_{\text{cap}}$ we have:

$$\begin{aligned} S &= (\alpha S_{\text{cap}} + \beta)E + S_{\text{cap}} - (\alpha S_{\text{cap}} + \beta)E_{\text{cap}} \\ &= (\alpha S_{\text{cap}} + \beta)(E - E_{\text{cap}}) + S_{\text{cap}} \end{aligned} \tag{10}$$



Figure 1: Battle stats as a function of energy for $\mathcal{H} = 5000$, $\mathcal{G} = 7.3$ and $\mathcal{B} = 15\%$

3 Prediction

In this section we are now interested at making a prediction of the energy need ΔE to reach S_{f} from S_{i}. For this we need to anaylse the 3 cases:

- $S_{\text{i}} < S_{\text{cap}}$ and $S_{\text{f}} < S_{\text{cap}}$
- $S_{\text{i}} < S_{\text{cap}}$ and $S_{\text{f}} > S_{\text{cap}}$
- $S_{\text{i}} > S_{\text{cap}}$ and $S_{\text{f}} > S_{\text{cap}}$

3.1 Before cap: $S_{\mathrm{i}} < S_{\mathrm{cap}}$ and $S_{\mathrm{f}} < S_{\mathrm{cap}}$

From eq.(6) we can determine k with the condition $S(0) = S_{\mathrm{i}}$ which gives:

$$k = S_{\mathrm{i}} + \frac{\beta}{\alpha} \tag{11}$$

leading to

$$S(E) = \left(S_{\mathrm{i}} + \frac{\beta}{\alpha}\right) e^{\alpha E} - \frac{\beta}{\alpha} \tag{12}$$

In our context we can rewrite this equation with S_{f} and Δ as:

$$S_{\mathrm{f}} = \left(S_{\mathrm{i}} + \frac{\beta}{\alpha}\right) e^{\alpha \Delta E} - \frac{\beta}{\alpha} \tag{13}$$

which can be inverted giving:

$$\Delta E = \frac{1}{\alpha} \ln\left(\frac{S_{\mathrm{f}} + \frac{\beta}{\alpha}}{S_{\mathrm{i}} + \frac{\beta}{\alpha}}\right) \tag{14}$$

ΔE being the energy needed to reach S_{f} stats from S_{i}.

3.2 Passing cap: $S_{\mathrm{i}} < S_{\mathrm{cap}}$ and $S_{\mathrm{f}} > S_{\mathrm{cap}}$

Boring...

3.3 After cap: $S_{\mathrm{i}} > S_{\mathrm{cap}}$ and $S_{\mathrm{f}} > S_{\mathrm{cap}}$

Trivial...