



Select a definition

GasHub v1

GasAPI v1 OAS 3.0

<http://localhost:59503/swagger/v1/swagger.json>

Apilog



GET /api/Apilog



POST /api/Apilog



GET /api/Apilog/{id}



DELETE /api/Apilog/{id}



PUT /api/Apilog/api/apilog/{id}



GasActions



GET /GasActions/{option}



Parameters

Cancel

| Name | Description |
|---|--------------------------------|
| option * required integer(\$int32) (path) | <input type="text" value="4"/> |

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:59503/GasActions/4' \
-H 'accept: */*'
```

Request URL

<http://localhost:59503/GasActions/4>

Server response

| Code | Details |
|------|---|
| 200 | <p>Response body</p> <pre>{ "fileCount": 5, "files": ["gas_prices_2024_11_01.csv", "gas_prices_2024_11_02.csv", "gas_prices_2024_11_03.csv", "gas_prices_2024_11_04.csv", "gas_prices_2024_11_05.csv"] }</pre> <p>Download</p> |

Code**Details****Response headers**

```
content-type: application/json; charset=utf-8
date: Sun, 16 Nov 2025 21:57:59 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses**Code****Description****Links**

200

OK

No links

Gashub

**GET** /api/Gashub**Parameters****Cancel**

No parameters

Execute**Clear****Responses****Curl**

```
curl -X 'GET' \
'http://localhost:59503/api/Gashub' \
-H 'accept: application/json'
```

Request URL

<http://localhost:59503/api/Gashub>

Server response

| Code | Details |
|------|---------|
|------|---------|

200

Response body

```
        "description": "Auto-created from ticker import"
    },
    {
        "id": 11,
        "companyId": "Transco_Z6",
        "companyName": "Transco_Z6",
        "gasTicker": "Transco_Z6",
        "mailAddress1": null,
        "mailAddress2": null,
        "mailCity": null,
        "mailState": null,
        "mailZip": null,
        "mailCountry": null,
        "shipAddress1": null,
        "shipAddress2": null,
        "shipCity": null,
        "shipState": null,
        "shipZip": null,
        "shipCountry": null,
        "glaccount": null,
        "subAccount": null,
        "companyPhone": null,
        "companyFax": null,
        "companyEmail": null,
        "companyCare": null,
        "description": "Auto-created from ticker import"
    }
]
```

[Download](#)

Response headers

```
content-type: application/json; charset=utf-8
date: Sun, 16 Nov 2025 21:58:23 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

| Code | Description | Links |
|------|---|----------|
| 200 | <p>OK</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "companyId": "string", "companyName": "string", "gasTicker": "string", "mailAddress1": "string", "mailAddress2": "string", "mailCity": "string", "mailState": "string", "mailZip": "string", "mailCountry": "string", "shipAddress1": "string", "shipAddress2": "string", "shipCity": "string", "shipState": "string", "shipZip": "string", "shipCountry": "string", "glaccount": "string", "subAccount": "string", "companyPhone": "string", "companyFax": "string", "companyEmail": "string", "companyCare": "string", "description": "string" }]</pre> | No links |

POST /api/Gashub



GET /api/Gashub/{id}



PUT /api/Gashub/{id}



DELETE /api/Gashub/{id}



GasPriceRecord

GET /api/GasPriceRecord



POST /api/GasPriceRecord



GET /api/GasPriceRecord/{id}



PUT /api/GasPriceRecord/{id}



DELETE /api/GasPriceRecord/{id}



GasTickerPrice

GET /api/GasTickerPrice



Parameters

[Cancel](#)

No parameters

[Execute](#)

[Clear](#)

Responses

Curl

```
curl -X 'GET' \
'http://localhost:59503/api/GasTickerPrice' \
-H 'accept: application/json'
```

Request URL

<http://localhost:59503/api/GasTickerPrice>

Server response

| Code | Details |
|------|---|
| 200 | <p>Response body</p> <pre>{ "id": 12, "gasTicker": "NGPL_TexOk", "recordDate": "2024-11-02T00:00:00", "price": 2.35, "description": "Imported from gas_prices_2024_11_02.csv" }, { "id": 13, "gasTicker": "Katy", "recordDate": "2024-11-02T00:00:00", "price": 2.39, "description": "Imported from gas_prices_2024_11_02.csv" }, { "id": 14, "gasTicker": "HSC", "recordDate": "2024-11-02T00:00:00", "price": 2.38, "description": "Imported from gas_prices_2024_11_02.csv" }, { "id": 15, "gasTicker": "NGPL_MidC", "recordDate": "2024-11-02T00:00:00", "price": 2.3, "description": "Imported from gas_prices_2024_11_02.csv" },</pre> <p>Download</p> |

Code**Details**

```
content-type: application/json; charset=utf-8
date: Sun, 16 Nov 2025 21:59:02 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses**Code****Description****Links**

| | | |
|-----|----|----------|
| 200 | OK | No links |
|-----|----|----------|

Media type

application/json

Controls Accept header.

Example Value Schema

```
[  
  {  
    "id": 0,  
    "gasTicker": "string",  
    "recordDate": "2025-11-16T21:59:02.678Z",  
    "price": 0,  
    "description": "string"  
  }  
]
```

POST

/api/GasTickerPrice



GET

/api/GasTickerPrice/{id}



PUT

/api/GasTickerPrice/{id}



DELETE

/api/GasTickerPrice/{id}



Schemas



Apilog

GasPriceRecord

GasTickerPrice

Gashub

Void