

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

Reproducible Research

An Introduction to `knitr`

Sahir Bhatnagar¹

May 28, 2014

¹sahir.bhatnagar@mail.mcgill.ca

Acknowledgements

Reproducible Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

- Dr. Erica Moodie
- Maxime Turgeon, Kevin McGregor, Greg Voisin
- You



McGill

Department of
Epidemiology, Biostatistics
and Occupational Health



Home

Statistics laboratory

Disclaimer



R Markdown v2



L^AT_EX

I don't work for, nor am I an author of any of these packages. I'm just a messenger.

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

Disclaimer

Reproducible Research

What?
Why?
001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details


Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown Introduction

- Material for this tutorial comes from many sources. For a complete list see:
<https://github.com/sahirbhatnagar/knitr-tutorial>
- Alot of the content in these slides are based on these two books



Eat Your Own Dog Food

Reproducible Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

- These slides are reproducible
- Source code: <https://github.com/sahirbhatnagar/knitr-tutorial>

What is Science Anyway?

Reproducible

Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

What is Science Anyway?

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

According to the American Physical Society:

*Science is the systematic enterprise of gathering knowledge about the universe and organizing and condensing that knowledge into **testable laws and theories**. The **success and credibility of science** are anchored in the **willingness of scientists to expose their ideas and results to independent testing and replication by other scientists***

RR: A Minimum Standard to Verify Scientific Findings

Reproducible

Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

RR: A Minimum Standard to Verify Scientific Findings

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations


006-sensitivity-
analysis


R Markdown

Introduction

Reproducible Research (RR) in Computational Sciences

The data and the code used to make a finding are available and they are sufficient for an independent researcher to recreate the finding





A Motivating Example

Reproducible
Research

What?
Why?

**001-motivating-
example**

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

Demonstrate: 001-motivating-example

Tools for Reproducible Research²

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

LaTeX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

Free and Open Source Software

- RStudio: Creating, managing, compiling documents
- LaTeX: Markup language for typesetting a document
- R: Statistical analysis language
- knitr: Integrate LaTeX and R code. Based on Prof. Friedrich Leisch's [Sweave](#)

²<http://onepager.togaware.com/>

Comparison

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction




Figure 1 : Comparison

- **L^AT_EX** has a greater learning curve
- Many tasks are very tedious or impossible (most cases) to do in MS Word or Libre Office

The Philosophy behind L^AT_EX

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction




Figure 2 : Adam Smith, author of *The Wealth of Nations* (1776), in which he conceptualizes the notion of the division of labour

Division of Labour

Composition and logical structuring of text is the author's specific contribution to the production of a printed text. Matters such as the choice of the font family, should section headings be in bold face or small capitals? Should they be flush left or centered? Should the text be justified or not? Should the notes appear at the foot of the page or at the end? Should the text be set in one column or two? and so on, is the typesetter's business

The Genius Behind L^AT_EX



Figure 3 : The T_EX project was started in 1978 by Donald Knuth (Stanford). He planned for 6 months, but it took him nearly 10 years to complete. Coined the term “Literate programming”: mixture of code and text segments that are “human” readable. Recipient of the Turing Award (1974) and the Kyoto Prize (1996).

Reproducible
Research

What?
Why?
001-motivating-
example

Getting Started
L^AT_EX
RStudio
knitr

Details
Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises
002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown
Introduction

Integrated Development Environment (IDE)

Reproducible Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

Integrated Development Environment (IDE)

Reproducible
Research

What?
Why?
001-motivating-
example


Getting Started
IAT_EX
RStudio
knitr

Details
Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis


R Markdown
Introduction



Demonstrate: Explore RStudio, projects and .Rprofile

What knitr does

L^AT_EX example:



Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations


006-sensitivity-
analysis

R Markdown

Introduction

What knitr does

L^AT_EX example:



Reproducible
Research

What?
Why?
001-motivating-
example

Getting Started
L^AT_EX
RStudio
knitr

Details
Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises
002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis


R Markdown
Introduction

Compiling a .Rnw document

The two steps on previous slide can be executed in one command:

```
knitr::knit2pdf()
```

or in RStudio:



Incorporating R code


- Insert R code in a **Code Chunk** starting with

<< >>=

and ending with

@

In RStudio:



Reproducible
Research

What?
Why?
001-motivating-
example

Getting Started
L^AT_EX
RStudio
knitr

Details
Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown
Introduction

Example 1

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

```
<<example-code-chunk-name, echo=TRUE>>=  
library(magrittr)  
rnorm(50) %>% mean  
@
```

produces

```
library(magrittr)  
rnorm(50) %>% mean  
  
## [1] 0.031
```

Example 2

[Reproducible
Research](#)[What?](#)
[Why?](#)
[001-motivating-
example](#)[Getting Started](#)[L^AT_EX](#)
[RStudio](#)
knitr[Details](#)[Code Chunks](#)
[Hooks](#)
[Child](#)
[Documents](#)
[Custom](#)
[Environments](#)[Exercises](#)[002-minimum-
working-example](#)
[003-model-
output](#)
[004-beamer-
presentation](#)
[005-simulations](#)
[006-sensitivity-
analysis](#)[R Markdown](#)
[Introduction](#)

```
<<example-code-chunk-name2, echo=TRUE, tidy=TRUE>>=  
for(i in 1:5){ (i+3) %>% print}  
@
```

produces

```
for (i in 1:5) {  
  (i + 3) %>% print  
}  
  
## [1] 4  
## [1] 5  
## [1] 6  
## [1] 7  
## [1] 8
```


Example 2.2

Reproducible

Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

```
<<example-code-chunk-name3, echo=FALSE>>=  
for(i in 1:5){ (i+3) %>% print}  
@
```

produces

```
## [1] 4  
## [1] 5  
## [1] 6  
## [1] 7  
## [1] 8
```

Example 2.3

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

```
<<example-code-chunk-name4, echo=FALSE, eval=FALSE>>=  
for(i in 1:5){ (i+3) %>% print}  
@
```

produces

R output within the text

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks
Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown
Introduction

- Include R output within the text
- We can do that with “S-expressions” using the command `\Sexpr{...}`

Example:

The iris dataset has `\Sexpr{nrow(iris)}` rows and
`\Sexpr{ncol(iris)}` columns

produces

The iris dataset has 150 rows and 5 columns

Include a Figure

Reproducible
Research

What?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

```
<<fig.ex, fig.cap='Linear Regression',fig.height=3,fig.width=3>>=
plot(mtcars[, c('disp','mpg')])
lm(mpg ~ disp, data = mtcars) %>%
abline(lwd=2)
@
```




Figure 4 : Linear regression

Include a Table

[Reproducible
Research](#)[What?](#)[Why?](#)[001-motivating-
example](#)[Getting Started](#)[L^AT_EX](#)[RStudio](#)[knitr](#)[Details](#)[Code Chunks](#)[Hooks](#)[Child](#)[Documents](#)[Custom
Environments](#)[Exercises](#)[002-minimum-
working-example](#)[003-model-
output](#)[004-beamer-
presentation](#)[005-simulations](#)[006-sensitivity-
analysis](#)[R Markdown](#)[Introduction](#)

```
<<table.ex, results='asis'>>=
library(xtable)
iris[1:5,1:5] %>%
xtable(caption='Sample of Iris data') %>%
print(include.rownames=FALSE)
@
```

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.10	3.50	1.40	0.20	setosa
4.90	3.00	1.40	0.20	setosa
4.70	3.20	1.30	0.20	setosa
4.60	3.10	1.50	0.20	setosa
5.00	3.60	1.40	0.20	setosa

Table 1 : Sample of Iris data

A selection of knitr code chunk options

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks

Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

content...

Set global chunk options

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

content...

Option Aliases

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks

Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

see page 109 yihui

Option Templates

Reproducible
Research

What?
Why?

001-motivating-
example

Getting Started

L^AT_EX
RStudio
knitr

Details

Code Chunks

Hooks
Child
Documents
Custom
Environments

Exercises

002-minimum-
working-example
003-model-
output
004-beamer-
presentation
005-simulations
006-sensitivity-
analysis

R Markdown

Introduction

see page 110 yihui

Chunk References

Reproducible Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

see page 79 yihui

Code in Appendix

Reproducible Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

see page 110 yihui

A selection of knitr code chunk options

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

content...

A selection of knitr code chunk options

Reproducible

Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

see 83

Example Environment

Reproducible Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

**Custom
Environments**

see 120

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

**002-minimum-
working-example**

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

hello world

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

**003-model-
output**

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

hello world

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

**004-beamer-
presentation**

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

hello world

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

hello world

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

**006-sensitivity-
analysis**

R Markdown

Introduction

hello world

Reproducible
Research

What?

Why?

001-motivating-
example

Getting Started

L^AT_EX

RStudio

knitr

Details

Code Chunks

Hooks

Child

Documents

Custom

Environments

Exercises

002-minimum-
working-example

003-model-
output

004-beamer-
presentation

005-simulations

006-sensitivity-
analysis

R Markdown

Introduction

hello world