


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary July 2–3, 2020 – Stations 4 and 6 (July 3) and 8–22 (July 2)

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 2–3, 2020. A total of 469 fish were sampled and 190 were analyzed (172 had adequate data to include in the analysis).


Reporting Group	Stock Composition	90% Confidence Intervals	
	Estimate	Lower	Upper
North Peninsula	1.1%	0.0%	6.3%
Ugashik	1.2%	0.0%	7.9%
Egegik	36.9%	26.8%	46.5%
Naknek	14.4%	7.3%	21.9%
Alagnak	2.2%	0.0%	9.7%
Kvichak	15.3%	8.7%	22.5%
Nushagak	14.1%	7.7%	21.4%
Wood	13.6%	7.1%	20.6%
Igushik	0.3%	0.0%	2.4%
Togiak	0.3%	0.0%	1.7%
Kuskokwim	0.6%	0.0%	3.1%

### Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 2–3, 2020 (Stations 4 and 6 (July 3) and 8–22 (July 2)).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.


# Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number Port Moller Test Fishery 2020




# Historical Comparison of Stock Composition Estimates




# Historical Comparison of Stock Composition Estimates



# Historical Comparison of Stock Composition Estimates



# Historical Comparison of Stock Composition Estimates



# Historical Comparison of Stock Composition Estimates

