Onboarding

AMP CLI Onboarding Guide

This page covers how to request access, install, and authenticate the AMP CLI at Westpac, along with troubleshooting steps for common issues.

Step 1 - Request Access

1. Request access to the following group in OneAccess (https://lifecycle.oneaccess.westpacgroup.com/home.jsf):
   UNITE Sourcegraph AMP Role User (PROD)
2. Once access is approved, someone with existing access must log into ampcode.com and send an invite to your **westpac.com.au** email address.

> ⚠ Westpacgroup.com addresses are currently blocked. Use your westpac.com.au address only.

Step 2 - Install the AMP CLI

Installation in the Westpac environment is handled by an automated PowerShell script that takes care of Zscaler certificate bundling, proxy detection, and the full install - no manual configuration required.

> ⓘ **Prerequisites**
>
> - **Node.js (LTS)** must be installed. Download from https://nodejs.org if not already present.
> - You must be connected to the **Westpac network or VPN**.
> - Your OneAccess request must be **approved** before proceeding.

Step 2a - Download the installation script

Download **Install-AmpCLI-v2.ps1** and save it to a local folder, for example: `C:\ProgramData\amp\`

Step 2b - Run the script

Open **PowerShell**, navigate to the folder where you saved the script, then run:

```
powershell -ExecutionPolicy Bypass -File .\Install-AmpCLI-v2.ps1
```

The script automatically handles all of the following:

Step	What it does
1	Checks that Node.js and npm are available
2	Exports the Zscaler Root CA from the Windows trust store as a valid PEM certificate bundle
3	Detects the Westpac proxy from system settings and sets `HTTPS_PROXY` and `NODE_EXTRA_CA_CERTS` for the session
4	Downloads the Amp installer from `ampcode.com` through the proxy using your Windows credentials
5	Installs Amp CLI - falls back to `npm install` automatically if the primary installer cannot reach the registry
6	Permanently sets `NODE_EXTRA_CA_CERTS`, `HTTPS_PROXY` and adds the npm bin folder to user `PATH`
7	Verifies the install by running `amp --version`

> ⚠ The script uses **Zscaler certificate bundling** (`NODE_EXTRA_CA_CERTS`) - SSL verification is **not** disabled. Your connection remains secure throughout the installation.

Step 2c - Verify the installation

Open a **new** terminal window after the script completes and confirm:

```
amp --version
```

Step 3 - Authenticate

Run the following command to sign in:

```
amp auth login
```

This will open a browser window for Westpac Entra SSO authentication. Follow the prompts to complete login.

To verify you are signed in under the correct account, run:

```
amp usage
```

> ⚠ The signed-in account should show a **westpac.com.au** email address. If it shows a westpacgroup.com address, sign out and re-authenticate using your westpac.com.au credentials.

Troubleshooting

"command not found: amp"

The AMP binary is not on your PATH.

1. Open **System Environment Variables**.
2. Confirm the folder containing `amp.exe` is listed under **PATH**.
3. Close and reopen your terminal and try again.

"Error: failed to refresh token"

1. Run `amp auth logout`
2. Run `amp auth login` to generate a fresh token.

"Error: Unauthorized" or status code 403

Your account may not yet have access or is using the wrong email domain.

1. Check that your OneAccess request for **UNITE Sourcegraph AMP Role User (PROD)** is approved.
2. Confirm you are signed in with a **westpac.com.au** address (run `amp usage`).
3. Ensure you are connected to the **Westpac VPN** if working remotely.

Signed in under westpacgroup.com instead of westpac.com.au

1. Run `amp auth logout`
2. Run `amp auth login` and sign in using your **westpac.com.au** email when prompted.

SSL / Certificate errors during login

Ensure Westpac Zscaler certificates are up to date on your machine. Contact your local IT support if certificates need updating.

Getting Help

- Raise a ticket via the internal ServiceNow portal.
- Contact the WIB Tech GenAI team directly.

Troubleshooting

User Cannot Log In

Log into AMP and check which account the user is signed in under - either by logging into ampcode.com or via the CLI:

```
amp usage
```

The signed-in account should show a **westpac.com.au** email address:

```
C:\Users\M040393>amp usage
Signed in as [redacted]@westpac.com.au
Signed in as pferreira   by your enterprise
Workspace wbc-workspace: usage paid by your enterprise - https://ampcode.com/workspaces/wbc-workspace
```

If the account shows a westpacgroup.com address, sign out and re-authenticate using the westpac.com.au address instead.

You can also verify the signed-in account via the AMP workspace menu:



Wrong Account / westpacgroup.com Address

If the user is signed in under a westpacgroup.com address:

1. Run `amp auth logout`
2. Run `amp auth login` and sign in using the **westpac.com.au** email when prompted.

Cannot use westpac.com.au

If the user cannot sign in using the westpac.com.au credentials



Go to My Apps and select the AMP app tile to authenticate via Entra SSO:



Log in using your westpac.com.au credentials.