

ATTACK SEQUENCE

Whenever models make attacks, you will follow the sequence detailed in this section to find out if they inflict damage.

WHEN DOES THIS SEQUENCE END?

If an attack fails or inflicts damage, this sequence ends for that attack. When all attacks have either failed or inflicted damage, this sequence ends and those attacks have been resolved.

CRITICAL HITS AND CRITICAL WOUNDS

Critical hits are still hits, and **critical wounds** are still wounds. In addition, other rules can be triggered by a **critical hit** or a **critical wound**, such as [LETHAL HITS] and [DEVASTATING WOUNDS] (24).

Each time the active player is instructed to resolve the attack sequence, they follow the steps below. In each step, if there is more than one dice to roll, make all of those rolls simultaneously.

1. HIT ROLLS
2. WOUND ROLLS
3. SAVE ROLLS
4. INFLICT DAMAGE

1. HIT ROLLS 05.01

Make one **hit roll** for each **attack dice** by rolling one D6. For each result, check if it fails or is a hit by matching the first condition below that applies:

→ Unmodified 	FAILS
→ Unmodified 	CRITICAL HIT
→ Equal to or greater than that attack's BS/WS characteristic	HIT
→ Any other result	FAILS

2. WOUND ROLLS 05.02

Make one **wound roll** for each hit by rolling one D6. For each result, check if it fails or is a wound by matching the first condition below that applies:

→ Unmodified 	FAILS
→ Unmodified 	CRITICAL WOUND
→ Equal to or greater than the required result below:	WOUND
ATTACK'S STRENGTH VS TARGET'S TOUGHNESS	REQUIRED RESULT
Strength is TWICE (or more than twice) the Toughness	 +
Strength is GREATER than the Toughness	 +
Strength is EQUAL to the Toughness	 +
Strength is LESS than the Toughness	 +
Strength is HALF (or less than half) the Toughness	 +
→ Any other result	FAILS

05

3. SAVE ROLLS 05.03

The opposing player resolves the following sequence:

- 1. Create Groups:** Divide all models in the target unit into the following groups, as many times as required:
 - One group for each **CHARACTER** model.
 - One group for all other models with the same **W**, **Sv** and **InSv** characteristics.
- 2. Allocation Order:** Declare the order in which those groups will have attacks allocated to them, applying **all** of the following:
 - If a non-**CHARACTER** group contains a model that has lost one or more wounds, that group must be first in the allocation order.
 - No **CHARACTER** group can be earlier in the allocation order than a non-**CHARACTER** group.
 - **CHARACTER** groups containing a model that has lost one or more wounds must be earlier in the allocation order than **CHARACTER** groups containing no wounded models.
- 3. Make Save Rolls:** The opposing player makes one **save roll** for each attack that wounded the target by rolling one D6.

4. INFLICT DAMAGE 05.04

The opposing player resolves the following sequence for each **save roll**, working from lowest result(s) to highest result(s), until all attacks are resolved or all models in the target unit are **destroyed** – in the latter case, any excess attacks are lost.

- 1. Select Model:** Select one model in the current allocation group (see right); this must be a model that has lost one or more wounds if possible.
- 2. Check Save Roll:** For each result, check if that attack inflicts damage or fails by matching the first condition below that applies:

→ Unmodified 	INFLECTS DAMAGE
→ Invulnerable Save: The models in the current allocation group have an InSv characteristic, and the result is equal to or greater than that characteristic.	FAILS
→ Save and AP: After modifying the result by the attacking weapon's AP characteristic, it is equal to or greater than the Sv characteristic of models in the current allocation group.	FAILS
→ Any other result	INFLECTS DAMAGE

- 3. Resolve Damage:** If that attack inflicts damage, the selected model loses a number of wounds equal to that attack's **D** characteristic. If this reduces that model's remaining wounds to 0 or fewer, it is **destroyed**.

SEE ALSO

- ▶ Destroyed
- ▶ Modified Characteristics
- ▶ Modifying Damage
- ▶ Modifying Dice Rolls
- ▶ Random Characteristics

CURRENT ALLOCATION GROUP

The first group in the allocation order begins as the current group. Once all models in an allocation group are **destroyed**, the next group in the allocation order becomes the current one.

Example: An **AP** characteristic of -1 would modify a **save roll** of 3 to a 2. For models with a **Sv** characteristic of 2+ or better, that attack would fail.

ATTACK SEQUENCE EXAMPLES

05

MAKING ATTACKS



1. SELECT WEAPONS

The **RED** unit is attacking. The following weapons are selected to make attacks with:

- 2 boltguns (**B**)
- 2 bolt pistols (**BP**)
- 1 heavy bolter (**HB**)

2. SELECT TARGETS


The **BLUE** unit is selected as the target. The unit is **visible** to all models in the attacking unit. All of the selected weapons are in range, with the exception of one bolt pistol. As a result, that weapon will not make any attacks.

3. RESOLVE ATTACKS

There is only one enemy unit being targeted, so the controlling player now gathers **attack dice**:

- Five **attack dice** are gathered for the boltguns and bolt pistol, which have **A** characteristics of 2 and 1 respectively and all make **identical attacks**.
- Three **attack dice** are gathered for the heavy bolter, which has an **A** characteristic of 3 but does not make **identical attacks**.

RESOLVING ATTACK DICE



1. HIT ROLLS

The controlling player chooses to make the five **hit rolls** for the boltguns and bolt pistol first. The **BS** characteristic of the weapons is 3+. Four of the attacks hit the target.

2. WOUND ROLLS

The controlling player makes four **wound rolls**. The weapons have an **S** characteristic of 4 and the target unit has a **T** characteristic of 3, so rolls of 3+ are required to wound. Three of the attacks wound the target.


3. SAVE ROLLS

The target unit's controlling player makes three **save rolls**.

4. INFLECT DAMAGE

- The lowest result is less than both the **InSv** and **Sv** characteristics of the target, so that attack inflicts damage. This reduces the model to which that attack was allocated to 0 wounds, which **destroys** it.
- The next lowest result is less than the target's **InSv** characteristic, but greater than its **Sv** characteristic of 3+; that attack fails.
- The other result is greater than the target's **InSv** characteristic of 5+; that attack also fails.

RESOLVING OTHER ATTACKS



1. HIT ROLLS

The controlling player then makes three **hit rolls** for the heavy bolter. The **BS** characteristic of the weapon is 4+. Two of the attacks hit the target.

2. WOUND ROLLS

The controlling player makes two **wound rolls**. The weapon has an **S** characteristic of 5, so rolls of 3+ are required to wound. Both attacks wound the target.

3. SAVE ROLLS


The target unit's controlling player makes two **save rolls**.

4. INFLECT DAMAGE

- The lowest result, when modified by the attacking weapon's **AP** characteristic of -1, is less than the target's **Sv** characteristic of 3+, so that attack inflicts damage. This reduces the model to which that attack was allocated to 0 wounds, which **destroys** it.
- The other result is equal to the target's **InSv** characteristic of 5+; that attack fails.

ATTACK SEQUENCE EXAMPLES

ATTACKING ATTACHED UNITS



1. SELECT WEAPONS

The **RED** unit is attacking. The following weapons are selected to make attacks with:

- 7 boltguns (**B**)
- 1 plasma pistol (**PP**)
- 2 heavy bolters (**HB**)

2. SELECT TARGETS

The **BLUE** unit is selected as the target. It is an **attached unit** (19) formed from a Seraphim unit and Saint Celestine (with her two Geminae Superia). The unit is **visible** to all models in the attacking unit, and all of the selected weapons are in range.


3. RESOLVE ATTACKS

There is only one enemy unit being targeted, so the controlling player now gathers **attack dice**. They decide to resolve the heavy bolter attacks first, which each have an **A** characteristic of 3, so six **attack dice** are gathered.

The **attack dice** for the remaining weapons will be gathered once the heavy bolter attacks are resolved (see opposite), as follows:

- 14 **attack dice** for the boltguns, which each have an **A** characteristic of 2.
- One **attack dice** for the plasma pistol, which has an **A** characteristic of 1.

ALLOCATION GROUPS



1. CREATE GROUPS AND DECLARE ORDER

The target unit's controlling player divides it into groups; one containing Saint Celestine, one containing the Geminae Superia, and one containing the Seraphim. They then declare the allocation order, choosing the Geminae Superia first (1), hoping their better **Sv** and **InSv** characteristics will weather the attacks. The Seraphim must be chosen second (2), as Saint Celestine is a **CHARACTER** model so must be last in the order (3).

2. RESOLVE ATTACK DICE

The heavy bolters' attacks wound the target five times, so the target unit's controlling player makes five **save rolls**.

The attacks are resolved one at a time, from lowest **save rolls** to highest:

- The two results of 1 are allocated first, to the current allocation group (the Geminae Superia). They both inflict damage, and both Geminae Superia are **destroyed**.
- The result of 3 is now allocated to the Seraphim, who have become the current allocation group. When modified by the attacking weapon's **AP** characteristic of -1, this also inflicts damage, **destroying** one Seraphim model.
- The remaining attacks fail, so no further damage is inflicted.

3. SELECT NEXT GROUP OF ATTACK DICE AND REPEAT

