
1 Consider the Feedback Control System below:



2 Formulary:

•
$$K_d = \frac{1}{G_f G_s}$$

$$\bullet \ |e_r^{\infty}| = \left|\lim_{s \to 0} s \cdot \frac{K_d}{1 + L(s)} \cdot \frac{R_0}{s^{h+1}}\right| = \left|\lim_{s \to 0} \frac{s^{\nu+p} K_d^2}{s^{\nu+p} K_d + K_c K_p G_a} \cdot \frac{R_0}{s^h}\right|$$

$$\bullet |e_{da}^{\infty}| = \left| \lim_{s \to 0} s \cdot \frac{G_p(s)}{1 + L(s)} \cdot \frac{D_{a0}}{s^{h+1}} \right| = \left| \lim_{s \to 0} \frac{s^{\nu} K_d K_p}{s^{\nu+p} K_d + K_c K_p G_a} \cdot \frac{D_{a0}}{s^h} \right|$$

$$\bullet \ \left| e_{dp}^{\infty} \right| = \left| \lim_{s \to 0} s \cdot \frac{1}{1 + L(s)} \cdot \frac{D_{p0}}{s^{h+1}} \right| = \left| \lim_{s \to 0} \frac{s^{\nu + p} K_d}{s^{\nu + p} K_d + K_c K_p G_a} \cdot \frac{D_{p0}}{s^h} \right|$$

•
$$\left| e_{dp}^{\infty} \right| = \left| \frac{1}{1 + L(j\omega_p)} \cdot a_p sin\left(\omega_p t\right) \right| < \rho \rightarrow |a_p| \cdot |S(j\omega_p)| < \rho \rightarrow M_S^{LF} = \frac{\rho}{|a_p|}$$

$$\Rightarrow (M_S^{LF})_{dB} + 40 \log\left(\frac{\omega_L}{\omega_p^+}\right) = 0 \rightarrow \omega_L = \omega_p^+ \cdot 10^{\frac{-(M_S^{LF})_{dB}}{40}}; \quad \omega_c \ge 2\omega_L$$

$$\begin{aligned} \bullet \ |e_{ds}^{\infty}| &= \left|\frac{L(j\omega_s)}{1 + L(j\omega_s)} \cdot \frac{1}{G_s} \cdot a_s sin\left(\omega_s t\right)\right| < \rho \rightarrow |a_s| \cdot \left|T(j\omega_s) \cdot \frac{1}{G_s}\right| < \rho \rightarrow M_T^{HF} = \frac{\rho G_s}{|a_s|} \\ &\Rightarrow 0 - 40 \log\left(\frac{\omega_s^-}{\omega_H}\right) = (M_T^{HF})_{dB} \rightarrow \omega_H = \omega_s^- \cdot 10^{\frac{(M_T^{HF})_{dB}}{40}}; \quad \omega_c \leq \frac{\omega_H}{2} \end{aligned}$$

$$\bullet \ \zeta = \frac{|\log(\hat{s})|}{\sqrt{\pi^2 + \log^2(\hat{s})}}; \quad T_p = \frac{1}{2\zeta\sqrt{1 - \zeta^2}}; \quad S_p = \frac{2\zeta\sqrt{2 + 4\zeta^2 + 2\sqrt{1 + 8\zeta^2}}}{\sqrt{1 + 8\zeta^2} + 4\zeta^2 - 1}$$

$$\bullet \ \omega_{c,tr} = \frac{1}{t_r \sqrt{1-\zeta^2}} \cdot (\pi - acos(\zeta)) \cdot \sqrt{\sqrt{1+4\zeta^4 - 2\zeta^2}}; \quad \omega_{c,t,s\alpha\%} = \frac{\log(\frac{100}{\alpha})}{t_{s,\alpha\%}\zeta} \cdot \sqrt{\sqrt{1+4\zeta^4 - 2\zeta^2}}$$

3 Controller Design:

- $\bullet \ G_c = \frac{K_c}{s^{\nu}}; \quad L_{in} = \frac{K_c}{s^{\nu}} \cdot G_p G_a G_s G_f$
- Zero Network: $R_z = 1 + \frac{s}{z}; \quad z = \frac{w_{c,des}}{w_{norm,R_z}}$
- Lag Network: $R_d = \frac{1 + \frac{s}{m_i p_i}}{1 + \frac{s}{p_i}}; \quad m_i = 10^{\frac{-\alpha}{20}}; \quad p_i = \frac{w_{c,des}}{w_{norm,R_i}}$




Figure 1: Caption for Image 1




Figure 2: Caption for Image 2