



Biomass Coverage in European Union (non Mediterranean) Region



Biomass Coverage Over Time in European Union (non Mediterranean) Region

Stocks with highest average biomass




Taxonomy Group

- Gadids
- Pleuronectids
- Forage Fish
- Sebastids
- Carangids-Mackerels
- Elasmobranchs
- Other Marine Fish


Biomass Coverage Over Time in European Union (non Mediterranean) Region

Stocks with lowest average biomass




Blue whiting Northeast Atlantic – European Union (non Mediterranean) Region

Stock represents 18% of average absolute surplus production




Herring ICES 3a-4-7d – European Union (non Mediterranean) Region

Stock represents 8% of average absolute surplus production




Mackerel ICES Northeast Atlantic – European Union (non Mediterranean) Region

Stock represents 12% of average absolute surplus production




Horse mackerel ICES 2a–4a–5b–6a–7–8 – European Union (non Mediterranean) Region

Stock represents 3% of average absolute surplus production




Blue whiting Northeast Atlantic in European Union (non Mediterranean) Region




First and last years with recorded surplus production are labeled


Herring ICES 3a-4-7d in European Union (non Mediterranean) Region



Mackerel ICES Northeast Atlantic in European Union (non Mediterranean) Region



Horse mackerel ICES 2a-4a-5b-6a-7-8 in European Union (non Mediterranean) Region



First and last years with recorded surplus production are labeled