Mediterranean-Black Sea Stocks

v4.61 (Apr-02-2023)

Not present Present Preferred

| | Time Series Types | | | |
|--|-------------------|--------|--------|--------|
| Stock | B/Bmsy | U/Umsy | B/Bmgt | U/Umgt |
| ALBAMED [Albacore tuna Mediterranean Sea] | TB SSB | ER F | TB SSB | ER F |
| 2. ANCHMEDGSA1 [Anchovy Northern Alboran Sea] | TB SSB | ER F | TB SSB | ER F |
| 3. ANCHMEDGSA16 [Anchovy South of Sicily] | TB SSB | ER F | TB SSB | ER F |
| 4. ANCHMEDGSA17-18 [Anchovy Adriatic Sea (GSA 17,18)] | TB SSB | ER F | TB SSB | ER F |
| 5. ANCHMEDGSA19 [Anchovy Western Ionian Sea] | TB SSB | ER F | TB SSB | ER F |
| 6. ANCHMEDGSA20 [Anchovy Eastern Ionian Sea] | TB SSB | ER F | TB SSB | ER F |
| 7. ANCHMEDGSA22-23 [Anchovy Aegean Sea and Crete Island (GSA | TB SSB | ER F | TB SSB | ER F |
| 22,23)] | | | | |
| 8. ANCHMEDGSA29 [Anchovy Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 9. ANCHMEDGSA6 [Anchovy Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 10. ANCHMEDGSA7 [Anchovy Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 11. ANCHMEDGSA9-11 [Anchovy Geographical Sub-Areas 9-11] | TB SSB | ER F | TB SSB | ER F |
| 12. ANGLMEDGSA15-16 [Black bellied angler Malta Island and South of Sicily (GSA 15, 16)] | TB SSB | ER F | TB SSB | ER F |
| 13. ANGLMEDGSA5 [Black bellied angler Balearic Island] | TB SSB | ER F | TB SSB | ER F |
| 14. ANGLMEDGSA6 [Black bellied angler Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 15. ANGLMEDGSA7 [Black bellied angler Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 16. BWHITMEDGSA1 [Blue whiting Northern Alboran Sea] | TB SSB | ER F | TB SSB | ER F |
| 17. BWHITMEDGSA6 [Blue whiting Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 18. BWHITMEDGSA9 [Blue whiting Ligurian and North Tyrrhenian Sea] | TB SSB | ER F | TB SSB | ER F |
| 19. CPANDMEDGSA15-16 [Common pandora Malta Island and South of Sicily (GSA 15, 16)] | TB SSB | ER F | TB SSB | ER F |
| 20. CPANDMEDGSA9 [Common pandora Ligurian and North Tyrrhenian Sea] | TB SSB | ER F | TB SSB | ER F |
| 21. EBASSGSA7 [European seabass Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 22. GFORKBMEDGSA9 [Greater forkbeard Ligurian and North Tyrrhe- | TB SSB | ER F | TB SSB | ER F |
| nian Sea] | | | | |
| 23. GHBRMGSA7 [Gilthead seabream Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 24. GRSHRIMPMEDGSA12-16 [Giant red shrimp Geographical Sub- | TB SSB | ER F | TB SSB | ER F |
| Areas 12-16] | | | | |
| 25. GRSHRIMPMEDGSA18-19 [Giant red shrimp South Adriatic Sea | TB SSB | ER F | TB SSB | ER F |
| and West Ionian Sea (GSA 18,19)] | | | | |
| 26. GRSHRIMPMEDGSA9-11 [Giant red shrimp Geographical Sub- | TB SSB | ER F | TB SSB | ER F |
| Areas 9-11] | TB SSB | ED E | TB SSB | ED E |
| 27. HAKEMEDGSA15-16 [Hake Malta Island and South of Sicily (GSA 15, 16)] | 10 228 | ER F | 10 228 | ER F |
| 28. HAKEMEDGSA1-7 [Hake Geographical Sub-Areas 1-7] | TB SSB | ER F | TB SSB | ER F |
| 29. HAKEMEDGSA17-18 [Hake Adriatic Sea (GSA 17,18)] | TB SSB | ER F | TB SSB | ER F |
| 30. HAKEMEDGSA17-16 [Hake Western Ionian Sea] | TB SSB | ER F | TB SSB | ER F |
| OU. HANLIVILDOOM 13 [Hake Westell Hillian Sea] | מסט טו | LIT F | מסט טו | LIT F |


| 31. HAKEMEDGSA20 [Hake Eastern Ionian Sea] | TB SSB | ER F | TB SSB | ER F |
|---|--------|------|--------|------|
| 32. HAKEMEDGSA22-23 [Hake Aegean Sea and Crete Island (GSA | TB SSB | ER F | TB SSB | ER F |
| 22,23)] | 10 330 | LILI | 10 000 | LITT |
| 33. HAKEMEDGSA7 [Hake Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 34. HAKEMEDGSA7 [Hake Geographical Sub-Areas 8-11] | TB SSB | ER F | TB SSB | ER F |
| | TB SSB | ER F | TB SSB | ER F |
| 35. HMACKMEDGSA9-11 [Horse mackerel Geographical Sub-Areas 9- | 10 330 | ER F | 10 330 | ER F |
| 11] 36. MHMACKMEDGSA29 [Mediterranean horse mackerel Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 37. NEPHMEDGSA29 [Mediterranean noise mackerer black sea] | TB SSB | ER F | TB SSB | ER F |
| · · · · · · · · · · · · · · · · · · · | TB SSB | | | ER F |
| 38. NEPHMEDGSA11 [Norway lobster Sardinia] | | ER F | TB SSB | |
| 39. NEPHMEDGSA15-16 [Norway lobster Malta Island and South of | TB SSB | ER F | TB SSB | ER F |
| Sicily (GSA 15, 16)] | TB SSB | ER F | TB SSB | ER F |
| 40. NEPHMEDGSA17-18 [Norway lobster Adriatic Sea (GSA 17,18)] | TB SSB | ER F | TB SSB | |
| 41. NEPHMEDGSA5 [Norway lobster Balearic Island] | | | | ER F |
| 42. NEPHMEDGSA6 [Norway lobster Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 43. NEPHMEDGSA9 [Norway lobster Ligurian and North Tyrrhenian | TB SSB | ER F | TB SSB | ER F |
| Sea] | TD OOD | ED E | TD COD | ED E |
| 44. PICAMEDGSA25 [Picarel Cyprus Island] | TB SSB | ER F | TB SSB | ER F |
| 45. PRCODMEDGSA9 [Poor cod Ligurian and North Tyrrhenian Sea] | TB SSB | ER F | TB SSB | ER F |
| 46. PSHRMPMEDGSA6 [Deep water rose shrimp Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 47. RBRMMEDGSA1-3 [Red seabream Alboran Island Sea (GSA 1,3)] | TB SSB | ER F | TB SSB | ER F |
| 48. RDSHRMPMEDGSA1 [Red shrimp Northern Alboran Sea] | TB SSB | ER F | TB SSB | ER F |
| 49. RDSHRMPMEDGSA15-16 [Red shrimp Malta Island and South of | TB SSB | ER F | TB SSB | ER F |
| Sicily (GSA 15, 16)] | | | | |
| 50. RDSHRMPMEDGSA6-7 [Red shrimp Geographical Sub-Areas 6-7] | TB SSB | ER F | TB SSB | ER F |
| 51. RDSHRMPMEDGSA9-11 [Red shrimp Geographical Sub-Areas 9- | TB SSB | ER F | TB SSB | ER F |
| 11] | | | | |
| 52. RMULLMEDGSA1 [Red mullet Northern Alboran Sea] | TB SSB | ER F | TB SSB | ER F |
| 53. RMULLMEDGSA10 [Red mullet South Tyrrhenian Sea] | TB SSB | ER F | TB SSB | ER F |
| 54. RMULLMEDGSA11 [Red mullet Sardinia] | TB SSB | ER F | TB SSB | ER F |
| 55. RMULLMEDGSA15-16 [Red mullet Malta Island and South of Sicily | TB SSB | ER F | TB SSB | ER F |
| (GSA 15, 16)] | | | | |
| 56. RMULLMEDGSA17-18 [Red mullet Adriatic Sea (GSA 17,18)] | TB SSB | ER F | TB SSB | ER F |
| 57. RMULLMEDGSA19 [Red mullet Western Ionian Sea] | TB SSB | ER F | TB SSB | ER F |
| 58. RMULLMEDGSA22 [Red mullet Aegean Sea] | TB SSB | ER F | TB SSB | ER F |
| 59. RMULLMEDGSA25 [Red mullet Cyprus Island] | TB SSB | ER F | TB SSB | ER F |
| 60. RMULLMEDGSA29 [Red mullet Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 61. RMULLMEDGSA5 [Red mullet Balearic Island] | TB SSB | ER F | TB SSB | ER F |
| 62. RMULLMEDGSA6 [Red mullet Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 63. RMULLMEDGSA7 [Red mullet Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 64. RMULLMEDGSA9 [Red mullet Ligurian and North Tyrrhenian Sea] | TB SSB | ER F | TB SSB | ER F |
| 65. RSHRMPMEDGSA1 [Deep water rose shrimp Northern Alboran | TB SSB | ER F | TB SSB | ER F |
| Sea] | | | | |
| 66. RSHRMPMEDGSA12-16 [Deep water rose shrimp Geographical | TB SSB | ER F | TB SSB | ER F |
| Sub-Areas 12-16] | | | | |
| 67. RSHRMPMEDGSA17-19 [Deep water rose shrimp Geographical | TB SSB | ER F | TB SSB | ER F |
| Sub-Areas 17-19] | | | | |
| 68. RSHRMPMEDGSA22-23 [Deep water rose shrimp Aegean Sea and | TB SSB | ER F | TB SSB | ER F |
| Crete Island (GSA 22,23)] | | | | |
| 1 /4 | I . | I | 1 | l |


| 69. RSHRMPMEDGSA5 [Deep water rose shrimp Balearic Island] | TB SSB | ER F | TB SSB | ER F |
|--|--------|------|--------|------|
| 70. RSHRMPMEDGSA9-11 [Deep water rose shrimp Geographical Sub- | TB SSB | ER F | TB SSB | ER F |
| Areas 9-11] | | | | |
| 71. SARDMEDGSA1 [European pilchard Northern Alboran Sea] | TB SSB | ER F | TB SSB | ER F |
| 72. SARDMEDGSA16 [Sardine South of Sicily] | TB SSB | ER F | TB SSB | ER F |
| 73. SARDMEDGSA17-18 [Sardine Adriatic Sea (GSA 17,18)] | TB SSB | ER F | TB SSB | ER F |
| 74. SARDMEDGSA20 [European pilchard Eastern Ionian Sea] | TB SSB | ER F | TB SSB | ER F |
| 75. SARDMEDGSA22-23 [European pilchard Aegean Sea and Crete | TB SSB | ER F | TB SSB | ER F |
| Island (GSA 22,23)] | | | | |
| 76. SARDMEDGSA6 [European pilchard Northern Spain] | TB SSB | ER F | TB SSB | ER F |
| 77. SARDMEDGSA7 [Sardine Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 78. SARDMEDGSA9 [European pilchard Ligurian and North Tyrrhenian | TB SSB | ER F | TB SSB | ER F |
| Sea] | | | | |
| 79. SDOGBLKGSA29 [Spiny dogfish Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 80. SMSHRMPMEDGSA10 [Spottail mantis shrimp South Tyrrhenian | TB SSB | ER F | TB SSB | ER F |
| Sea] | | | | |
| 81. SMSHRMPMEDGSA17-18 [Spottail mantis shrimp Adriatic Sea | TB SSB | ER F | TB SSB | ER F |
| (GSA 17,18)] | | | | |
| 82. SMSHRMPMEDGSA9 [Spottail mantis shrimp Ligurian and North | TB SSB | ER F | TB SSB | ER F |
| Tyrrhenian Sea] | | | | |
| 83. SMULLMEDGSA15-16 [Surmullet Malta Island and South of Sicily | TB SSB | ER F | TB SSB | ER F |
| (GSA 15, 16)] | | | | |
| 84. SMULLMEDGSA5 [Surmullet Balearic Island] | TB SSB | ER F | TB SSB | ER F |
| 85. SMULLMEDGSA9 [Surmullet Ligurian and North Tyrrhenian Sea] | TB SSB | ER F | TB SSB | ER F |
| 86. SOLMEDGSA17 [Common sole Northern Adriatic Sea] | TB SSB | ER F | TB SSB | ER F |
| 87. SOLMEDGSA7 [Common sole Gulf of Lions] | TB SSB | ER F | TB SSB | ER F |
| 88. SPRBLKGSA29 [Sprat Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 89. SWORDMED [Swordfish Mediterranean Sea] | TB SSB | ER F | TB SSB | ER F |
| 90. TBSKAMEDGSA29 [Thornback skate Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 91. TURBLKGSA29 [Turbot Black Sea] | TB SSB | ER F | TB SSB | ER F |
| 92. WANGLGSA1-7 [White anglerfish Geographical Sub-Areas 1-7] | TB SSB | ER F | TB SSB | ER F |
| 93. WHITMEDGSA29 [Whiting Black Sea] | TB SSB | ER F | TB SSB | ER F |


| Metadata | | | | |
|------------------------|---|--|--|--|
| Scientific Name | Thunnus alalunga | | | |
| Current Assess ID | ICCAT-ALBAMED-1950-2020-LAWSON | | | |
| Area Mediterranean Sea | | | | |
| Management Authority | International Commission for the Conservation of Atlantic Tunas | | | |
| Assessor | International Commission for the Conservation of Atlantic Tunas | | | |
| Asmts in RAM | 2020, 2016, 2011 | | | |

| Reference Points | | | | | |
|------------------|------------------|-----------|---------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | TBmsy-MT | 2020 | 19,703 | | |
| SSBmsy | - | - | - | | |
| Fmsy | Fmsy-1/yr | 2020 | 0.184 | | |
| ERmsy | ERmsy-calc-ratio | 2020 | 0.185 | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | - | - | - | | |
| ERmgt | - | - | - | | |
| TB0 | TB0-MT | 2011 | 322,000 | | |
| SSB0 | - | - | - | | |
| MSY | MSY-MT | 2020 | 3654 | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|--------------------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2020 | 11,292 | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | F-1/yr | 2020 | 0.22 | - | - |
| ER | ER-calc-ratio | 2020 | 0.22 | - | - |
| TC | TC-MT | 2011 | 2120 | | |
| TL | TL-MT | 2020 | 2675 | | |
| TB/TBmsy | TBdivTBmsy-dimensionless | 2020 | 0.57 | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | FdivFmsy-dimensionless | 2020 | 1.213 | | |
| ER/ERmsy | ER-calc-ratio/ERmsy-calc-ratio | 2020 | 1.186 | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |









| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Engraulis encrasicolus | | | |
| Current Assess ID | STECF-ANCHMEDGSA1-2002-2009-OSIO | | | |
| Area | Northern Alboran Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2009 | | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2009 | 0.452 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2009 | 526 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2009 | 1.56×10^{8} | - | - |
| F | F-1/yr | 2009 | 1.05 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2009 | 292 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2009 | 2.324 | | |
| ER/ERmgt | - | - | - | | |



Start Year → End Year → No Data








| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Engraulis encrasicolus | | | |
| Current Assess ID | STECF-ANCHMEDGSA16-2004-2011-OSIO | | | |
| Area South of Sicily | | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2011, 2011 | | | |

| Reference Points | | | | |
|------------------|------------------|-----------|--------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | TBmsy-MT | 2011 | 14,152 | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2011 | 0.17 | |
| ERmsy | ERmsy-calc-ratio | 2011 | 0.167 | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2011 | 0.08 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | MSY-MT | 2011 | 2359 | |
| M | M-1/yr | 2011 | 0.66 | |
| TBlim | TBlim-MT | 2011 | 3130 | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|--------------------------------|-----------|----------------------|-----|--------|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2011 | 9470 | - | - |
| SSB | SSB-MT | 2011 | 10,700 | - | 0 to 5 |
| TN | - | - | - | - | - |
| R | R-E00 | 2011 | 3.79×10^{8} | - | - |
| F | F-1/yr | 2011 | 0.275 | - | - |
| ER | ER-calc-ratio | 2011 | 0.461 | - | - |
| TC | TC-MT | 2011 | 4370 | | |
| TL | - | - | - | | |
| TB/TBmsy | TBdivTBmsy-dimensionless | 2011 | 0.669 | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | FdivFmsy-dimensionless | 2011 | 1.62 | | |
| ER/ERmsy | ER-calc-ratio/ERmsy-calc-ratio | 2011 | 2.768 | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 9 | | |
| ER/ERmgt | - | - | - | | |








Anchovy Adriatic Sea (GSA 17,18) [ANCHMEDGSA17-18]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID | STECF-ANCHMEDGSA17-18-1975-2016-MEDIMP2021-2 | | |
| Area | Adriatic Sea (GSA 17,18) | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015, 2016, 2013 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | Fmsy-1/yr | 2016 | 0.57 | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2016 | 0.57 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | | | - | | |
| MSY | Υ | | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 349,000 | - | - |
| SSB | SSB-MT | 2016 | 27,639 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 46,085,089,000 | - | - |
| F | F-1/yr | 2016 | 1.428 | - | - |
| ER | ER-calc-ratio | 2015 | 0.113 | - | - |
| TC | TC-MT | 2016 | 28,681 | | |
| TL | TL-MT | 2015 | 39,400 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 2.505 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 2.505 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Anchovy Adriatic Sea (GSA 17,18) [ANCHMEDGSA17-18]



Anchovy Adriatic Sea (GSA 17,18) [ANCHMEDGSA17-18]



| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID | STECF-ANCHMEDGSA19-2006-2012-OSIO | | |
| Area | Western Ionian Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2012 | | |


| Reference Points | | | | |
|------------------|----|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 817 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data


| TB* | SSB* |
|--|---------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | I L |
| | |
| | |
| Listed time series Ta MSY-based BRP Li | arget BRP — Rec-Est |



| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID | STECF-ANCHMEDGSA20-2000-2008-OSIO | | |
| Area | Eastern Ionian Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2008 | | |


| Reference Points | | | | |
|------------------|----|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|--------|-----------|----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2008 | 1190 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2008 | 6.35×10^{8} | - | - |
| F | F-1/yr | 2008 | 0.814 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2008 | 1310 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |



Start Year • End Year * No Data

0






Anchovy Aegean Sea and Crete Island (GSA 22,23) [ANCHMEDGSA22-23]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID | STECF-ANCHMEDGSA22-23-2000-2016-MEDIMP2021-2 | | |
| Area | Aegean Sea and Crete Island (GSA 22,23) | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2016 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.47 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.47 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 74,802 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 26,458,735,000 | - | - |
| F | F-1/yr | 2016 | 0.464 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 10,610 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 0.986 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 0.986 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Anchovy Aegean Sea and Crete Island (GSA 22,23) [ANCHMEDGSA22-23]




Anchovy Aegean Sea and Crete Island (GSA 22,23) [ANCHMEDGSA22-23]




| Metadata | | | |
|---|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID STECF-ANCHMEDGSA29-1988-2016-MEDIMP2021-2 | | | |
| Area Black Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2014, 2016 | | |


| Reference Points | | | | | |
|------------------|-----------|----------------|------|--|--|
| Туре | ID | Asmt Year Valu | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | Fmsy-1/yr | 2016 | 0.49 | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2016 | 0.49 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|-----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 444,815 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 2.75×10^{11} | - | - |
| F | F-1/yr | 2016 | 0.632 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 161,584 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 1.289 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | <u>-</u> | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.289 | | |
| ER/ERmgt | - | _ | - | | |



Start Year • End Year * No Data






Anchovy Northern Spain [ANCHMEDGSA6]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID STECF-ANCHMEDGSA6-1945-2016-MEDIMP2021-2 | | | |
| Area Northern Spain | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015, 2016, 2009 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|--------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | TBmsy-MT | 2015 | 45,440 | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.704 | |
| ERmsy | - | - | - | |
| TBmgt | TBmgt-MT | 2015 | 45,440 | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.704 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 48,200 | - | - |
| SSB | SSB-MT | 2009 | 26,500 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2009 | 1.38×10^{9} | - | - |
| F | F-1/yr | 2016 | 0.839 | - | - |
| ER | ER-calc-ratio | 2015 | 0.351 | - | - |
| TC | TC-MT | 2016 | 17,466 | | |
| TL | TL-MT | 2015 | 16,900 | | |
| TB/TBmsy | TB-MT/TBmsy-MT | 2015 | 1.061 | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 1.193 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | TB-MT/TBmgt-MT | 2015 | 1.061 | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.193 | | |
| ER/ERmgt | - | - | - | | |


Anchovy Northern Spain [ANCHMEDGSA6]



Anchovy Northern Spain [ANCHMEDGSA6]



Anchovy Northern Spain [ANCHMEDGSA6]




| Metadata | | | |
|--|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID IFREMER-ANCHMEDGSA7-1993-2012-BANOBI | | | |
| Area Gulf of Lions | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor French Research Institute for Exploitation of the Sea | | | |
| Asmts in RAM 2012 | | | |

| Reference Points | | | | |
|------------------|----|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|---------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2012 | 32,800 | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | ER-calc-ratio | 2012 | 0.049 | - | - |
| TC | - | - | - | | |
| TL | TL-MT | 2012 | 1770 |] | |
| TB/TBmsy | - | - | - |] | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data



No Data




Anchovy Geographical Sub-Areas 9-11 [ANCHMEDGSA9-11]

| Metadata | | | |
|---|---|--|--|
| Scientific Name | Engraulis encrasicolus | | |
| Current Assess ID STECF-ANCHMEDGSA9-11-2009-2016-MEDIMP2021-2 | | | |
| Area Geographical Sub-Areas 9-11 | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2016 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.22 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.22 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|---------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 39,011 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 6,150,093,000 | - | - |
| F | F-1/yr | 2016 | 0.336 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 8931 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 1.527 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.527 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Anchovy Geographical Sub-Areas 9-11 [ANCHMEDGSA9-11]



Anchovy Geographical Sub-Areas 9-11 [ANCHMEDGSA9-11]




Black bellied angler Malta Island and South of Sicily (GSA 15, 16) [ANGLMEDGSA15-16]


| Metadata | | | |
|---|--------------------------------------|--|--|
| Scientific Name | Lophius budegassa | | |
| Current Assess ID | STECF-ANGLMEDGSA15-16-2006-2011-OSIO | | |
| Area Malta Island and South of Sicily (GSA 15, 16) | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national | | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2010, 2011 | | |


| Reference Points | | | | |
|------------------|----------------|------|-------|--|
| Туре | • | | | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-extr-1/yr | 2010 | 0.165 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2011 | 0.16 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | M-1/yr | 2010 | 0.2 | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2011 | 536 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2011 | 1,100,000 | - | - |
| F | F-1/yr | 2011 | 0.351 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 279 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | FdivFmsy-dimensionless | 2010 | 2.07 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 2.194 | | |
| ER/ERmgt | - | - | - | | |



Start Year ◆ End Year * No Data






Black bellied angler Balearic Island [ANGLMEDGSA5]

| Metadata | | | |
|---|---|--|--|
| Scientific Name | Lophius budegassa | | |
| Current Assess ID STECF-ANGLMEDGSA5-2003-2013-OSIO | | | |
| Area Balearic Island | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2013 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2013 | 0.08 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2013 | 8 | - | 5+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2013 | 152,000 | - | - |
| F | F-1/yr | 2013 | 0.611 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2013 | 11 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2013 | 7.638 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Black bellied angler Balearic Island [ANGLMEDGSA5]



Black bellied angler Balearic Island [ANGLMEDGSA5]




Black bellied angler Northern Spain [ANGLMEDGSA6]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Lophius budegassa | |
| Current Assess ID | STECF-ANGLMEDGSA6-2004-2013-OSIO | |
| Area | Northern Spain | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2013 | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2013 | 0.14 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2013 | 488 | - | 5+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2013 | 9,510,000 | - | - |
| F | F-1/yr | 2013 | 0.909 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2013 | 1050 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2013 | 6.493 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

Black bellied angler Northern Spain [ANGLMEDGSA6]



Black bellied angler Northern Spain [ANGLMEDGSA6]



| Metadata | | |
|----------------------|---|--|
| Scientific Name | Lophius budegassa | |
| Current Assess ID | STECF-ANGLMEDGSA7-2005-2011-OSIO | |
| Area | Gulf of Lions | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011 | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2011 | 0.29 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 355 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Snawner Recruit* | Production* |
| Spawner Recruit* | Production* |

◆ Start Year ◆ End Year * No Data

| TB* | SSB* |
|-----------------------|--------------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Listed time series Ta | arget BRP — Rec–Est im BRP * No Data |




Blue whiting Northern Alboran Sea [BWHITMEDGSA1]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Micromesistius poutassou | |
| Current Assess ID | STECF-BWHITMEDGSA1-2002-2011-OSIO | |
| Area | Northern Alboran Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011 | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2011 | 0.4 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2011 | 428 | - | 2+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2011 | 30,300,000 | - | - |
| F | F-1/yr | 2011 | 1.4 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 644 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 3.5 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

Blue whiting Northern Alboran Sea [BWHITMEDGSA1]




Blue whiting Northern Alboran Sea [BWHITMEDGSA1]




| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Micromesistius poutassou | | | |
| Current Assess ID | rent Assess ID STECF-BWHITMEDGSA6-2009-2013-OSIO | | | |
| Area Northern Spain | | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2013 | | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2013 | 0.159 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | | |
|------------|------------------|-----------|----------------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2013 | 341 | - | 2+ | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2013 | 1.15×10^{8} | - | - | |
| F | F-1/yr | 2013 | 1.26 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2013 | 1020 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2013 | 7.903 | | | |
| ER/ERmgt | - | - | - | | | |



Start Year • End Year * No Data






Blue whiting Ligurian and North Tyrrhenian Sea [BWHITMEDGSA9]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Micromesistius poutassou | | |
| Current Assess ID | STECF-BWHITMEDGSA9-2009-2013-OSIO | | |
| Area | Ligurian and North Tyrrhenian Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2013 | | |


| Reference Points | | | | | |
|------------------|-----------|--------------|-------|--|--|
| Туре | ID | Asmt Year Va | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2013 | 0.328 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2013 | 281 | - | 2+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2013 | 6,880,000 | - | - |
| F | F-1/yr | 2013 | 0.378 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2013 | 102 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2013 | 1.151 | | |
| ER/ERmgt | - | - | - | | |




Start Year ◆ End Year * No Data

Blue whiting Ligurian and North Tyrrhenian Sea [BWHITMEDGSA9]



Blue whiting Ligurian and North Tyrrhenian Sea [BWHITMEDGSA9]




Common pandora Malta Island and South of Sicily (GSA 15, 16) [CPANDMEDGSA15-16]


| Metadata | | |
|----------------------|---|--|
| Scientific Name | Pagellus erythrinus | |
| Current Assess ID | STECF-CPANDMEDGSA15-16-2006-2011-OSIO | |
| Area | Malta Island and South of Sicily (GSA 15, 16) | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011 | |


| Reference Points | | | |
|------------------|-----------|-----------|-------|
| Туре | ID | Asmt Year | Value |
| TBmsy | - | - | - |
| SSBmsy | - | - | - |
| Fmsy | - | - | - |
| ERmsy | - | - | |
| TBmgt | - | - | - |
| SSBmgt | - | - | - |
| Fmgt | Fmgt-1/yr | 2011 | 0.3 |
| ERmgt | - | - | - |
| TB0 | - | - | - |
| SSB0 | - | - | - |
| MSY | - | - | - |
| М | - | - | - |
| TBlim | - | - | - |
| SSBlim | - | - | - |
| Flim | - | - | - |
| ERlim | - | - | - |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2011 | 549 | - | 2+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2011 | 4,850,000 | - | - |
| F | F-1/yr | 2011 | 0.72 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 273 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 2.4 | | |
| ER/ERmgt | - | - | - | | |



Start Year ◆ End Year * No Data





| Metadata | | |
|----------------------|---|--|
| Scientific Name | Pagellus erythrinus | |
| Current Assess ID | STECF-CPANDMEDGSA9-2006-2010-OSIO | |
| Area | Ligurian and North Tyrrhenian Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2010 | |


| Reference Points | | | |
|------------------|-----------|-----------|-------|
| Туре | ID | Asmt Year | Value |
| TBmsy | - | - | - |
| SSBmsy | - | - | - |
| Fmsy | - | - | - |
| ERmsy | - | - | - |
| TBmgt | - | - | - |
| SSBmgt | - | - | - |
| Fmgt | Fmgt-1/yr | 2010 | 0.48 |
| ERmgt | - | - | - |
| TB0 | - | - | - |
| SSB0 | - | - | - |
| MSY | - | - | - |
| М | - | - | - |
| TBlim | - | - | - |
| SSBlim | - | - | - |
| Flim | - | - | - |
| ERlim | - | - | - |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2010 | 171 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|--------------------|--------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| Opawiici i (Corait | i ioaaotioii |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data

| TB* | SSB* |
|-----------------------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F* |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| ER | Recruits |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Listed time series Ta | arget BRP — Rec-Est m BRP * No Data |




European seabass Gulf of Lions [EBASSGSA7]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Dicentrarchus labrax | |
| Current Assess ID | STECF-EBASSGSA7-2002-2015-OSIO | |
| Area | Gulf of Lions | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2015 | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.136 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2015 | 246 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2015 | 3.86×10^{8} | - | - |
| F | F-1/yr | 2015 | 0.536 | - | - |
| ER | - | - | - | - | - |
| TC | - | - | - | | |
| TL | TL-MT | 2015 | 272 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 3.941 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

European seabass Gulf of Lions [EBASSGSA7]



European seabass Gulf of Lions [EBASSGSA7]



| Metadata | | |
|----------------------|---|--|
| Scientific Name | Phycis blennoides | |
| Current Assess ID | STECF-GFORKBMEDGSA9-2007-2011-OSIO | |
| Area | Ligurian and North Tyrrhenian Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011 | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2011 | 0.32 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 41 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Snawner Recruit* | Production* |
| Spawner Recruit* | Production* |

◆ Start Year ◆ End Year * No Data


| TB* | SSB* |
|-----------------------|---------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F * |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| EK | Recruits |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Listed time series Ta | arget BRP — Rec-Est |
| MSY-based BRP Li | m BRP * No Data |




| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Sparus aurata | | |
| Current Assess ID | STECF-GHBRMGSA7-2013-2015-OSIO | | |
| Area | Gulf of Lions | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.19 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|-----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2015 | 2650 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2015 | 5.76×10^{10} | - | - |
| F | F-1/yr | 2015 | 0.45 | - | - |
| ER | - | - | - | - | - |
| TC | - | - | - | | |
| TL | TL-MT | 2015 | 1700 | 1 | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 2.368 | | |
| ER/ERmgt | - | - | - | | |



Start Year • End Year * No Data






Giant red shrimp Geographical Sub-Areas 12-16 [GRSHRIMPMEDGSA12-16]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Aristaeomorpha foliacea | | |
| Current Assess ID | STECF-GRSHRIMPMEDGSA12-16-2005-2011-OSIO | | |
| Area | Geographical Sub-Areas 12-16 | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2011 | 0.3 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2011 | 1250 | - | 1+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2011 | 84,400,000 | - | - |
| F | F-1/yr | 2011 | 1.67 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 1590 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 5.567 | | |
| ER/ERmgt | - | - | - | | |




Start Year ◆ End Year * No Data

Giant red shrimp Geographical Sub-Areas 12-16 [GRSHRIMPMEDGSA12-16]



Giant red shrimp Geographical Sub-Areas 12-16 [GRSHRIMPMEDGSA12-16]




Giant red shrimp South Adriatic Sea and West Ionian Sea (GSA 18,19) [GRSHRIMPMEDGSA18-19]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Aristaeomorpha foliacea | | |
| Current Assess ID | STECF-GRSHRIMPMEDGSA18-19-2008-2014-OSIO | | |
| Area | South Adriatic Sea and West Ionian Sea (GSA 18,19) | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2014 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2014 | 0.42 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2014 | 525 | - | 1+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2014 | 30,200,000 | - | - |
| F | F-1/yr | 2014 | 0.463 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2014 | 328 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2014 | 1.102 | | |
| ER/ERmgt | - | - | - | | |



Start Year • End Year * No Data

Giant red shrimp South Adriatic Sea and West Ionian Sea (GSA 18,19) [GRSHRIMPMEDGSA18-19]






Giant red shrimp Geographical Sub-Areas 9-11 [GRSHRIMPMEDGSA9-11]

| Metadata | | | |
|----------------------------------|---|--|--|
| Scientific Name | Aristaeomorpha foliacea | | |
| Current Assess ID | STECF-GRSHRIMPMEDGSA9-11-2005-2019-MEDIMP2021-2 | | |
| Area Geographical Sub-Areas 9-11 | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.476 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 716 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 279,817,380 | - | - |
| F | F-1/yr | 2019 | 0.734 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 571 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.541 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Giant red shrimp Geographical Sub-Areas 9-11 [GRSHRIMPMEDGSA9-11]



Giant red shrimp Geographical Sub-Areas 9-11 [GRSHRIMPMEDGSA9-11]



Hake Malta Island and South of Sicily (GSA 15, 16) [HAKEMEDGSA15-16]

| Metadata | | | |
|---|--|--|--|
| Scientific Name | Merluccius merluccius | | |
| Current Assess ID | STECF-HAKEMEDGSA15-16-2005-2009-OSIO | | |
| Area | Malta Island and South of Sicily (GSA 15, 16) | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2009 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2009 | 0.15 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | F-1/yr | 2009 | 1.12 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2009 | 1590 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2009 | 7.467 | | |
| ER/ERmgt | - | - | - | | |


Hake Malta Island and South of Sicily (GSA 15, 16) [HAKEMEDGSA15-16]

| Kobe MSY* | Kobe MGT* |
|------------------|--------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| Spannor Restain | 1 1044511611 |
| opannor reorait | |
| opannor recordic | |
| opannor nooran | |
| opannor nooran | |
| opannor nooran | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data



Hake Malta Island and South of Sicily (GSA 15, 16) [HAKEMEDGSA15-16]




Hake Geographical Sub-Areas 1-7 [HAKEMEDGSA1-7]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Merluccius merluccius | | |
| Current Assess ID | STECF-HAKEMEDGSA1-7-2007-2019-MEDIMP2021-2 | | |
| Area | Geographical Sub-Areas 1-7 | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2014, 2019 | | |


| Reference Points | | | | | | |
|------------------|--------------------|------|-------|--|--|--|
| Туре | ID Asmt Year Value | | | | | |
| TBmsy | - | - | - | | | |
| SSBmsy | - | - | - | | | |
| Fmsy | - | - | - | | | |
| ERmsy | - | - | - | | | |
| TBmgt | - | - | - | | | |
| SSBmgt | - | - | - | | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.388 | | | |
| ERmgt | - | - | - | | | |
| TB0 | - | - | - | | | |
| SSB0 | - | - | - | | | |
| MSY | - | - | - | | | |
| M | - | - | - | | | |
| TBlim | - | - | - | | | |
| SSBlim | SSBlim-MT | 2014 | 5186 | | | |
| Flim | - | - | - | | | |
| ERlim | - | - | - | | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 2076 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 42,849,214 | - | - |
| F | F-1/yr | 2019 | 1.585 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 3148 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 4.085 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Hake Geographical Sub-Areas 1-7 [HAKEMEDGSA1-7]



Hake Geographical Sub-Areas 1-7 [HAKEMEDGSA1-7]




Hake Adriatic Sea (GSA 17,18) [HAKEMEDGSA17-18]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Merluccius merluccius | | |
| Current Assess ID | STECF-HAKEMEDGSA17-18-1998-2019-MEDIMP2021-2 | | |
| Area | Adriatic Sea (GSA 17,18) | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2014 | | |


| Reference Points | | | | | |
|----------------------|-----------|------|-------|--|--|
| Type ID Asmt Year Va | | | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | Fmsy-1/yr | 2019 | 0.179 | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.179 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 3322 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 326,847,000 | - | - |
| F | F-1/yr | 2019 | 0.41 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 5361 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2019 | 2.291 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 2.291 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Hake Adriatic Sea (GSA 17,18) [HAKEMEDGSA17-18]



Hake Adriatic Sea (GSA 17,18) [HAKEMEDGSA17-18]




Hake Western Ionian Sea [HAKEMEDGSA19]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Merluccius merluccius | | |
| Current Assess ID | STECF-HAKEMEDGSA19-2004-2019-MEDIMP2021-2 | | |
| Area | Western Ionian Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2014 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.135 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 1193 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 50,329,414 | - | - |
| F | F-1/yr | 2019 | 0.325 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 594 | | |
| TL | - | - | - | 1 | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 2.405 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Hake Western Ionian Sea [HAKEMEDGSA19]



Hake Western Ionian Sea [HAKEMEDGSA19]




Hake Eastern Ionian Sea [HAKEMEDGSA20]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Merluccius merluccius | | |
| Current Assess ID | STECF-HAKEMEDGSA20-2003-2019-MEDIMP2021-2 | | |
| Area | Eastern Ionian Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2008, 2019 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.358 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 1237 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 98,572,383 | - | - |
| F | F-1/yr | 2019 | 0.745 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 872 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 2.082 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Hake Eastern Ionian Sea [HAKEMEDGSA20]



Hake Eastern Ionian Sea [HAKEMEDGSA20]




Hake Aegean Sea and Crete Island (GSA 22,23) [HAKEMEDGSA22-23]

| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Merluccius merluccius | | | |
| Current Assess ID | STECF-HAKEMEDGSA22-23-2003-2008-OSIO | | | |
| Area | Aegean Sea and Crete Island (GSA 22,23) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2008 | | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2008 | 0.24 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2008 | 5650 | - | 2+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2008 | 3.75×10^{8} | - | - |
| F | F-1/yr | 2008 | 0.83 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2008 | 7160 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2008 | 3.458 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Hake Aegean Sea and Crete Island (GSA 22,23) [HAKEMEDGSA22-23]



Hake Aegean Sea and Crete Island (GSA 22,23) [HAKEMEDGSA22-23]




Hake Gulf of Lions [HAKEMEDGSA7]

| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Merluccius merluccius | | | |
| Current Assess ID | STECF-HAKEMEDGSA7-1998-2012-OSIO | | | |
| Area | Gulf of Lions | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2012 | | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2012 | 0.11 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 543 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 19,700,000 | - | - |
| F | F-1/yr | 2012 | 1.84 | - | - |
| ER | - | - | - | - | - |
| TC | - | - | - | | |
| TL | TL-MT | 2012 | 1110 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 16.727 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

Hake Gulf of Lions [HAKEMEDGSA7]



Hake Gulf of Lions [HAKEMEDGSA7]




Hake Geographical Sub-Areas 8-11 [HAKEMEDGSA8-11]

| Metadata | | | | |
|----------------------------------|---|--|--|--|
| Scientific Name | Merluccius merluccius | | | |
| Current Assess ID | STECF-HAKEMEDGSA8-11-2005-2019-MEDIMP2021-2 | | | |
| Area Geographical Sub-Areas 8-11 | | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2019 | | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.167 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 4509 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 298,907,974 | - | - |
| F | F-1/yr | 2019 | 0.567 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 2075 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 3.391 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Hake Geographical Sub-Areas 8-11 [HAKEMEDGSA8-11]



Hake Geographical Sub-Areas 8-11 [HAKEMEDGSA8-11]




Horse mackerel Geographical Sub-Areas 9-11 [HMACKMEDGSA9-11]

| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Trachurus trachurus | | | |
| Current Assess ID | STECF-HMACKMEDGSA9-11-2009-2016-MEDIMP2021-2 | | | |
| Area | Geographical Sub-Areas 9-11 | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2016 | | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.23 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.23 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|--|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | | |
| ТВ | - | - | - | - | - | | |
| SSB | SSB-MT | 2016 | 970 | - | - | | |
| TN | - | - | - | - | - | | |
| R | R-E00 | 2016 | 430,635,000 | - | - | | |
| F | F-1/yr | 2016 | 0.56 | - | - | | |
| ER | - | - | - | - | - | | |
| TC | TC-MT | 2016 | 3769 | | | | |
| TL | - | - | - | | | | |
| TB/TBmsy | - | - | - | | | | |
| SSB/SSBmsy | - | - | - | | | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 2.435 | | | | |
| ER/ERmsy | - | - | - | | | | |
| TB/TBmgt | - | - | - | | | | |
| SSB/SSBmgt | - | - | - | | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 2.435 | | | | |
| ER/ERmgt | - | - | - | | | | |




Start Year ◆ End Year * No Data

Horse mackerel Geographical Sub-Areas 9-11 [HMACKMEDGSA9-11]



Horse mackerel Geographical Sub-Areas 9-11 [HMACKMEDGSA9-11]




Mediterranean horse mackerel Black Sea [MHMACKMEDGSA29]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Trachurus mediterraneus | | |
| Current Assess ID | STECF-MHMACKMEDGSA29-2005-2016-MEDIMP2021-2 | | |
| Area | Black Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2014, 2016 | | |


| Reference Points | | | | | | |
|------------------|-----------|-----------|-------|--|--|--|
| Туре | ID | Asmt Year | Value | | | |
| TBmsy | - | - | - | | | |
| SSBmsy | - | - | - | | | |
| Fmsy | Fmsy-1/yr | 2016 | 0.267 | | | |
| ERmsy | - | - | - | | | |
| TBmgt | - | - | - | | | |
| SSBmgt | - | - | - | | | |
| Fmgt | Fmgt-1/yr | 2016 | 0.267 | | | |
| ERmgt | - | - | - | | | |
| TB0 | - | - | - | | | |
| SSB0 | - | - | - | | | |
| MSY | - | - | - | | | |
| M | - | - | - | | | |
| TBlim | - | - | - | | | |
| SSBlim | - | - | - | | | |
| Flim | - | - | - | | | |
| ERlim | - | - | - | | | |

| Time Series | | | | | | | |
|-------------|------------------|-----------|---------------|-----|-----|--|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | | |
| ТВ | - | - | - | - | - | | |
| SSB | SSB-MT | 2016 | 25,502 | - | - | | |
| TN | - | - | - | - | - | | |
| R | R-E00 | 2016 | 2,482,278,000 | - | - | | |
| F | F-1/yr | 2016 | 0.977 | - | - | | |
| ER | - | - | - | - | - | | |
| TC | TC-MT | 2016 | 10,096 | | | | |
| TL | - | - | - | | | | |
| TB/TBmsy | - | - | - | | | | |
| SSB/SSBmsy | - | - | - | | | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 3.663 | | | | |
| ER/ERmsy | - | - | - | | | | |
| TB/TBmgt | - | - | - | | | | |
| SSB/SSBmgt | - | - | - | | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 3.663 | | | | |
| ER/ERmgt | - | _ | - | | | | |




Start Year • End Year * No Data

Mediterranean horse mackerel Black Sea [MHMACKMEDGSA29]



Mediterranean horse mackerel Black Sea [MHMACKMEDGSA29]




Norway lobster Northern Alboran Sea [NEPHMEDGSA1]

| Metadata | | | |
|---------------------------|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID | STECF-NEPHMEDGSA1-2002-2011-OSIO | | |
| Area Northern Alboran Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2011 | 0.2 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2011 | 186 | - | 4+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2011 | 6,830,000 | - | - |
| F | F-1/yr | 2011 | 0.33 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 75 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 1.65 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Norway lobster Northern Alboran Sea [NEPHMEDGSA1]



Norway lobster Northern Alboran Sea [NEPHMEDGSA1]




Norway lobster Sardinia [NEPHMEDGSA11]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID | STECF-NEPHMEDGSA11-2005-2015-OSIO | | |
| Area Sardinia | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.19 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | | |
|------------|------------------|-----------|------------|------|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | TB-MT | 2015 | 75 | - | - | |
| SSB | SSB-MT | 2015 | 39 | Both | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2015 | 1,370,000 | - | - | |
| F | F-1/yr | 2015 | 0.393 | - | - | |
| ER | ER-calc-ratio | 2015 | 0.244 | - | - | |
| TC | TC-MT | 2015 | 18 | | | |
| TL | TL-MT | 2015 | 18 | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 2.068 | | | |
| ER/ERmgt | - | - | - | | | |




Start Year → End Year → No Data

Norway lobster Sardinia [NEPHMEDGSA11]



Norway lobster Sardinia [NEPHMEDGSA11]




Norway lobster Malta Island and South of Sicily (GSA 15, 16) [NEPHMEDGSA15-16]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID | STECF-NEPHMEDGSA15-16-2002-2012-OSIO | | |
| Area Malta Island and South of Sicily (GSA 15, 16) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2012 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2012 | 0.2 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 1890 | - | 4+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 22,400,000 | - | - |
| F | F-1/yr | 2012 | 0.15 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 444 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 0.75 | | |
| ER/ERmgt | - | - | - | | |



Start Year • End Year * No Data

0








| Metadata | | | |
|-------------------------------|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID | STECF-NEPHMEDGSA17-18-1970-2019-MEDIMP2021-2 | | |
| Area Adriatic Sea (GSA 17,18) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015, 2019 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | TBmsy-MT | 2015 | 6355 | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2019 | 0.363 | |
| ERmsy | - | - | - | |
| TBmgt | TBmgt-MT | 2015 | 6355 | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.363 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 2430 | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | F-1/yr | 2019 | 0.4 | - | - |
| ER | ER-calc-ratio | 2015 | 0.49 | - | - |
| TC | TC-MT | 2019 | 1319 | | |
| TL | TL-MT | 2015 | 1190 | | |
| TB/TBmsy | TB-MT/TBmsy-MT | 2015 | 0.382 | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2019 | 1.102 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | TB-MT/TBmgt-MT | 2015 | 0.382 | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.102 | | |
| ER/ERmgt | - | - | - | | |








Norway lobster Balearic Island [NEPHMEDGSA5]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID STECF-NEPHMEDGSA5-2002-2013-OSIO | | | |
| Area Balearic Island | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011, 2013 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2013 | 0.17 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2011 | 100 | - | - |
| SSB | SSB-MT | 2013 | 31 | - | 4+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2013 | 1,620,000 | - | - |
| F | F-1/yr | 2013 | 0.287 | - | - |
| ER | ER-calc-ratio | 2011 | 0.321 | - | - |
| TC | TC-MT | 2013 | 10 | | |
| TL | TL-MT | 2011 | 32 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2013 | 1.688 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

Norway lobster Balearic Island [NEPHMEDGSA5]



Norway lobster Balearic Island [NEPHMEDGSA5]




Norway lobster Northern Spain [NEPHMEDGSA6]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID STECF-NEPHMEDGSA6-2009-2019-MEDIMP2021-2 | | | |
| Area Northern Spain | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011, 2015, 2019 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.109 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 431 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 42,451,480 | - | - |
| F | F-1/yr | 2019 | 0.617 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 245 | | |
| TL | TL-MT | 2015 | 355 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 5.644 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Norway lobster Northern Spain [NEPHMEDGSA6]



Norway lobster Northern Spain [NEPHMEDGSA6]




Norway lobster Ligurian and North Tyrrhenian Sea [NEPHMEDGSA9]

| Metadata | | | |
|---|---|--|--|
| Scientific Name | Nephrops norvegicus | | |
| Current Assess ID STECF-NEPHMEDGSA9-1994-2019-MEDIMP2021-2 | | | |
| Area Ligurian and North Tyrrhenian Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2019, 2015, 2013 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Type | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.284 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 638 | - | - |
| SSB | SSB-MT | 2019 | 1056 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 43,411,451 | - | - |
| F | F-1/yr | 2019 | 0.275 | - | - |
| ER | ER-calc-ratio | 2015 | 0.145 | - | - |
| TC | TC-MT | 2019 | 193 | | |
| TL | TL-MT | 2015 | 114 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 0.969 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

Norway lobster Ligurian and North Tyrrhenian Sea [NEPHMEDGSA9]



Norway lobster Ligurian and North Tyrrhenian Sea [NEPHMEDGSA9]




| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Spicara smaris | | |
| Current Assess ID | STECF-PICAMEDGSA25-2005-2010-OSIO | | |
| Area Cyprus Island | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2010 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2010 | 0.31 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2010 | 1350 | - | 0+ |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | F-1/yr | 2010 | 0.08 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2010 | 245 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2010 | 0.258 | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------------------|---------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| O D !# | Dua desation# |
| | |
| Spawner Recruit* | Production* |
| Spawner Recruit [*] | Production* |
| Spawner Recruit [*] | Production |
| Spawner Recruit* | Production* |
| Spawner Recruit* | Production* |

◆ Start Year ◆ End Year * No Data





Poor cod Ligurian and North Tyrrhenian Sea [PRCODMEDGSA9]

| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Trisopterus minutus | | | |
| Current Assess ID | STECF-PRCODMEDGSA9-2004-2011-OSIO | | | |
| Area | Ligurian and North Tyrrhenian Sea | | | |
| Management Authority | ment Authority General Fisheries Council for the Mediterranean, DG MARE, and national state | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2011 | | | |

| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Type | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2011 | 0.74 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |


| Time Series | | | | | | | |
|-------------|------------------|-----------|-------------------|-----|-----|--|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | | |
| ТВ | - | - | - | - | - | | |
| SSB | SSB-MT | 2011 | 163 | - | 0+ | | |
| TN | - | - | - | - | - | | |
| R | R-E00 | 2011 | 3×10^{6} | - | - | | |
| F | F-1/yr | 2011 | 0.9 | - | - | | |
| ER | - | - | - | - | - | | |
| TC | TC-MT | 2011 | 105 | | | | |
| TL | - | - | - | | | | |
| TB/TBmsy | - | - | - | | | | |
| SSB/SSBmsy | - | - | - | | | | |
| F/Fmsy | - | - | - | | | | |
| ER/ERmsy | - | - | - | | | | |
| TB/TBmgt | - | - | - | | | | |
| SSB/SSBmgt | - | - | - | | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 1.216 | | | | |
| ER/ERmgt | - | - | - | | | | |

Poor cod Ligurian and North Tyrrhenian Sea [PRCODMEDGSA9]


| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data

Poor cod Ligurian and North Tyrrhenian Sea [PRCODMEDGSA9]



Poor cod Ligurian and North Tyrrhenian Sea [PRCODMEDGSA9]




Deep water rose shrimp Northern Spain [PSHRMPMEDGSA6]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Parapenaeus longirostris | |
| Current Assess ID | STECF-PSHRMPMEDGSA6-2001-2012-OSIO | |
| Area | Northern Spain | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011, 2012 | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2012 | 0.27 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 145 | - | 2+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 1.26×10^{8} | - | - |
| F | F-1/yr | 2012 | 1.48 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 120 | | |
| TL | TL-MT | 2011 | 92 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 5.481 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Deep water rose shrimp Northern Spain [PSHRMPMEDGSA6]



Deep water rose shrimp Northern Spain [PSHRMPMEDGSA6]




| Metadata | | |
|----------------------|---|--|
| Scientific Name | Pagellus bogaraveo | |
| Current Assess ID | GRP7-RBRMMEDGSA1-3-2009-2011-BANOBI | |
| Area | Alboran Island Sea (GSA 1,3) | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | INRH-NADOR, IEO-MALAGA | |
| Asmts in RAM | 2011 | |


| Reference Points | | | | |
|------------------|--------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | M-1/yr | 2011 | 0.2 | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | |
|------------|-------------|-----------|------------|-----|--------|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | F-1/yr | 2011 | 0.194 | - | 2 to 6 |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 258 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data






Red shrimp Northern Alboran Sea [RDSHRMPMEDGSA1]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Aristeus antennatus | |
| Current Assess ID | STECF-RDSHRMPMEDGSA1-2002-2019-MEDIMP2021-2 | |
| Area | Northern Alboran Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2014, 2019 | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.292 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | SSBlim-MT | 2014 | 1287 | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 52 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 174,573,935 | - | - |
| F | F-1/yr | 2019 | 1.823 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 120 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 6.246 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

0

Red shrimp Northern Alboran Sea [RDSHRMPMEDGSA1]



Red shrimp Northern Alboran Sea [RDSHRMPMEDGSA1]



| Metadata | | |
|----------------------|---|--|
| Scientific Name | Aristeus antennatus | |
| Current Assess ID | STECF-RDSHRMPMEDGSA15-16-2009-2012-OSIO | |
| Area | Malta Island and South of Sicily (GSA 15, 16) | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2012 | |

| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2012 | 0.26 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 94 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | _ | - | | |


| Spawner Recruit* Production* | | Kobe MGT* |
|-------------------------------|------------------|-------------|
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| Spawner Recruit* Production* | | |
| | Spawner Recruit* | Production* |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

◆ Start Year ◆ End Year * No Data

| TB* | SSB* |
|-------------------------|---------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F * |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| | Rediales |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ■ Listed time series Ta | arget BRP — Rec-Est |

No Data

- - MSY-based BRP - - · Lim BRP




Red shrimp Geographical Sub-Areas 6-7 [RDSHRMPMEDGSA6-7]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Aristeus antennatus | | |
| Current Assess ID | STECF-RDSHRMPMEDGSA6-7-2002-2019-MEDIMP2021-2 | | |
| Area | Geographical Sub-Areas 6-7 | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.288 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 348 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 678,770,728 | - | - |
| F | F-1/yr | 2019 | 1.305 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 566 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 4.538 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Red shrimp Geographical Sub-Areas 6-7 [RDSHRMPMEDGSA6-7]



Red shrimp Geographical Sub-Areas 6-7 [RDSHRMPMEDGSA6-7]




Red shrimp Geographical Sub-Areas 9-11 [RDSHRMPMEDGSA9-11]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Aristeus antennatus | | |
| Current Assess ID | STECF-RDSHRMPMEDGSA9-11-2006-2019-MEDIMP2021-2 | | |
| Area | Geographical Sub-Areas 9-11 | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.328 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 232 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 43,108,168 | - | - |
| F | F-1/yr | 2019 | 1.778 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 366 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 5.418 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Red shrimp Geographical Sub-Areas 9-11 [RDSHRMPMEDGSA9-11]



Red shrimp Geographical Sub-Areas 9-11 [RDSHRMPMEDGSA9-11]




Red mullet Northern Alboran Sea [RMULLMEDGSA1]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA1-2004-2019-MEDIMP2021-2 | | |
| Area | Northern Alboran Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2013, 2019 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Type | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.702 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 161 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 3,890,013 | - | - |
| F | F-1/yr | 2019 | 1.028 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 115 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.463 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Red mullet Northern Alboran Sea [RMULLMEDGSA1]



Red mullet Northern Alboran Sea [RMULLMEDGSA1]




Red mullet South Tyrrhenian Sea [RMULLMEDGSA10]

| Metadata | | | |
|---------------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA10-2002-2019-MEDIMP2021-2 | | |
| Area South Tyrrhenian Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2010 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.393 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 661 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 124,069,753 | - | - |
| F | F-1/yr | 2019 | 0.475 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 334 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.207 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Red mullet South Tyrrhenian Sea [RMULLMEDGSA10]



Red mullet South Tyrrhenian Sea [RMULLMEDGSA10]




Red mullet Sardinia [RMULLMEDGSA11]


| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA11-2005-2012-OSIO | | |
| Area | Sardinia | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2012 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2012 | 0.11 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 94 | - | 1+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 26,600,000 | - | - |
| F | F-1/yr | 2012 | 1.05 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 136 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 9.545 | | |
| ER/ERmgt | - | - | - | | |



Red mullet Sardinia [RMULLMEDGSA11]



Red mullet Sardinia [RMULLMEDGSA11]





Red mullet Malta Island and South of Sicily (GSA 15, 16) [RMULLMEDGSA15-16]


| Metadata | | | |
|--|--|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID STECF-RMULLMEDGSA15-16-2005-2011-OSIO | | | |
| Area Malta Island and South of Sicily (GSA 15, 16) | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national st | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2011 | 0.45 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | | |
|------------|------------------|-----------|------------|-----|------|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2011 | 1150 | - | 1.5+ | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2011 | 68,900,000 | - | - | |
| F | F-1/yr | 2011 | 1.3 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2011 | 609 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 2.889 | | | |
| ER/ERmgt | - | - | - | | | |








Red mullet Adriatic Sea (GSA 17,18) [RMULLMEDGSA17-18]


| Metadata | | | |
|-------------------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA17-18-2006-2019-MEDIMP2021-2 | | |
| Area Adriatic Sea (GSA 17,18) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2014 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.34 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 7587 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 955,114,012 | - | - |
| F | F-1/yr | 2019 | 0.687 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 4632 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 2.02 | | |
| ER/ERmgt | - | - | - | | |



Red mullet Adriatic Sea (GSA 17,18) [RMULLMEDGSA17-18]



Red mullet Adriatic Sea (GSA 17,18) [RMULLMEDGSA17-18]




Red mullet Western Ionian Sea [RMULLMEDGSA19]


| Metadata | | | |
|-------------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA19-2006-2016-MEDIMP2021-2 | | |
| Area Western Ionian Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2014, 2016 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.36 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 641 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 27,230,000 | - | - |
| F | F-1/yr | 2016 | 0.56 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 278 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.556 | | |
| ER/ERmgt | - | - | - | | |



Red mullet Western Ionian Sea [RMULLMEDGSA19]



Red mullet Western Ionian Sea [RMULLMEDGSA19]




Red mullet Aegean Sea [RMULLMEDGSA22]


| Metadata | | | |
|--|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID STECF-RMULLMEDGSA22-2003-2019-MEDIMP2021-2 | | | |
| Area Aegean Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Type | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.501 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| | Time Series | | | | | |
|------------|------------------|-----------|--------------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2019 | 12,379 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2019 | 2×10^{11} | - | - | |
| F | F-1/yr | 2019 | 0.15 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2019 | 1804 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 0.299 | | | |
| ER/ERmgt | - | - | - | | | |



Red mullet Aegean Sea [RMULLMEDGSA22]



Red mullet Aegean Sea [RMULLMEDGSA22]





| Metadata | | | |
|---|---|--|--|
| Scientific Name Mullus barbatus | | | |
| Current Assess ID STECF-RMULLMEDGSA25-2005-2008-OSIO | | | |
| Area Cyprus Island | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2008 | | |

| Reference Points | | | | |
|------------------|-----------|-------|------|--|
| Туре | ID | Value | | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2008 | 0.22 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2008 | 58 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2008 | 1,480,000 | - | - |
| F | F-1/yr | 2008 | 0.84 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2008 | 33 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2008 | 3.818 | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |






Red mullet Black Sea [RMULLMEDGSA29]


| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA29-1990-2016-MEDIMP2021-2 | | |
| Area | Black Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2014, 2016 | | |

| Reference Points | | | | |
|------------------|-----------|-------|------|--|
| Туре | ID | Value | | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.64 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 4362 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 184,379,000 | - | - |
| F | F-1/yr | 2016 | 0.946 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 3617 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.479 | | |
| ER/ERmgt | - | - | - | | |



Red mullet Black Sea [RMULLMEDGSA29]



Red mullet Black Sea [RMULLMEDGSA29]




Red mullet Balearic Island [RMULLMEDGSA5]


| Metadata | | | |
|---|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA5-2000-2012-OSIO | | |
| Area Balearic Island | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2012 | | |

| Reference Points | | | | |
|------------------|-----------|-------|------|--|
| Туре | ID | Value | | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2012 | 0.14 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 29 | - | 1+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 1,050,000 | - | - |
| F | F-1/yr | 2012 | 1.07 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 16 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 7.643 | | |
| ER/ERmgt | - | - | - | | |



Red mullet Balearic Island [RMULLMEDGSA5]



Red mullet Balearic Island [RMULLMEDGSA5]




Red mullet Northern Spain [RMULLMEDGSA6]


| Metadata | | | |
|---|---|--|--|
| Scientific Name Mullus barbatus | | | |
| Current Assess ID | STECF-RMULLMEDGSA6-2003-2019-MEDIMP2021-2 | | |
| Area Northern Spain | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2013, 2019 | | |

| Reference Points | | | | | |
|------------------|--------------------|------|-------|--|--|
| Туре | ID Asmt Year Value | | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.313 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |


| Time Series | | | | | | |
|-------------|------------------|-----------|-------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2019 | 1255 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2019 | 272,721,936 | - | - | |
| F | F-1/yr | 2019 | 1.527 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2019 | 1546 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 4.879 | | | |
| ER/ERmgt | - | - | - | | | |



Red mullet Northern Spain [RMULLMEDGSA6]



Red mullet Northern Spain [RMULLMEDGSA6]




Red mullet Gulf of Lions [RMULLMEDGSA7]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA7-2002-2019-MEDIMP2021-2 | | |
| Area | Gulf of Lions | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2013 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.423 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | | |
|-------------|------------------|-----------|------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2019 | 340 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2019 | 87,734,798 | - | - | |
| F | F-1/yr | 2019 | 0.668 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2019 | 320 | | | |
| TL | - | - | - | 1 | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.579 | | | |
| ER/ERmgt | - | - | - | | | |




Start Year • End Year * No Data

Red mullet Gulf of Lions [RMULLMEDGSA7]



Red mullet Gulf of Lions [RMULLMEDGSA7]




Red mullet Ligurian and North Tyrrhenian Sea [RMULLMEDGSA9]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Mullus barbatus | | |
| Current Assess ID | STECF-RMULLMEDGSA9-2004-2019-MEDIMP2021-2 | | |
| Area Ligurian and North Tyrrhenian Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2013 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.506 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | | |
|------------|------------------|-----------|-------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2019 | 1409 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2019 | 271,663,084 | - | - | |
| F | F-1/yr | 2019 | 0.846 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2019 | 1011 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | • | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.67 | | | |
| ER/ERmgt | - | - | - | | | |




Start Year • End Year * No Data

Red mullet Ligurian and North Tyrrhenian Sea [RMULLMEDGSA9]



Red mullet Ligurian and North Tyrrhenian Sea [RMULLMEDGSA9]




Deep water rose shrimp Northern Alboran Sea [RSHRMPMEDGSA1]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Parapenaeus longirostris | | |
| Current Assess ID STECF-RSHRMPMEDGSA1-2003-2015-OSIO | | | |
| Area Northern Alboran Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2012, 2015 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.87 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | | |
|------------|------------------|-----------|---------------------|------|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | TB-MT | 2015 | 701 | - | - | |
| SSB | SSB-MT | 2015 | 127 | Both | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2015 | 2.9×10^{8} | - | - | |
| F | F-1/yr | 2015 | 0.78 | - | - | |
| ER | ER-calc-ratio | 2015 | 0.163 | - | - | |
| TC | TC-MT | 2015 | 114 | | | |
| TL | TL-MT | 2015 | 114 | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 0.897 | | | |
| ER/ERmgt | - | - | - | | | |




Start Year → End Year → No Data

Deep water rose shrimp Northern Alboran Sea [RSHRMPMEDGSA1]



Deep water rose shrimp Northern Alboran Sea [RSHRMPMEDGSA1]




Deep water rose shrimp Geographical Sub-Areas 12-16 [RSHRMPMEDGSA12-16]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Parapenaeus longirostris | | |
| Current Assess ID STECF-RSHRMPMEDGSA12-16-2007-2009-OSIO | | | |
| Area Geographical Sub-Areas 12-16 | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011, 2009 | | |


| Reference Points | | | | |
|------------------|----------------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-extr-1/yr | 2011 | 1.21 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2009 | 0.9 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | M-1/yr | 2011 | 1.05 | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| | Time Series | | | | | |
|------------|------------------------|-----------|----------------------|------|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2009 | 4630 | Both | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2009 | 2.98×10^{9} | - | - | |
| F | F-1/yr | 2011 | 1.65 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2009 | 8810 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | 1 | - | - | | | |
| SSB/SSBmsy | 1 | - | - | | | |
| F/Fmsy | FdivFmsy-dimensionless | 2011 | 1.4 | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2009 | 1.533 | | | |
| ER/ERmgt | - | - | - | | | |



Start Year • End Year * No Data

0






Deep water rose shrimp Geographical Sub-Areas 17-19 [RSHRMPMEDGSA17-19]

| Metadata | | | |
|-----------------------------------|---|--|--|
| Scientific Name | Parapenaeus longirostris | | |
| Current Assess ID | STECF-RSHRMPMEDGSA17-19-2002-2019-MEDIMP2021-2 | | |
| Area Geographical Sub-Areas 17-19 | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2019, 2014 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.505 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | | |


| | Time Series | | | | | |
|------------|------------------|-----------|---------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2019 | 3221 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2019 | 7,490,295,088 | - | - | |
| F | F-1/yr | 2019 | 1.488 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2019 | 5993 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 2.949 | | | |
| ER/ERmgt | - | - | - | | | |



Start Year • End Year * No Data

Deep water rose shrimp Geographical Sub-Areas 17-19 [RSHRMPMEDGSA17-19]





Deep water rose shrimp Aegean Sea and Crete Island (GSA 22,23) [RSHRMPMEDGSA22-23]

| Metadata | | | |
|--|---|--|--|
| Scientific Name | Parapenaeus longirostris | | |
| Current Assess ID | STECF-RSHRMPMEDGSA22-23-1990-2006-MEDIMP2021-2 | | |
| Area Aegean Sea and Crete Island (GSA 22,23) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2006 | | |

| Reference Points | | | | |
|------------------|----|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | • |
| ER | - | - | - | - | - |
| TC | TC-MT | 2006 | 2363 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

Deep water rose shrimp Aegean Sea and Crete Island (GSA 22,23) [RSHRMPMEDGSA22-23] **Kobe MSY* Kobe MGT*** Spawner Recruit* **Production***

Deep water rose shrimp Aegean Sea and Crete Island (GSA 22,23) [RSHRMPMEDGSA22-23] TB* SSB* **TN** * F* ER* Recruits*

Rec-Est No Data

Listed time series ---- Target BRP MSY-based BRP --- Lim BRP




Deep water rose shrimp Balearic Island [RSHRMPMEDGSA5]

| Metadata | | | | |
|--|---|--|--|--|
| Scientific Name | Parapenaeus longirostris | | | |
| Current Assess ID STECF-RSHRMPMEDGSA5-2002-2012-OSIO | | | | |
| Area Balearic Island | | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2012 | | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2012 | 0.62 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 7 | - | 1+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 3,490,000 | - | - |
| F | F-1/yr | 2012 | 0.68 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 4.17 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 1.097 | | |
| ER/ERmgt | - | - | - | | |




Start Year → End Year → No Data

Deep water rose shrimp Balearic Island [RSHRMPMEDGSA5]



Deep water rose shrimp Balearic Island [RSHRMPMEDGSA5]




Deep water rose shrimp Geographical Sub-Areas 9-11 [RSHRMPMEDGSA9-11]

| Metadata | | | |
|----------------------------------|---|--|--|
| Scientific Name | Parapenaeus longirostris | | |
| Current Assess ID | STECF-RSHRMPMEDGSA9-11-2009-2019-MEDIMP2021-2 | | |
| Area Geographical Sub-Areas 9-11 | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015, 2019 | | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 1.09 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|---------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 5390 | - | - |
| SSB | SSB-MT | 2019 | 2575 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 4,302,305,361 | - | - |
| F | F-1/yr | 2019 | 1.025 | - | - |
| ER | ER-calc-ratio | 2015 | 0.286 | - | - |
| TC | TC-MT | 2019 | 1606 | | |
| TL | TL-MT | 2015 | 1540 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 0.941 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Deep water rose shrimp Geographical Sub-Areas 9-11 [RSHRMPMEDGSA9-11]



Deep water rose shrimp Geographical Sub-Areas 9-11 [RSHRMPMEDGSA9-11]



| Metadata | | | |
|---|---|--|--|
| Scientific Name | Sardina pilchardus | | |
| Current Assess ID | STECF-SARDMEDGSA1-2002-2012-OSIO | | |
| Area Northern Alboran Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2012 | | |


| Reference Points | | | | |
|------------------|----|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 6220 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |

◆ Start Year ◆ End Year * No Data

| TB* | SSB* |
|-----------------------|---------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F * |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| EK | Recruits |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Listed time series Ta | arget BRP — Rec-Est |
| MSY-based BRP Li | m BRP * No Data |




Sardine South of Sicily [SARDMEDGSA16]

| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Sardina pilchardus | | |
| Current Assess ID | CNR-IAMC-SARDMEDGSA16-1998-2011-BANOBI | | |
| Area | South of Sicily | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Institute for Coastal Marine Environment of the National Research Council | | |
| Asmts in RAM | 2011 | | |


| Reference Points | | | | | |
|------------------|------------------|------|--------|--|--|
| Туре | ID Asmt Year | | Value | | |
| TBmsy | TBmsy-MT | 2011 | 32,527 | | |
| SSBmsy | - | - | - | | |
| Fmsy | Fmsy-1/yr | 2011 | 0.16 | | |
| ERmsy | ERmsy-calc-ratio | 2011 | 0.163 | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | - | - | - | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | MSY-MT | 2011 | 5307 | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | | |
|-------------|--------------------------------|-----------|------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | TB-MT | 2011 | 15,300 | - | - | |
| SSB | - | - | - | - | - | |
| TN | - | - | - | - | - | |
| R | - | - | - | - | - | |
| F | F-1/yr | 2011 | 0.171 | - | - | |
| ER | ER-calc-ratio | 2011 | 0.175 | - | - | |
| TC | TC-MT | 2011 | 2670 | | | |
| TL | TL-MT | 2011 | 1780 | | | |
| TB/TBmsy | TBdivTBmsy-dimensionless | 2011 | 0.47 | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | FdivFmsy-dimensionless | 2011 | 1.07 | | | |
| ER/ERmsy | ER-calc-ratio/ERmsy-calc-ratio | 2011 | 1.07 | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | - | - | - | | | |
| ER/ERmgt | - | - | - | | | |


Sardine South of Sicily [SARDMEDGSA16]



Sardine South of Sicily [SARDMEDGSA16]



Sardine South of Sicily [SARDMEDGSA16]




Sardine Adriatic Sea (GSA 17,18) [SARDMEDGSA17-18]

| Metadata | | | |
|-------------------------------|---|--|--|
| Scientific Name | Sardina pilchardus | | |
| Current Assess ID | STECF-SARDMEDGSA17-18-1975-2016-MEDIMP2021-2 | | |
| Area Adriatic Sea (GSA 17,18) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2013, 2015, 2016 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.44 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.44 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 573,000 | - | - |
| SSB | SSB-MT | 2016 | 161,297 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 24,791,217,000 | - | - |
| F | F-1/yr | 2016 | 1.3 | - | - |
| ER | ER-calc-ratio | 2015 | 0.135 | - | - |
| TC | TC-MT | 2016 | 78,355 | | |
| TL | TL-MT | 2015 | 77,200 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 2.955 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 2.955 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year • No Data

Sardine Adriatic Sea (GSA 17,18) [SARDMEDGSA17-18]



Sardine Adriatic Sea (GSA 17,18) [SARDMEDGSA17-18]




European pilchard Eastern Ionian Sea [SARDMEDGSA20]

| Metadata | | | |
|---|--|--|--|
| Scientific Name | Sardina pilchardus | | |
| Current Assess ID STECF-SARDMEDGSA20-2000-2008-OSIO | | | |
| Area Eastern Ionian Sea | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national state | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2008 | | |


| Reference Points | | | | |
|------------------|----|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|--------|-----------|----------------------|-----|--------|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2008 | 5650 | - | 1 to 3 |
| TN | - | - | - | - | - |
| R | R-E00 | 2008 | 1.02×10^{9} | - | - |
| F | F-1/yr | 2008 | 0.68 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2008 | 2940 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

European pilchard Eastern Ionian Sea [SARDMEDGSA20]



European pilchard Eastern Ionian Sea [SARDMEDGSA20]




European pilchard Aegean Sea and Crete Island (GSA 22,23) [SARDMEDGSA22-23]

| Metadata | | | |
|---|--|--|--|
| Scientific Name | Sardina pilchardus | | |
| Current Assess ID STECF-SARDMEDGSA22-23-2000-2016-MEDIMP2021-2 | | | |
| Area Aegean Sea and Crete Island (GSA 22,23) | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national state | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2016 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.503 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.503 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| | Time Series | | | | | |
|------------|------------------|-----------|---------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2016 | 33,851 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2016 | 6,176,295,000 | - | - | |
| F | F-1/yr | 2016 | 0.534 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2016 | 9655 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 1.062 | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.062 | | | |
| ER/ERmgt | - | - | - | | | |




Start Year • End Year * No Data

European pilchard Aegean Sea and Crete Island (GSA 22,23) [SARDMEDGSA22-23]



European pilchard Aegean Sea and Crete Island (GSA 22,23) [SARDMEDGSA22-23]




European pilchard Northern Spain [SARDMEDGSA6]

| Metadata | | | | |
|---|--|--|--|--|
| Scientific Name | Sardina pilchardus | | | |
| Current Assess ID STECF-SARDMEDGSA6-2002-2016-MEDIMP2021-2 | | | | |
| Area Northern Spain | | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national s | | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2016, 2013, 2015 | | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2015 | 0.7 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.526 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|----------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2015 | 168,000 | - | - |
| SSB | SSB-MT | 2016 | 24,241 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 16,804,120,870 | - | - |
| F | F-1/yr | 2016 | 1.351 | - | - |
| ER | ER-calc-ratio | 2015 | 0.038 | - | - |
| TC | TC-MT | 2016 | 10,042 | | |
| TL | TL-MT | 2015 | 6310 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2015 | 2.529 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 2.568 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year • No Data

European pilchard Northern Spain [SARDMEDGSA6]



European pilchard Northern Spain [SARDMEDGSA6]




| Metadata | | |
|----------------------|---|--|
| Scientific Name | Sardina pilchardus | |
| Current Assess ID | IFREMER-SARDMEDGSA7-1993-2012-BANOBI | |
| Area | Gulf of Lions | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | French Research Institute for Exploitation of the Sea | |
| Asmts in RAM | 2012 | |


| Reference Points | | | | | |
|------------------|----|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | - | - | - | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|---------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2012 | 115,000 | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | R-MT | 2012 | 57,500 | - | - |
| F | - | - | - | - | - |
| ER | ER-calc-ratio | 2012 | 0.027 | - | - |
| TC | TC-MT | 2012 | 782 | | |
| TL | - | - | - | 1 | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - |] | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |

◆ Start Year ◆ End Year * No Data





| Metadata | | |
|----------------------|---|--|
| Scientific Name | Sardina pilchardus | |
| Current Assess ID | STECF-SARDMEDGSA9-2006-2012-OSIO | |
| Area | Ligurian and North Tyrrhenian Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2012 | |


| Reference Points | | | | | |
|------------------|----|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | - | - | - | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|-------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 1730 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data

| TB* | SSB* |
|-------------------------|-------------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| TN * | F* |
| | |
| | |
| | |
| | |
| | |
| | |
| ER* | Recruits* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ■ Listed time series Ta | arget BRP — Rec-Est |
| Listed time series Ta | arget BRP — Rec-Est m BRP * No Data |




Spiny dogfish Black Sea [SDOGBLKGSA29]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Squalus acanthias | |
| Current Assess ID | STECF-SDOGBLKGSA29-1989-2016-MEDIMP2021-2 | |
| Area | Black Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011, 2014, 2016 | |


| Reference Points | | | | | |
|------------------|-----------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2016 | 0.08 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| M | M-1/yr | 2011 | 0.15 | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| | Time Series | | | | | |
|------------|------------------|-----------|------------|-----|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | - | - | - | - | - | |
| SSB | SSB-MT | 2016 | 703 | - | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2016 | 65,271 | - | - | |
| F | F-1/yr | 2016 | 0.939 | - | - | |
| ER | - | - | - | - | - | |
| TC | TC-MT | 2016 | 137 | | | |
| TL | - | - | - | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 11.735 | | | |
| ER/ERmgt | - | - | - | | | |




Start Year ◆ End Year * No Data

Spiny dogfish Black Sea [SDOGBLKGSA29]



Spiny dogfish Black Sea [SDOGBLKGSA29]




| Metadata | | | |
|--|---|--|--|
| Scientific Name | Squilla mantis | | |
| Current Assess ID STECF-SMSHRMPMEDGSA10-2011-2011-OSIO | | | |
| Area | South Tyrrhenian Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011 | | |


| Reference Points | | | | | |
|------------------|-----------|------|------|--|--|
| Туре | | | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2011 | 0.41 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| | Time Series | | | | |
|------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | - | - | - | - | - |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | F-1/yr | 2011 | 1.08 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2011 | 387 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2011 | 2.634 | | |
| ER/ERmgt | - | - | - | | |

| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| оринно населена | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data






Spottail mantis shrimp Adriatic Sea (GSA 17,18) [SMSHRMPMEDGSA17-18]


| Metadata | | | | |
|----------------------|---|--|--|--|
| Scientific Name | Squilla mantis | | | |
| Current Assess ID | Assess ID STECF-SMSHRMPMEDGSA17-18-2008-2019-MEDIMP2021-2 | | | |
| Area | Adriatic Sea (GSA 17,18) | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2014, 2019 | | | |

| Reference Points | | | | | |
|------------------|--------------------|------|-------|--|--|
| Туре | ID Asmt Year Value | | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2019 | 0.449 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | - | - | - | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |


| | Time Series | | | | |
|------------|------------------|-----------|---------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 14,193 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 2,901,990,201 | - | - |
| F | F-1/yr | 2019 | 0.686 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 4372 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - |] | |
| TB/TBmgt | - | - | - |] | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 1.526 | | |
| ER/ERmgt | - | - | - | | |



Spottail mantis shrimp Adriatic Sea (GSA 17,18) [SMSHRMPMEDGSA17-18]



Spottail mantis shrimp Adriatic Sea (GSA 17,18) [SMSHRMPMEDGSA17-18]




Spottail mantis shrimp Ligurian and North Tyrrhenian Sea [SMSHRMPMEDGSA9]


| Metadata | | | |
|---|-------------------------------------|--|--|
| Scientific Name | Squilla mantis | | |
| Current Assess ID | STECF-SMSHRMPMEDGSA9-2004-2010-OSIO | | |
| Area Ligurian and North Tyrrhenian Sea | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national sta | | | |
| Assessor Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2010 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2010 | 0.54 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|---------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2010 | 430 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2010 | 4.5×10^{7} | - | - |
| F | F-1/yr | 2010 | 1.2 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2010 | 386 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2010 | 2.222 | | |
| ER/ERmgt | - | - | - | | |



Spottail mantis shrimp Ligurian and North Tyrrhenian Sea [SMSHRMPMEDGSA9]



Spottail mantis shrimp Ligurian and North Tyrrhenian Sea [SMSHRMPMEDGSA9]





Surmullet Malta Island and South of Sicily (GSA 15, 16) [SMULLMEDGSA15-16]

| Metadata | | | |
|--|--|--|--|
| Scientific Name | Mullus surmuletus | | |
| Current Assess ID STECF-SMULLMEDGSA15-16-2002-2012-OSIO | | | |
| Area Malta Island and South of Sicily (GSA 15, 16) | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national st | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2012 | | |


| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2012 | 0.19 | |
| ERmgt | - | - | - | |
| TB0 | • | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|---------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2012 | 2460 | - | 2+ |
| TN | - | - | - | - | - |
| R | R-E00 | 2012 | 4.2×10^{7} | - | - |
| F | F-1/yr | 2012 | 0.78 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2012 | 753 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2012 | 4.105 | | |
| ER/ERmgt | - | - | - | | |






Surmullet Malta Island and South of Sicily (GSA 15, 16) [SMULLMEDGSA15-16]





| Metadata | | | |
|---|---|--|--|
| Scientific Name | Mullus surmuletus | | |
| Current Assess ID STECF-SMULLMEDGSA5-2002-2019-MEDIMP2021-2 | | | |
| Area Balearic Island | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2012, 2019 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2019 | 0.442 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2019 | 323 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2019 | 1,872,315 | - | - |
| F | F-1/yr | 2019 | 0.229 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2019 | 75 | | |
| TL | - | - | - | 1 | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2019 | 0.519 | | |
| ER/ERmgt | - | - | - | | |








Surmullet Ligurian and North Tyrrhenian Sea [SMULLMEDGSA9]


| Metadata | | | |
|---|--|--|--|
| Scientific Name | Mullus surmuletus | | |
| Current Assess ID STECF-SMULLMEDGSA9-2006-2015-OSIO | | | |
| Area Ligurian and North Tyrrhenian Sea | | | |
| Management Authority General Fisheries Council for the Mediterranean, DG MARE, and national sta | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2010, 2015 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.52 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| | Time Series | | | | | |
|------------|------------------|-----------|------------|------|-----|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | |
| ТВ | TB-MT | 2015 | 1270 | - | - | |
| SSB | SSB-MT | 2015 | 463 | Both | - | |
| TN | - | - | - | - | - | |
| R | R-E00 | 2015 | 16,600,000 | - | - | |
| F | F-1/yr | 2015 | 0.492 | - | - | |
| ER | ER-calc-ratio | 2015 | 0.205 | - | - | |
| TC | TC-MT | 2015 | 260 | | | |
| TL | TL-MT | 2015 | 260 | | | |
| TB/TBmsy | - | - | - | | | |
| SSB/SSBmsy | - | - | - | | | |
| F/Fmsy | - | - | - | | | |
| ER/ERmsy | - | - | - | | | |
| TB/TBmgt | - | - | - | | | |
| SSB/SSBmgt | - | - | - | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 0.946 | | | |
| ER/ERmgt | - | - | - | | | |



Surmullet Ligurian and North Tyrrhenian Sea [SMULLMEDGSA9]



Surmullet Ligurian and North Tyrrhenian Sea [SMULLMEDGSA9]




Common sole Northern Adriatic Sea [SOLMEDGSA17]


| Metadata | | | |
|----------------------------|---|--|--|
| Scientific Name | Solea solea | | |
| Current Assess ID | STECF-SOLMEDGSA17-2006-2018-MEDIMP2021-2 | | |
| Area Northern Adriatic Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2011, 2014, 2018 | | |

| | Reference Points | | | | |
|--------|------------------|-----------|-------|--|--|
| Туре | ID | Asmt Year | Value | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | - | - | - | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2018 | 0.23 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | M-1/yr | 2011 | 0.35 | | |
| TBlim | - | - | - | | |
| SSBlim | - | - | - | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2018 | 2859 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2018 | 91,628,000 | - | - |
| F | F-1/yr | 2018 | 0.68 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2018 | 1849 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2018 | 2.957 | | |
| ER/ERmgt | - | - | - | | |



Common sole Northern Adriatic Sea [SOLMEDGSA17]



Common sole Northern Adriatic Sea [SOLMEDGSA17]




Common sole Gulf of Lions [SOLMEDGSA7]


| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Solea solea | | |
| Current Assess ID | STECF-SOLMEDGSA7-2011-2015-OSIO | | |
| Area Gulf of Lions | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2015 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Type | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.085 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2015 | 215 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2015 | 2,060,000 | - | - |
| F | F-1/yr | 2015 | 0.63 | - | - |
| ER | - | - | - | - | - |
| TC | - | - | - | | |
| TL | TL-MT | 2015 | 184 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 7.412 | | |
| ER/ERmgt | - | - | - | | |



Common sole Gulf of Lions [SOLMEDGSA7]



Common sole Gulf of Lions [SOLMEDGSA7]




Sprat Black Sea [SPRBLKGSA29]


| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Sprattus sprattus | | |
| Current Assess ID | STECF-SPRBLKGSA29-1997-2016-MEDIMP2021-2 | | |
| Area | Black Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | |
| Asmts in RAM | 2010, 2014, 2016 | | |

| Reference Points | | | | |
|------------------|-----------|-----------|-------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.64 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.64 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | M-1/yr | 2010 | 0.95 | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | Flim-1/yr | 2010 | 0.64 | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|-----------------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 460,298 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 2.38×10^{11} | - | - |
| F | F-1/yr | 2016 | 0.737 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 80,019 | | |
| TL | TL-MT | 2010 | 91,700 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 1.151 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 1.151 | | |
| ER/ERmgt | - | - | - | | |



Sprat Black Sea [SPRBLKGSA29]




Sprat Black Sea [SPRBLKGSA29]





| Metadata | | | |
|----------------------|---|--|--|
| Scientific Name | Xiphias gladius | | |
| Current Assess ID | ICCAT-SWORDMED-1950-2018-PONS | | |
| Area | Mediterranean Sea | | |
| Management Authority | International Commission for the Conservation of Atlantic Tunas | | |
| Assessor | International Commission for the Conservation of Atlantic Tunas | | |
| Asmts in RAM | 2009, 2018 | | |

| Reference Points | | | | |
|------------------|------------------|-----------|--------|--|
| Туре | ID | Asmt Year | Value | |
| TBmsy | TBmsy-extr-MT | 2009 | 73,728 | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2009 | 0.26 | |
| ERmsy | ERmsy-calc-ratio | 2009 | 0.198 | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | - | - | - | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | MSY-MT | 2018 | 19,683 | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|----------------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | TB-MT | 2009 | 64,600 | - | - |
| SSB | SSB-MT | 2009 | 33,600 | - | 3+ |
| TN | - | - | - | - | - |
| R | - | - | - | - | - |
| F | - | - | - | - | - |
| ER | ER-ratio | 2018 | 0.487 | - | - |
| TC | TC-MT | 2009 | 9340 | | |
| TL | TL-MT | 2018 | 7079 | | |
| TB/TBmsy | TBdivTBmsy-dimensionless | 2009 | 0.96 | | |
| SSB/SSBmsy | SSBdivSSBmsy-dimensionless | 2018 | 0.163 | | |
| F/Fmsy | FdivFmsy-dimensionless | 2018 | 1.956 | | |
| ER/ERmsy | ER-ratio/ERmsy-calc-ratio | 2009 | 0.954 | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | 1 | - | - | | |
| F/Fmgt | - | - | - | | |
| ER/ERmgt | - | - | - | | |







Thornback skate Black Sea [TBSKAMEDGSA29]

| Metadata | | | | |
|----------------------|--|--|--|--|
| Scientific Name | Raja clavata | | | |
| Current Assess ID | STECF-TBSKAMEDGSA29-2008-2014-OSIO | | | |
| Area | Black Sea | | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national state | | | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | | | |
| Asmts in RAM | 2014 | | | |

| Reference Points | | | | | | |
|------------------|-----------|-----------|-------|--|--|--|
| Туре | ID | Asmt Year | Value | | | |
| TBmsy | - | - | - | | | |
| SSBmsy | - | - | - | | | |
| Fmsy | - | - | - | | | |
| ERmsy | - | - | - | | | |
| TBmgt | - | - | - | | | |
| SSBmgt | - | - | - | | | |
| Fmgt | Fmgt-1/yr | 2014 | 0.16 | | | |
| ERmgt | - | - | - | | | |
| TB0 | - | - | - | | | |
| SSB0 | - | - | - | | | |
| MSY | - | - | - | | | |
| М | - | - | - | | | |
| TBlim | - | - | - | | | |
| SSBlim | - | - | - | | | |
| Flim | - | - | - | | | |
| ERlim | - | - | - | | | |


| Time Series | | | | | | | |
|-------------|------------------|-----------|------------|-----|-----|--|--|
| Туре | ID | Asmt Year | Curr Value | Sex | Age | | |
| ТВ | - | - | - | - | - | | |
| SSB | - | - | - | - | - | | |
| TN | - | - | - | - | - | | |
| R | - | - | - | - | - | | |
| F | F-1/yr | 2014 | 0.21 | - | - | | |
| ER | - | - | - | - | - | | |
| TC | TC-MT | 2014 | 96 | | | | |
| TL | - | - | - | | | | |
| TB/TBmsy | - | - | - | | | | |
| SSB/SSBmsy | - | - | - | | | | |
| F/Fmsy | - | - | - | | | | |
| ER/ERmsy | - | - | - | | | | |
| TB/TBmgt | - | - | - | | | | |
| SSB/SSBmgt | - | - | - | | | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2014 | 1.312 | | | | |
| ER/ERmgt | - | - | - | | | | |

Thornback skate Black Sea [TBSKAMEDGSA29]


| Kobe MSY* | Kobe MGT* |
|------------------|-------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Spawner Recruit* | Production* |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

◆ Start Year ◆ End Year * No Data

Thornback skate Black Sea [TBSKAMEDGSA29]



Thornback skate Black Sea [TBSKAMEDGSA29]




Turbot Black Sea [TURBLKGSA29]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Psetta maxima | |
| Current Assess ID | STECF-TURBLKGSA29-1950-2016-MEDIMP2021-2 | |
| Area | Black Sea | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2014, 2016, 2010 | |


| Reference Points | | | | | |
|------------------|--------------------|------|------|--|--|
| Туре | ID Asmt Year Value | | | | |
| TBmsy | - | - | - | | |
| SSBmsy | - | - | - | | |
| Fmsy | Fmsy-1/yr | 2016 | 0.26 | | |
| ERmsy | - | - | - | | |
| TBmgt | - | - | - | | |
| SSBmgt | - | - | - | | |
| Fmgt | Fmgt-1/yr | 2016 | 0.26 | | |
| ERmgt | - | - | - | | |
| TB0 | - | - | - | | |
| SSB0 | - | - | - | | |
| MSY | - | - | - | | |
| М | M-1/yr | 2010 | 0.19 | | |
| TBlim | - | - | - | | |
| SSBlim | SSBlim-MT | 2014 | 3535 | | |
| Flim | - | - | - | | |
| ERlim | - | - | - | | |

| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 1993 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 901,897 | - | - |
| F | F-1/yr | 2016 | 0.974 | - | - |
| ER | - | - | - | - | - |
| TC | TC-MT | 2016 | 1100 | | |
| TL | - | - | - | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 3.744 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 3.744 | | |
| ER/ERmgt | - | - | - | | |




Start Year • End Year * No Data

Turbot Black Sea [TURBLKGSA29]



Turbot Black Sea [TURBLKGSA29]




White anglerfish Geographical Sub-Areas 1-7 [WANGLGSA1-7]


| Metadata | | |
|---------------------------------|---|--|
| Scientific Name | Lophius piscatorius | |
| Current Assess ID | STECF-WANGLGSA1-7-2013-2015-OSIO | |
| Area Geographical Sub-Areas 1-7 | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2015 | |

| Reference Points | | | | |
|---------------------|-----------|------|------|--|
| Type ID Asmt Year \ | | | | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | - | - | - | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2015 | 0.22 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| М | - | - | - | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |


| Time Series | | | | | |
|-------------|------------------|-----------|------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2015 | 391 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2015 | 1,270,000 | - | - |
| F | F-1/yr | 2015 | 0.45 | - | - |
| ER | - | - | - | - | - |
| TC | - | - | - | | |
| TL | TL-MT | 2015 | 3520 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | - | - | - | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2015 | 2.045 | | |
| ER/ERmgt | - | - | - | | |



Start Year • End Year * No Data



White anglerfish Geographical Sub-Areas 1-7 [WANGLGSA1-7]




Whiting Black Sea [WHITMEDGSA29]

| Metadata | | |
|----------------------|---|--|
| Scientific Name | Merlangius merlangus | |
| Current Assess ID | STECF-WHITMEDGSA29-1994-2016-MEDIMP2021-2 | |
| Area Black Sea | | |
| Management Authority | General Fisheries Council for the Mediterranean, DG MARE, and national states | |
| Assessor | Scientific, Technical and Economic Committee for Fisheries | |
| Asmts in RAM | 2011, 2014, 2016 | |


| Reference Points | | | | |
|----------------------|-----------|------|------|--|
| Type ID Asmt Year Va | | | | |
| TBmsy | - | - | - | |
| SSBmsy | - | - | - | |
| Fmsy | Fmsy-1/yr | 2016 | 0.63 | |
| ERmsy | - | - | - | |
| TBmgt | - | - | - | |
| SSBmgt | - | - | - | |
| Fmgt | Fmgt-1/yr | 2016 | 0.63 | |
| ERmgt | - | - | - | |
| TB0 | - | - | - | |
| SSB0 | - | - | - | |
| MSY | - | - | - | |
| M | M-1/yr | 2011 | 0.46 | |
| TBlim | - | - | - | |
| SSBlim | - | - | - | |
| Flim | - | - | - | |
| ERlim | - | - | - | |

| Time Series | | | | | |
|-------------|------------------|-----------|---------------|-----|-----|
| Туре | ID | Asmt Year | Curr Value | Sex | Age |
| ТВ | - | - | - | - | - |
| SSB | SSB-MT | 2016 | 14,569 | - | - |
| TN | - | - | - | - | - |
| R | R-E00 | 2016 | 1,445,823,000 | - | - |
| F | F-1/yr | 2016 | 1.46 | - | - |
| ER | ER-ratio | 2011 | 0.146 | - | - |
| TC | TC-MT | 2016 | 11,078 | | |
| TL | TL-MT | 2011 | 8250 | | |
| TB/TBmsy | - | - | - | | |
| SSB/SSBmsy | - | - | - | | |
| F/Fmsy | F-1/yr/Fmsy-1/yr | 2016 | 2.317 | | |
| ER/ERmsy | - | - | - | | |
| TB/TBmgt | - | - | - | | |
| SSB/SSBmgt | - | - | - | | |
| F/Fmgt | F-1/yr/Fmgt-1/yr | 2016 | 2.317 | | |
| ER/ERmgt | - | - | - | | |



Start Year • End Year * No Data

Whiting Black Sea [WHITMEDGSA29]



Whiting Black Sea [WHITMEDGSA29]

