Supporting Information

CT Spinopelvic One-thousand: spine, pelvis, ribs and femora in one coordinate frame, annotated for lumbosacral transitional anatomy

Figures S1–S3 and Tables S1–S3, in that order, as cited in the article.




Figure S1 Instrumentation in the release, one exemplar each, drawn through bone. (a) Hip arthroplasty, 66, $n = 8$. (b) Femoral-neck screws, 68, $n = 1$. (c) Sacroiliac screws, 67, $n = 1$. (d) Interbody cages, 63, $n = 1$. Bar, 5 cm.




Figure S2 Spinopelvic measures against standing reference bands (mean ± SD)[1].




Figure S3 Records carrying each vertebral level, cranial to caudal. Counts per identifier in Table S3.

Table S1 Held-out fold Dice of the pelvic pseudolabeller against manual CTPelvic1K labels, mean ± SD over the five folds at each fold's selected checkpoint (nnU-Net validation Dice, ignore regions excluded; `results/pseudolabel_dice/` in the repository).

Structure	Dice
Sacrum	0.980 ± 0.003
Left hip	0.970 ± 0.016
Right hip	0.971 ± 0.015

Table S2 Data types and metadata, and the records populating each, from the released manifest.

Field	Records	Available
Identifiers and paths, configuration, match type, image/label alignment check	802	100.0%
Patient position, tube potential, section thickness, kernel	802	100.0%
Transitional label and class, annotation origin, instrumentation flags	802	100.0%
Spine series identifier; bone-fraction check	782	97.5%
Scanner manufacturer and model	768	95.8%
Sex	749	93.4%
Age	709	88.4%
Pelvic series identifier	713	88.9%
Castellvi grade (consensus of two readers)	33	4.1%

[1]R. Vialle, N. Levassor, L. Rillardon, A. Templier, W. Skalli, and P. Guigui, Radiographic analysis of the sagittal alignment and balance of the spine in asymptomatic subjects, J. Bone Joint Surg. Am. **87**, 260–267 (2005), doi:10.2106/JBJS.D.02043.

Table S3 Every identifier populated in the release and the number of the 802 records carrying it, counted from the released label volumes. The identifier space runs 0–68 with one hole at the retired 29; 46 and 59 (the thirteenth rib pair) occur in no record.

id	class	records	%
1	C1	2	0.25
6	C6	1	0.12
10	T3	1	0.12
11	T4	9	1.12
12	T5	34	4.24
13	T6	155	19.33
14	T7	335	41.77
15	T8	545	67.96
16	T9	688	85.79
17	T10	765	95.39
18	T11	798	99.50
19	T12	801	99.88
20	L1	802	100.00
21	L2	802	100.00
22	L3	802	100.00
23	L4	802	100.00
24	L5	793	98.88
25	L6	18	2.24
26	sacrum	802	100.00
30	left_hip	802	100.00
31	right_hip	802	100.00
32	femur_left	802	100.00
33	femur_right	802	100.00
36	rib_left_3	5	0.62
37	rib_left_4	65	8.10
38	rib_left_5	316	39.40
39	rib_left_6	635	79.18
40	rib_left_7	780	97.26
41	rib_left_8	800	99.75
42	rib_left_9	802	100.00
43	rib_left_10	802	100.00
44	rib_left_11	802	100.00
45	rib_left_12	787	98.13
49	rib_right_3	5	0.62
50	rib_right_4	62	7.73
51	rib_right_5	310	38.65
52	rib_right_6	624	77.81
53	rib_right_7	773	96.38
54	rib_right_8	800	99.75
55	rib_right_9	801	99.88
56	rib_right_10	801	99.88
57	rib_right_11	802	100.00
58	rib_right_12	788	98.25
60	rib_left_lumbar	13	1.62
61	rib_right_lumbar	16	2.00
63	hardware_cage	1	0.12
66	hardware_arthroplasty	8	1.00
67	hardware_si_screw	1	0.12
68	hardware_osteosynthesis	1	0.12