```
Peniche@PENICHE-PC MINGW64 ~
$ git config --global user.name "Greisy Cortes"

Peniche@PENICHE-PC MINGW64 ~
$ git config --global user.email ada_hack493@hackademy.mx

Peniche@PENICHE-PC MINGW64 ~
$ git config --global core.editor "code --wait"

Peniche@PENICHE-PC MINGW64 ~
$ git config --global core.autocrlf true

Peniche@PENICHE-PC MINGW64 ~
$ mkdir introGit

Peniche@PENICHE-PC MINGW64 ~
$ cd introGit/
```

```
Peniche@PENICHE-PC MINGW64 ~
$ cd introGit/

Peniche@PENICHE-PC MINGW64 ~/introGit
$ git init
Initialized empty Git repository in C:/Users/Peniche/introGit/.git/

Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ code .

Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ git add file1.txt

Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1.txt
```

```
              new file:    file1.txt


Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ git commit
[master (root-commit) d075f9d] He agregado un archivo
 1 file changed, 1 insertion(+)
 create mode 100644 file1.txt

Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ git status
On branch master
nothing to commit, working tree clean

Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ git branch

* master
```

```
Peniche@PENICHE-PC MINGW64 ~/introGit (master)
$ git checkout -b RamaA
Switched to a new branch 'RamaA'

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ branch
bash: branch: command not found

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git branch+
git: 'branch+' is not a git command. See 'git --help'.

The most similar command is
        branch

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git branch
* RamaA
  master

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git status
```

```
nothing added to commit but untracked files present (use "git add" to track)

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git add file2.txt

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git commit
[RamaA 3222586] He hecho un segundo commit
 1 file changed, 1 insertion(+)
 create mode 100644 file2.txt

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git status
On branch RamaA
nothing to commit, working tree clean

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git status
On branch RamaA
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file1.txt
```

```
no changes added to commit (use "git add" and/or "git commit -a")

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git add file1.txt

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git commit
[RamaA 65194ca] He actualizado mi archivo
 1 file changed, 3 insertions(+), 1 deletion(-)

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git status
On branch RamaA
nothing to commit, working tree clean

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$ git log --oneline
65194ca (HEAD -> RamaA) He actualizado mi archivo
3222586 He hecho un segundo commit
d075f9d (master) He agregado un archivo

Peniche@PENICHE-PC MINGW64 ~/introGit (RamaA)
$
```