Efe Marko Güldere

Junior Developer and IT Operations Specialist at JELD-WEN Eesti AS · Rakvere, Estonia

efemarko1@gmail.com · gren-95.github.io · github.com/Gren95 · LinkedIn

I build web applications, maintain IT infrastructure, and work on homelab and open source projects in my spare time.

EXPERIENCE

Apr 2026 - present

Junior Developer and IT Operations Specialist, JELD-WEN Eesti AS
Building web applications and keeping the IT infrastructure behind them running.

Sep 2024 - Mar 2026

Web Developer (internship), JELD-WEN Eesti AS
The third internship at the same company and the first on the development side, which turned into the developer post above.

Feb 2023 - Aug 2024

IT Support Technician, JELD-WEN Eesti AS
Two internships at the same company, on the IT support side.

EDUCATION

2026 - present

Arukad süsteemid ja rakendusinfotehnoloogia, Tallinna Tehnikaülikool
Professional higher education in smart systems and applied information technology. Three and a half years at the Kohtla-Järve campus, taught in Estonian. Started August 2026, alongside the job.

2024 - 2026

Junior Developer, EQF level 4, Viljandi Kutsehariduskeskus
AI-driven development, and the programming groundwork that makes it work: object orientation and the basics you need to judge whether generated code is any good. Most of it was about directing the tools and catching their mistakes.

2021 - 2024

Junior IT Systems Specialist, EQF level 4, Rakvere Ametikool
Networks and hardware with hands on the kit: CAT 5e through CAT 7 terminated by hand, punched down to 110 blocks and keystone panels, and a rack of Cisco switches and routers cabled properly enough to keep using after it was graded. Also where I learned to coax a configuration page out of an access point too old for a modern browser to render one.

OPEN SOURCE

merged

X-Sense for Home Assistant #275
Every request to the recordings panel returned HTTP 500. A readiness check was shelling out to ffprobe on Home Assistant's event loop, once per cached clip. On an install with 85 clips that came to 130 blocking-call errors in three minutes. I traced the call chain, moved the check onto a flag recorded where blocking work is allowed, and the panel returned to HTTP 200 with none.

`merged` **zigbee-herdsman-converters #12992**
A device definition for the EZVIZ CS-T10C leak sensor. The generated fallback published a raw alarm bitmap; this maps it to a water_leak sensor and drops the alarm bit the ZCL zone type never sets.

`merged` **zigbee2mqtt.io #5460**
The photograph for that same sensor, cut to the documentation's 512 px transparent-PNG convention.

PROJECTS

- **ha-relay-panel**: Running a relay as a thermostat in Home Assistant means hand-writing an automation for every room. This panel puts relays on a board, binds each to a temperature sensor and a set point, and writes the automation itself. If a sensor goes unavailable, the relay switches off.
- **hyprland-dots**: Most Hyprland setups stitch together other people's widgets, each with its own look and its own bugs. I wrote the whole shell in QML instead (bar, notifications, launcher and on-screen displays), so it all looks and behaves the same. It's what I run every day.
- **cc2-commander**: The Elegoo Centauri Carbon 2 has a single MQTT slot, so only one client can talk to it at a time. This service holds that slot and shares it: a web dashboard, Mainsail and Fluidd through a Moonraker-compatible API, Prometheus and Telegram all work at once. It began as a fork of runnane/elegoo-web.
- **tailboard**: A dozen self-hosted services means a dozen bookmarks and no idea which one is down. Tailboard puts them all on one page with their status, so I can see what's running and what's down in one place.
- **uptime-kuma-compact-theme**: Uptime Kuma's status page wastes a wall-mounted screen: wide gaps, uptime numbers overlapping names, ragged heartbeat bars. This is one CSS file for the Custom CSS field that packs monitors into a full-width grid, with status-coloured uptime pills and bottom-aligned bars.
- **sonic-siphon**: Every YouTube-to-MP3 site is an ad farm that wants your links on its server. This is one Go binary you run yourself: paste a playlist, get the files back, nothing leaves your machine.
- **spawnpoint**: Friends kept asking me to spin up Minecraft worlds, which meant an SSH session every time. Spawnpoint puts start, stop, backups and the server console in a browser, so they can do it without me.
- **ha-elering-ee**: Estonian electricity prices swing hour to hour, but Home Assistant couldn't see them. This pulls Elering's hourly rates into a sensor, so an automation can hold the dishwasher until the cheap window.
- **esc2pipe**: Some keyboard layouts hide the pipe character behind a key combination a laptop can't produce. This plugin for fish makes Escape type a pipe instead.

TOOLKIT

Languages: Go, Python, TypeScript, JavaScript, Rust, PHP, Java, Shell, PowerShell, QML

Web and runtime: React, Next.js, Svelte, Node.js, Express, Bun, Gin, Vite, Tailwind CSS, jQuery, Nginx, Caddy, Apache

Data: MySQL, MariaDB, PostgreSQL, SQLite, Prisma, phpMyAdmin

Testing: Playwright, Vitest, Jest, pytest

Systems and networking: Linux, Windows, macOS, Active Directory, WireGuard, Tailscale, Cisco networking

Editors and tooling: Git, VS Code, VSCodium, Trello

Infrastructure and automation: Docker, Podman, Proxmox, Portainer, Ansible, Terraform, GitHub Actions, Prometheus, TrueNAS, DigitalOcean, ServiceNow

Self-hosted and smart home: Home Assistant, MQTT, Zigbee2MQTT, Node-RED, Uptime Kuma, Gitea, Jellyfin, Immich, AdGuard Home

Most used languages: JavaScript, HTML, Shell, TypeScript, Java, Python

Spoken languages: Estonian (Native), English (Professional working proficiency)