MyClean

Administrator Dashboard

Product Design Document

Document Version	1.0 — Initial Release
Date	March 2026
Prepared By	Grete Solution — Product Team
Product	MyClean App — Admin Dashboard
Backend URL	myclean-backend-775492522781.us-central1.run.app
Classification	Confidential / Internal Use Only

Grete Solution | Accra, Ghana

1. Introduction

1.1 Purpose

This Product Design Document (PDD) defines the complete scope, architecture, and page-by-page specifications for the MyClean Administrator Dashboard. It is the authoritative reference for the design, engineering, and QA teams. Every endpoint listed in this document maps directly to the MyClean Backend API.

1.2 Platform Background

MyClean is an Uber-like waste collection platform connecting households and businesses in Accra with verified waste collectors (drivers). The platform operates across five revenue streams: subscriptions, on-demand pickups, driver commissions, recycling partnerships, and waste data insights.

Key actors on the platform:

- Users — households and businesses that book pickups
- Drivers (Collectors) — verified waste collectors assigned to pickups
- Admins — operations team managing the platform via this dashboard
- Recycling Partners — third-party recyclers receiving sorted waste

1.3 Problem This Dashboard Solves

Without a dedicated admin interface, the operations team must query the backend database directly for every management action. The dashboard eliminates that, giving the team:

- Real-time visibility into pickups, payments, and driver activity
- User and driver management with action controls (suspend, reassign, approve)
- Financial oversight — transactions, subscriptions, payouts — in one place
- Geographic coverage monitoring across active Accra zones
- Notification control for broadcast messaging to users and drivers
- Full audit trail of all admin actions for accountability

1.4 Priority Framework

Level	Label	Definition
P0	Critical	Must ship at launch. Dashboard cannot operate without it.
P1	High	Needed within 30 days post-launch.
P2	Standard	Valuable enhancement, ships in later sprint.

2. System Architecture

2.1 Recommended Tech Stack

Layer	Recommendation
Framework	Next.js (React) — enables SSR, file-based routing, API routes
UI Components	ShadCN UI + Tailwind CSS
Charts	Recharts or ApexCharts
Maps	Google Maps JS API or Mapbox GL JS — for live driver tracking and zone polygons
State / Data Fetching	TanStack Query (React Query) — caching, background refetch, polling
Authentication	JWT via POST /admin/auth/signin + verify-otp — stored in httpOnly cookie
Real-time Updates	Server-Sent Events (SSE) via /payment/stream/:ref for transactions; polling for live map
Hosting	Vercel (frontend) — zero-config Next.js deployment
Backend API Base URL	https://myclean-backend-775492522781.us-central1.run.app

2.2 Admin Roles & Permissions

Permission	Super Admin	Ops Admin	Finance Admin
Full dashboard access	✓ Yes	✓ Yes	View Only
Manage users (suspend/restore)	✓ Yes	✓ Yes	✗ No
Manage drivers (approve/deactivate)	✓ Yes	✓ Yes	✗ No
View & export transactions	✓ Yes	View Only	✓ Yes
Assign / reassign drivers to orders	✓ Yes	✓ Yes	✗ No
Manage subscription options	✓ Yes	✓ Yes	✗ No
Manage locations / zones	✓ Yes	✓ Yes	✗ No
Send notifications	✓ Yes	✓ Yes	✗ No
Manage coupons & privileges	✓ Yes	✓ Yes	✗ No
View audit logs	✓ Yes	✓ Yes	✓ Yes
Create / manage admin accounts	✓ Yes	✗ No	✗ No
System settings	✓ Yes	✗ No	✗ No

2.3 Complete API Endpoint Inventory

All endpoints used by the admin dashboard, mapped from the official Postman collection:

Method	Endpoint	Purpose	Used On
POST	`/admin/auth/signin`	Admin login — step 1 (email + password)	Login page
POST	`/admin/auth/verify-otp`	Admin login — step 2 (OTP verification)	Login page
POST	`/admin/auth/resend-otp`	Resend OTP during login	Login page
POST	`/admin/auth/forgot-password`	Trigger password reset email	Login page
POST	`/admin/auth/reset-password`	Complete password reset with OTP	Login page
POST	`/admin/auth/logout`	Invalidate session token	All pages (top bar)
POST	`/admin/auth/create`	Create a new admin account	Settings > Admins
GET	`/admin/get`	List all admin accounts	Settings > Admins
PUT	`/admin/update/:id`	Update admin details	Settings > Admins
PATCH	`/admin/deactivate/:id`	Deactivate an admin account	Settings > Admins
PATCH	`/admin/suspend/:id`	Suspend an admin account	Settings > Admins
GET	`/users/get`	List all users (households + businesses)	Users page
PUT	`/users/profile`	Update user profile fields	User detail page
GET	`/driver-management/admin/drivers`	List all drivers (collectors)	Drivers page
GET	`/driver-management/admin/drivers/:driverId/stats`	Get driver performance stats	Driver detail
POST	`/driver-management/admin/drivers`	Create driver profile manually	Drivers page
PATCH	`/driver-management/admin/drivers/:driverId/deactivate`	Deactivate a driver	Driver detail
PATCH	`/driver-management/admin/drivers/:driverId/reactivate`	Reactivate a driver	Driver detail
GET	`/driver-management/profile/:id`	Get individual driver profile	Driver detail
GET	`/booking/orders/unassigned`	Get orders awaiting driver assignment	Orders / Dashboard

GET	/booking/orders/user/:userId	Get all orders for a specific user	User detail
POST	/booking/orders/:id/assign-driver	Manually assign driver to order	Orders page
POST	/booking/orders/:id/reassign	Reassign a different driver to order	Orders page
GET	/booking/orders/:id	Get full detail for a single order	Order detail
PATCH	/booking/orders/:id/cancel	Admin cancel an order	Order detail
GET	/payment/get	List all payment transactions	Transactions page
GET	/payment/status/:clientReference	Check status of a transaction	Transaction detail
GET	/payment/stream/:clientReference	SSE stream for live transaction updates	Transaction detail
GET	/admin/subscriptions	List all subscription options	Subscriptions page
GET	/admin/subscriptions/:locationId	List subscription options by location	Subscriptions page
POST	/admin/subscriptions/:locationId	Create new subscription option	Subscriptions page
PUT	/admin/subscriptions/:locationId/:optionId	Update subscription option	Subscriptions page
PATCH	/admin/subscriptions/:locationId/:optionId/status	Toggle subscription option active/inactive	Subscriptions page
GET	/location/get	List all service locations/zones	Locations page
POST	/location/create	Create new service location	Locations page
PUT	/location/update/:id	Update location details	Locations page
DELETE	/location/delete/:id	Delete a location	Locations page
PATCH	/location/admin/locations/:locationId	Update location settings (isActive, radius)	Locations page
GET	/location/admin/locations/:locationId	Get location config	Locations page
GET	/notification/stats	Get notification delivery stats	Notifications page
GET	/notification/	Get all notifications	Notifications page
GET	/notification/history	Get notification send history	Notifications page
POST	/notification/queue	Queue a notification for delivery	Notifications page

POST	/notification/send-notification	Send notification immediately	Notifications page
POST	/notification/send-notification-to-users	Broadcast to specific users	Notifications page
GET	/notification/settings/ttl	Get notification TTL setting	Settings
PUT	/notification/settings/ttl	Update notification TTL	Settings
GET	/coupons/get	List all coupons	Settings > Coupons
POST	/coupons/create	Create a new coupon	Settings > Coupons
PUT	/coupons/update/:id	Update an existing coupon	Settings > Coupons
GET	/privileges/get	List all user privileges	Settings > Privileges
POST	/privileges/create	Create a new privilege	Settings > Privileges
PATCH	/privileges/update/:id	Update privilege	Settings > Privileges
PATCH	/privileges/soft-delete/:id	Remove a privilege	Settings > Privileges
GET	/vehicleMake/get	List vehicle makes	Settings > Vehicles
POST	/vehicleMake/create	Add a vehicle make	Settings > Vehicles
PUT	/vehicleMake/update/:id	Update vehicle make	Settings > Vehicles
DELETE	/vehicleMake/soft-delete/:id	Remove vehicle make	Settings > Vehicles
GET	/referrals/get	List all referral codes	Settings > Referrals
POST	/referrals/generate	Generate a referral code	Settings > Referrals
GET	/systemSettings/getSystemSettings	Get global system settings	Settings
POST	/systemSettings/createOrUpdate	Create or update system settings	Settings
GET	/health	Backend health check (ping)	Dashboard status widget

3. Navigation & Information Architecture

3.1 Sidebar Navigation

Persistent left sidebar across all authenticated pages. Each section contains sub-pages accessible as nested routes.

Section	Sub-pages	Primary API	Priority
Overview	Dashboard (main KPIs, charts, activity feed)	`/users/get, /payment/get, /booking/orders/unassigned`	P0
Users	All Users · User Profile Detail	`/users/get`	P0
Drivers	All Drivers · Pending Verification · Driver Profile	`/driver-management/admin/drivers`	P0
Orders	All Orders · Unassigned · Order Detail	`/booking/orders/unassigned`	P0
Transactions	All Transactions · Transaction Detail	`/payment/get`	P0
Map / Coverage	Live Map (drivers) · Zone Management	`/location/get, /driver-management/location`	P0
Subscriptions	Subscription Options · Manage by Location	`/admin/subscriptions`	P1
Notifications	Send / History / Stats	`/notification/`	P1
Settings	Admins · Coupons · Privileges · Vehicles · Referrals · System	`/admin/get, /coupons/get, /systemSettings`	P2

3.2 Global UI Elements

UI Element	Description	API Endpoint	Priority
Top navigation bar	Shows current admin name, role badge, notification bell, logout button	`POST /admin/auth/logout`	P0
Sidebar collapse toggle	Collapses sidebar to icon-only mode for more screen space	`None`	P1
Global search bar	Search across users, drivers, orders by ID, name, or phone	`GET /users/get?search=, /driver-management/admin/drivers?search=`	P1
System status indicator	Green/red dot showing backend health	`GET /health`	P2
Notification bell (top bar)	Badge count of unread system alerts for this admin	`GET /notification/pending`	P1

4. Page Specifications

4.1 Admin Login

Route	/login
Access	Public — unauthenticated
Priority	P0 — Critical
Auth Flow	2-step: email+password → OTP verification
Key APIs	POST /admin/auth/signin | POST /admin/auth/verify-otp

UI Elements & Behaviour

UI Element	Description	API Endpoint	Priority
MyClean logo + wordmark	Centred above the login card	`None`	**P0**
Email input	Admin email with format validation	`None`	**P0**
Password input	Masked with show/hide toggle	`None`	**P0**
Sign In button	Calls /admin/auth/signin — transitions to OTP screen on success	`POST /admin/auth/signin`	**P0**
OTP input (6-digit)	Appears after step 1 success; user enters OTP from email/SMS	`POST /admin/auth/verify-otp`	**P0**
Resend OTP link	Active after 60 second cooldown	`POST /admin/auth/resend-otp`	**P0**
Forgot Password link	Sends reset email; user enters new password + OTP to confirm	`POST /admin/auth/forgot-password` | `POST /admin/auth/reset-password`	**P1**
Error messages	Inline under affected field: "Invalid credentials", "OTP expired"	`None`	**P0**

Business Rules

- On success: store JWT in httpOnly cookie; redirect to /dashboard
- 5 failed attempts locks the account for 15 minutes
- OTP expires after 10 minutes; Resend generates a fresh OTP
- All login attempts (success + fail) recorded in system audit log

4.2 Main Dashboard

Route	/dashboard

Access	All admin roles
Priority	P0 — Critical
Description	Landing page after login. Real-time snapshot of platform health, key metrics, active operations, and recent activity.
Key APIs	GET /users/get | GET /driver-management/admin/drivers | GET /booking/orders/unassigned | GET /payment/get | GET /location/get | GET /health

KPI Metric Cards (top row — auto-refresh every 60s)

UI Element	Description	API Endpoint	Priority
Total Registered Users	Count of all users from /users/get	`GET /users/get`	**P0**
Active Drivers (Online)	Drivers currently available/on a job	`GET /driver-management/admin/drivers`	**P0**
Unassigned Orders	Orders awaiting driver assignment — flagged if > 0	`GET /booking/orders/unassigned`	**P0**
Transactions Today	Count + total GHS amount for today	`GET /payment/get`	**P0**
Active Locations/Zones	Service areas with isActive=true	`GET /location/get`	**P1**
Backend Health	Green = UP / Red = DOWN with latency ms	`GET /health`	**P2**

Charts & Visualisations

UI Element	Description	API Endpoint	Priority
Orders over time (line chart)	Rolling 7-day order count — derived from order timestamps in /booking/orders/unassigned + all orders	`GET /booking/orders/unassigned`	**P0**
Transaction volume (area chart)	Daily GHS revenue for past 30 days — derived from /payment/get	`GET /payment/get`	**P0**
Payment status split (donut)	Success / Pending / Failed breakdown from transaction data	`GET /payment/get`	**P0**
Driver availability (bar)	Available vs Unavailable vs On Job — from driver records	`GET /driver-management/admin/drivers`	**P1**
Accra zone coverage map (mini)	Small map widget showing active vs inactive location polygons	`GET /location/get`	**P0**

Activity Panels

UI Element	Description	API Endpoint	Priority
Unassigned Orders table	Live list of orders waiting for driver — with Assign Driver action button per row	`GET /booking/orders/unassigned`	**P0**

Recent Transactions table	Last 10 payments — user, amount (GHS), Momo channel, status, timestamp	`GET /payment/get`	**P0**
Pending Driver Approvals	Drivers with incomplete onboarding — Approve / Reject inline	`GET /driver-management/admin/drivers`	**P0**
System Alerts	Orders stuck > 30 mins, backend down, payment webhook failures	`GET /health + client logic`	**P1**

Business Rules

- Date range picker (Today / Week / Month / Custom) filters chart data client-side from fetched dataset
- Clicking a KPI card navigates to the relevant module (e.g., Unassigned Orders → /orders?filter=unassigned)
- Dashboard polls /booking/orders/unassigned every 30 seconds to surface new unassigned orders

4.3 Users — All Users

Route	/users
Access	Super Admin, Ops Admin
Priority	P0 — Critical
Description	Full list of all registered users. Supports search, filter, sort, and individual management.
Key APIs	GET /users/get | PUT /users/profile

Page Controls

UI Element	Description	API Endpoint	Priority
Search bar	Search by name, phone number, or user ID	`GET /users/get`	**P0**
Filter: Account Type	Household / Business / All	`GET /users/get (client filter)`	**P0**
Filter: Status	Active / Suspended / All	`GET /users/get (client filter)`	**P0**
Export CSV	Downloads current filtered list as CSV	`Client-side from fetched data`	**P1**

Users Table

UI Element	Description	API Endpoint	Priority
User ID	Unique identifier — click to copy	`GET /users/get`	**P0**
Full Name	First + last name	`GET /users/get`	**P0**
Phone Number	Primary contact (Ghana format)	`GET /users/get`	**P0**
Pickup Location	Address from user profile location	`GET /users/get`	**P0**
Account Status	Active / Suspended badge	`GET /users/get`	**P0**
Registered Date	Account creation timestamp	`GET /users/get`	**P0**
Actions	View Profile / Edit / Suspend	`PUT /users/profile`	**P0**

Business Rules

- 25 users per page with pagination controls
- Clicking a row opens the User Profile detail page (/users/:id)
- Suspend action requires confirmation modal with reason field — reason stored in admin notes

4.4 User Profile Detail

Route	/users/:id
Access	Super Admin, Ops Admin
Priority	P0 — Critical
Key APIs	GET /users/get (filtered by id) | GET /booking/orders/user/:userId | GET /payment/get | PUT /users/profile

Profile Sections

UI Element	Description	API Endpoint	Priority
Personal Info card	Name, phone, pickup address + coordinates (lat/lng from profile.pickupLocation)	`GET /users/get`	**P0**
Orders History table	All orders for this user — binType, quantity, status, assigned driver, date	`GET /booking/orders/user/:userId`	**P0**
Payment History table	All transactions — amount (GHS), channel, clientReference, status, date	`GET /payment/get (filter by userId)`	**P0**
Edit Profile panel	Update firstname, lastname, phone, pickupLocation	`PUT /users/profile`	**P1**
Subscriptions card	Active subscription options linked to this user	`GET /booking/user/subscriptions (admin view)`	**P1**
Admin Notes	Internal text notes on this user — only visible to admins	`Stored client-side or dedicated notes endpoint`	**P2**

4.5 Drivers (Collectors) — All Drivers

Route	/drivers
Access	Super Admin, Ops Admin
Priority	P0 — Critical
Description	Full roster of all waste collectors on the platform. Includes verification queue management and inline approval workflow.
Key APIs	GET /driver-management/admin/drivers | PATCH /driver-management/admin/drivers/:driverId/deactivate | PATCH .../reactivate

Sub-tabs

- All Drivers — full roster
- Pending Verification — drivers who have completed registration but are not yet approved
- Deactivated — inactive drivers

Drivers Table

UI Element	Description	API Endpoint	Priority
Driver ID	Unique identifier	`GET /driver-management/admin/drivers`	**P0**
Full Name	Registered name	`GET /driver-management/admin/drivers`	**P0**
Phone Number	Contact number	`GET /driver-management/admin/drivers`	**P0**
Vehicle	Make, color, plate (e.g., Toyota White GR-1234-20)	`GET /driver-management/admin/drivers`	**P0**
Availability Status	Available / Unavailable / On Job — live badge	`GET /driver-management/admin/drivers (isAvailable field)`	**P0**
Account Status	Active / Pending / Deactivated badge	`GET /driver-management/admin/drivers`	**P0**
Actions (Active)	View Profile / Deactivate	`PATCH .../deactivate`	**P0**
Actions (Pending)	Approve / Reject	`PATCH .../reactivate or manual flow`	**P0**
Actions (Deactivated)	Reactivate	`PATCH .../reactivate`	**P0**

Create Driver Manually

UI Element	Description	API Endpoint	Priority
Add Driver button	Opens modal to create driver: email, firstname, lastname, phone	`POST /driver-management/admin/drivers`	**P1**

4.6 Driver Profile Detail

Route	/drivers/:id
Access	Super Admin, Ops Admin
Priority	P0 — Critical
Key APIs	GET /driver-management/profile/:id | GET /driver-management/admin/drivers/:driverId/stats | PATCH .../deactivate | PATCH .../reactivate

Profile Sections

UI Element	Description	API Endpoint	Priority
Personal Info card	Name, phone, email, profile picture	`GET /driver-management/profile/:id`	**P0**
Vehicle card	Make, color, plate number	`GET /driver-management/profile/:id`	**P0**
Live Location card	Last known lat/lng on mini map — from driver.location	`GET /driver-management/profile/:id`	**P0**
Performance Stats	Total tasks, completed, cancelled — from driver stats endpoint	`GET /driver-management/admin/drivers/:driverId/stats`	**P0**
Availability Toggle	Admin can view current isAvailable status	`GET /driver-management/profile/:id`	**P1**
Account Actions	Deactivate or Reactivate with confirmation modal	`PATCH .../deactivate | .../reactivate`	**P0**
Orders History	Bookings assigned to this driver — derived from orders data filtered by driverId	`Client-side filter from orders data`	**P1**

4.7 Orders

Route	/orders
Access	Super Admin, Ops Admin
Priority	P0 — Critical
Description	Management centre for all on-demand orders and scheduled pickups. Primary action centre for driver assignment and reassignment.
Key APIs	GET /booking/orders/unassigned | GET /booking/orders/:id | POST /booking/orders/:id/assign-driver | POST /booking/orders/:id/reassign | PATCH /booking/orders/:id/cancel

Sub-tabs

- Unassigned — orders awaiting driver (GET /booking/orders/unassigned) — this is the most critical view
- All Orders — every order across all statuses
- By User — search orders for a specific user (GET /booking/orders/user/:userId)

Orders Table

UI Element	Description	API Endpoint	Priority
Order ID	Unique booking identifier	`GET /booking/orders/unassigned`	**P0**
User	Name + phone of the customer who booked	`Derived from order data`	**P0**
Pickup Address	Address + coordinates	`GET /booking/orders/unassigned`	**P0**
Bin Types	binType (general, recyclable) + quantity	`GET /booking/orders/unassigned`	**P0**
Payment Method	Momo channel (mtn-gh etc.)	`GET /booking/orders/unassigned`	**P0**
Status	Unassigned / Assigned / In Progress / Completed / Cancelled badge	`GET /booking/orders/unassigned`	**P0**
Created At	Order timestamp	`GET /booking/orders/unassigned`	**P0**
Assigned Driver	Driver name if assigned, "Unassigned" badge if not	`GET /booking/orders/unassigned`	**P0**
Assign Driver button	Opens driver selection dropdown — shows available drivers	`POST /booking/orders/:id/assign-driver`	**P0**
Reassign Driver button	Replaces current driver — with reason field	`POST /booking/orders/:id/reassign`	**P0**
Cancel Order button	Admin cancel — requires reason input	`PATCH /booking/orders/:id/cancel`	**P0**

Order Detail Page (/orders/:id)

UI Element	Description	API Endpoint	Priority
Order full detail	All fields from GET /booking/orders/:id	`GET /booking/orders/:id`	**P0**
Location on map	Pickup lat/lng plotted on Google Maps embed	`Coordinates from order`	**P1**
Driver online status	Whether assigned driver is currently online	`GET /booking/orders/drivers/:driverId/online`	**P1**
Timeline	Status progression: Created → Assigned → Arrived → Started → Completed	`Derived from order timestamps`	**P1**

Business Rules

- Unassigned Orders tab auto-refreshes every 30 seconds — new orders appear with a highlight animation
- Assign Driver modal shows only drivers where isAvailable=true
- Reassign requires a written reason — stored in order record
- Admin cancel requires reason, sent to user via notification

4.8 Transactions

Route	/transactions
Access	Super Admin, Finance Admin (full); Ops Admin (view only)
Priority	P0 — Critical
Description	Full payment transaction log. All Momo payments processed via Hubtel, including subscription and on-demand payments.
Key APIs	GET /payment/get | GET /payment/status/:clientReference | GET /payment/stream/:clientReference

Page Controls

UI Element	Description	API Endpoint	Priority
Search bar	Search by clientReference, user name, or phone	`GET /payment/get`	**P0**
Filter: Status	Success / Pending / Failed	`GET /payment/get (client filter)`	**P0**
Filter: Channel	mtn-gh / vodafone-gh / airteltigo-gh	`GET /payment/get (client filter)`	**P1**
Date range picker	Filter by transaction date range	`GET /payment/get (client filter)`	**P1**
Export CSV	Download filtered transactions	`Client-side CSV export`	**P1**
Total Revenue summary	Sum of all successful transactions in current filter, shown above table	`Derived from /payment/get`	**P0**

Transactions Table

UI Element	Description	API Endpoint	Priority
Client Reference	Unique Hubtel reference — click to view detail	`GET /payment/get`	**P0**
Customer Name	Name from payment initiation (CustomerName field)	`GET /payment/get`	**P0**
Customer Phone	Msisdn (mobile money number)	`GET /payment/get`	**P0**
Amount (GHS)	Transaction amount	`GET /payment/get`	**P0**
Channel	Momo operator (mtn-gh, etc.)	`GET /payment/get`	**P0**
Description	Payment description / context	`GET /payment/get`	**P0**
Status	Success (green) / Pending (amber) / Failed (red) badge	`GET /payment/status/:clientReference`	**P0**
Date	Transaction timestamp	`GET /payment/get`	**P0**
Actions	View Detail / Re-check Status	`GET /payment/status/:clientReference`	**P1**

Transaction Detail — Live SSE Stream

UI Element	Description	API Endpoint	Priority
Transaction detail card	Full payload from /payment/status/:clientReference	`GET /payment/status/:clientReference`	**P0**
Live status stream	SSE connection to /payment/stream/:clientReference — updates status in real-time while pending	`GET /payment/stream/:clientReference`	**P1**
Hubtel webhook data	Shows ResponseCode, Amount, Status from webhook payload	`POST /payment/webhooks/hubtel (inbound)`	**P0**

4.9 Map / Geographic Coverage

Route	/map
Access	All admin roles
Priority	P0 — Critical
Description	Live map showing active service locations, driver positions, and unassigned order locations. Primary operational awareness tool.
Key APIs	GET /location/get | GET /driver-management/admin/drivers (for lat/lng) | GET /booking/orders/unassigned | GET /location/admin/locations/:locationId

Map Sub-tabs

- Live Operations — drivers + active orders on map (primary view)
- Zone Management — manage service locations/zones

Live Operations Map

UI Element	Description	API Endpoint	Priority
Full-screen Google Maps / Mapbox embed	Accra-centred map, zoomed to active zones	`None (map config)`	**P0**
Driver pins	Coloured markers for each driver — green = available, amber = on job, grey = offline. Uses lat/lng from driver profile	`GET /driver-management/admin/drivers`	**P0**
Order pins	Blue markers for unassigned orders at their pickup lat/lng	`GET /booking/orders/unassigned`	**P0**
Location zone polygons	Overlay showing each service area boundary (if polygon data available, else circle by radius)	`GET /location/get + /location/admin/locations/:locationId (serviceRadius)`	**P0**
Driver info popup	Click driver pin: shows name, phone, vehicle, availability, last update time	`GET /driver-management/profile/:id`	**P0**
Order info popup	Click order pin: shows order ID, bin types, user name, Assign Driver button	`GET /booking/orders/:id`	**P0**
Refresh interval toggle	Auto-refresh map every 15 / 30 / 60 seconds	`Polling interval config`	**P1**

Zone Management Sub-tab

UI Element	Description	API Endpoint	Priority

Locations table	Lists all locations: name, region, city, country, isActive, serviceRadius	`GET /location/get`	**P0**
Toggle Active/Inactive	Switch a zone on or off — updates isActive via PATCH	`PATCH /location/admin/locations/:locationId`	**P0**
Edit zone settings	Update serviceRadius, isActive for a location	`PATCH /location/admin/locations/:locationId`	**P0**
Create new location	Form: name, region, city, country	`POST /location/create`	**P0**
Update location	Edit name or details	`PUT /location/update/:id`	**P1**
Delete location	Soft-delete a location — confirmation required	`DELETE /location/delete/:id`	**P1**
View config	See full config for a location (serviceRadius, isActive, etc.)	`GET /location/admin/locations/:locationId`	**P0**

4.10 Subscriptions

Route	/subscriptions
Access	Super Admin, Ops Admin
Priority	P1 — High
Description	Manage subscription plans (options) available to users per service location. Create, update, activate/deactivate plans.
Key APIs	GET /admin/subscriptions | GET /admin/subscriptions/:locationId | POST /admin/subscriptions/:locationId | PUT /admin/subscriptions/:locationId/:optionId | PATCH .../status

Page Layout

UI Element	Description	API Endpoint	Priority
Location selector	Dropdown to pick a service location — loads its subscription options	`GET /admin/subscriptions/:locationId`	**P1**
All Options view	See every subscription option across all locations	`GET /admin/subscriptions`	**P1**
Options table	Name, frequency (weekly/monthly), price (GHS), description, isActive status	`GET /admin/subscriptions`	**P1**
Toggle Active / Inactive	Switch plan availability — affects what users see in the app	`PATCH /admin/subscriptions/:locationId/:optionId/status`	**P1**
Create Subscription Option	Form: name, frequency, price, description — linked to a location	`POST /admin/subscriptions/:locationId`	**P1**
Edit Subscription Option	Update name, price for existing plan	`PUT /admin/subscriptions/:locationId/:optionId`	**P1**
Option Detail view	Full detail of a single option	`GET /admin/subscriptions/:locationId/:optionId`	**P2**

4.11 Notifications

Route	/notifications
Access	Super Admin, Ops Admin
Priority	P1 — High

Description	Send push notifications to all users or specific users, view notification history, and monitor delivery statistics.
Key APIs	GET /notification/ | GET /notification/history | GET /notification/stats | POST /notification/send-notification | POST /notification/send-notification-to-users | POST /notification/queue

Sub-tabs

- Send Notification — compose and send
- History — sent notification log
- Stats — delivery analytics
- Settings — TTL configuration

Send Notification UI

UI Element	Description	API Endpoint	Priority
Recipient selector	"All Users" toggle OR select specific users by name/phone	`POST /notification/send-notification-to-users`	**P1**
Title field	Notification title	`POST /notification/send-notification`	**P1**
Message body field	Rich text notification body	`POST /notification/send-notification`	**P1**
Send Immediately button	Triggers instant delivery	`POST /notification/send-notification`	**P1**
Queue for later button	Schedules delivery — uses queue endpoint	`POST /notification/queue`	**P2**
Preview panel	Shows how notification will appear on mobile	`None`	**P2**

History & Stats

UI Element	Description	API Endpoint	Priority
Notification history table	All sent notifications — title, recipients, sent at, status	`GET /notification/history`	**P1**
All notifications list	Full notification object listing	`GET /notification/`	**P1**
Delivery stats	Total sent, delivered, pending, failed counts	`GET /notification/stats`	**P1**
TTL setting	View and update notification Time-To-Live in seconds	`GET /notification/settings/ttl` | `PUT /notification/settings/ttl`	**P2**

4.12 Settings

Route	/settings
Access	Super Admin only (most sections); Ops Admin (select sub-sections)
Priority	P2 — Standard (except Admin Management which is P0)
Description	Configuration hub for admin accounts, coupons, user privileges, vehicle makes, referrals, and global system settings.

4.12.1 Admin Account Management

UI Element	Description	API Endpoint	Priority
Admin list	All admin accounts — name, email, role, status	`GET /admin/get`	**P0**
Create Admin form	Email, password, name — creates new admin login	`POST /admin/auth/create`	**P0**
Update Admin	Edit name for an admin	`PUT /admin/update/:id`	**P1**
Suspend Admin	Temporarily block admin login	`PATCH /admin/suspend/:id`	**P0**
Deactivate Admin	Permanently remove admin access	`PATCH /admin/deactivate/:id`	**P0**

4.12.2 Coupons

UI Element	Description	API Endpoint	Priority
Coupon list	All coupons — code, discount, conditions, status	`GET /coupons/get`	**P2**
Create Coupon	Code, discount value/percentage, expiry, usage limit	`POST /coupons/create`	**P2**
Update Coupon	Edit coupon details	`PUT /coupons/update/:id`	**P2**

4.12.3 User Privileges

UI Element	Description	API Endpoint	Priority
Privileges list	All defined user privileges	`GET /privileges/get`	**P2**
Create Privilege	Define a new privilege type	`POST /privileges/create`	**P2**
Update Privilege	Edit privilege details	`PATCH /privileges/update/:id`	**P2**
Delete Privilege	Soft-delete a privilege	`PATCH /privileges/soft-delete/:id`	**P2**

4.12.4 Vehicle Makes

UI Element	Description	API Endpoint	Priority
Vehicle makes list	All registered vehicle makes available to drivers during onboarding	`GET /vehicleMake/get`	**P2**
Add Vehicle Make	Add a new make (e.g., Toyota, Hyundai)	`POST /vehicleMake/create`	**P2**
Update Vehicle Make	Edit name or details	`PUT /vehicleMake/update/:id`	**P2**
Delete Vehicle Make	Soft-delete a make	`DELETE /vehicleMake/soft-delete/:id`	**P2**

4.12.5 Referrals

UI Element	Description	API Endpoint	Priority
Referrals list	All generated referral codes — code, creator, usage count	`GET /referrals/get`	**P2**
Generate Referral	Create a new referral code	`POST /referrals/generate`	**P2**

4.12.6 System Settings

UI Element	Description	API Endpoint	Priority
View current settings	Shows all global configuration fields	`GET /systemSettings/getSystemSettings`	**P2**
Update settings	Create or update any system config key-value pair	`POST /systemSettings/createOrUpdate`	**P2**
Notification TTL	Manage how long undelivered notifications are retried	`GET /notification/settings/ttl` | `PUT /notification/settings/ttl`	**P2**

5. Design System & Visual Standards

5.1 Color Palette

Role	Hex	Usage
Primary Green	#1A6B3C	Primary brand colour — buttons, headers, active states, logo
Dark Green	#0F4A29	Sidebar background, section headers
Amber / Warning	#B45309	P1 priority, warnings, pending status
Navy	#0F1F38	H2 headings, table nav text, data labels
Red / Error	#B91C1C	P0 priority badges, failed status, danger actions
Teal / Code	#0F766E	Inline code, API endpoints, technical strings
Gray 100	#F9FAFB	Alternating table row background, page background
White	#FFFFFF	Card backgrounds, primary table rows, modals

5.2 Typography

Element	Font	Size	Usage
Page Title (H1)	Sora / Calibri	32px / Bold	Top of each major page section
Section Title (H2)	Sora / Calibri	24px / SemiBold	Subsections, card titles
Body Text	Inter / Calibri	14px / Regular	All body content, table cells
Labels / Captions	Inter / Calibri	12px / Medium	Table headers, form labels, metadata
Code / Endpoints	JetBrains Mono	12px / Regular	API paths, IDs, references
KPI Numbers	Sora	36px / Bold	Dashboard metric cards

5.3 Component Standards

Status Badges

- Active / Online / Success: Forest green background (#1A6B3C) with white text
- Pending / Unassigned: Amber background (#FEF3C7) with amber-dark text
- Suspended / Failed / Error: Red background (#FEE2E2) with red text
- Offline / Inactive: Gray background (#E5E7EB) with gray-600 text

Tables

- Alternating row shading: white (#FFFFFF) and gray-50 (#F9FAFB)
- Header row: dark green background (#0F4A29) with white text
- Hover state: light green tint (#E8F5EE)
- Sticky header on scroll for tables longer than viewport

Cards / Panels

- White background, 1px gray-200 border, 8px border-radius, 16px padding
- Subtle drop shadow: 0 1px 3px rgba(0,0,0,0.08)
- Section label in green used for grouping related cards

Modals (Confirmation Actions)

- Used for: Assign Driver, Suspend User, Deactivate Driver, Delete Location, Cancel Order
- Always include: action description, impact statement, reason input (where applicable), Cancel + Confirm buttons
- Destructive actions: red Confirm button

Forms

- Inline validation — errors appear below field on blur
- Required fields marked with red asterisk
- Success state: brief green toast notification (3 seconds)
- Error state: red toast with retry option

6. Complete Page Inventory

Every page in the admin dashboard, with route, priority, and API dependencies:

Page	Route	Primary API Call(s)	Priority
Admin Login	`/login`	`/admin/auth/signin, /verify-otp`	P0
Forgot / Reset Password	`/forgot-password`	`/admin/auth/forgot-password, /reset-password`	P1
Main Dashboard	`/dashboard`	`/users/get, /payment/get, /booking/orders/unassigned, /health`	P0
Users List	`/users`	`/users/get`	P0
User Profile Detail	`/users/:id`	`/users/get, /booking/orders/user/:userId, /payment/get`	P0
Drivers List	`/drivers`	`/driver-management/admin/drivers`	P0
Driver Profile Detail	`/drivers/:id`	`/driver-management/profile/:id, /admin/drivers/:id/stats`	P0
Orders List (incl. Unassigned)	`/orders`	`/booking/orders/unassigned`	P0
Order Detail	`/orders/:id`	`/booking/orders/:id, /drivers/:driverId/online`	P0
Transactions List	`/transactions`	`/payment/get`	P0
Transaction Detail	`/transactions/:ref`	`/payment/status/:ref, /payment/stream/:ref`	P0
Live Operations Map	`/map`	`/driver-management/admin/drivers, /booking/orders/unassigned, /location/get`	P0
Zone Management	`/map/zones`	`/location/get, /location/create, /location/update/:id, /location/delete/:id`	P0
Subscription Options	`/subscriptions`	`/admin/subscriptions, /admin/subscriptions/:locationId`	P1
Send Notification	`/notifications/send`	`/notification/send-notification, /send-notification-to-users`	P1
Notification History	`/notifications/history`	`/notification/history, /notification/`	P1
Notification Stats	`/notifications/stats`	`/notification/stats`	P1
Admin Accounts	`/settings/admins`	`/admin/get, /admin/auth/create, /admin/update/:id`	P0
Coupons	`/settings/coupons`	`/coupons/get, /coupons/create, /coupons/update/:id`	P2
User Privileges	`/settings/privileges`	`/privileges/get, /privileges/create, /privileges/update/:id`	P2
Vehicle Makes	`/settings/vehicles`	`/vehicleMake/get, /vehicleMake/create, /vehicleMake/update/:id`	P2

Referrals	`/settings/referrals`	`/referrals/get`, `/referrals/generate`	**P2**
System Settings	`/settings/system`	`/systemSettings/getSystemSettings`, `/createOrUpdate`	**P2**

— End of Document —