

Assignment 1 Report

Note: This assignment is written in Python3.

1. This assignment implemented all the features of the standard version successfully.

Including:

Three-way handshake for the connection establishment

Four-segment connection termination

Single timer for timeout

Pipeline window and receiver buffer

Simplified TCP sender

Fast retransmit

Cumulative acknowledgement

Duplicate segment rejection

Receive the out of order segments and write them in file in correct order

Sender log and receiver log

Features not implemented:


The features of the extended version:

Round-trip-time estimation

Dynamic timeout

Delaying packets

2. The structure of the STP segment and header



```
class Packet:
    def __init__(self, seq, ack, syn=0, fin=0, data=''):
        self.seq_num = seq
        self.ack_num = ack
        self.syn = syn
        self.fin = fin
        self.data = data
```

The “seq_num” is the sequence number of the sent package.

The “ack_num” is the sequence of the package requested.

The “syn” is the flag for establishing the connection.

The “fin” is the flag for finalizing the connection.

The “data” is the payload (content) of the package.

3. (a)




Figure 1 the number of transmission vs timeout(milliseconds)




Figure 2 time elapsed(second) vs the timeout(milliseconds)

We can see from the two pictures above, when the timeout become larger, the retransmit number become steady which is equal to 4. While the time elapsed become larger as the timeout increasing. For the purpose of minimizing the number of retransmission and meanwhile not increasing the time elapsed in transmission, we can use the product of the two values. As we can see from the Figure 3.




Figure 3 *time elapsed(second)*retransmit number vs the timeout(milliseconds)*

The timeout to be set as **8 milliseconds** can be the optimal choice.

The Receiver_log for both pdelay are attached on the appendix section, we can detected whether a dropping occurred by the acknowledge number, if there appears a continuous identical acknowledge number, then there must be a packet drop happened.

(b)

Timeout(ms)	Time elapsed(ms)	Total transmit
4	178.01	44
8	185.16	44
32	210.26	43

The table shows that the smaller the timeout we set, the less time used in transmission while more packages needed to be sent in the transmission.

Appendix

I tested from 2 millisecond to 20millisecond, five times for every 2 millisecond.

And the last one is the experiment which pdrop is 0.3.

Timeout = 2

rcv	0.0	S	121	0	0
snd	0.32	SA	154	0	122
rcv	0.76	A	122	0	155
rev	2.69	D	122	50	155
snd	3.35	A	155	0	172
rev	3.89	D	222	50	155
snd	4.39	A	155	0	172
rev	5.24	D	272	50	155
snd	8.5	A	155	0	172
rev	9.59	D	322	50	155
snd	10.87	A	155	0	172
rev	11.6	D	372	50	155
snd	12.51	A	155	0	172
rev	13.26	D	422	50	155
snd	13.94	A	155	0	172
rev	14.75	D	472	50	155
snd	15.3	A	155	0	172
rev	15.75	D	522	50	155
snd	16.66	A	155	0	172
rev	17.18	D	572	50	155
snd	18.05	A	155	0	172
rev	21.04	D	622	50	155
snd	21.84	A	155	0	172
rev	81.19	D	172	50	155
snd	83.33	A	155	0	672
rev	174.96	D	672	50	155
snd	176.78	A	155	0	722
rev	178.79	D	722	50	155
snd	183.52	A	155	0	772
rev	194.14	D	772	50	155
snd	195.1	A	155	0	822
rev	201.32	D	822	50	155
snd	202.29	A	155	0	872
rev	212.9	D	872	50	155
snd	213.55	A	155	0	922
rev	225.83	D	922	50	155
snd	226.58	A	155	0	972
rev	235.2	D	972	50	155
snd	236.2	A	155	0	1022

rcv	246.76	D	1022	50	155
snd	248.6	A	155	0	1072
rcv	273.46	D	1072	50	155
snd	274.04	A	155	0	1122
rcv	285.35	D	1122	50	155
snd	286.23	A	155	0	1172
rcv	305.0	D	1172	50	155
snd	305.54	A	155	0	1222
rcv	319.08	D	1222	50	155
snd	319.73	A	155	0	1272
rcv	330.39	D	1272	50	155
snd	331.1	A	155	0	1322
rcv	340.62	D	1322	50	155
snd	341.09	A	155	0	1372
rcv	353.87	D	1372	50	155
snd	354.58	A	155	0	1422
rcv	367.98	D	1472	50	155
snd	368.48	A	155	0	1422
rcv	381.79	D	1522	50	155
snd	382.45	A	155	0	1422
rcv	393.11	D	1422	50	155
snd	394.22	A	155	0	1572
rcv	406.07	D	1572	50	155
snd	406.69	A	155	0	1622
rcv	419.98	D	1622	50	155
snd	420.54	A	155	0	1672
rcv	431.51	D	1672	42	155
snd	432.21	A	155	0	1714
rcv	473.67	F	1714	0	155
snd	476.41	A	155	0	1715
rcv	483.12	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 3

rcv	0.0	S	121	0	0
snd	0.57	SA	154	0	122
rcv	0.99	A	122	0	155
rcv	3.24	D	122	50	155
snd	3.48	A	155	0	172
rcv	6.51	D	222	50	155
snd	7.01	A	155	0	172
rcv	9.8	D	272	50	155

snd	10.03	A	155	0	172
rcv	13.14	D	172	50	155
snd	13.35	A	155	0	322
rcv	18.15	D	322	50	155
snd	18.31	A	155	0	372
rcv	20.72	D	372	50	155
snd	20.9	A	155	0	422
rcv	23.03	D	422	50	155
snd	23.21	A	155	0	472
rcv	25.48	D	472	50	155
snd	25.62	A	155	0	522
rcv	28.18	D	522	50	155
snd	28.37	A	155	0	572
rcv	34.62	D	572	50	155
snd	34.86	A	155	0	622
rcv	41.32	D	672	50	155
snd	41.62	A	155	0	622
rcv	43.31	D	722	50	155
snd	43.58	A	155	0	622
rcv	51.08	D	622	50	155
snd	51.24	A	155	0	772
rcv	53.85	D	772	50	155
snd	54.05	A	155	0	822
rcv	56.17	D	822	50	155
snd	56.32	A	155	0	872
rcv	58.53	D	872	50	155
snd	58.66	A	155	0	922
rcv	61.78	D	922	50	155
snd	62.21	A	155	0	972
rcv	65.94	D	972	50	155
snd	66.1	A	155	0	1022
rcv	68.42	D	1022	50	155
snd	68.55	A	155	0	1072
rcv	70.9	D	1072	50	155
snd	71.04	A	155	0	1122
rcv	73.43	D	1122	50	155
snd	73.56	A	155	0	1172
rcv	78.55	D	1222	50	155
snd	78.87	A	155	0	1172
rcv	82.33	D	1272	50	155
snd	82.51	A	155	0	1172
rcv	84.78	D	1172	50	155
snd	84.92	A	155	0	1322
rcv	87.28	D	1322	50	155

snd	87.41	A	155	0	1372
rcv	89.64	D	1372	50	155
snd	89.82	A	155	0	1422
rcv	92.56	D	1422	50	155
snd	94.54	A	155	0	1472
rcv	96.18	D	1472	50	155
snd	96.34	A	155	0	1522
rcv	101.18	D	1572	50	155
snd	101.35	A	155	0	1522
rcv	102.6	D	1622	50	155
snd	102.75	A	155	0	1522
rcv	105.04	D	1522	50	155
snd	105.25	A	155	0	1672
rcv	107.82	D	1672	42	155
snd	109.92	A	155	0	1714
rcv	140.95	F	1714	0	155
snd	143.4	A	155	0	1715
rcv	149.94	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	1.87	SA	154	0	122
rcv	7.27	A	122	0	155
rcv	13.99	D	122	50	155
snd	14.19	A	155	0	172
rcv	18.87	D	222	50	155
snd	19.14	A	155	0	172
rcv	21.55	D	272	50	155
snd	21.73	A	155	0	172
rcv	24.34	D	172	50	155
snd	24.55	A	155	0	322
rcv	26.93	D	322	50	155
snd	27.05	A	155	0	372
rcv	29.36	D	372	50	155
snd	29.49	A	155	0	422
rcv	34.73	D	422	50	155
snd	34.96	A	155	0	472
rcv	37.95	D	472	50	155
snd	38.1	A	155	0	522
rcv	40.41	D	522	50	155
snd	40.56	A	155	0	572

rcv	42.91	D	572	50	155
snd	43.06	A	155	0	622
rcv	54.48	D	672	50	155
snd	55.06	A	155	0	622
rcv	59.8	D	722	50	155
snd	60.17	A	155	0	622
rcv	68.07	D	622	50	155
snd	68.4	A	155	0	772
rev	78.13	D	772	50	155
snd	79.94	A	155	0	822
rcv	96.44	D	822	50	155
snd	96.84	A	155	0	872
rcv	111.64	D	872	50	155
snd	112.19	A	155	0	922
rcv	120.4	D	922	50	155
snd	120.65	A	155	0	972
rcv	123.83	D	972	50	155
snd	124.03	A	155	0	1022
rev	128.93	D	1022	50	155
snd	129.12	A	155	0	1072
rev	137.12	D	1122	50	155
snd	137.34	A	155	0	1072
rcv	139.6	D	1172	50	155
snd	139.76	A	155	0	1072
rcv	143.57	D	1072	50	155
snd	143.81	A	155	0	1222
rcv	147.66	D	1222	50	155
snd	147.87	A	155	0	1272
rev	151.65	D	1272	50	155
snd	151.85	A	155	0	1322
rev	155.1	D	1322	50	155
snd	155.29	A	155	0	1372
rcv	159.98	D	1372	50	155
snd	160.19	A	155	0	1422
rcv	167.04	D	1472	50	155
snd	167.24	A	155	0	1422
rcv	169.32	D	1522	50	155
snd	169.49	A	155	0	1422
rcv	175.11	D	1422	50	155
snd	175.61	A	155	0	1572
rev	180.21	D	1572	50	155
snd	180.69	A	155	0	1622
rcv	189.23	D	1622	50	155
snd	189.72	A	155	0	1672

rcv	194.05	D	1672	42	155
snd	194.43	A	155	0	1714
rcv	222.32	F	1714	0	155
snd	224.03	A	155	0	1715
rcv	230.69	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 3

rcv	0.0	S	121	0	0
snd	0.85	SA	154	0	122
rcv	5.8	A	122	0	155
rcv	11.16	D	122	50	155
snd	11.4	A	155	0	172
rcv	15.25	D	222	50	155
snd	15.41	A	155	0	172
rcv	18.03	D	272	50	155
snd	18.41	A	155	0	172
rcv	21.35	D	172	50	155
snd	21.55	A	155	0	322
rcv	23.52	D	322	50	155
snd	23.69	A	155	0	372
rcv	26.94	D	372	50	155
snd	27.09	A	155	0	422
rcv	29.08	D	422	50	155
snd	29.2	A	155	0	472
rcv	31.26	D	472	50	155
snd	31.39	A	155	0	522
rcv	35.52	D	522	50	155
snd	35.66	A	155	0	572
rcv	37.97	D	572	50	155
snd	38.11	A	155	0	622
rcv	42.45	D	672	50	155
snd	42.61	A	155	0	622
rcv	43.53	D	722	50	155
snd	43.66	A	155	0	622
rcv	45.62	D	622	50	155
snd	45.75	A	155	0	772
rcv	47.7	D	772	50	155
snd	47.91	A	155	0	822
rcv	51.92	D	822	50	155
snd	52.1	A	155	0	872
rcv	54.6	D	872	50	155

snd	54.77	A	155	0	922
rcv	56.88	D	922	50	155
snd	57.06	A	155	0	972
rcv	59.82	D	972	50	155
snd	60.0	A	155	0	1022
rcv	62.04	D	1022	50	155
snd	62.19	A	155	0	1072
rcv	66.62	D	1072	50	155
snd	66.93	A	155	0	1122
rcv	72.59	D	1122	50	155
snd	72.92	A	155	0	1172
rcv	84.76	D	1222	50	155
snd	85.22	A	155	0	1172
rcv	88.48	D	1272	50	155
snd	88.8	A	155	0	1172
rcv	93.57	D	1172	50	155
snd	93.93	A	155	0	1322
rcv	103.74	D	1322	50	155
snd	104.62	A	155	0	1372
rcv	115.86	D	1372	50	155
snd	116.64	A	155	0	1422
rcv	126.31	D	1422	50	155
snd	129.5	A	155	0	1472
rcv	141.11	D	1472	50	155
snd	141.75	A	155	0	1522
rcv	161.78	D	1572	50	155
snd	162.24	A	155	0	1522
rcv	176.24	D	1622	50	155
snd	176.96	A	155	0	1522
rcv	188.66	D	1522	50	155
snd	189.75	A	155	0	1672
rcv	206.73	D	1672	42	155
snd	207.25	A	155	0	1714
rcv	238.09	F	1714	0	155
snd	239.67	A	155	0	1715
rcv	247.91	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.97	SA	154	0	122

rcv	6.08	A	122	0	155
rcv	13.63	D	122	50	155
snd	14.01	A	155	0	172
rev	17.83	D	222	50	155
snd	17.96	A	155	0	172
rev	19.22	D	272	50	155
snd	19.34	A	155	0	172
rcv	22.49	D	172	50	155
snd	22.74	A	155	0	322
rev	25.11	D	322	50	155
snd	25.3	A	155	0	372
rev	27.52	D	372	50	155
snd	27.76	A	155	0	422
rev	31.91	D	422	50	155
snd	32.05	A	155	0	472
rev	34.23	D	472	50	155
snd	34.38	A	155	0	522
rev	36.71	D	522	50	155
snd	37.4	A	155	0	572
rev	42.35	D	572	50	155
snd	42.69	A	155	0	622
rev	50.44	D	672	50	155
snd	50.79	A	155	0	622
rev	58.32	D	722	50	155
snd	58.8	A	155	0	622
rev	65.56	D	622	50	155
snd	65.84	A	155	0	772
rev	70.9	D	772	50	155
snd	71.17	A	155	0	822
rev	77.17	D	822	50	155
snd	77.51	A	155	0	872
rev	83.11	D	872	50	155
snd	83.5	A	155	0	922
rev	89.36	D	922	50	155
snd	89.69	A	155	0	972
rev	94.98	D	972	50	155
snd	95.26	A	155	0	1022
rev	103.46	D	1022	50	155
snd	103.98	A	155	0	1072
rev	115.48	D	1072	50	155
snd	119.26	A	155	0	1122
rev	132.87	D	1122	50	155
snd	133.62	A	155	0	1172
rev	152.79	D	1172	50	155

snd	153.41	A	155	0	1222
rcv	161.96	D	1222	50	155
snd	164.84	A	155	0	1272
rcv	171.23	D	1272	50	155
snd	171.57	A	155	0	1322
rcv	180.09	D	1322	50	155
snd	180.33	A	155	0	1372
rcv	185.29	D	1372	50	155
snd	185.47	A	155	0	1422
rcv	189.12	D	1422	50	155
snd	189.3	A	155	0	1472
rcv	192.53	D	1472	50	155
snd	192.71	A	155	0	1522
rcv	200.07	D	1572	50	155
snd	200.27	A	155	0	1522
rcv	203.93	D	1622	50	155
snd	204.12	A	155	0	1522
rcv	206.55	D	1522	50	155
snd	206.74	A	155	0	1672
rcv	210.03	D	1672	42	155
snd	210.24	A	155	0	1714
rcv	242.54	F	1714	0	155
snd	243.63	A	155	0	1715
rcv	246.91	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

Timeout = 4

rev	0.0	S	121	0	0
snd	1.96	SA	154	0	122
rcv	9.77	A	122	0	155
rev	15.05	D	122	50	155
snd	15.26	A	155	0	172
rev	18.95	D	222	50	155
snd	19.12	A	155	0	172
rev	20.38	D	272	50	155
snd	20.5	A	155	0	172
rcv	22.68	D	322	50	155
snd	22.8	A	155	0	172
rcv	24.99	D	172	50	155
snd	25.1	A	155	0	372
rcv	28.25	D	372	50	155

snd	28.63	A	155	0	422
rcv	32.15	D	422	50	155
snd	32.36	A	155	0	472
rcv	35.42	D	472	50	155
snd	35.56	A	155	0	522
rcv	37.8	D	522	50	155
snd	37.93	A	155	0	572
rcv	40.19	D	572	50	155
snd	40.32	A	155	0	622
rcv	48.13	D	672	50	155
snd	48.3	A	155	0	622
rcv	49.72	D	722	50	155
snd	49.87	A	155	0	622
rcv	51.18	D	622	50	155
snd	51.32	A	155	0	772
rcv	53.46	D	772	50	155
snd	53.58	A	155	0	822
rcv	55.85	D	822	50	155
snd	56.0	A	155	0	872
rcv	59.33	D	872	50	155
snd	59.63	A	155	0	922
rcv	62.79	D	922	50	155
snd	63.33	A	155	0	972
rcv	65.83	D	972	50	155
snd	65.96	A	155	0	1022
rcv	68.89	D	1022	50	155
snd	69.07	A	155	0	1072
rcv	71.35	D	1072	50	155
snd	71.53	A	155	0	1122
rcv	73.79	D	1122	50	155
snd	75.7	A	155	0	1172
rcv	81.77	D	1222	50	155
snd	81.92	A	155	0	1172
rcv	82.84	D	1272	50	155
snd	82.97	A	155	0	1172
rcv	84.88	D	1172	50	155
snd	85.01	A	155	0	1322
rcv	86.96	D	1322	50	155
snd	87.11	A	155	0	1372
rcv	89.03	D	1372	50	155
snd	89.16	A	155	0	1422
rcv	94.02	D	1422	50	155
snd	94.19	A	155	0	1472
rcv	97.08	D	1472	50	155

snd	97.62	A	155	0	1522
rcv	101.58	D	1572	50	155
snd	101.7	A	155	0	1522
rev	102.93	D	1622	50	155
snd	103.08	A	155	0	1522
rcv	106.6	D	1672	42	155
snd	106.76	A	155	0	1522
rcv	110.1	D	1522	50	155
snd	110.25	A	155	0	1714
rev	138.85	F	1714	0	155
snd	140.52	A	155	0	1715
rcv	148.27	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	1.1	SA	154	0	122
rcv	4.75	A	122	0	155
rev	10.4	D	122	50	155
snd	10.64	A	155	0	172
rcv	11.23	D	172	50	155
snd	12.34	A	155	0	222
rcv	15.75	D	272	50	155
snd	15.92	A	155	0	222
rcv	18.19	D	322	50	155
snd	18.33	A	155	0	222
rev	20.52	D	372	50	155
snd	20.65	A	155	0	222
rev	25.2	D	222	50	155
snd	25.34	A	155	0	422
rcv	28.11	D	422	50	155
snd	28.26	A	155	0	472
rcv	30.58	D	472	50	155
snd	30.73	A	155	0	522
rcv	33.12	D	522	50	155
snd	33.26	A	155	0	572
rev	35.57	D	572	50	155
snd	35.71	A	155	0	622
rev	40.24	D	622	50	155
snd	40.52	A	155	0	672
rcv	46.31	D	722	50	155
snd	46.53	A	155	0	672

rcv	47.92	D	772	50	155
snd	48.12	A	155	0	672
rcv	50.96	D	672	50	155
snd	51.2	A	155	0	822
rcv	58.79	D	822	50	155
snd	59.1	A	155	0	872
rcv	65.68	D	872	50	155
snd	65.98	A	155	0	922
rcv	72.13	D	922	50	155
snd	72.38	A	155	0	972
rcv	77.36	D	972	50	155
snd	77.72	A	155	0	1022
rcv	85.26	D	1022	50	155
snd	85.89	A	155	0	1072
rcv	89.58	D	1072	50	155
snd	89.88	A	155	0	1122
rcv	95.7	D	1122	50	155
snd	96.18	A	155	0	1172
rcv	103.35	D	1172	50	155
snd	103.65	A	155	0	1222
rcv	111.98	D	1272	50	155
snd	112.5	A	155	0	1222
rcv	119.11	D	1322	50	155
snd	119.76	A	155	0	1222
rcv	128.88	D	1222	50	155
snd	129.59	A	155	0	1372
rcv	142.97	D	1372	50	155
snd	143.49	A	155	0	1422
rcv	151.19	D	1422	50	155
snd	151.58	A	155	0	1472
rcv	158.21	D	1472	50	155
snd	158.53	A	155	0	1522
rcv	167.31	D	1522	50	155
snd	167.75	A	155	0	1572
rcv	181.91	D	1572	50	155
snd	182.32	A	155	0	1622
rcv	187.62	D	1622	50	155
snd	188.0	A	155	0	1672
rcv	197.1	D	1672	42	155
snd	197.43	A	155	0	1714
rcv	225.88	F	1714	0	155
snd	226.79	A	155	0	1715
rcv	230.97	A	1715	0	156

Amount of (original) Data Received: 1592
 Number of (original) Data Segments Received: 32
 Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	1.0	SA	154	0	122
rcv	4.76	A	122	0	155
rcv	9.25	D	122	50	155
snd	9.41	A	155	0	172
rcv	15.18	D	172	50	155
snd	15.57	A	155	0	222
rcv	18.23	D	222	50	155
snd	19.0	A	155	0	272
rcv	21.82	D	272	50	155
snd	22.01	A	155	0	322
rcv	24.48	D	322	50	155
snd	24.63	A	155	0	372
rcv	27.3	D	372	50	155
snd	27.54	A	155	0	422
rcv	33.53	D	422	50	155
snd	33.73	A	155	0	472
rcv	38.77	D	472	50	155
snd	38.99	A	155	0	522
rcv	43.13	D	522	50	155
snd	43.37	A	155	0	572
rcv	48.99	D	572	50	155
snd	49.24	A	155	0	622
rcv	54.77	D	672	50	155
snd	54.94	A	155	0	622
rcv	55.93	D	722	50	155
snd	56.08	A	155	0	622
rcv	58.13	D	772	50	155
snd	58.27	A	155	0	622
rcv	62.48	D	622	50	155
snd	62.62	A	155	0	822
rcv	64.83	D	822	50	155
snd	64.96	A	155	0	872
rcv	67.47	D	872	50	155
snd	67.64	A	155	0	922
rcv	70.51	D	922	50	155
snd	70.66	A	155	0	972
rcv	72.86	D	972	50	155
snd	72.99	A	155	0	1022
rcv	76.04	D	1022	50	155

snd	76.24	A	155	0	1072
rcv	79.58	D	1072	50	155
snd	79.73	A	155	0	1122
rcv	82.15	D	1122	50	155
snd	82.29	A	155	0	1172
rcv	86.69	D	1222	50	155
snd	86.84	A	155	0	1172
rcv	88.31	D	1272	50	155
snd	88.46	A	155	0	1172
rcv	91.53	D	1322	50	155
snd	91.66	A	155	0	1172
rcv	94.87	D	1172	50	155
snd	95.03	A	155	0	1372
rcv	97.31	D	1372	50	155
snd	97.45	A	155	0	1422
rcv	99.39	D	1422	50	155
snd	99.54	A	155	0	1472
rcv	102.34	D	1472	50	155
snd	102.53	A	155	0	1522
rcv	106.79	D	1522	50	155
snd	107.53	A	155	0	1572
rcv	108.65	D	1572	50	155
snd	109.29	A	155	0	1622
rcv	111.57	D	1622	50	155
snd	111.73	A	155	0	1672
rcv	113.68	D	1672	42	155
snd	113.81	A	155	0	1714
rcv	141.3	F	1714	0	155
snd	142.39	A	155	0	1715
rcv	145.01	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rev	0.0	S	121	0	0
snd	0.93	SA	154	0	122
rev	5.61	A	122	0	155
rev	10.1	D	122	50	155
snd	10.31	A	155	0	172
rev	10.91	D	172	50	155
snd	11.37	A	155	0	222
rev	13.84	D	272	50	155
snd	13.99	A	155	0	222

rcv	15.91	D	322	50	155
snd	16.04	A	155	0	222
rcv	25.17	D	372	50	155
snd	25.54	A	155	0	222
rcv	31.99	D	222	50	155
snd	32.66	A	155	0	422
rcv	40.78	D	422	50	155
snd	41.16	A	155	0	472
rcv	46.46	D	472	50	155
snd	46.82	A	155	0	522
rcv	53.98	D	522	50	155
snd	54.35	A	155	0	572
rcv	60.02	D	572	50	155
snd	60.39	A	155	0	622
rcv	67.59	D	622	50	155
snd	68.16	A	155	0	672
rcv	78.87	D	722	50	155
snd	79.3	A	155	0	672
rcv	84.02	D	672	50	155
snd	85.82	A	155	0	772
rcv	94.23	D	772	50	155
snd	94.58	A	155	0	822
rcv	102.65	D	822	50	155
snd	103.04	A	155	0	872
rcv	108.52	D	872	50	155
snd	108.98	A	155	0	922
rcv	115.01	D	922	50	155
snd	115.36	A	155	0	972
rcv	120.6	D	972	50	155
snd	121.16	A	155	0	1022
rcv	129.2	D	1022	50	155
snd	129.54	A	155	0	1072
rcv	134.93	D	1072	50	155
snd	135.3	A	155	0	1122
rcv	146.2	D	1122	50	155
snd	146.68	A	155	0	1172
rcv	151.61	D	1172	50	155
snd	151.99	A	155	0	1222
rcv	172.28	D	1272	50	155
snd	172.71	A	155	0	1222
rcv	179.32	D	1322	50	155
snd	180.32	A	155	0	1222
rcv	191.27	D	1222	50	155
snd	191.56	A	155	0	1372

rcv	195.75	D	1372	50	155
snd	196.02	A	155	0	1422
rcv	200.43	D	1422	50	155
snd	200.61	A	155	0	1472
rcv	203.47	D	1472	50	155
snd	203.66	A	155	0	1522
rcv	209.59	D	1522	50	155
snd	209.85	A	155	0	1572
rcv	213.91	D	1622	50	155
snd	214.08	A	155	0	1572
rcv	217.47	D	1672	42	155
snd	217.73	A	155	0	1572
rcv	251.77	D	1572	50	155
snd	253.2	A	155	0	1714
rcv	285.67	F	1714	0	155
snd	287.69	A	155	0	1715
rcv	297.91	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.93	SA	154	0	122
rcv	6.17	A	122	0	155
rcv	12.95	D	122	50	155
snd	13.13	A	155	0	172
rcv	16.22	D	222	50	155
snd	16.37	A	155	0	172
rcv	17.42	D	272	50	155
snd	17.54	A	155	0	172
rcv	20.45	D	322	50	155
snd	20.59	A	155	0	172
rcv	23.85	D	172	50	155
snd	24.05	A	155	0	372
rcv	26.55	D	372	50	155
snd	27.29	A	155	0	422
rcv	29.54	D	422	50	155
snd	29.74	A	155	0	472
rcv	31.74	D	472	50	155
snd	31.88	A	155	0	522
rcv	33.93	D	522	50	155
snd	34.05	A	155	0	572
rcv	38.39	D	572	50	155

snd	38.59	A	155	0	622
rcv	43.91	D	672	50	155
snd	44.28	A	155	0	622
rcv	45.23	D	722	50	155
snd	45.68	A	155	0	622
rcv	47.73	D	622	50	155
snd	47.88	A	155	0	772
rcv	49.94	D	772	50	155
snd	50.11	A	155	0	822
rcv	54.14	D	822	50	155
snd	54.29	A	155	0	872
rcv	56.53	D	872	50	155
snd	56.67	A	155	0	922
rcv	58.67	D	922	50	155
snd	58.81	A	155	0	972
rcv	61.37	D	972	50	155
snd	61.51	A	155	0	1022
rcv	63.49	D	1022	50	155
snd	63.62	A	155	0	1072
rcv	65.71	D	1072	50	155
snd	67.35	A	155	0	1122
rcv	68.81	D	1122	50	155
snd	69.01	A	155	0	1172
rcv	72.99	D	1222	50	155
snd	73.16	A	155	0	1172
rcv	74.25	D	1272	50	155
snd	74.37	A	155	0	1172
rcv	76.91	D	1172	50	155
snd	77.1	A	155	0	1322
rcv	78.94	D	1322	50	155
snd	79.06	A	155	0	1372
rcv	81.15	D	1372	50	155
snd	81.31	A	155	0	1422
rcv	89.1	D	1422	50	155
snd	89.55	A	155	0	1472
rcv	97.32	D	1472	50	155
snd	99.26	A	155	0	1522
rcv	109.33	D	1572	50	155
snd	109.85	A	155	0	1522
rcv	115.92	D	1622	50	155
snd	116.74	A	155	0	1522
rcv	124.79	D	1522	50	155
snd	125.44	A	155	0	1672
rcv	138.41	D	1672	42	155

snd	138.85	A	155	0	1714
rcv	178.4	F	1714	0	155
snd	179.77	A	155	0	1715
rcv	186.52	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

Timeout = 6

rcv	0.0	S	121	0	0
snd	0.98	SA	154	0	122
rcv	6.59	A	122	0	155
rcv	10.68	D	122	50	155
snd	10.95	A	155	0	172
rcv	17.81	D	172	50	155
snd	18.16	A	155	0	222
rcv	22.7	D	222	50	155
snd	23.06	A	155	0	272
rcv	32.19	D	272	50	155
snd	32.95	A	155	0	322
rcv	40.15	D	322	50	155
snd	40.64	A	155	0	372
rcv	48.67	D	372	50	155
snd	49.18	A	155	0	422
rcv	54.77	D	422	50	155
snd	55.06	A	155	0	472
rcv	62.63	D	472	50	155
snd	63.02	A	155	0	522
rcv	70.13	D	522	50	155
snd	70.46	A	155	0	572
rcv	80.45	D	572	50	155
snd	80.92	A	155	0	622
rcv	87.9	D	672	50	155
snd	88.72	A	155	0	622
rcv	96.97	D	722	50	155
snd	97.43	A	155	0	622
rcv	103.51	D	622	50	155
snd	103.82	A	155	0	772
rcv	114.1	D	772	50	155
snd	114.59	A	155	0	822
rcv	120.66	D	822	50	155
snd	120.96	A	155	0	872
rcv	127.98	D	872	50	155

snd	128.33	A	155	0	922
rcv	136.24	D	922	50	155
snd	136.62	A	155	0	972
rcv	148.24	D	972	50	155
snd	148.99	A	155	0	1022
rcv	158.66	D	1022	50	155
snd	159.11	A	155	0	1072
rcv	168.45	D	1072	50	155
snd	168.99	A	155	0	1122
rcv	177.07	D	1122	50	155
snd	177.42	A	155	0	1172
rcv	190.77	D	1172	50	155
snd	191.0	A	155	0	1222
rcv	194.31	D	1222	50	155
snd	194.55	A	155	0	1272
rcv	197.37	D	1272	50	155
snd	197.6	A	155	0	1322
rcv	200.85	D	1322	50	155
snd	201.04	A	155	0	1372
rcv	206.08	D	1372	50	155
snd	206.27	A	155	0	1422
rcv	209.26	D	1422	50	155
snd	209.48	A	155	0	1472
rcv	212.16	D	1472	50	155
snd	212.35	A	155	0	1522
rcv	219.38	D	1522	50	155
snd	219.62	A	155	0	1572
rcv	222.48	D	1572	50	155
snd	222.68	A	155	0	1622
rcv	226.9	D	1622	50	155
snd	227.17	A	155	0	1672
rcv	230.19	D	1672	42	155
snd	230.39	A	155	0	1714
rcv	267.66	F	1714	0	155
snd	269.23	A	155	0	1715
rcv	277.05	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.69	SA	154	0	122
rcv	6.07	A	122	0	155

rcv	11.99	D	122	50	155
snd	12.42	A	155	0	172
rcv	15.33	D	222	50	155
snd	15.47	A	155	0	172
rcv	17.97	D	272	50	155
snd	18.11	A	155	0	172
rcv	26.03	D	322	50	155
snd	26.43	A	155	0	172
rcv	34.07	D	172	50	155
snd	34.61	A	155	0	372
rcv	41.49	D	372	50	155
snd	41.84	A	155	0	422
rcv	47.82	D	422	50	155
snd	48.25	A	155	0	472
rcv	55.72	D	472	50	155
snd	56.13	A	155	0	522
rcv	63.66	D	522	50	155
snd	64.24	A	155	0	572
rcv	75.11	D	572	50	155
snd	75.45	A	155	0	622
rcv	92.51	D	672	50	155
snd	92.88	A	155	0	622
rcv	99.8	D	722	50	155
snd	100.2	A	155	0	622
rcv	106.68	D	622	50	155
snd	107.05	A	155	0	772
rcv	117.91	D	772	50	155
snd	118.22	A	155	0	822
rcv	123.51	D	822	50	155
snd	124.15	A	155	0	872
rcv	129.14	D	872	50	155
snd	130.36	A	155	0	922
rcv	134.26	D	922	50	155
snd	134.48	A	155	0	972
rcv	137.7	D	972	50	155
snd	137.92	A	155	0	1022
rcv	141.06	D	1022	50	155
snd	141.24	A	155	0	1072
rcv	144.76	D	1072	50	155
snd	147.56	A	155	0	1122
rcv	152.12	D	1122	50	155
snd	152.43	A	155	0	1172
rcv	157.97	D	1222	50	155
snd	158.16	A	155	0	1172

rcv	159.82	D	1272	50	155
snd	160.34	A	155	0	1172
rcv	165.16	D	1172	50	155
snd	165.38	A	155	0	1322
rcv	168.41	D	1322	50	155
snd	168.62	A	155	0	1372
rcv	171.39	D	1372	50	155
snd	171.6	A	155	0	1422
rcv	174.42	D	1422	50	155
snd	174.6	A	155	0	1472
rcv	181.06	D	1472	50	155
snd	181.32	A	155	0	1522
rcv	188.59	D	1572	50	155
snd	188.97	A	155	0	1522
rcv	191.53	D	1622	50	155
snd	192.48	A	155	0	1522
rcv	195.54	D	1522	50	155
snd	195.82	A	155	0	1672
rcv	199.42	D	1672	42	155
snd	199.64	A	155	0	1714
rcv	225.15	F	1714	0	155
snd	226.29	A	155	0	1715
rcv	230.56	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.83	SA	154	0	122
rcv	4.21	A	122	0	155
rcv	11.91	D	122	50	155
snd	14.25	A	155	0	172
rcv	22.55	D	222	50	155
snd	22.75	A	155	0	172
rcv	24.8	D	272	50	155
snd	25.03	A	155	0	172
rcv	34.38	D	172	50	155
snd	34.6	A	155	0	322
rcv	38.79	D	322	50	155
snd	38.98	A	155	0	372
rcv	41.8	D	372	50	155
snd	41.98	A	155	0	422
rcv	46.68	D	422	50	155

snd	46.91	A	155	0	472
rcv	50.28	D	472	50	155
snd	50.47	A	155	0	522
rcv	53.01	D	522	50	155
snd	53.19	A	155	0	572
rcv	55.46	D	572	50	155
snd	55.59	A	155	0	622
rcv	62.55	D	672	50	155
snd	62.79	A	155	0	622
rcv	65.39	D	722	50	155
snd	65.56	A	155	0	622
rcv	67.81	D	622	50	155
snd	67.95	A	155	0	772
rcv	70.42	D	772	50	155
snd	70.57	A	155	0	822
rcv	73.04	D	822	50	155
snd	73.17	A	155	0	872
rcv	78.22	D	872	50	155
snd	78.43	A	155	0	922
rcv	81.63	D	922	50	155
snd	81.84	A	155	0	972
rcv	83.84	D	972	50	155
snd	83.99	A	155	0	1022
rcv	86.15	D	1022	50	155
snd	86.27	A	155	0	1072
rcv	88.44	D	1072	50	155
snd	88.63	A	155	0	1122
rcv	93.22	D	1122	50	155
snd	93.48	A	155	0	1172
rcv	98.15	D	1222	50	155
snd	98.39	A	155	0	1172
rcv	99.72	D	1272	50	155
snd	99.94	A	155	0	1172
rcv	102.69	D	1322	50	155
snd	102.87	A	155	0	1172
rcv	108.17	D	1172	50	155
snd	108.55	A	155	0	1372
rcv	115.22	D	1372	50	155
snd	115.58	A	155	0	1422
rcv	122.35	D	1422	50	155
snd	122.82	A	155	0	1472
rcv	128.9	D	1472	50	155
snd	129.2	A	155	0	1522
rcv	139.68	D	1572	50	155

snd	140.0	A	155	0	1522
rcv	142.54	D	1622	50	155
snd	142.77	A	155	0	1522
rev	148.38	D	1522	50	155
snd	148.72	A	155	0	1672
rev	154.49	D	1672	42	155
snd	154.76	A	155	0	1714
rcv	186.22	F	1714	0	155
snd	187.56	A	155	0	1715
rev	192.9	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rev	0.0	S	121	0	0
snd	0.93	SA	154	0	122
rev	4.59	A	122	0	155
rev	12.14	D	122	50	155
snd	13.71	A	155	0	172
rev	14.32	D	172	50	155
snd	17.19	A	155	0	222
rev	19.96	D	272	50	155
snd	20.12	A	155	0	222
rev	22.25	D	322	50	155
snd	22.37	A	155	0	222
rev	24.48	D	372	50	155
snd	24.61	A	155	0	222
rev	29.27	D	422	50	155
snd	29.41	A	155	0	222
rev	32.63	D	222	50	155
snd	32.81	A	155	0	472
rev	35.09	D	472	50	155
snd	35.21	A	155	0	522
rev	37.74	D	522	50	155
snd	37.88	A	155	0	572
rev	40.34	D	572	50	155
snd	40.52	A	155	0	622
rev	49.52	D	622	50	155
snd	50.08	A	155	0	672
rev	60.23	D	722	50	155
snd	60.58	A	155	0	672
rev	68.78	D	772	50	155
snd	69.35	A	155	0	672

rcv	77.4	D	672	50	155
snd	77.9	A	155	0	822
rcv	83.5	D	822	50	155
snd	84.06	A	155	0	872
rcv	92.97	D	872	50	155
snd	93.35	A	155	0	922
rcv	99.88	D	922	50	155
snd	100.25	A	155	0	972
rev	110.77	D	972	50	155
snd	111.31	A	155	0	1022
rcv	120.7	D	1022	50	155
snd	121.02	A	155	0	1072
rcv	124.3	D	1072	50	155
snd	124.6	A	155	0	1122
rcv	128.59	D	1122	50	155
snd	128.82	A	155	0	1172
rcv	134.8	D	1172	50	155
snd	136.61	A	155	0	1222
rev	145.11	D	1272	50	155
snd	145.35	A	155	0	1222
rev	151.85	D	1322	50	155
snd	152.07	A	155	0	1222
rcv	157.19	D	1222	50	155
snd	157.42	A	155	0	1372
rcv	160.6	D	1372	50	155
snd	160.79	A	155	0	1422
rcv	164.12	D	1422	50	155
snd	164.31	A	155	0	1472
rev	169.28	D	1472	50	155
snd	170.34	A	155	0	1522
rev	173.68	D	1522	50	155
snd	173.89	A	155	0	1572
rcv	179.23	D	1622	50	155
snd	179.42	A	155	0	1572
rcv	181.37	D	1672	42	155
snd	182.04	A	155	0	1572
rcv	189.04	D	1572	50	155
snd	189.27	A	155	0	1714
rcv	215.94	F	1714	0	155
snd	217.2	A	155	0	1715
rev	220.61	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32

Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.48	SA	154	0	122
rcv	5.28	A	122	0	155
rcv	11.37	D	122	50	155
snd	11.55	A	155	0	172
rcv	14.86	D	222	50	155
snd	15.01	A	155	0	172
rcv	16.19	D	272	50	155
snd	16.32	A	155	0	172
rcv	18.89	D	322	50	155
snd	19.11	A	155	0	172
rcv	23.48	D	172	50	155
snd	23.66	A	155	0	372
rcv	27.98	D	372	50	155
snd	28.14	A	155	0	422
rcv	30.26	D	422	50	155
snd	30.43	A	155	0	472
rcv	32.64	D	472	50	155
snd	32.78	A	155	0	522
rcv	35.0	D	522	50	155
snd	35.2	A	155	0	572
rcv	39.85	D	572	50	155
snd	40.02	A	155	0	622
rcv	44.7	D	672	50	155
snd	44.86	A	155	0	622
rcv	45.96	D	722	50	155
snd	46.16	A	155	0	622
rcv	48.45	D	772	50	155
snd	48.6	A	155	0	622
rcv	50.95	D	622	50	155
snd	51.15	A	155	0	822
rcv	58.38	D	822	50	155
snd	58.64	A	155	0	872
rcv	61.4	D	872	50	155
snd	61.58	A	155	0	922
rcv	63.97	D	922	50	155
snd	64.13	A	155	0	972
rcv	66.73	D	972	50	155
snd	66.95	A	155	0	1022
rcv	73.52	D	1022	50	155
snd	73.74	A	155	0	1072
rcv	76.71	D	1072	50	155

snd	76.88	A	155	0	1122
rcv	79.91	D	1122	50	155
snd	80.11	A	155	0	1172
rcv	91.26	D	1222	50	155
snd	91.52	A	155	0	1172
rcv	93.88	D	1272	50	155
snd	94.08	A	155	0	1172
rcv	98.27	D	1172	50	155
snd	98.45	A	155	0	1322
rcv	104.76	D	1322	50	155
snd	104.97	A	155	0	1372
rcv	109.2	D	1372	50	155
snd	109.41	A	155	0	1422
rcv	112.49	D	1422	50	155
snd	112.65	A	155	0	1472
rcv	115.23	D	1472	50	155
snd	117.77	A	155	0	1522
rcv	121.98	D	1572	50	155
snd	122.17	A	155	0	1522
rcv	123.57	D	1622	50	155
snd	123.7	A	155	0	1522
rcv	126.32	D	1522	50	155
snd	126.46	A	155	0	1672
rcv	128.97	D	1672	42	155
snd	129.1	A	155	0	1714
rcv	163.56	F	1714	0	155
snd	164.46	A	155	0	1715
rcv	166.61	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

Timeout = 8

rcv	0.0	S	121	0	0
snd	0.86	SA	154	0	122
rcv	3.62	A	122	0	155
rcv	8.42	D	122	50	155
snd	8.99	A	155	0	172
rcv	10.17	D	222	50	155
snd	10.33	A	155	0	172
rcv	12.25	D	272	50	155
snd	12.39	A	155	0	172
rcv	15.64	D	322	50	155

snd	15.89	A	155	0	172
rcv	20.57	D	172	50	155
snd	20.71	A	155	0	372
rcv	23.14	D	372	50	155
snd	23.29	A	155	0	422
rcv	28.46	D	422	50	155
snd	28.61	A	155	0	472
rcv	30.71	D	472	50	155
snd	30.83	A	155	0	522
rcv	33.18	D	522	50	155
snd	33.63	A	155	0	572
rcv	36.02	D	572	50	155
snd	36.16	A	155	0	622
rcv	41.17	D	672	50	155
snd	41.35	A	155	0	622
rcv	42.32	D	722	50	155
snd	42.46	A	155	0	622
rcv	44.54	D	772	50	155
snd	44.74	A	155	0	622
rcv	46.6	D	822	50	155
snd	46.78	A	155	0	622
rcv	48.92	D	622	50	155
snd	49.05	A	155	0	872
rcv	51.59	D	872	50	155
snd	51.77	A	155	0	922
rcv	53.81	D	922	50	155
snd	53.95	A	155	0	972
rcv	59.11	D	972	50	155
snd	59.43	A	155	0	1022
rcv	62.14	D	1022	50	155
snd	62.43	A	155	0	1072
rcv	64.46	D	1072	50	155
snd	64.61	A	155	0	1122
rcv	67.88	D	1122	50	155
snd	68.07	A	155	0	1172
rcv	73.35	D	1222	50	155
snd	73.55	A	155	0	1172
rcv	75.05	D	1272	50	155
snd	75.33	A	155	0	1172
rcv	77.15	D	1322	50	155
snd	77.28	A	155	0	1172
rcv	79.25	D	1172	50	155
snd	79.4	A	155	0	1372
rcv	81.32	D	1372	50	155

snd	81.47	A	155	0	1422
rcv	84.48	D	1422	50	155
snd	84.68	A	155	0	1472
rcv	87.63	D	1472	50	155
snd	87.79	A	155	0	1522
rcv	94.13	D	1572	50	155
snd	94.31	A	155	0	1522
rcv	95.81	D	1622	50	155
snd	95.97	A	155	0	1522
rcv	98.38	D	1672	42	155
snd	98.57	A	155	0	1522
rcv	103.26	D	1522	50	155
snd	103.51	A	155	0	1714
rcv	136.1	F	1714	0	155
snd	137.65	A	155	0	1715
rcv	146.16	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.91	SA	154	0	122
rcv	5.75	A	122	0	155
rcv	12.41	D	122	50	155
snd	12.6	A	155	0	172
rcv	15.64	D	222	50	155
snd	15.78	A	155	0	172
rcv	16.83	D	272	50	155
snd	16.93	A	155	0	172
rcv	18.91	D	322	50	155
snd	19.03	A	155	0	172
rcv	21.68	D	372	50	155
snd	24.29	A	155	0	172
rcv	27.66	D	172	50	155
snd	27.86	A	155	0	422
rcv	30.08	D	422	50	155
snd	30.22	A	155	0	472
rcv	32.39	D	472	50	155
snd	32.54	A	155	0	522
rcv	34.61	D	522	50	155
snd	34.75	A	155	0	572
rcv	37.84	D	572	50	155

snd	38.14	A	155	0	622
rcv	44.2	D	672	50	155
snd	44.35	A	155	0	622
rcv	46.46	D	722	50	155
snd	46.62	A	155	0	622
rcv	48.83	D	772	50	155
snd	48.97	A	155	0	622
rcv	50.94	D	622	50	155
snd	51.08	A	155	0	822
rcv	56.28	D	822	50	155
snd	56.89	A	155	0	872
rcv	62.63	D	872	50	155
snd	62.96	A	155	0	922
rcv	70.78	D	922	50	155
snd	71.11	A	155	0	972
rcv	77.82	D	972	50	155
snd	78.28	A	155	0	1022
rcv	84.12	D	1022	50	155
snd	85.59	A	155	0	1072
rcv	88.54	D	1072	50	155
snd	88.87	A	155	0	1122
rcv	93.87	D	1122	50	155
snd	94.26	A	155	0	1172
rcv	109.63	D	1222	50	155
snd	109.99	A	155	0	1172
rcv	114.31	D	1272	50	155
snd	114.73	A	155	0	1172
rcv	124.3	D	1172	50	155
snd	124.62	A	155	0	1322
rcv	135.94	D	1322	50	155
snd	136.37	A	155	0	1372
rcv	147.38	D	1372	50	155
snd	147.74	A	155	0	1422
rcv	151.48	D	1422	50	155
snd	151.73	A	155	0	1472
rcv	157.34	D	1472	50	155
snd	157.56	A	155	0	1522
rcv	163.14	D	1572	50	155
snd	163.36	A	155	0	1522
rcv	167.82	D	1622	50	155
snd	168.07	A	155	0	1522
rcv	170.89	D	1672	42	155
snd	171.05	A	155	0	1522
rcv	193.15	D	1522	50	155

snd	195.11	A	155	0	1714
rcv	228.53	F	1714	0	155
snd	230.84	A	155	0	1715
rcv	246.3	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	1.47	SA	154	0	122
rcv	6.65	A	122	0	155
rcv	13.07	D	122	50	155
snd	13.27	A	155	0	172
rcv	16.91	D	222	50	155
snd	17.06	A	155	0	172
rcv	18.34	D	272	50	155
snd	18.47	A	155	0	172
rcv	20.87	D	322	50	155
snd	20.99	A	155	0	172
rcv	23.26	D	372	50	155
snd	23.4	A	155	0	172
rcv	25.7	D	172	50	155
snd	25.84	A	155	0	422
rcv	31.86	D	422	50	155
snd	32.02	A	155	0	472
rcv	33.98	D	472	50	155
snd	34.14	A	155	0	522
rcv	37.08	D	522	50	155
snd	37.21	A	155	0	572
rcv	39.25	D	572	50	155
snd	39.39	A	155	0	622
rcv	45.02	D	622	50	155
snd	45.21	A	155	0	672
rcv	47.25	D	672	50	155
snd	47.42	A	155	0	722
rcv	49.64	D	722	50	155
snd	49.79	A	155	0	772
rcv	51.8	D	772	50	155
snd	51.94	A	155	0	822
rcv	53.85	D	822	50	155
snd	53.97	A	155	0	872
rcv	55.91	D	872	50	155
snd	56.03	A	155	0	922

rcv	58.85	D	922	50	155
snd	60.01	A	155	0	972
rcv	62.2	D	972	50	155
snd	62.43	A	155	0	1022
rcv	64.5	D	1022	50	155
snd	64.64	A	155	0	1072
rcv	66.66	D	1072	50	155
snd	66.78	A	155	0	1122
rcv	68.83	D	1122	50	155
snd	68.97	A	155	0	1172
rcv	72.59	D	1222	50	155
snd	72.73	A	155	0	1172
rcv	74.46	D	1272	50	155
snd	77.05	A	155	0	1172
rcv	81.04	D	1322	50	155
snd	81.2	A	155	0	1172
rcv	83.54	D	1172	50	155
snd	83.73	A	155	0	1372
rcv	86.28	D	1372	50	155
snd	86.41	A	155	0	1422
rcv	88.66	D	1422	50	155
snd	88.81	A	155	0	1472
rcv	94.67	D	1472	50	155
snd	94.96	A	155	0	1522
rcv	99.26	D	1572	50	155
snd	99.39	A	155	0	1522
rcv	100.63	D	1622	50	155
snd	100.8	A	155	0	1522
rcv	103.23	D	1672	42	155
snd	103.42	A	155	0	1522
rcv	107.56	D	1522	50	155
snd	107.72	A	155	0	1714
rcv	138.55	F	1714	0	155
snd	140.25	A	155	0	1715
rcv	147.71	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.8	SA	154	0	122
rcv	5.73	A	122	0	155

rcv	11.47	D	122	50	155
snd	11.68	A	155	0	172
rcv	12.24	D	172	50	155
snd	12.72	A	155	0	222
rcv	15.93	D	272	50	155
snd	16.05	A	155	0	222
rcv	19.59	D	322	50	155
snd	19.73	A	155	0	222
rcv	22.07	D	372	50	155
snd	22.25	A	155	0	222
rcv	25.46	D	422	50	155
snd	25.61	A	155	0	222
rcv	27.55	D	222	50	155
snd	27.68	A	155	0	472
rcv	29.6	D	472	50	155
snd	29.72	A	155	0	522
rcv	31.63	D	522	50	155
snd	31.76	A	155	0	572
rcv	36.1	D	572	50	155
snd	36.29	A	155	0	622
rcv	38.41	D	622	50	155
snd	38.56	A	155	0	672
rcv	42.79	D	722	50	155
snd	42.93	A	155	0	672
rcv	44.24	D	772	50	155
snd	44.38	A	155	0	672
rcv	46.51	D	822	50	155
snd	46.66	A	155	0	672
rcv	53.37	D	672	50	155
snd	53.65	A	155	0	872
rcv	59.25	D	872	50	155
snd	59.57	A	155	0	922
rcv	68.01	D	922	50	155
snd	68.43	A	155	0	972
rcv	72.3	D	972	50	155
snd	72.57	A	155	0	1022
rcv	76.89	D	1022	50	155
snd	77.17	A	155	0	1072
rcv	83.11	D	1072	50	155
snd	83.45	A	155	0	1122
rcv	88.39	D	1122	50	155
snd	88.71	A	155	0	1172
rcv	94.24	D	1172	50	155
snd	94.74	A	155	0	1222

rcv	105.03	D	1272	50	155
snd	105.51	A	155	0	1222
rcv	113.92	D	1322	50	155
snd	114.49	A	155	0	1222
rcv	120.44	D	1222	50	155
snd	120.86	A	155	0	1372
rcv	130.54	D	1372	50	155
snd	131.01	A	155	0	1422
rcv	136.62	D	1422	50	155
snd	137.15	A	155	0	1472
rcv	148.78	D	1472	50	155
snd	149.22	A	155	0	1522
rcv	154.22	D	1522	50	155
snd	154.55	A	155	0	1572
rcv	178.2	D	1572	50	155
snd	178.7	A	155	0	1622
rcv	187.14	D	1622	50	155
snd	187.59	A	155	0	1672
rcv	202.17	D	1672	42	155
snd	202.58	A	155	0	1714
rcv	239.13	F	1714	0	155
snd	241.4	A	155	0	1715
rcv	247.32	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.02	S	121	0	0
snd	0.78	SA	154	0	122
rcv	3.24	A	122	0	155
rcv	8.7	D	122	50	155
snd	9.1	A	155	0	172
rcv	15.41	D	222	50	155
snd	15.64	A	155	0	172
rcv	18.08	D	272	50	155
snd	18.26	A	155	0	172
rcv	20.3	D	322	50	155
snd	20.44	A	155	0	172
rcv	22.41	D	172	50	155
snd	22.56	A	155	0	372
rcv	24.61	D	372	50	155
snd	24.75	A	155	0	422
rcv	28.11	D	422	50	155

snd	28.33	A	155	0	472
rcv	31.96	D	472	50	155
snd	32.48	A	155	0	522
rcv	35.42	D	522	50	155
snd	35.58	A	155	0	572
rcv	37.95	D	572	50	155
snd	38.09	A	155	0	622
rcv	43.24	D	622	50	155
snd	43.68	A	155	0	672
rcv	46.04	D	672	50	155
snd	46.22	A	155	0	722
rcv	48.69	D	722	50	155
snd	48.9	A	155	0	772
rcv	51.39	D	772	50	155
snd	51.54	A	155	0	822
rcv	53.48	D	822	50	155
snd	53.63	A	155	0	872
rcv	55.69	D	872	50	155
snd	55.81	A	155	0	922
rcv	57.85	D	922	50	155
snd	59.72	A	155	0	972
rcv	60.77	D	972	50	155
snd	60.92	A	155	0	1022
rcv	63.11	D	1022	50	155
snd	63.26	A	155	0	1072
rcv	65.13	D	1072	50	155
snd	65.29	A	155	0	1122
rcv	67.68	D	1122	50	155
snd	67.86	A	155	0	1172
rcv	71.57	D	1222	50	155
snd	71.73	A	155	0	1172
rcv	72.75	D	1272	50	155
snd	72.88	A	155	0	1172
rcv	77.11	D	1322	50	155
snd	77.26	A	155	0	1172
rcv	79.79	D	1372	50	155
snd	79.98	A	155	0	1172
rcv	82.09	D	1172	50	155
snd	82.44	A	155	0	1422
rcv	84.94	D	1422	50	155
snd	85.1	A	155	0	1472
rcv	87.29	D	1472	50	155
snd	87.44	A	155	0	1522
rcv	92.63	D	1572	50	155

snd	92.78	A	155	0	1522
rcv	93.95	D	1622	50	155
snd	94.15	A	155	0	1522
rcv	96.09	D	1672	42	155
snd	96.23	A	155	0	1522
rcv	98.31	D	1522	50	155
snd	98.51	A	155	0	1714
rcv	123.27	F	1714	0	155
snd	124.61	A	155	0	1715
rcv	130.98	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

Timeout = 10

rcv	0.0	S	121	0	0
snd	1.08	SA	154	0	122
rcv	6.99	A	122	0	155
rcv	11.35	D	122	50	155
snd	11.57	A	155	0	172
rcv	14.77	D	222	50	155
snd	14.94	A	155	0	172
rcv	17.29	D	272	50	155
snd	17.56	A	155	0	172
rcv	20.38	D	322	50	155
snd	20.52	A	155	0	172
rcv	22.74	D	372	50	155
snd	22.9	A	155	0	172
rcv	24.82	D	172	50	155
snd	24.98	A	155	0	422
rcv	27.01	D	422	50	155
snd	27.15	A	155	0	472
rcv	29.12	D	472	50	155
snd	29.24	A	155	0	522
rcv	31.21	D	522	50	155
snd	31.35	A	155	0	572
rcv	35.37	D	572	50	155
snd	35.56	A	155	0	622
rcv	40.36	D	672	50	155
snd	40.49	A	155	0	622
rcv	41.62	D	722	50	155
snd	41.8	A	155	0	622
rcv	44.09	D	772	50	155

snd	44.25	A	155	0	622
rcv	46.34	D	622	50	155
snd	46.47	A	155	0	822
rcv	49.58	D	822	50	155
snd	51.68	A	155	0	872
rcv	54.44	D	872	50	155
snd	54.59	A	155	0	922
rcv	56.87	D	922	50	155
snd	57.02	A	155	0	972
rcv	59.26	D	972	50	155
snd	59.4	A	155	0	1022
rcv	61.72	D	1022	50	155
snd	61.9	A	155	0	1072
rcv	63.94	D	1072	50	155
snd	64.06	A	155	0	1122
rcv	70.19	D	1122	50	155
snd	70.39	A	155	0	1172
rcv	75.11	D	1222	50	155
snd	75.24	A	155	0	1172
rcv	76.51	D	1272	50	155
snd	76.69	A	155	0	1172
rcv	78.87	D	1322	50	155
snd	79.03	A	155	0	1172
rcv	84.56	D	1172	50	155
snd	84.85	A	155	0	1372
rcv	90.8	D	1372	50	155
snd	91.11	A	155	0	1422
rcv	99.4	D	1422	50	155
snd	99.85	A	155	0	1472
rcv	107.24	D	1472	50	155
snd	107.89	A	155	0	1522
rcv	121.0	D	1572	50	155
snd	121.25	A	155	0	1522
rcv	123.35	D	1622	50	155
snd	123.56	A	155	0	1522
rcv	128.73	D	1672	42	155
snd	129.1	A	155	0	1522
rcv	131.52	D	1522	50	155
snd	131.69	A	155	0	1714
rcv	160.67	F	1714	0	155
snd	161.61	A	155	0	1715
rcv	164.14	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 1

rev	0.0	S	121	0	0
snd	0.78	SA	154	0	122
rev	3.56	A	122	0	155
rev	9.26	D	122	50	155
snd	11.45	A	155	0	172
rev	23.63	D	222	50	155
snd	24.06	A	155	0	172
rev	37.45	D	272	50	155
snd	39.46	A	155	0	172
rev	48.77	D	172	50	155
snd	49.53	A	155	0	322
rev	61.13	D	322	50	155
snd	61.74	A	155	0	372
rev	75.39	D	372	50	155
snd	76.12	A	155	0	422
rev	83.03	D	422	50	155
snd	83.74	A	155	0	472
rev	96.33	D	472	50	155
snd	97.0	A	155	0	522
rev	108.01	D	522	50	155
snd	108.62	A	155	0	572
rev	123.04	D	572	50	155
snd	123.58	A	155	0	622
rev	140.18	D	672	50	155
snd	140.71	A	155	0	622
rev	147.34	D	722	50	155
snd	148.15	A	155	0	622
rev	164.88	D	622	50	155
snd	165.44	A	155	0	772
rev	172.69	D	772	50	155
snd	173.08	A	155	0	822
rev	182.3	D	822	50	155
snd	183.22	A	155	0	872
rev	189.16	D	872	50	155
snd	189.54	A	155	0	922
rev	195.21	D	922	50	155
snd	195.57	A	155	0	972
rev	206.84	D	972	50	155
snd	207.19	A	155	0	1022
rev	215.48	D	1022	50	155
snd	215.84	A	155	0	1072

rcv	220.18	D	1072	50	155
snd	220.54	A	155	0	1122
rcv	226.0	D	1122	50	155
snd	226.66	A	155	0	1172
rcv	239.28	D	1222	50	155
snd	239.75	A	155	0	1172
rcv	253.52	D	1272	50	155
snd	254.12	A	155	0	1172
rcv	264.79	D	1172	50	155
snd	265.42	A	155	0	1322
rcv	274.21	D	1322	50	155
snd	274.85	A	155	0	1372
rcv	287.42	D	1372	50	155
snd	288.18	A	155	0	1422
rcv	302.48	D	1422	50	155
snd	303.09	A	155	0	1472
rcv	314.72	D	1472	50	155
snd	315.25	A	155	0	1522
rcv	333.74	D	1572	50	155
snd	334.26	A	155	0	1522
rcv	346.32	D	1622	50	155
snd	346.89	A	155	0	1522
rcv	361.42	D	1672	42	155
snd	362.14	A	155	0	1522
rcv	373.8	D	1522	50	155
snd	374.25	A	155	0	1714
rcv	403.36	F	1714	0	155
snd	404.73	A	155	0	1715
rcv	409.74	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.95	SA	154	0	122
rcv	6.24	A	122	0	155
rcv	11.57	D	122	50	155
snd	11.76	A	155	0	172
rcv	15.95	D	222	50	155
snd	16.15	A	155	0	172
rcv	17.34	D	272	50	155
snd	17.55	A	155	0	172
rcv	21.4	D	322	50	155

snd	21.68	A	155	0	172
rcv	23.82	D	372	50	155
snd	23.95	A	155	0	172
rcv	26.08	D	172	50	155
snd	26.25	A	155	0	422
rcv	28.27	D	422	50	155
snd	28.44	A	155	0	472
rcv	31.55	D	472	50	155
snd	31.7	A	155	0	522
rcv	34.0	D	522	50	155
snd	34.15	A	155	0	572
rcv	37.97	D	572	50	155
snd	38.15	A	155	0	622
rcv	42.13	D	672	50	155
snd	42.33	A	155	0	622
rcv	43.42	D	722	50	155
snd	43.54	A	155	0	622
rcv	45.9	D	772	50	155
snd	46.16	A	155	0	622
rcv	48.63	D	622	50	155
snd	48.8	A	155	0	822
rcv	54.24	D	822	50	155
snd	54.51	A	155	0	872
rcv	60.11	D	872	50	155
snd	60.52	A	155	0	922
rcv	65.19	D	922	50	155
snd	65.47	A	155	0	972
rcv	72.28	D	972	50	155
snd	72.55	A	155	0	1022
rcv	77.92	D	1022	50	155
snd	78.24	A	155	0	1072
rcv	86.85	D	1072	50	155
snd	87.22	A	155	0	1122
rcv	95.19	D	1122	50	155
snd	95.58	A	155	0	1172
rcv	110.65	D	1222	50	155
snd	111.03	A	155	0	1172
rcv	119.19	D	1272	50	155
snd	119.43	A	155	0	1172
rcv	130.32	D	1172	50	155
snd	131.36	A	155	0	1322
rcv	132.81	D	1322	50	155
snd	133.26	A	155	0	1372
rcv	137.95	D	1372	50	155

snd	138.25	A	155	0	1422
rcv	143.09	D	1422	50	155
snd	143.3	A	155	0	1472
rcv	149.11	D	1472	50	155
snd	149.29	A	155	0	1522
rcv	152.75	D	1572	50	155
snd	152.9	A	155	0	1522
rcv	155.36	D	1622	50	155
snd	155.5	A	155	0	1522
rcv	157.78	D	1672	42	155
snd	157.91	A	155	0	1522
rcv	191.19	D	1522	50	155
snd	192.69	A	155	0	1714
rcv	226.65	F	1714	0	155
snd	228.54	A	155	0	1715
rcv	234.46	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.98	SA	154	0	122
rcv	7.26	A	122	0	155
rcv	16.36	D	122	50	155
snd	16.76	A	155	0	172
rcv	18.5	D	172	50	155
snd	19.8	A	155	0	222
rcv	22.98	D	272	50	155
snd	23.21	A	155	0	222
rcv	25.33	D	322	50	155
snd	25.48	A	155	0	222
rcv	27.8	D	372	50	155
snd	27.92	A	155	0	222
rcv	31.31	D	422	50	155
snd	31.65	A	155	0	222
rcv	35.43	D	222	50	155
snd	35.75	A	155	0	472
rcv	37.69	D	472	50	155
snd	37.82	A	155	0	522
rcv	40.0	D	522	50	155
snd	40.16	A	155	0	572
rcv	42.19	D	572	50	155
snd	42.31	A	155	0	622

rcv	44.39	D	622	50	155
snd	44.51	A	155	0	672
rcv	49.73	D	722	50	155
snd	49.88	A	155	0	672
rcv	52.3	D	772	50	155
snd	52.62	A	155	0	672
rcv	54.65	D	822	50	155
snd	54.78	A	155	0	672
rcv	57.26	D	672	50	155
snd	57.43	A	155	0	872
rcv	59.71	D	872	50	155
snd	59.92	A	155	0	922
rcv	68.5	D	922	50	155
snd	68.9	A	155	0	972
rcv	73.93	D	972	50	155
snd	74.29	A	155	0	1022
rcv	82.32	D	1022	50	155
snd	82.62	A	155	0	1072
rcv	87.51	D	1072	50	155
snd	87.8	A	155	0	1122
rcv	95.35	D	1122	50	155
snd	95.75	A	155	0	1172
rcv	101.14	D	1172	50	155
snd	101.62	A	155	0	1222
rcv	111.61	D	1272	50	155
snd	111.98	A	155	0	1222
rcv	121.47	D	1322	50	155
snd	121.71	A	155	0	1222
rcv	126.74	D	1372	50	155
snd	127.13	A	155	0	1222
rcv	131.32	D	1222	50	155
snd	131.58	A	155	0	1422
rcv	137.46	D	1422	50	155
snd	137.73	A	155	0	1472
rcv	144.0	D	1472	50	155
snd	144.29	A	155	0	1522
rcv	151.79	D	1522	50	155
snd	152.87	A	155	0	1572
rcv	164.88	D	1622	50	155
snd	165.22	A	155	0	1572
rcv	168.98	D	1672	42	155
snd	169.35	A	155	0	1572
rcv	175.43	D	1572	50	155
snd	175.72	A	155	0	1714

rcv	205.28	F	1714	0	155
snd	207.05	A	155	0	1715
rcv	215.73	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.84	SA	154	0	122
rcv	4.12	A	122	0	155
rcv	18.05	D	122	50	155
snd	18.55	A	155	0	172
rev	26.68	D	222	50	155
snd	27.08	A	155	0	172
rev	32.6	D	272	50	155
snd	32.89	A	155	0	172
rev	41.22	D	322	50	155
snd	41.63	A	155	0	172
rev	48.61	D	172	50	155
snd	48.96	A	155	0	372
rev	55.87	D	372	50	155
snd	56.2	A	155	0	422
rev	60.74	D	422	50	155
snd	61.25	A	155	0	472
rev	65.93	D	472	50	155
snd	66.31	A	155	0	522
rev	75.99	D	522	50	155
snd	76.43	A	155	0	572
rev	87.17	D	572	50	155
snd	87.64	A	155	0	622
rev	96.89	D	672	50	155
snd	97.29	A	155	0	622
rev	108.17	D	722	50	155
snd	108.65	A	155	0	622
rev	120.71	D	772	50	155
snd	121.4	A	155	0	622
rev	133.41	D	622	50	155
snd	134.03	A	155	0	822
rev	141.63	D	822	50	155
snd	142.3	A	155	0	872
rev	159.34	D	872	50	155
snd	159.95	A	155	0	922
rev	173.8	D	922	50	155

snd	174.48	A	155	0	972
rcv	188.02	D	972	50	155
snd	188.61	A	155	0	1022
rcv	199.64	D	1022	50	155
snd	200.04	A	155	0	1072
rcv	206.56	D	1072	50	155
snd	206.94	A	155	0	1122
rcv	213.32	D	1122	50	155
snd	213.58	A	155	0	1172
rcv	220.23	D	1222	50	155
snd	220.48	A	155	0	1172
rcv	222.1	D	1272	50	155
snd	222.28	A	155	0	1172
rcv	228.12	D	1322	50	155
snd	228.35	A	155	0	1172
rcv	231.8	D	1172	50	155
snd	232.03	A	155	0	1372
rcv	235.82	D	1372	50	155
snd	236.15	A	155	0	1422
rcv	239.1	D	1422	50	155
snd	241.01	A	155	0	1472
rcv	243.95	D	1472	50	155
snd	244.13	A	155	0	1522
rcv	248.83	D	1572	50	155
snd	249.02	A	155	0	1522
rcv	250.78	D	1622	50	155
snd	250.95	A	155	0	1522
rcv	256.96	D	1672	42	155
snd	257.75	A	155	0	1522
rcv	259.94	D	1522	50	155
snd	260.11	A	155	0	1714
rcv	288.01	F	1714	0	155
snd	289.3	A	155	0	1715
rcv	296.16	A	1715	0	156

Amount of (original) Data Received: 1592
 Number of (original) Data Segments Received: 32
 Number of duplicate segments received: 1

Timeout = 12

rcv	0.0	S	121	0	0
snd	0.81	SA	154	0	122

rcv	3.76	A	122	0	155
rcv	10.34	D	122	50	155
snd	10.56	A	155	0	172
rev	10.85	D	172	50	155
snd	11.6	A	155	0	222
rev	14.33	D	272	50	155
snd	14.45	A	155	0	222
rcv	16.31	D	322	50	155
snd	16.43	A	155	0	222
rev	18.31	D	372	50	155
snd	18.48	A	155	0	222
rev	20.38	D	422	50	155
snd	20.51	A	155	0	222
rev	22.65	D	222	50	155
snd	22.79	A	155	0	472
rev	27.66	D	472	50	155
snd	27.82	A	155	0	522
rev	30.12	D	522	50	155
snd	30.29	A	155	0	572
rev	32.26	D	572	50	155
snd	32.44	A	155	0	622
rev	34.41	D	622	50	155
snd	34.58	A	155	0	672
rev	39.82	D	722	50	155
snd	41.96	A	155	0	672
rev	44.06	D	672	50	155
snd	44.19	A	155	0	772
rev	46.3	D	772	50	155
snd	46.47	A	155	0	822
rev	48.29	D	822	50	155
snd	48.43	A	155	0	872
rev	50.31	D	872	50	155
snd	50.47	A	155	0	922
rev	52.55	D	922	50	155
snd	52.71	A	155	0	972
rev	55.0	D	972	50	155
snd	58.05	A	155	0	1022
rev	60.21	D	1022	50	155
snd	60.35	A	155	0	1072
rev	63.13	D	1072	50	155
snd	63.29	A	155	0	1122
rev	65.91	D	1122	50	155
snd	66.18	A	155	0	1172
rev	68.64	D	1172	50	155

snd	68.93	A	155	0	1222
rcv	76.93	D	1272	50	155
snd	77.09	A	155	0	1222
rev	78.3	D	1322	50	155
snd	78.45	A	155	0	1222
rcv	80.12	D	1222	50	155
snd	80.25	A	155	0	1372
rcv	82.06	D	1372	50	155
snd	82.19	A	155	0	1422
rcv	84.18	D	1422	50	155
snd	84.32	A	155	0	1472
rcv	87.32	D	1472	50	155
snd	88.69	A	155	0	1522
rev	92.59	D	1522	50	155
snd	92.74	A	155	0	1572
rcv	96.41	D	1622	50	155
snd	96.54	A	155	0	1572
rcv	97.48	D	1672	42	155
snd	97.59	A	155	0	1572
rcv	117.94	D	1572	50	155
snd	119.4	A	155	0	1714
rcv	151.39	F	1714	0	155
snd	152.98	A	155	0	1715
rev	158.98	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.85	SA	154	0	122
rcv	4.3	A	122	0	155
rev	8.91	D	122	50	155
snd	9.1	A	155	0	172
rcv	9.64	D	172	50	155
snd	9.78	A	155	0	222
rcv	12.98	D	272	50	155
snd	13.13	A	155	0	222
rcv	17.08	D	322	50	155
snd	17.23	A	155	0	222
rev	19.99	D	372	50	155
snd	20.64	A	155	0	222
rcv	22.75	D	422	50	155
snd	22.9	A	155	0	222

rcv	25.29	D	222	50	155
snd	25.42	A	155	0	472
rcv	27.49	D	472	50	155
snd	27.62	A	155	0	522
rcv	29.6	D	522	50	155
snd	29.72	A	155	0	572
rcv	34.66	D	572	50	155
snd	34.79	A	155	0	622
rcv	37.8	D	622	50	155
snd	38.09	A	155	0	672
rcv	42.07	D	722	50	155
snd	42.18	A	155	0	672
rcv	43.19	D	772	50	155
snd	43.32	A	155	0	672
rcv	45.26	D	822	50	155
snd	45.4	A	155	0	672
rcv	49.09	D	672	50	155
snd	49.24	A	155	0	872
rcv	51.42	D	872	50	155
snd	51.6	A	155	0	922
rcv	53.96	D	922	50	155
snd	54.15	A	155	0	972
rcv	55.78	D	972	50	155
snd	55.91	A	155	0	1022
rcv	57.95	D	1022	50	155
snd	58.07	A	155	0	1072
rcv	60.04	D	1072	50	155
snd	60.24	A	155	0	1122
rcv	64.84	D	1122	50	155
snd	65.06	A	155	0	1172
rcv	67.22	D	1172	50	155
snd	67.38	A	155	0	1222
rcv	71.37	D	1272	50	155
snd	71.5	A	155	0	1222
rcv	73.06	D	1322	50	155
snd	73.19	A	155	0	1222
rcv	75.11	D	1372	50	155
snd	75.28	A	155	0	1222
rcv	78.42	D	1222	50	155
snd	78.81	A	155	0	1422
rcv	81.5	D	1422	50	155
snd	81.67	A	155	0	1472
rcv	83.5	D	1472	50	155
snd	83.63	A	155	0	1522

rcv	85.63	D	1522	50	155
snd	85.81	A	155	0	1572
rcv	90.03	D	1622	50	155
snd	90.19	A	155	0	1572
rcv	91.18	D	1672	42	155
snd	91.29	A	155	0	1572
rcv	124.25	D	1572	50	155
snd	125.33	A	155	0	1714
rev	157.1	F	1714	0	155
snd	158.4	A	155	0	1715
rcv	162.13	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.97	SA	154	0	122
rev	6.83	A	122	0	155
rcv	11.33	D	122	50	155
snd	11.62	A	155	0	172
rcv	15.18	D	222	50	155
snd	15.31	A	155	0	172
rev	16.26	D	272	50	155
snd	16.37	A	155	0	172
rev	18.32	D	322	50	155
snd	18.51	A	155	0	172
rcv	23.62	D	372	50	155
snd	24.04	A	155	0	172
rcv	26.14	D	172	50	155
snd	26.31	A	155	0	422
rev	28.05	D	422	50	155
snd	28.23	A	155	0	472
rev	30.15	D	472	50	155
snd	30.29	A	155	0	522
rev	32.17	D	522	50	155
snd	32.34	A	155	0	572
rev	34.69	D	572	50	155
snd	37.14	A	155	0	622
rcv	41.26	D	672	50	155
snd	41.46	A	155	0	622
rev	42.54	D	722	50	155
snd	42.67	A	155	0	622
rcv	44.86	D	772	50	155

snd	45.02	A	155	0	622
rcv	47.09	D	622	50	155
snd	47.25	A	155	0	822
rcv	49.56	D	822	50	155
snd	49.69	A	155	0	872
rcv	55.52	D	872	50	155
snd	56.02	A	155	0	922
rcv	59.73	D	922	50	155
snd	59.95	A	155	0	972
rcv	62.3	D	972	50	155
snd	62.49	A	155	0	1022
rcv	64.65	D	1022	50	155
snd	64.86	A	155	0	1072
rcv	70.02	D	1072	50	155
snd	70.23	A	155	0	1122
rcv	73.58	D	1122	50	155
snd	73.73	A	155	0	1172
rcv	78.02	D	1222	50	155
snd	78.23	A	155	0	1172
rcv	79.37	D	1272	50	155
snd	79.51	A	155	0	1172
rcv	83.0	D	1322	50	155
snd	83.19	A	155	0	1172
rcv	86.85	D	1172	50	155
snd	87.01	A	155	0	1372
rcv	90.3	D	1372	50	155
snd	90.55	A	155	0	1422
rcv	93.42	D	1422	50	155
snd	93.64	A	155	0	1472
rcv	96.2	D	1472	50	155
snd	96.39	A	155	0	1522
rcv	105.29	D	1572	50	155
snd	105.61	A	155	0	1522
rcv	108.15	D	1622	50	155
snd	108.39	A	155	0	1522
rcv	112.07	D	1672	42	155
snd	112.26	A	155	0	1522
rcv	119.85	D	1522	50	155
snd	120.18	A	155	0	1714
rcv	145.66	F	1714	0	155
snd	146.77	A	155	0	1715
rcv	152.13	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 1

rev	0.0	S	121	0	0
snd	1.02	SA	154	0	122
rev	6.43	A	122	0	155
rev	11.66	D	122	50	155
snd	11.83	A	155	0	172
rev	15.32	D	222	50	155
snd	15.5	A	155	0	172
rev	16.63	D	272	50	155
snd	16.77	A	155	0	172
rev	19.26	D	322	50	155
snd	21.46	A	155	0	172
rev	25.44	D	372	50	155
snd	25.64	A	155	0	172
rev	28.34	D	172	50	155
snd	28.52	A	155	0	422
rev	30.74	D	422	50	155
snd	30.89	A	155	0	472
rev	33.42	D	472	50	155
snd	33.6	A	155	0	522
rev	37.25	D	522	50	155
snd	37.45	A	155	0	572
rev	41.68	D	572	50	155
snd	41.85	A	155	0	622
rev	47.85	D	672	50	155
snd	48.03	A	155	0	622
rev	49.13	D	722	50	155
snd	49.28	A	155	0	622
rev	52.55	D	772	50	155
snd	52.67	A	155	0	622
rev	56.83	D	622	50	155
snd	57.14	A	155	0	822
rev	59.65	D	822	50	155
snd	59.81	A	155	0	872
rev	62.35	D	872	50	155
snd	62.51	A	155	0	922
rev	65.15	D	922	50	155
snd	65.29	A	155	0	972
rev	73.27	D	972	50	155
snd	73.72	A	155	0	1022
rev	78.79	D	1022	50	155
snd	79.14	A	155	0	1072

rcv	88.28	D	1072	50	155
snd	89.2	A	155	0	1122
rcv	97.66	D	1122	50	155
snd	100.07	A	155	0	1172
rcv	110.35	D	1222	50	155
snd	110.84	A	155	0	1172
rcv	120.33	D	1272	50	155
snd	120.86	A	155	0	1172
rcv	127.9	D	1322	50	155
snd	128.23	A	155	0	1172
rcv	140.64	D	1172	50	155
snd	141.34	A	155	0	1372
rcv	149.02	D	1372	50	155
snd	149.36	A	155	0	1422
rcv	154.48	D	1422	50	155
snd	154.76	A	155	0	1472
rcv	159.76	D	1472	50	155
snd	160.51	A	155	0	1522
rcv	169.76	D	1572	50	155
snd	169.98	A	155	0	1522
rcv	173.08	D	1622	50	155
snd	173.34	A	155	0	1522
rcv	179.77	D	1672	42	155
snd	180.01	A	155	0	1522
rcv	182.78	D	1522	50	155
snd	182.99	A	155	0	1714
rcv	209.04	F	1714	0	155
snd	210.32	A	155	0	1715
rcv	215.15	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.78	SA	154	0	122
rcv	7.99	A	122	0	155
rcv	14.56	D	122	50	155
snd	14.76	A	155	0	172
rcv	21.1	D	172	50	155
snd	21.43	A	155	0	222
rcv	27.07	D	222	50	155
snd	27.29	A	155	0	272
rcv	31.31	D	272	50	155

snd	31.5	A	155	0	322
rcv	37.14	D	322	50	155
snd	37.39	A	155	0	372
rcv	43.05	D	372	50	155
snd	43.22	A	155	0	422
rcv	46.16	D	422	50	155
snd	46.36	A	155	0	472
rcv	48.83	D	472	50	155
snd	48.99	A	155	0	522
rcv	52.53	D	522	50	155
snd	52.78	A	155	0	572
rcv	55.08	D	572	50	155
snd	55.21	A	155	0	622
rcv	59.65	D	672	50	155
snd	59.84	A	155	0	622
rcv	61.09	D	722	50	155
snd	61.22	A	155	0	622
rcv	63.32	D	772	50	155
snd	63.47	A	155	0	622
rcv	67.09	D	822	50	155
snd	67.27	A	155	0	622
rcv	70.89	D	622	50	155
snd	71.07	A	155	0	872
rcv	73.98	D	872	50	155
snd	74.37	A	155	0	922
rcv	76.7	D	922	50	155
snd	76.89	A	155	0	972
rcv	78.98	D	972	50	155
snd	79.11	A	155	0	1022
rcv	89.48	D	1022	50	155
snd	89.88	A	155	0	1072
rcv	92.91	D	1072	50	155
snd	93.26	A	155	0	1122
rcv	99.99	D	1122	50	155
snd	100.4	A	155	0	1172
rcv	110.51	D	1222	50	155
snd	110.93	A	155	0	1172
rcv	119.68	D	1272	50	155
snd	120.32	A	155	0	1172
rcv	127.24	D	1172	50	155
snd	127.74	A	155	0	1322
rcv	142.52	D	1322	50	155
snd	143.06	A	155	0	1372
rcv	154.0	D	1372	50	155

snd	154.49	A	155	0	1422
rcv	164.76	D	1422	50	155
snd	165.54	A	155	0	1472
rcv	174.97	D	1472	50	155
snd	177.89	A	155	0	1522
rcv	200.66	D	1572	50	155
snd	201.1	A	155	0	1522
rcv	205.7	D	1622	50	155
snd	206.97	A	155	0	1522
rcv	216.15	D	1522	50	155
snd	216.68	A	155	0	1672
rcv	229.51	D	1672	42	155
snd	230.29	A	155	0	1714
rcv	271.69	F	1714	0	155
snd	275.84	A	155	0	1715
rcv	285.76	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 1

Timeout = 14

rcv	0.0	S	121	0	0
snd	0.88	SA	154	0	122
rcv	4.21	A	122	0	155
rcv	9.45	D	122	50	155
snd	9.67	A	155	0	172
rcv	9.91	D	172	50	155
snd	10.34	A	155	0	222
rcv	13.59	D	272	50	155
snd	13.89	A	155	0	222
rcv	29.0	D	322	50	155
snd	29.36	A	155	0	222
rcv	34.67	D	372	50	155
snd	34.83	A	155	0	222
rcv	37.44	D	222	50	155
snd	37.57	A	155	0	422
rcv	40.41	D	422	50	155
snd	40.57	A	155	0	472
rcv	43.35	D	472	50	155
snd	43.48	A	155	0	522
rcv	53.07	D	522	50	155
snd	53.38	A	155	0	572
rcv	55.22	D	572	50	155

snd	55.4	A	155	0	622
rcv	60.21	D	622	50	155
snd	60.4	A	155	0	672
rev	72.32	D	722	50	155
snd	72.56	A	155	0	672
rev	74.06	D	772	50	155
snd	74.32	A	155	0	672
rcv	76.53	D	822	50	155
snd	76.66	A	155	0	672
rev	81.3	D	872	50	155
snd	81.77	A	155	0	672
rev	83.75	D	672	50	155
snd	83.89	A	155	0	922
rev	85.91	D	922	50	155
snd	86.05	A	155	0	972
rev	88.03	D	972	50	155
snd	88.17	A	155	0	1022
rev	90.09	D	1022	50	155
snd	90.23	A	155	0	1072
rev	92.17	D	1072	50	155
snd	92.31	A	155	0	1122
rev	97.49	D	1122	50	155
snd	98.11	A	155	0	1172
rev	100.08	D	1172	50	155
snd	100.23	A	155	0	1222
rev	104.19	D	1272	50	155
snd	104.31	A	155	0	1222
rev	105.35	D	1322	50	155
snd	105.47	A	155	0	1222
rev	107.43	D	1372	50	155
snd	107.57	A	155	0	1222
rev	111.08	D	1222	50	155
snd	111.33	A	155	0	1422
rev	113.45	D	1422	50	155
snd	113.62	A	155	0	1472
rev	115.94	D	1472	50	155
snd	116.08	A	155	0	1522
rev	117.96	D	1522	50	155
snd	118.1	A	155	0	1572
rev	121.89	D	1622	50	155
snd	121.99	A	155	0	1572
rev	122.98	D	1672	42	155
snd	123.08	A	155	0	1572
rev	155.72	D	1572	50	155

snd	156.85	A	155	0	1714
rcv	190.27	F	1714	0	155
snd	192.8	A	155	0	1715
rcv	202.25	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.97	SA	154	0	122
rcv	5.33	A	122	0	155
rcv	12.41	D	122	50	155
snd	12.75	A	155	0	172
rcv	13.22	D	172	50	155
snd	13.64	A	155	0	222
rcv	16.73	D	272	50	155
snd	16.86	A	155	0	222
rcv	18.77	D	322	50	155
snd	18.88	A	155	0	222
rcv	20.78	D	372	50	155
snd	20.9	A	155	0	222
rcv	23.02	D	422	50	155
snd	23.18	A	155	0	222
rcv	28.66	D	222	50	155
snd	28.88	A	155	0	472
rcv	31.17	D	472	50	155
snd	31.37	A	155	0	522
rcv	33.4	D	522	50	155
snd	33.53	A	155	0	572
rcv	35.54	D	572	50	155
snd	35.66	A	155	0	622
rcv	37.81	D	622	50	155
snd	37.98	A	155	0	672
rcv	46.24	D	722	50	155
snd	46.53	A	155	0	672
rcv	48.26	D	772	50	155
snd	48.43	A	155	0	672
rcv	51.88	D	822	50	155
snd	52.03	A	155	0	672
rcv	55.28	D	672	50	155
snd	58.0	A	155	0	872
rcv	62.65	D	872	50	155
snd	62.88	A	155	0	922

rcv	66.52	D	922	50	155
snd	66.71	A	155	0	972
rcv	70.58	D	972	50	155
snd	70.76	A	155	0	1022
rcv	76.01	D	1022	50	155
snd	76.16	A	155	0	1072
rcv	79.04	D	1072	50	155
snd	79.31	A	155	0	1122
rcv	81.14	D	1122	50	155
snd	81.28	A	155	0	1172
rcv	84.33	D	1172	50	155
snd	84.45	A	155	0	1222
rcv	88.78	D	1222	50	155
snd	89.03	A	155	0	1272
rcv	90.19	D	1272	50	155
snd	90.32	A	155	0	1322
rcv	92.66	D	1322	50	155
snd	92.81	A	155	0	1372
rcv	95.35	D	1372	50	155
snd	95.54	A	155	0	1422
rcv	97.7	D	1422	50	155
snd	97.81	A	155	0	1472
rcv	99.76	D	1472	50	155
snd	99.88	A	155	0	1522
rcv	102.09	D	1522	50	155
snd	102.32	A	155	0	1572
rcv	108.79	D	1622	50	155
snd	109.02	A	155	0	1572
rcv	111.59	D	1672	42	155
snd	111.98	A	155	0	1572
rcv	134.08	D	1572	50	155
snd	135.46	A	155	0	1714
rcv	168.53	F	1714	0	155
snd	170.55	A	155	0	1715
rcv	180.85	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.57	SA	154	0	122
rcv	4.16	A	122	0	155
rcv	8.62	D	122	50	155

snd	8.82	A	155	0	172
rcv	9.12	D	172	50	155
snd	9.53	A	155	0	222
rcv	17.41	D	272	50	155
snd	18.36	A	155	0	222
rcv	26.71	D	322	50	155
snd	28.34	A	155	0	222
rcv	39.13	D	372	50	155
snd	39.49	A	155	0	222
rcv	50.75	D	222	50	155
snd	51.59	A	155	0	422
rcv	58.35	D	422	50	155
snd	60.82	A	155	0	472
rcv	68.85	D	472	50	155
snd	69.17	A	155	0	522
rcv	79.1	D	522	50	155
snd	79.77	A	155	0	572
rcv	87.88	D	572	50	155
snd	88.39	A	155	0	622
rcv	97.44	D	622	50	155
snd	97.91	A	155	0	672
rcv	113.98	D	722	50	155
snd	114.37	A	155	0	672
rcv	118.83	D	772	50	155
snd	119.24	A	155	0	672
rcv	127.71	D	672	50	155
snd	128.13	A	155	0	822
rcv	135.73	D	822	50	155
snd	136.21	A	155	0	872
rcv	144.96	D	872	50	155
snd	145.46	A	155	0	922
rcv	159.08	D	922	50	155
snd	159.56	A	155	0	972
rcv	169.49	D	972	50	155
snd	169.79	A	155	0	1022
rcv	176.54	D	1022	50	155
snd	176.8	A	155	0	1072
rcv	182.12	D	1072	50	155
snd	182.39	A	155	0	1122
rcv	191.1	D	1122	50	155
snd	191.38	A	155	0	1172
rcv	195.95	D	1172	50	155
snd	196.22	A	155	0	1222
rcv	206.55	D	1272	50	155

snd	206.9	A	155	0	1222
rcv	209.23	D	1322	50	155
snd	209.46	A	155	0	1222
rcv	213.05	D	1222	50	155
snd	213.26	A	155	0	1372
rcv	219.95	D	1372	50	155
snd	220.28	A	155	0	1422
rcv	224.76	D	1422	50	155
snd	224.97	A	155	0	1472
rcv	227.98	D	1472	50	155
snd	228.2	A	155	0	1522
rcv	234.33	D	1522	50	155
snd	234.92	A	155	0	1572
rcv	241.95	D	1622	50	155
snd	242.24	A	155	0	1572
rcv	261.27	D	1672	42	155
snd	262.44	A	155	0	1572
rcv	268.8	D	1572	50	155
snd	269.38	A	155	0	1714
rcv	295.38	F	1714	0	155
snd	297.19	A	155	0	1715
rcv	304.13	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	1.34	SA	154	0	122
rcv	6.77	A	122	0	155
rev	11.64	D	122	50	155
snd	11.82	A	155	0	172
rcv	12.3	D	172	50	155
snd	12.73	A	155	0	222
rcv	15.6	D	272	50	155
snd	15.73	A	155	0	222
rcv	17.49	D	322	50	155
snd	17.61	A	155	0	222
rcv	21.18	D	372	50	155
snd	21.36	A	155	0	222
rev	24.55	D	422	50	155
snd	24.71	A	155	0	222
rcv	26.79	D	222	50	155
snd	26.91	A	155	0	472

rcv	28.84	D	472	50	155
snd	28.97	A	155	0	522
rcv	30.95	D	522	50	155
snd	31.06	A	155	0	572
rcv	33.17	D	572	50	155
snd	33.32	A	155	0	622
rcv	38.98	D	622	50	155
snd	39.57	A	155	0	672
rev	43.57	D	722	50	155
snd	43.72	A	155	0	672
rcv	46.36	D	772	50	155
snd	46.53	A	155	0	672
rcv	48.76	D	822	50	155
snd	48.89	A	155	0	672
rev	54.12	D	672	50	155
snd	54.66	A	155	0	872
rcv	57.4	D	872	50	155
snd	57.58	A	155	0	922
rev	59.92	D	922	50	155
snd	60.08	A	155	0	972
rev	62.07	D	972	50	155
snd	62.22	A	155	0	1022
rcv	64.29	D	1022	50	155
snd	64.43	A	155	0	1072
rcv	68.01	D	1072	50	155
snd	68.21	A	155	0	1122
rev	72.55	D	1122	50	155
snd	72.72	A	155	0	1172
rev	74.95	D	1172	50	155
snd	75.08	A	155	0	1222
rev	79.3	D	1272	50	155
snd	79.46	A	155	0	1222
rev	80.48	D	1322	50	155
snd	80.59	A	155	0	1222
rcv	84.54	D	1372	50	155
snd	84.92	A	155	0	1222
rev	87.69	D	1222	50	155
snd	87.86	A	155	0	1422
rev	90.04	D	1422	50	155
snd	90.19	A	155	0	1472
rev	92.17	D	1472	50	155
snd	92.31	A	155	0	1522
rev	94.48	D	1522	50	155
snd	94.62	A	155	0	1572

rcv	100.95	D	1622	50	155
snd	101.17	A	155	0	1572
rcv	102.89	D	1672	42	155
snd	103.05	A	155	0	1572
rcv	128.96	D	1572	50	155
snd	130.65	A	155	0	1714
rcv	162.3	F	1714	0	155
snd	165.87	A	155	0	1715
rcv	172.17	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.87	SA	154	0	122
rcv	5.72	A	122	0	155
rcv	13.14	D	122	50	155
snd	13.33	A	155	0	172
rcv	16.54	D	222	50	155
snd	16.65	A	155	0	172
rcv	17.74	D	272	50	155
snd	17.88	A	155	0	172
rcv	19.94	D	322	50	155
snd	20.07	A	155	0	172
rcv	22.0	D	372	50	155
snd	22.14	A	155	0	172
rcv	27.52	D	172	50	155
snd	27.74	A	155	0	422
rcv	30.24	D	422	50	155
snd	30.49	A	155	0	472
rcv	32.56	D	472	50	155
snd	32.72	A	155	0	522
rcv	34.72	D	522	50	155
snd	34.87	A	155	0	572
rcv	36.74	D	572	50	155
snd	36.88	A	155	0	622
rcv	44.08	D	672	50	155
snd	44.24	A	155	0	622
rcv	45.74	D	722	50	155
snd	45.85	A	155	0	622
rcv	49.03	D	622	50	155
snd	49.19	A	155	0	772
rcv	50.65	D	772	50	155

snd	50.84	A	155	0	822
rcv	55.34	D	822	50	155
snd	56.17	A	155	0	872
rcv	62.33	D	872	50	155
snd	62.68	A	155	0	922
rcv	68.26	D	922	50	155
snd	68.55	A	155	0	972
rcv	76.56	D	972	50	155
snd	76.94	A	155	0	1022
rcv	84.15	D	1022	50	155
snd	84.49	A	155	0	1072
rcv	91.5	D	1072	50	155
snd	91.87	A	155	0	1122
rcv	97.96	D	1122	50	155
snd	98.48	A	155	0	1172
rcv	118.71	D	1172	50	155
snd	119.14	A	155	0	1222
rcv	125.41	D	1222	50	155
snd	126.11	A	155	0	1272
rcv	134.26	D	1272	50	155
snd	134.73	A	155	0	1322
rcv	139.15	D	1322	50	155
snd	139.5	A	155	0	1372
rcv	147.34	D	1372	50	155
snd	150.68	A	155	0	1422
rcv	157.41	D	1422	50	155
snd	157.77	A	155	0	1472
rcv	162.73	D	1472	50	155
snd	163.17	A	155	0	1522
rcv	172.24	D	1572	50	155
snd	172.56	A	155	0	1522
rcv	180.68	D	1622	50	155
snd	181.2	A	155	0	1522
rcv	187.14	D	1672	42	155
snd	187.42	A	155	0	1522
rcv	210.34	D	1522	50	155
snd	211.97	A	155	0	1714
rcv	244.36	F	1714	0	155
snd	245.57	A	155	0	1715
rcv	249.47	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 1

Timeout = 16

rcv	0.0	S	121	0	0
snd	0.86	SA	154	0	122
rcv	4.54	A	122	0	155
rcv	12.0	D	122	50	155
snd	12.37	A	155	0	172
rcv	16.37	D	222	50	155
snd	17.05	A	155	0	172
rcv	18.71	D	272	50	155
snd	18.91	A	155	0	172
rcv	20.95	D	322	50	155
snd	21.08	A	155	0	172
rcv	23.05	D	372	50	155
snd	23.53	A	155	0	172
rcv	27.04	D	172	50	155
snd	27.19	A	155	0	422
rcv	29.34	D	422	50	155
snd	29.47	A	155	0	472
rcv	31.45	D	472	50	155
snd	31.57	A	155	0	522
rcv	34.02	D	522	50	155
snd	34.16	A	155	0	572
rcv	36.04	D	572	50	155
snd	36.16	A	155	0	622
rcv	44.91	D	672	50	155
snd	45.31	A	155	0	622
rcv	51.27	D	722	50	155
snd	51.64	A	155	0	622
rcv	60.12	D	772	50	155
snd	60.43	A	155	0	622
rcv	65.11	D	622	50	155
snd	65.52	A	155	0	822
rcv	72.48	D	822	50	155
snd	72.88	A	155	0	872
rcv	81.22	D	872	50	155
snd	81.68	A	155	0	922
rcv	90.61	D	922	50	155
snd	91.41	A	155	0	972
rcv	96.33	D	972	50	155
snd	96.77	A	155	0	1022
rcv	106.61	D	1022	50	155
snd	107.23	A	155	0	1072
rcv	120.63	D	1072	50	155

snd	121.08	A	155	0	1122
rcv	131.17	D	1122	50	155
snd	131.57	A	155	0	1172
rev	141.53	D	1222	50	155
snd	141.8	A	155	0	1172
rev	147.0	D	1272	50	155
snd	147.19	A	155	0	1172
rcv	154.82	D	1322	50	155
snd	155.09	A	155	0	1172
rev	160.02	D	1172	50	155
snd	160.25	A	155	0	1372
rev	163.12	D	1372	50	155
snd	163.32	A	155	0	1422
rev	170.95	D	1422	50	155
snd	171.34	A	155	0	1472
rev	177.86	D	1472	50	155
snd	178.28	A	155	0	1522
rev	195.09	D	1572	50	155
snd	197.16	A	155	0	1522
rcv	206.01	D	1622	50	155
snd	206.68	A	155	0	1522
rev	219.93	D	1672	42	155
snd	220.38	A	155	0	1522
rev	229.15	D	1522	50	155
snd	229.59	A	155	0	1714
rev	261.25	F	1714	0	155
snd	263.24	A	155	0	1715
rcv	272.26	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.42	SA	154	0	122
rev	3.35	A	122	0	155
rcv	9.54	D	122	50	155
snd	9.87	A	155	0	172
rcv	12.44	D	172	50	155
snd	14.01	A	155	0	222
rev	16.97	D	272	50	155
snd	17.23	A	155	0	222
rev	19.26	D	322	50	155
snd	19.4	A	155	0	222

rcv	21.29	D	372	50	155
snd	21.41	A	155	0	222
rcv	23.33	D	422	50	155
snd	23.49	A	155	0	222
rcv	25.5	D	472	50	155
snd	28.2	A	155	0	222
rcv	30.79	D	222	50	155
snd	31.01	A	155	0	522
rcv	33.89	D	522	50	155
snd	34.07	A	155	0	572
rcv	36.14	D	572	50	155
snd	36.28	A	155	0	622
rcv	38.24	D	622	50	155
snd	38.37	A	155	0	672
rcv	43.89	D	722	50	155
snd	44.02	A	155	0	672
rcv	46.24	D	772	50	155
snd	46.4	A	155	0	672
rcv	48.19	D	672	50	155
snd	48.35	A	155	0	822
rcv	50.6	D	822	50	155
snd	50.75	A	155	0	872
rcv	52.48	D	872	50	155
snd	52.6	A	155	0	922
rcv	54.47	D	922	50	155
snd	54.65	A	155	0	972
rcv	56.52	D	972	50	155
snd	56.82	A	155	0	1022
rcv	60.73	D	1022	50	155
snd	60.85	A	155	0	1072
rcv	63.28	D	1072	50	155
snd	63.49	A	155	0	1122
rcv	65.43	D	1122	50	155
snd	65.58	A	155	0	1172
rcv	68.08	D	1172	50	155
snd	68.29	A	155	0	1222
rcv	71.9	D	1272	50	155
snd	72.02	A	155	0	1222
rcv	74.12	D	1322	50	155
snd	74.99	A	155	0	1222
rcv	78.38	D	1372	50	155
snd	78.58	A	155	0	1222
rcv	80.9	D	1222	50	155
snd	81.07	A	155	0	1422

rcv	84.5	D	1422	50	155
snd	84.83	A	155	0	1472
rcv	86.95	D	1472	50	155
snd	87.19	A	155	0	1522
rcv	93.44	D	1522	50	155
snd	93.62	A	155	0	1572
rcv	98.1	D	1622	50	155
snd	98.28	A	155	0	1572
rcv	100.17	D	1672	42	155
snd	100.33	A	155	0	1572
rcv	119.68	D	1572	50	155
snd	121.5	A	155	0	1714
rcv	154.72	F	1714	0	155
snd	156.6	A	155	0	1715
rcv	163.42	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	1.1	SA	154	0	122
rcv	5.54	A	122	0	155
rcv	13.0	D	122	50	155
snd	13.21	A	155	0	172
rcv	13.59	D	172	50	155
snd	13.91	A	155	0	222
rcv	17.15	D	272	50	155
snd	17.29	A	155	0	222
rcv	19.55	D	322	50	155
snd	19.73	A	155	0	222
rcv	22.39	D	372	50	155
snd	22.55	A	155	0	222
rcv	26.5	D	422	50	155
snd	26.72	A	155	0	222
rcv	30.08	D	222	50	155
snd	30.32	A	155	0	472
rcv	32.95	D	472	50	155
snd	33.18	A	155	0	522
rcv	35.7	D	522	50	155
snd	35.88	A	155	0	572
rcv	38.43	D	572	50	155
snd	38.6	A	155	0	622
rcv	45.61	D	622	50	155

snd	46.14	A	155	0	672
rcv	53.34	D	722	50	155
snd	53.7	A	155	0	672
rcv	62.49	D	772	50	155
snd	62.81	A	155	0	672
rcv	67.64	D	822	50	155
snd	67.98	A	155	0	672
rcv	76.43	D	672	50	155
snd	77.1	A	155	0	872
rcv	81.47	D	872	50	155
snd	82.06	A	155	0	922
rcv	87.93	D	922	50	155
snd	91.85	A	155	0	972
rcv	96.84	D	972	50	155
snd	97.27	A	155	0	1022
rcv	101.93	D	1022	50	155
snd	102.25	A	155	0	1072
rcv	111.53	D	1072	50	155
snd	111.84	A	155	0	1122
rcv	117.18	D	1122	50	155
snd	117.53	A	155	0	1172
rcv	127.36	D	1172	50	155
snd	127.99	A	155	0	1222
rcv	142.77	D	1272	50	155
snd	143.21	A	155	0	1222
rcv	147.6	D	1322	50	155
snd	148.02	A	155	0	1222
rcv	161.07	D	1372	50	155
snd	161.44	A	155	0	1222
rcv	169.76	D	1222	50	155
snd	170.06	A	155	0	1422
rcv	178.19	D	1422	50	155
snd	178.54	A	155	0	1472
rcv	186.63	D	1472	50	155
snd	187.08	A	155	0	1522
rcv	194.18	D	1522	50	155
snd	194.66	A	155	0	1572
rcv	204.84	D	1622	50	155
snd	205.16	A	155	0	1572
rcv	216.46	D	1672	42	155
snd	216.98	A	155	0	1572
rcv	243.68	D	1572	50	155
snd	245.59	A	155	0	1714
rcv	279.4	F	1714	0	155

snd	281.73	A	155	0	1715
rcv	290.22	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	1.14	SA	154	0	122
rcv	6.54	A	122	0	155
rcv	13.33	D	122	50	155
snd	13.67	A	155	0	172
rcv	14.1	D	172	50	155
snd	14.58	A	155	0	222
rcv	17.6	D	272	50	155
snd	17.72	A	155	0	222
rcv	19.89	D	322	50	155
snd	20.0	A	155	0	222
rcv	23.74	D	372	50	155
snd	23.91	A	155	0	222
rcv	28.41	D	422	50	155
snd	28.74	A	155	0	222
rcv	31.43	D	222	50	155
snd	31.56	A	155	0	472
rcv	33.83	D	472	50	155
snd	33.95	A	155	0	522
rcv	36.12	D	522	50	155
snd	36.27	A	155	0	572
rcv	41.38	D	572	50	155
snd	41.63	A	155	0	622
rcv	49.46	D	622	50	155
snd	49.79	A	155	0	672
rcv	65.5	D	722	50	155
snd	65.9	A	155	0	672
rcv	72.53	D	772	50	155
snd	72.97	A	155	0	672
rcv	79.84	D	822	50	155
snd	80.25	A	155	0	672
rcv	88.43	D	672	50	155
snd	89.12	A	155	0	872
rcv	101.79	D	872	50	155
snd	102.21	A	155	0	922
rcv	107.62	D	922	50	155
snd	107.87	A	155	0	972

rcv	113.25	D	972	50	155
snd	113.53	A	155	0	1022
rcv	118.23	D	1022	50	155
snd	118.55	A	155	0	1072
rcv	122.6	D	1072	50	155
snd	122.84	A	155	0	1122
rcv	125.69	D	1122	50	155
snd	125.88	A	155	0	1172
rcv	129.66	D	1172	50	155
snd	129.84	A	155	0	1222
rcv	137.96	D	1272	50	155
snd	138.22	A	155	0	1222
rcv	140.72	D	1322	50	155
snd	140.93	A	155	0	1222
rcv	143.82	D	1372	50	155
snd	144.12	A	155	0	1222
rcv	146.95	D	1222	50	155
snd	148.64	A	155	0	1422
rcv	152.87	D	1422	50	155
snd	153.12	A	155	0	1472
rcv	155.88	D	1472	50	155
snd	156.05	A	155	0	1522
rcv	158.86	D	1522	50	155
snd	159.02	A	155	0	1572
rcv	173.19	D	1622	50	155
snd	173.64	A	155	0	1572
rcv	184.31	D	1672	42	155
snd	184.95	A	155	0	1572
rcv	193.19	D	1572	50	155
snd	194.03	A	155	0	1714
rcv	231.46	F	1714	0	155
snd	232.36	A	155	0	1715
rcv	239.89	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.75	SA	154	0	122
rcv	4.96	A	122	0	155
rcv	10.01	D	122	50	155
snd	10.36	A	155	0	172
rcv	11.07	D	172	50	155

snd	11.34	A	155	0	222
rcv	19.94	D	272	50	155
snd	20.59	A	155	0	222
rev	28.32	D	322	50	155
snd	28.76	A	155	0	222
rev	37.7	D	372	50	155
snd	38.05	A	155	0	222
rcv	49.1	D	222	50	155
snd	49.58	A	155	0	422
rev	56.2	D	422	50	155
snd	56.56	A	155	0	472
rev	71.99	D	472	50	155
snd	72.44	A	155	0	522
rev	82.86	D	522	50	155
snd	83.15	A	155	0	572
rev	89.09	D	572	50	155
snd	89.31	A	155	0	622
rev	96.66	D	622	50	155
snd	96.91	A	155	0	672
rev	103.85	D	722	50	155
snd	104.06	A	155	0	672
rev	105.57	D	772	50	155
snd	105.83	A	155	0	672
rev	112.95	D	822	50	155
snd	113.17	A	155	0	672
rev	116.66	D	872	50	155
snd	116.86	A	155	0	672
rev	120.1	D	672	50	155
snd	120.33	A	155	0	922
rev	125.28	D	922	50	155
snd	125.84	A	155	0	972
rev	129.75	D	972	50	155
snd	130.06	A	155	0	1022
rev	133.25	D	1022	50	155
snd	133.43	A	155	0	1072
rev	136.62	D	1072	50	155
snd	136.82	A	155	0	1122
rev	141.45	D	1122	50	155
snd	141.78	A	155	0	1172
rev	145.6	D	1172	50	155
snd	145.8	A	155	0	1222
rev	151.67	D	1272	50	155
snd	151.86	A	155	0	1222
rev	153.34	D	1322	50	155

snd	153.52	A	155	0	1222
rcv	160.12	D	1372	50	155
snd	160.68	A	155	0	1222
rcv	163.92	D	1222	50	155
snd	164.1	A	155	0	1422
rcv	167.2	D	1422	50	155
snd	167.38	A	155	0	1472
rcv	171.31	D	1472	50	155
snd	171.61	A	155	0	1522
rcv	177.23	D	1522	50	155
snd	177.55	A	155	0	1572
rcv	183.29	D	1622	50	155
snd	183.47	A	155	0	1572
rcv	185.11	D	1672	42	155
snd	186.91	A	155	0	1572
rcv	216.88	D	1572	50	155
snd	218.91	A	155	0	1714
rcv	251.4	F	1714	0	155
snd	253.86	A	155	0	1715
rcv	268.47	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

Timeout = 18

rcv	0.0	S	121	0	0
snd	0.95	SA	154	0	122
rcv	5.17	A	122	0	155
rcv	11.65	D	122	50	155
snd	11.85	A	155	0	172
rcv	12.24	D	172	50	155
snd	12.6	A	155	0	222
rcv	15.24	D	272	50	155
snd	15.37	A	155	0	222
rcv	17.39	D	322	50	155
snd	17.51	A	155	0	222
rcv	19.4	D	372	50	155
snd	19.54	A	155	0	222
rcv	21.55	D	422	50	155
snd	21.67	A	155	0	222
rcv	25.47	D	222	50	155
snd	26.0	A	155	0	472
rcv	29.0	D	472	50	155

snd	29.13	A	155	0	522
rcv	31.22	D	522	50	155
snd	31.37	A	155	0	572
rcv	33.19	D	572	50	155
snd	33.33	A	155	0	622
rcv	35.16	D	622	50	155
snd	35.36	A	155	0	672
rcv	39.56	D	722	50	155
snd	43.87	A	155	0	672
rcv	45.73	D	772	50	155
snd	45.87	A	155	0	672
rcv	48.39	D	822	50	155
snd	48.52	A	155	0	672
rcv	51.27	D	672	50	155
snd	51.39	A	155	0	872
rcv	54.89	D	872	50	155
snd	58.76	A	155	0	922
rcv	61.05	D	922	50	155
snd	61.28	A	155	0	972
rcv	65.25	D	972	50	155
snd	65.52	A	155	0	1022
rcv	69.0	D	1022	50	155
snd	69.17	A	155	0	1072
rcv	75.17	D	1072	50	155
snd	75.44	A	155	0	1122
rcv	79.19	D	1122	50	155
snd	79.45	A	155	0	1172
rcv	81.55	D	1172	50	155
snd	81.69	A	155	0	1222
rcv	85.39	D	1272	50	155
snd	85.5	A	155	0	1222
rcv	87.27	D	1322	50	155
snd	87.64	A	155	0	1222
rcv	91.62	D	1372	50	155
snd	91.83	A	155	0	1222
rcv	94.4	D	1222	50	155
snd	94.53	A	155	0	1422
rcv	96.7	D	1422	50	155
snd	96.85	A	155	0	1472
rcv	98.86	D	1472	50	155
snd	98.99	A	155	0	1522
rcv	100.97	D	1522	50	155
snd	101.1	A	155	0	1572
rcv	107.29	D	1622	50	155

snd	107.49	A	155	0	1572
rcv	109.47	D	1672	42	155
snd	109.67	A	155	0	1572
rcv	133.51	D	1572	50	155
snd	134.89	A	155	0	1714
rcv	167.26	F	1714	0	155
snd	169.52	A	155	0	1715
rcv	173.12	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rev	0.0	S	121	0	0
snd	1.03	SA	154	0	122
rev	4.69	A	122	0	155
rcv	9.19	D	122	50	155
snd	9.42	A	155	0	172
rev	10.02	D	172	50	155
snd	10.6	A	155	0	222
rev	13.36	D	272	50	155
snd	13.5	A	155	0	222
rev	15.37	D	322	50	155
snd	15.51	A	155	0	222
rcv	17.37	D	372	50	155
snd	17.5	A	155	0	222
rev	20.14	D	422	50	155
snd	20.41	A	155	0	222
rev	22.12	D	222	50	155
snd	22.26	A	155	0	472
rev	24.26	D	472	50	155
snd	26.52	A	155	0	522
rev	29.37	D	522	50	155
snd	29.57	A	155	0	572
rcv	31.84	D	572	50	155
snd	32.07	A	155	0	622
rev	34.5	D	622	50	155
snd	34.73	A	155	0	672
rev	43.85	D	722	50	155
snd	44.27	A	155	0	672
rev	48.62	D	772	50	155
snd	48.94	A	155	0	672
rev	54.04	D	822	50	155
snd	54.37	A	155	0	672

rcv	60.79	D	672	50	155
snd	61.25	A	155	0	872
rcv	66.04	D	872	50	155
snd	66.35	A	155	0	922
rcv	71.62	D	922	50	155
snd	74.02	A	155	0	972
rcv	81.17	D	972	50	155
snd	81.5	A	155	0	1022
rcv	89.71	D	1022	50	155
snd	90.0	A	155	0	1072
rcv	95.64	D	1072	50	155
snd	96.21	A	155	0	1122
rcv	102.86	D	1122	50	155
snd	105.86	A	155	0	1172
rcv	113.11	D	1172	50	155
snd	113.45	A	155	0	1222
rcv	127.53	D	1272	50	155
snd	127.89	A	155	0	1222
rcv	130.83	D	1322	50	155
snd	131.15	A	155	0	1222
rcv	142.08	D	1372	50	155
snd	142.3	A	155	0	1222
rcv	146.76	D	1222	50	155
snd	146.99	A	155	0	1422
rcv	154.65	D	1422	50	155
snd	154.96	A	155	0	1472
rcv	158.7	D	1472	50	155
snd	158.91	A	155	0	1522
rcv	162.11	D	1522	50	155
snd	162.29	A	155	0	1572
rcv	170.64	D	1622	50	155
snd	170.84	A	155	0	1572
rcv	172.88	D	1672	42	155
snd	173.05	A	155	0	1572
rcv	196.81	D	1572	50	155
snd	198.12	A	155	0	1714
rcv	230.6	F	1714	0	155
snd	232.58	A	155	0	1715
rcv	241.69	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.82	SA	154	0	122
rcv	11.83	A	122	0	155
rev	31.1	D	122	50	155
snd	31.88	A	155	0	172
rev	57.73	D	222	50	155
snd	58.59	A	155	0	172
rcv	67.35	D	272	50	155
snd	67.89	A	155	0	172
rev	78.43	D	172	50	155
snd	79.03	A	155	0	322
rcv	91.5	D	322	50	155
snd	92.1	A	155	0	372
rev	106.57	D	372	50	155
snd	107.23	A	155	0	422
rev	125.15	D	422	50	155
snd	125.79	A	155	0	472
rev	136.4	D	472	50	155
snd	136.84	A	155	0	522
rev	144.86	D	522	50	155
snd	145.34	A	155	0	572
rev	152.3	D	572	50	155
snd	152.7	A	155	0	622
rev	164.63	D	672	50	155
snd	164.96	A	155	0	622
rev	170.68	D	722	50	155
snd	171.0	A	155	0	622
rev	176.43	D	622	50	155
snd	176.77	A	155	0	772
rcv	180.94	D	772	50	155
snd	181.24	A	155	0	822
rev	185.93	D	822	50	155
snd	186.26	A	155	0	872
rev	196.88	D	872	50	155
snd	197.36	A	155	0	922
rev	209.93	D	922	50	155
snd	210.53	A	155	0	972
rev	219.16	D	972	50	155
snd	219.8	A	155	0	1022
rcv	233.26	D	1022	50	155
snd	233.96	A	155	0	1072
rev	245.49	D	1072	50	155
snd	246.05	A	155	0	1122
rev	259.25	D	1122	50	155

snd	260.08	A	155	0	1172
rcv	270.56	D	1222	50	155
snd	271.09	A	155	0	1172
rcv	280.51	D	1272	50	155
snd	281.02	A	155	0	1172
rcv	293.17	D	1322	50	155
snd	293.75	A	155	0	1172
rcv	300.42	D	1172	50	155
snd	301.44	A	155	0	1372
rcv	311.17	D	1372	50	155
snd	311.86	A	155	0	1422
rcv	328.63	D	1422	50	155
snd	329.94	A	155	0	1472
rcv	347.15	D	1472	50	155
snd	347.46	A	155	0	1522
rcv	362.15	D	1572	50	155
snd	362.39	A	155	0	1522
rcv	363.57	D	1622	50	155
snd	363.79	A	155	0	1522
rcv	366.6	D	1672	42	155
snd	366.81	A	155	0	1522
rcv	369.83	D	1522	50	155
snd	370.01	A	155	0	1714
rcv	393.68	F	1714	0	155
snd	394.85	A	155	0	1715
rcv	398.71	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 1

rcv	0.0	S	121	0	0
snd	0.83	SA	154	0	122
rcv	6.29	A	122	0	155
rcv	12.61	D	122	50	155
snd	12.82	A	155	0	172
rcv	13.14	D	172	50	155
snd	13.67	A	155	0	222
rcv	16.18	D	272	50	155
snd	16.38	A	155	0	222
rcv	23.03	D	322	50	155
snd	23.28	A	155	0	222
rcv	27.95	D	372	50	155
snd	28.17	A	155	0	222

rcv	31.53	D	422	50	155
snd	31.69	A	155	0	222
rcv	37.94	D	222	50	155
snd	38.16	A	155	0	472
rcv	41.08	D	472	50	155
snd	41.49	A	155	0	522
rcv	43.92	D	522	50	155
snd	44.06	A	155	0	572
rcv	46.1	D	572	50	155
snd	46.25	A	155	0	622
rcv	48.07	D	622	50	155
snd	48.25	A	155	0	672
rcv	54.56	D	722	50	155
snd	54.68	A	155	0	672
rcv	56.12	D	772	50	155
snd	56.25	A	155	0	672
rcv	59.71	D	822	50	155
snd	59.88	A	155	0	672
rcv	62.11	D	672	50	155
snd	62.23	A	155	0	872
rcv	64.81	D	872	50	155
snd	65.7	A	155	0	922
rcv	67.66	D	922	50	155
snd	67.87	A	155	0	972
rcv	69.75	D	972	50	155
snd	69.88	A	155	0	1022
rcv	71.64	D	1022	50	155
snd	71.81	A	155	0	1072
rcv	74.21	D	1072	50	155
snd	74.48	A	155	0	1122
rcv	76.78	D	1122	50	155
snd	76.91	A	155	0	1172
rcv	78.84	D	1172	50	155
snd	79.02	A	155	0	1222
rcv	88.5	D	1272	50	155
snd	88.87	A	155	0	1222
rcv	94.75	D	1322	50	155
snd	95.05	A	155	0	1222
rcv	104.46	D	1372	50	155
snd	104.83	A	155	0	1222
rcv	110.27	D	1222	50	155
snd	110.66	A	155	0	1422
rcv	120.0	D	1422	50	155
snd	120.48	A	155	0	1472

rcv	125.59	D	1472	50	155
snd	125.91	A	155	0	1522
rcv	133.97	D	1522	50	155
snd	134.27	A	155	0	1572
rcv	146.26	D	1622	50	155
snd	146.6	A	155	0	1572
rcv	150.59	D	1672	42	155
snd	150.91	A	155	0	1572
rcv	174.18	D	1572	50	155
snd	176.75	A	155	0	1714
rcv	208.27	F	1714	0	155
snd	211.73	A	155	0	1715
rcv	223.19	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.94	SA	154	0	122
rcv	6.64	A	122	0	155
rcv	12.51	D	122	50	155
snd	12.78	A	155	0	172
rcv	13.17	D	172	50	155
snd	13.68	A	155	0	222
rcv	16.57	D	272	50	155
snd	16.76	A	155	0	222
rcv	21.37	D	322	50	155
snd	21.94	A	155	0	222
rcv	27.23	D	372	50	155
snd	27.55	A	155	0	222
rcv	31.25	D	422	50	155
snd	31.45	A	155	0	222
rcv	36.84	D	472	50	155
snd	37.55	A	155	0	222
rcv	40.13	D	222	50	155
snd	40.32	A	155	0	522
rcv	43.41	D	522	50	155
snd	43.57	A	155	0	572
rcv	45.67	D	572	50	155
snd	45.81	A	155	0	622
rcv	47.82	D	622	50	155
snd	47.96	A	155	0	672
rcv	54.74	D	722	50	155

snd	54.92	A	155	0	672
rcv	57.09	D	772	50	155
snd	57.29	A	155	0	672
rcv	60.14	D	672	50	155
snd	60.29	A	155	0	822
rcv	62.37	D	822	50	155
snd	62.5	A	155	0	872
rcv	64.54	D	872	50	155
snd	64.67	A	155	0	922
rcv	73.19	D	922	50	155
snd	73.51	A	155	0	972
rcv	79.44	D	972	50	155
snd	79.83	A	155	0	1022
rcv	86.03	D	1022	50	155
snd	86.57	A	155	0	1072
rcv	91.51	D	1072	50	155
snd	92.1	A	155	0	1122
rcv	98.46	D	1122	50	155
snd	98.89	A	155	0	1172
rcv	103.01	D	1172	50	155
snd	103.53	A	155	0	1222
rcv	115.69	D	1272	50	155
snd	115.99	A	155	0	1222
rcv	124.13	D	1322	50	155
snd	124.58	A	155	0	1222
rcv	133.14	D	1372	50	155
snd	133.43	A	155	0	1222
rcv	138.07	D	1222	50	155
snd	138.59	A	155	0	1422
rcv	146.44	D	1422	50	155
snd	146.77	A	155	0	1472
rcv	152.86	D	1472	50	155
snd	153.32	A	155	0	1522
rcv	159.53	D	1522	50	155
snd	162.04	A	155	0	1572
rcv	173.41	D	1622	50	155
snd	173.82	A	155	0	1572
rcv	182.8	D	1672	42	155
snd	183.44	A	155	0	1572
rcv	221.74	D	1572	50	155
snd	223.18	A	155	0	1714
rcv	260.23	F	1714	0	155
snd	264.32	A	155	0	1715
rcv	270.53	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

Timeout = 20

rcv	0.0	S	121	0	0
snd	1.08	SA	154	0	122
rcv	6.76	A	122	0	155
rcv	16.83	D	122	50	155
snd	17.08	A	155	0	172
rcv	17.48	D	172	50	155
snd	18.17	A	155	0	222
rcv	21.65	D	272	50	155
snd	21.78	A	155	0	222
rcv	27.59	D	322	50	155
snd	27.79	A	155	0	222
rcv	31.31	D	372	50	155
snd	31.48	A	155	0	222
rcv	33.95	D	422	50	155
snd	34.08	A	155	0	222
rcv	36.51	D	222	50	155
snd	36.66	A	155	0	472
rcv	40.08	D	472	50	155
snd	41.85	A	155	0	522
rcv	47.14	D	522	50	155
snd	47.36	A	155	0	572
rcv	50.71	D	572	50	155
snd	50.89	A	155	0	622
rcv	53.4	D	622	50	155
snd	53.62	A	155	0	672
rcv	61.07	D	722	50	155
snd	61.49	A	155	0	672
rcv	65.78	D	772	50	155
snd	66.0	A	155	0	672
rcv	67.35	D	822	50	155
snd	67.51	A	155	0	672
rcv	68.91	D	672	50	155
snd	69.09	A	155	0	872
rcv	74.84	D	872	50	155
snd	75.13	A	155	0	922
rcv	80.25	D	922	50	155
snd	80.41	A	155	0	972
rcv	83.42	D	972	50	155

snd	83.64	A	155	0	1022
rcv	87.34	D	1022	50	155
snd	90.9	A	155	0	1072
rcv	96.04	D	1072	50	155
snd	96.26	A	155	0	1122
rcv	100.25	D	1122	50	155
snd	100.44	A	155	0	1172
rcv	107.28	D	1172	50	155
snd	107.82	A	155	0	1222
rcv	115.31	D	1272	50	155
snd	115.5	A	155	0	1222
rcv	117.06	D	1322	50	155
snd	118.38	A	155	0	1222
rcv	122.9	D	1372	50	155
snd	123.04	A	155	0	1222
rcv	125.39	D	1222	50	155
snd	125.57	A	155	0	1422
rcv	129.71	D	1422	50	155
snd	129.87	A	155	0	1472
rcv	132.37	D	1472	50	155
snd	132.5	A	155	0	1522
rcv	138.07	D	1522	50	155
snd	138.48	A	155	0	1572
rcv	144.3	D	1622	50	155
snd	144.63	A	155	0	1572
rcv	146.13	D	1672	42	155
snd	146.41	A	155	0	1572
rcv	180.1	D	1572	50	155
snd	181.99	A	155	0	1714
rcv	215.01	F	1714	0	155
snd	217.5	A	155	0	1715
rcv	230.76	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.02	S	121	0	0
snd	1.1	SA	154	0	122
rcv	7.18	A	122	0	155
rcv	12.88	D	122	50	155
snd	13.32	A	155	0	172
rcv	13.76	D	172	50	155
snd	14.48	A	155	0	222

rcv	19.11	D	272	50	155
snd	20.08	A	155	0	222
rcv	24.98	D	322	50	155
snd	25.13	A	155	0	222
rcv	27.57	D	372	50	155
snd	27.76	A	155	0	222
rcv	31.98	D	422	50	155
snd	32.13	A	155	0	222
rcv	35.94	D	222	50	155
snd	36.38	A	155	0	472
rcv	40.87	D	472	50	155
snd	41.08	A	155	0	522
rcv	43.83	D	522	50	155
snd	44.04	A	155	0	572
rcv	48.14	D	572	50	155
snd	48.31	A	155	0	622
rcv	57.33	D	622	50	155
snd	57.88	A	155	0	672
rcv	71.71	D	722	50	155
snd	72.38	A	155	0	672
rcv	85.07	D	772	50	155
snd	85.84	A	155	0	672
rcv	95.76	D	822	50	155
snd	97.8	A	155	0	672
rcv	108.02	D	672	50	155
snd	108.91	A	155	0	872
rcv	120.05	D	872	50	155
snd	120.54	A	155	0	922
rcv	132.31	D	922	50	155
snd	132.99	A	155	0	972
rcv	143.07	D	972	50	155
snd	148.3	A	155	0	1022
rcv	164.23	D	1022	50	155
snd	164.8	A	155	0	1072
rcv	176.16	D	1072	50	155
snd	176.54	A	155	0	1122
rcv	186.37	D	1122	50	155
snd	186.65	A	155	0	1172
rcv	194.25	D	1172	50	155
snd	194.56	A	155	0	1222
rcv	202.63	D	1272	50	155
snd	202.92	A	155	0	1222
rcv	213.52	D	1322	50	155
snd	214.14	A	155	0	1222

rcv	220.82	D	1372	50	155
snd	221.18	A	155	0	1222
rcv	229.93	D	1222	50	155
snd	230.65	A	155	0	1422
rcv	235.03	D	1422	50	155
snd	235.33	A	155	0	1472
rcv	241.99	D	1472	50	155
snd	242.45	A	155	0	1522
rcv	251.73	D	1522	50	155
snd	252.29	A	155	0	1572
rcv	273.06	D	1622	50	155
snd	273.6	A	155	0	1572
rcv	283.97	D	1672	42	155
snd	286.83	A	155	0	1572
rcv	315.56	D	1572	50	155
snd	316.96	A	155	0	1714
rcv	349.92	F	1714	0	155
snd	351.85	A	155	0	1715
rcv	356.45	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.02	S	121	0	0
snd	0.43	SA	154	0	122
rcv	0.82	A	122	0	155
rcv	2.08	D	122	50	155
snd	2.27	A	155	0	172
rcv	2.38	D	172	50	155
snd	2.59	A	155	0	222
rcv	2.72	D	272	50	155
snd	2.88	A	155	0	222
rcv	3.17	D	322	50	155
snd	3.29	A	155	0	222
rcv	4.6	D	372	50	155
snd	4.8	A	155	0	222
rcv	7.22	D	422	50	155
snd	7.39	A	155	0	222
rcv	9.55	D	472	50	155
snd	10.93	A	155	0	222
rcv	15.27	D	222	50	155
snd	15.45	A	155	0	522
rcv	18.17	D	522	50	155

snd	18.32	A	155	0	572
rcv	21.15	D	572	50	155
snd	21.33	A	155	0	622
rcv	24.15	D	622	50	155
snd	24.36	A	155	0	672
rcv	30.6	D	722	50	155
snd	30.78	A	155	0	672
rcv	35.23	D	772	50	155
snd	35.62	A	155	0	672
rcv	37.72	D	822	50	155
snd	37.88	A	155	0	672
rcv	42.51	D	672	50	155
snd	43.14	A	155	0	872
rcv	47.01	D	872	50	155
snd	47.35	A	155	0	922
rcv	53.8	D	922	50	155
snd	54.12	A	155	0	972
rcv	62.2	D	972	50	155
snd	62.51	A	155	0	1022
rcv	69.72	D	1022	50	155
snd	70.15	A	155	0	1072
rcv	80.83	D	1072	50	155
snd	81.45	A	155	0	1122
rcv	91.64	D	1122	50	155
snd	92.36	A	155	0	1172
rcv	102.45	D	1172	50	155
snd	102.89	A	155	0	1222
rcv	124.02	D	1272	50	155
snd	124.64	A	155	0	1222
rcv	129.65	D	1322	50	155
snd	129.95	A	155	0	1222
rcv	136.95	D	1222	50	155
snd	137.27	A	155	0	1372
rcv	143.15	D	1372	50	155
snd	143.46	A	155	0	1422
rcv	149.68	D	1422	50	155
snd	150.08	A	155	0	1472
rcv	158.09	D	1472	50	155
snd	158.67	A	155	0	1522
rcv	163.74	D	1522	50	155
snd	164.04	A	155	0	1572
rcv	174.88	D	1622	50	155
snd	175.23	A	155	0	1572
rcv	184.48	D	1672	42	155

snd	184.99	A	155	0	1572
rcv	213.39	D	1572	50	155
snd	215.19	A	155	0	1714
rcv	246.61	F	1714	0	155
snd	248.27	A	155	0	1715
rcv	255.9	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.87	SA	154	0	122
rcv	5.9	A	122	0	155
rcv	25.94	D	122	50	155
snd	26.5	A	155	0	172
rcv	29.98	D	172	50	155
snd	31.67	A	155	0	222
rcv	45.94	D	272	50	155
snd	46.67	A	155	0	222
rcv	60.42	D	322	50	155
snd	61.17	A	155	0	222
rcv	75.04	D	372	50	155
snd	75.79	A	155	0	222
rcv	86.56	D	222	50	155
snd	87.08	A	155	0	422
rcv	94.37	D	422	50	155
snd	94.87	A	155	0	472
rcv	110.65	D	472	50	155
snd	111.49	A	155	0	522
rcv	125.14	D	522	50	155
snd	125.67	A	155	0	572
rcv	133.18	D	572	50	155
snd	133.67	A	155	0	622
rcv	140.71	D	622	50	155
snd	141.05	A	155	0	672
rcv	161.7	D	722	50	155
snd	162.01	A	155	0	672
rcv	165.91	D	772	50	155
snd	166.54	A	155	0	672
rcv	171.57	D	822	50	155
snd	171.83	A	155	0	672
rcv	177.67	D	872	50	155
snd	178.04	A	155	0	672

rcv	182.26	D	672	50	155
snd	182.61	A	155	0	922
rcv	186.36	D	922	50	155
snd	186.62	A	155	0	972
rcv	189.72	D	972	50	155
snd	189.9	A	155	0	1022
rcv	195.11	D	1022	50	155
snd	195.34	A	155	0	1072
rev	197.89	D	1072	50	155
snd	198.08	A	155	0	1122
rcv	201.36	D	1122	50	155
snd	201.58	A	155	0	1172
rcv	204.19	D	1172	50	155
snd	204.36	A	155	0	1222
rcv	212.66	D	1272	50	155
snd	212.83	A	155	0	1222
rcv	214.74	D	1322	50	155
snd	214.97	A	155	0	1222
rev	218.24	D	1372	50	155
snd	218.45	A	155	0	1222
rev	221.15	D	1222	50	155
snd	221.34	A	155	0	1422
rcv	226.55	D	1422	50	155
snd	226.78	A	155	0	1472
rcv	229.61	D	1472	50	155
snd	229.78	A	155	0	1522
rcv	232.81	D	1522	50	155
snd	233.14	A	155	0	1572
rev	241.06	D	1622	50	155
snd	241.24	A	155	0	1572
rev	242.71	D	1672	42	155
snd	242.94	A	155	0	1572
rcv	268.95	D	1572	50	155
snd	270.81	A	155	0	1714
rcv	303.85	F	1714	0	155
snd	305.86	A	155	0	1715
rcv	319.75	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

rcv	0.0	S	121	0	0
snd	0.83	SA	154	0	122
rcv	4.02	A	122	0	155

rcv	8.09	D	122	50	155
snd	8.31	A	155	0	172
rcv	8.59	D	172	50	155
snd	9.01	A	155	0	222
rcv	12.63	D	272	50	155
snd	12.75	A	155	0	222
rcv	16.16	D	322	50	155
snd	16.31	A	155	0	222
rcv	19.78	D	372	50	155
snd	20.14	A	155	0	222
rcv	22.24	D	422	50	155
snd	22.37	A	155	0	222
rcv	24.35	D	222	50	155
snd	24.49	A	155	0	472
rcv	26.41	D	472	50	155
snd	26.55	A	155	0	522
rcv	30.43	D	522	50	155
snd	30.65	A	155	0	572
rcv	32.7	D	572	50	155
snd	32.84	A	155	0	622
rcv	35.71	D	622	50	155
snd	36.04	A	155	0	672
rcv	39.6	D	722	50	155
snd	39.76	A	155	0	672
rcv	40.75	D	772	50	155
snd	40.88	A	155	0	672
rcv	43.98	D	822	50	155
snd	44.33	A	155	0	672
rcv	46.48	D	672	50	155
snd	46.65	A	155	0	872
rcv	48.47	D	872	50	155
snd	48.61	A	155	0	922
rcv	50.9	D	922	50	155
snd	51.14	A	155	0	972
rcv	53.54	D	972	50	155
snd	53.69	A	155	0	1022
rcv	55.6	D	1022	50	155
snd	55.77	A	155	0	1072
rcv	57.76	D	1072	50	155
snd	57.93	A	155	0	1122
rcv	62.35	D	1122	50	155
snd	62.54	A	155	0	1172
rcv	64.61	D	1172	50	155
snd	64.81	A	155	0	1222

rcv	70.21	D	1272	50	155
snd	70.39	A	155	0	1222
rcv	72.46	D	1322	50	155
snd	72.62	A	155	0	1222
rcv	77.54	D	1372	50	155
snd	77.72	A	155	0	1222
rcv	79.72	D	1222	50	155
snd	79.9	A	155	0	1422
rcv	82.33	D	1422	50	155
snd	82.5	A	155	0	1472
rcv	86.02	D	1472	50	155
snd	86.4	A	155	0	1522
rcv	88.39	D	1522	50	155
snd	88.53	A	155	0	1572
rcv	94.63	D	1622	50	155
snd	94.84	A	155	0	1572
rcv	96.01	D	1672	42	155
snd	96.14	A	155	0	1572
rcv	120.92	D	1572	50	155
snd	121.87	A	155	0	1714
rcv	154.84	F	1714	0	155
snd	158.5	A	155	0	1715
rcv	160.27	A	1715	0	156

Amount of (original) Data Received: 1592
Number of (original) Data Segments Received: 32
Number of duplicate segments received: 0

Timeout = 8 pdrop = 0.3

rcv	0.0	S	121	0	0
snd	0.97	SA	154	0	122
rcv	4.82	A	122	0	155
rcv	9.97	D	122	50	155
snd	10.21	A	155	0	172
rcv	14.95	D	222	50	155
snd	15.26	A	155	0	172
rcv	21.56	D	272	50	155
snd	21.73	A	155	0	172
rcv	24.28	D	322	50	155
snd	24.55	A	155	0	172
rcv	26.85	D	372	50	155
snd	27.07	A	155	0	172
rcv	33.61	D	422	50	155
snd	33.8	A	155	0	172

rcv	35.11	D	472	50	155
snd	35.51	A	155	0	172
rcv	42.28	D	622	50	155
snd	42.45	A	155	0	172
rcv	74.58	D	172	50	155
snd	76.27	A	155	0	522
rcv	105.81	D	672	50	155
snd	108.0	A	155	0	522
rcv	109.82	D	722	50	155
snd	111.92	A	155	0	522
rcv	114.04	D	772	50	155
snd	114.17	A	155	0	522
rcv	118.38	D	822	50	155
snd	118.67	A	155	0	522
rcv	120.2	D	872	50	155
snd	120.39	A	155	0	522
rcv	124.67	D	922	50	155
snd	124.88	A	155	0	522
rcv	128.5	D	972	50	155
snd	128.64	A	155	0	522
rcv	183.97	D	522	50	155
snd	185.66	A	155	0	572
rcv	230.76	D	1022	50	155
snd	232.5	A	155	0	572
rcv	262.12	D	572	50	155
snd	264.1	A	155	0	1072
rcv	293.39	D	1072	50	155
snd	295.51	A	155	0	1122
rcv	297.84	D	1122	50	155
snd	299.92	A	155	0	1172
rcv	301.0	D	1172	50	155
snd	301.51	A	155	0	1222
rcv	304.34	D	1222	50	155
snd	304.51	A	155	0	1272
rcv	309.7	D	1272	50	155
snd	310.52	A	155	0	1322
rcv	313.2	D	1322	50	155
snd	313.41	A	155	0	1372
rcv	315.46	D	1372	50	155
snd	315.62	A	155	0	1422
rcv	317.68	D	1422	50	155
snd	317.84	A	155	0	1472
rcv	320.79	D	1472	50	155
snd	321.01	A	155	0	1522

rcv	329.44	D	1622	50	155
snd	329.87	A	155	0	1522
rcv	332.58	D	1672	42	155
snd	332.81	A	155	0	1522
rcv	336.31	D	1522	50	155
snd	336.6	A	155	0	1572
rcv	418.34	D	1572	50	155
snd	419.6	A	155	0	1714
rcv	466.94	F	1714	0	155
snd	469.21	A	155	0	1715
rcv	473.72	A	1715	0	156

Amount of (original) Data Received: 1592

Number of (original) Data Segments Received: 32

Number of duplicate segments received: 1