

GREYNOC
CYBERSECURITY OPERATIONS

Employee Nutrition, Fitness, and Hand Safety Program

Public release employee wellness manual for practical nutrition, workday movement, shift food timing, workstation habits, and finger, hand, and wrist injury prevention.

Public Release Position

This program provides general workplace wellness and safety education. It is not medical advice, a diagnosis or treatment plan, an employee monitoring tool, a fitness-for-duty standard, or a substitute for GreyNOC HR, safety, legal, or OSHA compliance procedures.

Document Type	Public Employee Wellness and Hand Safety Guide
Document ID	GN-WEL-EMP-001
Version	v1.1 public release
Effective Date	May 21, 2026
Document Owner	GreyNOC People / Safety, with Communications and Security review
Classification	PUBLIC / APPROVED FOR EXTERNAL RELEASE
Review State	Final QA/QC complete for public release. Accuracy, privacy, security, safety, and AI-quality controls are reflected in this release package.

Release note. v1.1 corrects the public-release header spacing so both header lines remain fully inside the blue banner. It preserves the corrected release-control wording, privacy and data-handling controls, CDC-aligned activity targets, current 2025-2030 federal dietary references, and OSHA-based hand protection and PPE hazard-assessment language.

00 Document Control

Visible ownership, release state, and change history are required for public-facing GreyNOC documents. This release uses the GreyNOC public-facing PDF pattern: public positioning, document control, safety review, scoped guidance, source-backed claims, and a final release checklist.

Field	Value	Notes
Title	Employee Nutrition, Fitness, and Hand Safety Program	External-facing employee education guide.
Document ID	GN-WEL-EMP-001	GreyNOC wellness publication tracker.
Classification	PUBLIC / APPROVED FOR EXTERNAL RELEASE	Public release classification.
Version	v1.1 public release	Patch release for header rendering QA.
Effective date	May 21, 2026	Release date.
Owner	GreyNOC People / Safety	Communications owns publication; Security reviews data handling.
Approvers	Owner, Safety, HR, Legal, Communications	Approval path reflected in the v1.1 release package.
Template basis	GreyNOC Public Facing Document Template v1.2	Uses document control, review state, scope, and release checklist.

Template Alignment

Template element	v1.1 implementation	QC result
Public header and footer	GreyNOC banner, document ID, version, classification, and page number on every page.	Pass
Public release position	First page states the program purpose and limits without medical, HR, or compliance overclaiming.	Pass
Document control	Owner, version history, classification, effective date, and approval path are visible.	Pass
Safety and privacy review	Security, privacy, AI use, health-claim, and injury-safety controls are included before program content.	Pass
Scoped public language	Guidance is plain, voluntary, nonjudgmental, and source-backed.	Pass
References and release checklist	Public sources, metadata, and final release checks are retained at the end.	Pass

Version	Date	Author	Summary of change
v0.1	May 21, 2026	GreyNOC	Initial public-facing wellness guide drafted for review.
v0.9	May 21, 2026	GreyNOC	Accuracy and security review completed; release language corrected; nutrition, movement, privacy, PPE, injury response, and anti-slop language tightened.
v1.0	May 21, 2026	GreyNOC	Public release after QA/QC and public-facing template conformance review.
v1.1	May 21, 2026	GreyNOC	Patch release: fixed header band height and header text placement.

Final QA/QC Findings

Area	Issue found	v1.1 disposition
Header rendering	The second header line was drawn below the blue banner and could appear clipped.	Increased header band height and moved both header lines inside the banner.
Release control	v0.1 mixed public-draft wording while also implying approval after review.	Corrected active metadata to public release and removed stale draft classification.
Security	Employee health guidance needed stronger limits on data collection and AI/wearable use.	Added minimum-necessary data rules, no AI scoring, no external AI upload, and no public injury photos.
Accuracy	Nutrition and exercise language was broadly correct but too generic in places.	Tied targets to current public sources and added medical exception language.

Area	Issue found	v1.1 disposition
Hand safety	Glove/PPE guidance did not explicitly require hazard assessment or proper PPE selection.	Added OSHA-aligned hazard assessment, hand protection, PPE fit/training, and damaged-PPE controls.
AI slop	Some phrasing sounded like generic wellness filler.	Replaced with concrete actions, limits, stop conditions, and manager responsibilities.
Template	Release needed an explicit public-facing template conformance check.	Added template alignment and final release checklist tables.

Release Safety Review

This page records publication controls applied before public release. The program is written as general education and safety awareness, not as medical treatment, employee surveillance, or a substitute for formal workplace safety procedures.

Area	Release finding	Decision
Security	No credentials, customer data, internal systems, network details, client names, or sensitive operational procedures are included.	Pass
Privacy	No employee medical data, weight tracking, biometric scoring, diagnoses, medication details, photos, or protected attributes are requested.	Pass
AI use	Do not upload employee health, injury, body, wearable, or accommodation information to external AI tools. Do not use AI to rank or score employees.	Required control
Claims	Health claims are conservative and tied to CDC, USDA/HHS, NIOSH, OSHA, or similar public sources.	Sources reviewed
Safety	Exercise and hand-safety guidance includes stop conditions, injury escalation, and task-specific PPE limits.	Pass
Release	Published as v1.1 after header QA/QC. Retain source, approval notes, rendered PDF, and publication metadata in the release archive.	Released

Security and Privacy Rules

- Participation is voluntary unless a separate, approved safety procedure says otherwise.
- Do not collect meal logs, body weight, medical diagnoses, medications, wearable data, biometric scores, pregnancy status, disability status, or photos as part of this public program.
- If injury or incident information is required, use the approved safety or HR process, collect the minimum necessary facts, restrict access, and keep records out of marketing materials.
- Do not publish employee injury stories, images, or identifiable wellness results without legal, HR, and written individual approval.
- Do not describe this program as HIPAA-covered unless legal confirms that a covered health plan, provider, or clearinghouse process is involved.

Table of Contents

Section	Title	Purpose
01	Executive Summary	What changed, what the program does, and what it does not do.
02	Scope, Limits, and Accountability	Audience, limits, owner responsibilities, and data boundaries.
03	Program Standard	The 5-2-10-2 habit framework.
04	Nutrition and Hydration	Practical meal structure, hydration, and medical caveats.
05	Workday Food Timing	Day, early, and night-shift examples.
06	Weekly Movement Program	CDC-aligned activity target and scalable paths.
07	Workplace Movement and Workstation Basics	Short breaks, neutral posture, and recovery.
08	Finger, Hand, and Wrist Injury Prevention	Pinch points, tools, racks, cables, and PPE.
09	Injury Response and Reporting	Stop-work, first-aid, and escalation triggers.
10	Four-Week Rollout Plan	Simple adoption path.
11	Employee and Manager Checklists	Daily and weekly controls.
12	Publication Notes, Checklist, and References	Final release checklist and reviewed sources.

Reader Path

Employees can use Sections 03 through 09 directly. Managers and document owners should also read Sections 00, 02, 11, and 12 before adapting this public guide into internal policy or local procedures.

01 Executive Summary

GreyNOC prepared this public-facing program to help employees make practical food choices, move more during the week, manage energy during different shifts, and reduce common finger, hand, and wrist injuries. The program is intentionally simple: it gives employees a weekly activity target, flexible meal timing examples, short workday movement resets, and hand-safety habits that fit desk, technical, field, and mixed-role work.

The program is not a diet plan, weight-loss campaign, productivity scoring system, disciplinary standard, or medical screening tool. Employees should adapt the guidance to their culture, budget, schedule, ability, medical needs, and clinician advice.

Key point	Practical meaning
Food timing	Reduce avoidable long gaps without food, choose lighter meals close to planned sleep, and build meals around protein, vegetables or fruit, fiber-rich carbohydrates, healthy fats, and water.
Movement	Build toward 150 minutes of moderate weekly activity, 75 minutes of vigorous activity, or a mix, plus 2 days of muscle-strengthening activity.
Work breaks	Use short 5- to 10-minute activity breaks when work allows. Many breaks require no gym and can be adapted for seated or standing work.
Finger safety	Use pinch-point awareness, correct tools, neutral wrist positions, task-appropriate PPE, and early reporting of pain, numbness, swelling, or loss of grip strength.
Privacy	Keep participation voluntary and avoid collecting health, body, wearable, biometric, or medical details through this public program.

02 Scope, Limits, and Accountability

This guide applies to employees who want a realistic wellness routine during standard day shifts, early shifts, night shifts, desk work, field work, or mixed technical roles. It is suitable for approved public employee education, onboarding support, and general wellness communications.

Scope item	Included	Notes
General nutrition guidance	Yes	Food groups, balanced meals, hydration, budget-aware options, and simple planning.
Workday food timing	Yes	Day shift, early shift, and night shift examples. Employees with medical timing needs should follow clinician advice.
Physical activity guidance	Yes	Beginner, standard, and advanced paths with stop conditions and adaptations.
Finger injury prevention	Yes	Pinch points, typing, tools, cables, racks, lifting, PPE, and early reporting.
Medical diagnosis or treatment	No	Employees should consult qualified medical professionals for personal medical decisions.
Employee health monitoring	No	Do not use this guide to collect health data, score employees, or pressure body changes.
Formal OSHA compliance program	No	Use this as education only. Required safety programs must follow applicable law and company procedures.

Accountability

- Employees choose safe, realistic actions and report hazards or symptoms early.
- Managers support breaks, hydration, practical meal timing, and early injury reporting without shame or retaliation.
- Safety and HR maintain any required incident, accommodation, and PPE procedures outside this public guide.
- Communications keeps public language factual, source-backed, and free of body shaming or medical overclaims.
- Security reviews any proposed digital tool, AI feature, survey, form, or data collection tied to employee wellness.

03 Program Standard

Employees are encouraged to follow the 5-2-10-2 standard. This is a habit target, not a disciplinary rule, job requirement, or one-size-fits-all medical prescription.

Habit	Target	Reason
5 days per week	Get about 30 minutes of moderate movement, or split activity into smaller blocks.	Builds toward the weekly physical activity target.
2 days per week	Complete basic strength training for major muscle groups, adapted to ability.	Supports muscles, joints, posture, and injury resistance.
10 minutes per workday	Use a walk, mobility reset, stretch break, or task setup reset.	Reduces long periods of sitting or repeated posture.
2 minutes per day	Check hands, fingers, wrists, tools, workstation, gloves, and pinch points.	Prevents avoidable hand and finger injuries.

Plain-language rule. Make the next meal, next break, or next work setup a little better than the last one. Small, repeatable improvements are the point.

04 Nutrition and Hydration

The food guidance is built around steady energy, safety, and practical choices, not strict dieting. Build most meals from whole or minimally processed foods when possible: protein foods, vegetables or fruit, fiber-rich carbohydrates such as whole grains, beans, or potatoes, healthy fats, and water or unsweetened drinks.

Food group	Examples	Notes
Protein foods	Eggs, fish, poultry, lean or unprocessed meat, beans, lentils, Greek yogurt, tofu, cottage cheese.	Use animal or plant sources based on preference, culture, budget, and medical needs.
Vegetables and fruit	Leafy greens, peppers, broccoli, carrots, tomatoes, berries, apples, bananas, oranges, seasonal produce.	Use fresh, frozen, canned, or dried options; choose lower-sugar or lower-sodium versions when practical.
Fiber-rich carbohydrates	Oats, brown rice, potatoes, sweet potatoes, whole grain bread, quinoa, beans, lentils.	Whole grains and starchy vegetables can support longer shifts and active work.
Healthy fats	Nuts, seeds, avocado, olives, olive oil, and similar options.	Portion needs vary by body size, role, and activity level.
Fluids	Water or unsweetened drinks as the default.	Heat, sweat, outdoor work, or long physical tasks may require more fluid and electrolytes.

Simple Meal Method

As a practical planning cue, aim to include protein, vegetables or fruit, and a fiber-rich carbohydrate at most meals. A common plate method is one-half vegetables or fruit, one-quarter protein, and one-quarter whole grains, beans, potatoes, or another fiber-rich carbohydrate, with healthy fats as needed. This is a flexible cue, not a strict rule.

- Employees doing heavy labor, long shifts, pregnancy, breastfeeding, intense training, or recovery from illness may need different portions.
- Employees with diabetes, kidney disease, food allergies, eating disorder history, gastrointestinal conditions, medication timing needs, or fluid restrictions should follow qualified medical advice.
- Avoid workplace challenges that reward fasting, dehydration, rapid weight loss, extreme restriction, or supplement use.
- Do not make body-size comments, public weigh-ins, or food policing part of this program.

Hydration Standard

- Start the shift with water available.

- Drink water with meals or snacks when possible.
- Drink before, during, and after physical work, outdoor work, or workouts.
- Use caution with excess caffeine, energy drinks, and sugary drinks, especially late in the shift or close to planned sleep.
- During heat, sweat, or prolonged physical work, follow the worksite heat-safety plan and replace electrolytes when appropriate.

05 Workday Food Timing

The best schedule depends on work time, sleep time, medical needs, commute, family responsibilities, and personal preference. These examples are designed to reduce avoidable long gaps without food, avoid heavy meals close to sleep, and support steady attention.

Standard Day Shift Example: 8:00 a.m. to 5:00 p.m.

Time window	Goal	Practical options
Before work	Eat when it supports your schedule and appetite.	Eggs and oatmeal; Greek yogurt with berries; whole grain toast with peanut butter; breakfast burrito.
Mid-morning	Use a snack if hungry or if lunch will be delayed.	Fruit and nuts; yogurt; cheese stick and fruit; hummus and vegetables.
Lunch	Eat enough to support the afternoon without feeling overloaded.	Rice bowl with protein and vegetables; sandwich with fruit; bean bowl; salad with protein and potatoes.
Afternoon	Prevent late-day energy crash and overeating if needed.	Cottage cheese and fruit; trail mix; hard-boiled eggs; apple with peanut butter.
Dinner	Recover from the day and support sleep.	Protein, vegetables, and potatoes; stir fry; chili; salmon with vegetables and rice.

Early Shift Example: 5:00 a.m. to 2:00 p.m.

- Pre-shift: use a small meal or snack if a full breakfast is too early.
- First break: eat a balanced breakfast or meal-sized snack.
- Lunch: eat mid-shift or shortly after the shift ends.
- Afternoon: use a snack if training, commuting, or family obligations extend the day.
- Dinner: eat a normal meal, not too close to bedtime when possible.

Night Shift Example: 7:00 p.m. to 7:00 a.m.

- Before shift: eat a balanced meal with protein, vegetables, and a fiber-rich carbohydrate.
- During shift: use smaller, lighter meals and snacks. Good options include soup and sandwich, yogurt with fruit and nuts, chicken wrap, eggs and fruit, or rice bowl with protein and vegetables.
- Midnight to 6:00 a.m.: avoid or reduce heavy meals when possible, especially if they make you sleepy or upset your stomach.
- After shift: choose a light meal or snack if hungry before sleep. Good options include Greek yogurt, oatmeal, cottage cheese and fruit, or a small wrap.
- Caffeine: use earlier in the shift and avoid it close to planned sleep when possible.

06 Weekly Movement Program

Employees should build toward the general adult target of 150 minutes of moderate activity each week, 75 minutes of vigorous activity, or an equivalent mix, plus two days of muscle-strengthening activity. Activity can be split into smaller blocks, and some activity is better than none.

Path	Best for	Weekly schedule
Beginner	Building consistency	Three to five 10- to 15-minute walks; two 5-minute mobility or strength circuits; one enjoyable weekend activity.
Standard	Meeting the general health target	Three 30-minute brisk walks; two 20-minute strength sessions; one optional recreational activity.
Advanced	Improving conditioning and strength	Two strength sessions; two cardio sessions; one mobility or recovery day; one recreational or longer conditioning session.
Adaptive	Different abilities, symptoms, or equipment limits	Seated, supported, wheeled, water-based, resistance-band, physical-therapy-approved, or clinician-approved alternatives.

Simple Strength Circuit

Complete 2 to 4 rounds. Rest as needed. Use pain-free range of motion.

- Squats or chair sit-to-stands: 8 to 12 reps.
- Pushups, wall pushups, or desk pushups: 8 to 12 reps.
- Hip hinge or light deadlift pattern: 8 to 12 reps.
- Row movement with band, cable, or dumbbell: 8 to 12 reps.
- Plank, side plank, or dead bug: 20 to 40 seconds.
- Farmer carry or suitcase carry: 30 to 60 seconds when space and grip allow.

Stop rule. Stop exercise and seek appropriate help for sharp pain, chest pain, fainting, unusual shortness of breath, numbness, severe dizziness, suspected injury, or symptoms that feel unsafe for the employee.

Employees with chronic conditions, disability, recent surgery, pregnancy, medication changes, or unexplained symptoms should talk with a qualified health professional about safe types and amounts of activity.

07 Workplace Movement and Workstation Basics

The goal is to reduce long periods of sitting or repeated posture. Employees can complete these during breaks, between meetings, or before lunch when work allows. Breaks should be adapted for space, symptoms, job duties, and safety.

Desk reset - 10 minutes	Field reset - 10 minutes
1 min walk; 1 min shoulder rolls; 1 min wrist/finger mobility; 1 min calf raises; 1 min hip flexor stretch; 1 min chest opener; 1 min chair sit-to-stands; 1 min neck mobility; 1 min breathing; 1 min walk.	2 min walk; 1 min wrist/finger mobility; 1 min shoulder blade squeezes; 1 min hip hinge practice; 1 min calf stretch; 1 min forearm stretch; 1 min trunk rotation; 1 min hydration check; 1 min task setup check.

Recommended Break Rhythm

- Desk or repetitive work: every 25 to 30 minutes, change posture for 30 to 60 seconds when work allows.
- Every 60 to 90 minutes, walk or move for 3 to 5 minutes when the task can pause safely.
- Physical or field work: plan the task first, rotate roles when possible, reset grip and posture after repetitive work, and hydrate.
- Meetings: allow standing, seated mobility, or brief walking breaks without requiring anyone to explain medical limits.

Neutral Workstation Cues

- Feet supported and frequently changed position.

- Head level, screen close to eye level, and shoulders relaxed.
- Elbows close to the body and keyboard/mouse close enough to avoid reaching.
- Hands, wrists, and forearms straight, in line, and roughly parallel to the floor.
- Frequently used items within easy reach.
- Position changes throughout the day instead of trying to hold one perfect posture.

08 Finger, Hand, and Wrist Injury Prevention

Finger, hand, and wrist injuries can come from repetitive typing, awkward gripping, lifting, tool use, doors, drawers, rack equipment, cables, vehicle work, pinch points, cuts, abrasions, punctures, chemicals, burns, temperature extremes, vibration, and electrical hazards. This section is written for desk, technical, field, and equipment-handling roles.

Daily Hand Safety Check

- Are my hands clear of pinch points and the line of fire?
- Am I using the right tool for the job instead of my fingers?
- Are guards, handles, grips, release tabs, and stable work surfaces in place?
- Am I rushing, forcing, twisting, or working with poor lighting?
- Are my wrists bent for long periods?
- Do I need task-appropriate gloves, better lighting, a second person, a lift aid, or a different setup?
- Could gloves create a snag or entanglement hazard for this task?
- Can this task be repositioned to reduce awkward grip, repetition, or force?

PPE and Glove Selection

Gloves are not one-size-fits-all. Before requiring gloves or other PPE, GreyNOC must evaluate the task, conditions, duration of use, and hazards. Selection should match the actual risk, including cuts, punctures, abrasion, chemicals, heat, cold, electricity, and pinch or crush hazards.

- Use cut-resistant gloves for blade, sheet-metal, or sharp-edge tasks when the hazard assessment supports them.
- Use chemical-resistant gloves only when they match the chemical and exposure duration; consult the safety data sheet or safety lead.
- Use thermal protection for hot or cold surfaces.
- Do not use damaged, contaminated, poor-fitting, or improvised PPE.
- Do not wear gloves near rotating or moving equipment when they could catch, unless a task-specific safety procedure requires and controls that use.
- Train employees on when PPE is necessary, what PPE is necessary, how to wear it, its limits, and how to maintain or dispose of it.

Pinch Point Prevention

- Keep fingers away from areas where objects move together, close, roll, slide, drop, rotate, or compress.
- Use handles, grips, pull tabs, carts, clamps, pry tools, or other aids instead of fingers when possible.
- Keep one hand out of the line of fire when closing, lifting, or positioning objects.
- Communicate before moving shared loads.
- Remove rings or jewelry when they could catch, crush, or conduct electricity.
- Do not bypass guards, force jammed parts, or use damaged tools.

Typing, Mouse, Cable, and Rack Work

- Keep wrists neutral, not sharply bent up, down, or sideways.
- Keep mouse and keyboard close enough to avoid reaching.

- Use a light grip on the mouse and avoid pounding keys.
- Do not force stuck connectors; use proper release clips and pull tabs.
- Keep hands clear when sliding equipment into racks.
- Use two people or lifting aids for heavy or awkward equipment.
- Report numbness, tingling, swelling, sharp pain, or loss of grip strength early.

Two-Minute Finger Mobility Routine

Movement	Dose
Open and close hands slowly	10 reps
Finger spreads	10 reps
Thumb circles	5 each direction
Wrist circles	5 each direction
Gentle forearm stretch	15 seconds each side
Shake hands out gently	10 seconds

09 Injury Response and Reporting

Early reporting protects employees and helps fix the work setup before a minor strain becomes a recordable injury. This section is general education only; follow the approved GreyNOC emergency, first-aid, incident, workers' compensation, and OSHA recordkeeping procedures where they apply.

Stop Work and Get Help

- Stop the task and notify a supervisor for sharp pain, swelling, numbness, tingling, loss of grip strength, suspected sprain, or repeated discomfort.
- Call emergency services or follow the emergency action plan for uncontrolled bleeding, amputation, crushing injury, suspected fracture, severe burn, chemical exposure, electric shock, loss of consciousness, or severe pain.
- Do not keep working through hand symptoms to finish a task faster.
- Preserve the work area when safe so safety staff can review the hazard.
- Report near misses involving pinch points, dropped equipment, electrical exposure, damaged tools, or PPE failure.

Manager Response

- Thank the employee for reporting; do not shame, blame, or pressure them to continue.
- Remove the employee from the hazardous task until the setup is reviewed.
- Use the approved incident or near-miss process and collect only the facts needed for safety follow-up.
- Review tools, work height, lighting, PPE, training, staffing, and work pace before restarting the task.
- Escalate accommodations, medical restrictions, or return-to-work questions to HR or the designated safety owner.

10 Four-Week Rollout Plan

Week	Employee actions	Manager support
Week 1 - Awareness	Choose a food timing plan based on shift. Complete the daily 2-minute hand safety check. Take one 10-minute walk on at least 3 days. Set up water at the workstation or in the work vehicle.	Confirm water access, break expectations, and the right reporting path for pain, hazards, or injuries.
Week 2 - Consistency	Use the meal method for at least one meal per day. Complete the 10-minute workplace movement plan on at least 3 days. Add finger mobility on heavy typing or tool days. Pack one practical snack per workday.	Support breaks without comments about body size, fitness level, or food choices.
Week 3 - Strength	Complete two simple strength sessions. Take short posture and hand breaks during repetitive work. Review workstation, tools, gloves, and pinch-point risks. Keep caffeine earlier in the shift.	Check whether PPE, lighting, tools, rack procedures, or lifting aids need improvement.
Week 4 - Ownership	Pick a weekly movement path. Build a personal list of 3 go-to breakfasts, lunches, dinners, and snacks. Improve one work task that creates hand or finger risk. Choose one habit to continue for the next 30 days.	Review near misses, barriers, and employee feedback without collecting medical or body data.

11 Employee and Manager Checklists

Employee daily checklist	Employee weekly checklist	Manager support checklist
Drink water. Eat a protein-containing meal or snack before or during the early part of the shift. Move at least once every 60 to 90 minutes when work allows. Complete a hand and finger safety check before repetitive or manual work. Avoid placing fingers in pinch points. Stop and report concerning pain, numbness, tingling, or injury.	Build toward 150 minutes of moderate activity, 75 minutes of vigorous activity, or a mix. Build toward 2 strength sessions. Prepare basic meals and snacks for the workweek. Review sleep, caffeine, and recovery. Identify one work setup that could be safer for hands, wrists, or posture.	Encourage breaks and movement without shaming employees. Provide safe drinking water access. Allow practical meal breaks based on shift needs. Support ergonomic and PPE improvements when possible. Encourage early reporting of strain, numbness, pain, or injury. Keep wellness participation voluntary. Avoid weigh-ins, body-size comments, weight-loss competitions, medical questions, or collection of employee medical details.

Publication Language Standard

All public wellness communication should be practical, respectful, nonjudgmental, inclusive of different body types, ages, schedules, abilities, cultures, religions, medical needs, and budgets, and clear that participation is voluntary.

Security, Privacy, and AI-Quality Check

Check	Result
No internal leakage	No passwords, internal systems, locations, client names, network details, or sensitive operational procedures included.
No health-data collection	No employee medical data, body weight tracking, biometric tracking, wearable data, food logs, photos, or health scoring required.
No AI misuse	No AI-based ranking, discipline, medical advice, diagnosis, injury triage, or external upload of employee health or injury data.
No medical overclaiming	No diagnosis, treatment, disease-cure, guaranteed performance, supplement, detox, or rapid weight-loss language included.
No unsafe extremes	No extreme diet, dehydration, unsafe fasting, unsafe exercise, or one-size-fits-all medical recommendation included.
Actionable program	Includes daily, weekly, four-week, shift-specific, manager, privacy, PPE, and hand-safety actions.
Review status	v1.1 released after final GreyNOC QA/QC.

12 Publication Notes, Checklist, and References

References were checked on May 21, 2026. Public links are included for transparent review. The release archive should retain the source package, rendered PDF, approvals, and any required HR or safety policy alignment notes.

Public Release Checklist

Check	Status	Notes
Public-facing template applied	Complete in v1.1	Header/footer, document control, safety review, source list, and release checklist are present.
Version and classification finalized	Complete in v1.1	Active metadata uses v1.1 and PUBLIC / APPROVED FOR EXTERNAL RELEASE.
Draft language removed	Complete in v1.1	No unreleased or human-approval-gate wording remains.
Header rendering fixed	Complete in v1.1	Blue banner is taller and both header text baselines sit inside the filled area.
Security and privacy review	Complete in v1.1	No credentials, customer data, internal systems, health scoring, biometric collection, or AI upload path included.
Health and safety claims reviewed	Complete in v1.1	Movement, nutrition, night-shift, ergonomics, PPE, and hand-protection claims align to public sources.
AI-quality review	Complete in v1.1	Generic filler replaced with concrete actions, stop conditions, owner responsibilities, and source-backed limits.
Final PDF QA	Complete in v1.1	PDF builds successfully, text extracts cleanly, page headers show v1.1, and stale v0.9 classification is absent.
Release archive	Owner action	Store source, generated PDF, approval record, and publication metadata together.

References Used for Review

Source	Use in this program	URL
CDC. Adult Activity: An Overview.	Adult activity target: 150 minutes moderate, 75 minutes vigorous equivalent, and 2 days muscle strengthening.	https://www.cdc.gov/physical-activity-basics/guidelines/adults.html
CDC. Physical Activity Breaks for the Workplace Resource Guide.	5- to 10-minute workplace activity break concept, break adaptation, and safe-start guidance.	https://www.cdc.gov/workplace-health-promotion/media/pdfs/2024/06/Workplace-Physical-Activity-Break-Guide-508.pdf
USDA / HHS. Dietary Guidelines for Americans, 2025-2030.	Current federal nutrition reference for whole or minimally processed foods, vegetables, fruits, protein foods, fats, whole grains, and hydration.	https://realfood.gov/
NIOSH / CDC. Training for Nurses on Shift Work and Long Work Hours.	Night-shift food timing, sleep, fatigue, and shift-work context.	https://archive.cdc.gov/www_cdc_gov/niosh/work-hour-training-for-nurses/longhours/mod9/08.html
OSHA 29 CFR 1910.132.	PPE hazard assessment, selection, fit, training, maintenance, and damaged-PPE controls.	https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.132
OSHA 29 CFR 1910.138.	Hand protection requirements and glove selection based on hazards and task conditions.	https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.138
OSHA Computer Workstations eTool.	Neutral body positioning, wrist posture, and workstation setup cues.	https://www.osha.gov/etools/computer-workstations/positions
NIOSH Ergonomics.	Ergonomics program context for preventing work-related discomfort and musculoskeletal injuries.	https://www.cdc.gov/niosh/ergonomics/index.html
GreyNOC Public Facing Document Template v1.2.	Document control, release review, and public-facing language standards.	Internal GreyNOC template reference.

Publication Metadata

Field	Status
Website	GreyNOC approved public website.
Contact	GreyNOC approved public inbox, HR contact, safety contact, or media contact.
Copyright	2026 GreyNOC. All rights reserved.
Distribution	Public / v1.1 release.
Classification	PUBLIC / APPROVED FOR EXTERNAL RELEASE
Final release decision	Released as v1.1 after header fix, public-facing template review, and QA/QC.