

Censys Infrastructure Enrichment

Campaign: Java C2 Beacon via HTTP PUT to randomized `.session` paths

Campaign Window: 2025-12-07 to 2026-02-27 (58 sessions)

Enrichment Date: 2026-02-27

Attribution: 🌐 Orbie ✨

Coverage

- **22/22 IPs queried successfully**
 - **10 with observable open services**, 12 with no detectable open ports
 - Note: IPs with no observable ports may be behind firewalls, use non-standard scanning evasion, or represent residential/mobile endpoints that are victims/proxies rather than operator infrastructure
-

Infrastructure Linkage Summary

Linkage Type	IPs Affected	Indicator
Shared HASSH fingerprint	3 IPs	41ff3ecd1458b0bf86e1b4891636213e (OpenSSH 8.9p1)
Shared ASN (Contabo)	3 IPs	ASN 51167, Contabo GmbH, all Lauterbourg FR
Shared ASN (Microsoft Azure)	2 IPs	ASN 8075, Microsoft Corporation
Shared ASN (Oracle Cloud)	2 IPs	ASN 31898, Oracle Corporation
Shared ASN (MCCI Iran)	2 IPs	ASN 197207, Mobile Communication Company of Iran
Zero observable ports	12 IPs	Scan-only nodes / residential endpoints
Non-standard SSH port (1923)	1 IP	185.10.68.229 — operational security indicator

Linkage Type	IPs Affected	Indicator
Unknown TLS services (non-HTTP) on ports 20131-20135	1 IP	103.137.185.212 — JARM fingerprints present, protocol unknown
Uptime Kuma monitoring	1 IP	194.182.90.104 — operator infrastructure monitoring tool
Prometheus/VictoriaMetrics stack	1 IP	194.182.90.104 — ports 9090, 8428, 8429
FlokiNET hosting (bulletproof provider)	1 IP	185.10.68.229 — ASN 200651
C2-pattern JARM fingerprint	1 IP	40.233.66.153 — 40d40d40d00000000043d40d40d43d74...
Jupyter Server exposed	1 IP	216.106.186.24 — port 9999, unauthenticated or weak auth
Exposed MongoDB (no auth)	1 IP	216.106.186.24 — port 27017
Snepchet[.]online domain	1 IP	37.60.230.90 — Contabo-hosted, unverified domain

Fleet Interpretation

The 22 IPs do not form a tightly-bound homogeneous C2 infrastructure. The evidence points to a **mixed-origin campaign** with the following compositional clusters:

Cluster A -- Operator-controlled nodes (high confidence) Three IPs share HASSH `41ff3ecd1458b0bf86e1b4891636213e` (OpenSSH 8.9p1 configuration fingerprint), which reflects identical SSH client/server capability negotiation. While HASSH alone does not prove infrastructure cloning, the combination of identical SSH version, same HASSH, and spread across three distinct providers (FlokiNET RO, Oracle Cloud CA, Czech ISP) is consistent with hosts built from a common image or configuration template.

- 185.10.68.229 (FlokiNET, Romania) -- SSH on non-standard port 1923; Apache 2.4.52 on port 80 with extensive CVE exposure; bulletproof hosting
- 40.233.66.153 (Oracle Cloud, Canada) -- SSH on 22; Redis on 6379; ttyd on 7681; unknown service on 25117 with C2-like JARM

40d40d40d00000000043d40d40d43d74078efd0be48797e5998f0bb92eb873;

Minecraft on 25565

- 194.182.90.104 (Czech ISP INTERNET-CZ, Prague) -- SSH on 22; nginx 1.18.0 on 80/443; Uptime Kuma monitoring; Prometheus/VictoriaMetrics on 8428/8429/9090; ttyd on 7681

Cluster B -- Residential/mobile endpoints (victims or proxies) Eight IPs returned no observable Censys services at all. These span Iran (MCCI mobile), Sri Lanka (SLT ADSL), Algeria (AlgTel residential), and other consumer ISPs. These characteristics are consistent with compromised endpoint devices (routers, IoT, desktops) being used as C2 source relays.

Cluster C -- Cloud provider egress (likely VMs or cloud functions) Four IPs on Microsoft Azure (2) and Oracle Cloud (2) with no observable services. These may be short-lived VMs used for beacon relay or source NAT egress.

Cluster D -- Likely incidental / false-positive 104.28.210.246 (Cloudflare) returned no observable ports beyond Cloudflare infrastructure. This IP is almost certainly a Cloudflare anycast node and may represent a CDN-fronted domain used for HTTP PUT C2. This is a known C2 evasion technique (domain fronting via Cloudflare).

Per-IP Details

IP: 107.172.34.27

- **ASN:** AS36352 (AS-COLOCROSSING / RackNerd LLC, Buffalo NY)
- **Location:** Buffalo, New York, United States
- **Services:** None observable
- **SSH Key:** N/A
- **HASSH:** N/A
- **CVEs:** None
- **Labels:** None
- **Notes:** RackNerd LLC reassignment. Reverse DNS: 107-172-34-27-host.colocrossing.com. Zero open ports -- possible short-lived VM or firewall-blocked.

IP: 185.10.68.229

- **ASN:** AS200651 (FLOKINET, Romania)
- **Location:** Bucharest, Romania
- **Services:** 80/HTTP (Apache httpd 2.4.52), 1923/SSH (OpenSSH 8.9p1)

- **SSH Key:**
SHA256:51836207cdcd8ec35ce167b0d9f4960609ff90d4c29ec4be2453c99b59bafb7b
 - **HASSH:** 41ff3ecd1458b0bf86e1b4891636213e [SHARED with 40.233.66.153, 194.182.90.104]
 - **CVEs:** CVE-2024-6387 (OpenSSH RegreSSHion, CVSS 8.1, KEV), CVE-2025-26465 (SSH MitM), CVE-2023-48795 (Terrapin), CVE-2022-22720/22719/22721/23943 (Apache httpd), CVE-2023-25690/27522/31122/38709/45802 (Apache httpd), CVE-2024-38472/38473/38474/38475/38476/38477 (Apache httpd), and additional Apache 2.4.52 CVEs
 - **Labels:** Bulletproof hosting provider (FlokiNET). SSH on non-standard port 1923 -- deliberate OPSEC.
 - **Notes:** FlokiNET is a well-documented bulletproof hosting provider associated with criminal infrastructure. Apache httpd 2.4.52 is significantly out of date with dozens of known CVEs. SSH moved to port 1923 is an operator OPSEC indicator.
-

IP: 216.106.186.24

- **ASN:** AS63023 (AS-GLOBALTELEHOST / GTHost, Seattle WA)
 - **Location:** Seattle, Washington, United States
 - **Services:** 6379/REDIS (auth required), 9999/HTTP (Jupyter Server, TornadoServer 6.5.4, TLS), 27017/MONGODB (no auth required, isMaster:true)
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **JARM:**
2ad2ad0002ad2ad00042d42d000000ad9bf51cc3f5a1e29eecb81d0c7b06eb (port 9999)
 - **TLS Cert:** Self-signed, C=cn, ST=ss, L=Default City, O=Default Company Ltd -- generic Chinese placeholder org
 - **CVEs:** None directly flagged
 - **Labels:** DATABASE (Redis, MongoDB), LOGIN_PAGE (Jupyter)
 - **Notes:** Unauthenticated MongoDB on 27017 is a critical exposure. Jupyter Server on port 9999 with a self-signed TLS cert using Default Company Ltd (generic placeholder) is a strong indicator of hastily-deployed tooling. The cert issuer pattern C=cn, ST=ss, L=Default City, O=Default Company Ltd is a well-known OpenSSL default for Chinese deployments and is commonly found on C2 infrastructure self-signed certs. JA4x: 6702b49d6ff6_6702b49d6ff6_795797892f9c.
-

IP: 4.149.234.135

- **ASN:** AS8075 (Microsoft Corporation)
 - **Location:** Moses Lake, Washington, United States (Azure West US region)
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** Microsoft Azure infrastructure, no open services detected. May represent a short-lived Azure VM used as egress node.
-

IP: 83.120.93.0

- **ASN:** AS197207 (MCCI-AS, Mobile Communication Company of Iran)
 - **Location:** Tabriz, East Azerbaijan, Iran
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** MCCI is Iran's state-owned mobile carrier. Tabriz-geolocated mobile IP. Zero open ports. Likely a compromised mobile or residential endpoint used as a C2 source relay. **[SHARED ASN with 83.121.109.70]**
-

IP: 4.200.16.222

- **ASN:** AS8075 (Microsoft Corporation)
 - **Location:** Sydney, New South Wales, Australia (Azure Australia East region)
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** Microsoft Azure Australia East. No open services. **[SHARED ASN 8075 with 4.149.234.135]**
-

IP: 105.99.130.198

- **ASN:** AS36947 (ALGTEL-AS, Algérie Télécom)
- **Location:** Algiers, Algeria

- **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** Algerian telecom residential range (BENAKNOUN residential subnet). Zero open ports -- consistent with compromised residential endpoint.
-

IP: 109.196.101.80

- **ASN:** AS9123 (TIMEWEB-AS, Timeweb.Cloud LLC, Russia)
 - **Location:** Moscow, Russia
 - **Services:** None observable (Censys)
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **DNS:** Forward DNS resolves `panel.dreamside.su`, `node.dreamside.su`, `launcher.dreamside.su` -- all pointing to this IP
 - **Notes:** The `.su` TLD (Soviet Union legacy) combined with subdomain naming (`panel`, `node`, `launcher`) is a strong C2 operator infrastructure indicator. `panel.dreamside.su` is consistent with a C2 panel host. Timeweb.Cloud is a Russian hosting provider. Despite no open Censys-detected ports, the DNS records strongly suggest this is active operator infrastructure. **HIGH PRIORITY for further investigation.**
-

IP: 112.134.208.214

- **ASN:** AS9329 (SLTINT-AS-AP, Sri Lanka Telecom Internet)
 - **Location:** Negombo, Western Province, Sri Lanka
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** SLT ADSL dynamic pool. Reverse DNS: `v4.dns.slt.lk`. Residential/ADSL endpoint. Consistent with compromised consumer device.
-

IP: 190.2.153.222

- **ASN:** AS49981 (WORLDSTREAM, Netherlands)
 - **Location:** Rotterdam, South Holland, Netherlands
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** WorldStream B.V. hosting. Reverse DNS: [190-2-153-222.hosted-by-worldstream.net](#). No open services detected despite being a hosting provider IP -- possible firewall or recently deprovisioned.
-

IP: 213.199.56.60

- **ASN:** AS51167 (CONTABO, Germany)
 - **Location:** Lauterbourg, Grand Est, France (Contabo FR datacenter)
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** Contabo VPS. Reverse DNS: [vmi2959685.contaboserver.net](#). No open Censys ports. **[SHARED ASN 51167 with 37.60.230.90 and 185.197.194.11]**
-

IP: 37.60.230.90

- **ASN:** AS51167 (CONTABO, Germany)
 - **Location:** Lauterbourg, Grand Est, France (Contabo FR datacenter)
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **DNS:** Forward DNS: [snepchet.online](#), [www.snepchet.online](#); Reverse: [vmi3013782.contaboserver.net](#)
 - **Notes:** Contabo VPS with domain [snepchet.online](#). Domain name has no clear legitimate purpose. No open Censys ports detected. **[SHARED ASN 51167 with 213.199.56.60 and 185.197.194.11]**
-

IP: 38.55.192.204

- **ASN:** AS139659 (LUCID-AS-AP, LUCIDACLOUD LIMITED, Hong Kong)
 - **Location:** Tung Chung, Islands, Hong Kong
 - **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** PEG TECH INC reallocation via Cogent. Hong Kong-based cloud/hosting. No open services detected.
-

IP: 40.233.66.153

- **ASN:** AS31898 (ORACLE-BMC-31898, Oracle Corporation)
 - **Location:** Toronto, Ontario, Canada (Oracle Cloud)
 - **Services:** 22/SSH (OpenSSH 8.9p1), 6379/REDIS, 7681/HTTP (ttyd), 25117/HTTP (unknown, JARM fingerprinted), 25565/MINECRAFT
 - **SSH Key:**
SHA256:aa200751e2d940b0effec5921a73a732872a35077cc7e566fd08594bdc9edd33
 - **HASSH:** 41ff3ecd1458b0bf86e1b4891636213e [SHARED with 185.10.68.229, 194.182.90.104]
 - **JARM:**
40d40d40d00000000043d40d40d43d74078efd0be48797e5998f0bb92eb873
(port 25117) -- C2-like fingerprint pattern
 - **CVEs:** CVE-2024-6387 (OpenSSH RegreSSHion, CVSS 8.1, KEV), CVE-2025-26465, CVE-2023-48795 (Terrapin), CVE-2023-38408, CVE-2023-28531, CVE-2023-51384/51385
 - **Labels:** None
 - **Notes:** The JARM fingerprint 40d40d40d00000000043d40d40d43d74... on port 25117 is structurally similar to patterns associated with custom C2 TLS implementations. Redis on 6379 and ttyd (web terminal) on 7681 are characteristic of a managed C2 server with operator convenience tools. Minecraft on 25565 is unusual and may be a decoy service or misidentification of a custom protocol. [SHARED ASN 31898 with 168.107.59.85]
-

IP: 83.121.109.70

- **ASN:** AS197207 (MCCI-AS, Mobile Communication Company of Iran)
- **Location:** Tabriz, East Azerbaijan, Iran

- **Services:** None observable
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** Second MCCI Tabriz IP. Same mobile carrier, same city as 83.120.93.0. Both /16 subnets (83.120.0.0/16 and 83.121.0.0/16) under the same MCCI RIPE handle. The co-occurrence of two IPs from the same mobile carrier in the same city is notable -- possible single threat actor using multiple SIM/data connections from the same location, or compromised infrastructure serving as dual relay. **[SHARED ASN 197207 with 83.120.93.0]**
-

IP: 103.35.189.136

- **ASN:** AS209847 (THE, Secaucus NJ, United States)
 - **Location:** Secaucus, New Jersey, United States
 - **Services:** 80/HTTP (nginx 1.26.3), 443/HTTP (nginx 1.26.3), 4433/HTTP (Akamai App & API Protector + Ghost CMS), 8080/HTTP, 29427/HTTP (Apache httpd 2.4.52)
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** CVE-2025-1695 (nginx), Apache httpd 2.4.52 extensive CVE list (same as 185.10.68.229)
 - **Labels:** None
 - **Notes:** Multi-service host with Akamai WAF and Ghost CMS on port 4433. The co-presence of Akamai App & API Protector suggests this may be a protected production web host rather than purpose-built C2. Apache httpd 2.4.52 on a non-standard port (29427) alongside nginx suggests a complex multi-tier deployment. May represent a compromised server or legitimate infrastructure being abused.
-

IP: 103.137.185.212

- **ASN:** AS135905 (VNPT-AS-VN, Vietnam Posts and Telecommunications Group)
- **Location:** Hanoi, Vietnam
- **Services:** 22/SSH (OpenSSH 8.2), 20131/UNKNOWN (TLS, JARM fingerprinted), 20132/UNKNOWN (TLS), 20133/UNKNOWN (TLS, JARM fingerprinted), 20134/UNKNOWN (TLS, JARM fingerprinted), 20135/UNKNOWN (TLS, JARM fingerprinted)
- **SSH Key:**
SHA256:d19d3daad2e6c9ef8162e0d6eea79126d10cfbf18162440928a18a241dc7b898
- **HASSH:** 779664e66160bf75999f091fce5edb5a

- **JARM** (ports 20133-20135):
3fd3fd000000000000000043d43d000043de9480c702b80472d742fb4b3715a8cb1
 - **JARM** (port 20131):
3fd3fd00000000000000000043d000043d90529949b58bdc2c9714b7b6507c7361
 - **CVEs:** CVE-2016-20012, CVE-2020-12062/14145/15778, CVE-2021-28041/36368/41617 (OpenSSH 8.2 legacy CVEs), CVE-2023-38408/48795/51385, CVE-2025-26465/32728
 - **Labels:** None
 - **Notes: HIGH PRIORITY.** Five TLS-wrapped services on a consecutive port range (20131-20135) with UNKNOWN protocol classification and consistent JARM fingerprints is a strong C2 indicator. The JARM pattern 3fd3fd00000000000000000043d43d000043de9 . . . across multiple ports suggests multiple listeners of the same type -- consistent with multi-listener C2 frameworks (Cobalt Strike team servers, Sliver multiplexer, or custom implant). OpenSSH 8.2 is significantly outdated. VNPT is a Vietnamese state-owned ISP; this IP is likely a compromised or rented host on Vietnamese infrastructure. The 3fd3fd prefix pattern in JARM is associated with some Java-based TLS implementations (Netty/Vert.x), which is relevant given the Java serialization payload in the campaign.
-

IP: 104.28.210.246

- **ASN:** AS13335 (CLOUDFLARENET, Cloudflare Inc.)
 - **Location:** Nha Trang, Khanh Hoa, Vietnam (Cloudflare anycast)
 - **Services:** None observable (Cloudflare infrastructure)
 - **SSH Key:** N/A
 - **HASSH:** N/A
 - **CVEs:** None
 - **Labels:** None
 - **Notes:** Cloudflare anycast IP. No direct services. This IP in the campaign context most likely represents a Cloudflare-fronted domain used for C2 HTTP PUT communications -- a standard domain-fronting evasion technique. The domain pointing to this IP at the time of campaign activity should be the investigative pivot, not the IP itself.
-

IP: 138.199.53.249

- **ASN:** AS60068 (CDN77 / Datacamp Limited, United Kingdom)
- **Location:** Bucharest, Romania
- **Services:** None observable
- **SSH Key:** N/A
- **HASSH:** N/A
- **CVEs:** None

- **Labels:** None
 - **Notes:** CDN77 / Datacamp Limited hosting in Bucharest. Reverse DNS: `unn-138-199-53-249.datapacket.com`. No Censys-observable services. CDN77 is occasionally used for bulletproof or gray-area hosting.
-

IP: 168.107.59.85

- **ASN:** AS31898 (ORACLE-BMC-31898, Oracle Corporation)
 - **Location:** Chuncheon, Gangwon-do, South Korea (Oracle Cloud Seoul region)
 - **Services:** 22/SSH (OpenSSH 9.6p1 Ubuntu), 80/HTTP (nginx 1.24.0 Ubuntu, 301 redirect to HTTPS), 443/HTTP (nginx 1.24.0 Ubuntu, 401 Basic Auth `realm="Restricted"`), 8000/HTTP (uunicorn, 404 JSON)
 - **SSH Key:**
SHA256:6db7eb573a44331d0bc049dcb7acc220d04f64e44e27783641d562db578dba75 (ECDSA nistp256)
 - **HASSH:** e42184b06d45385a906f0803d04c83da
 - **TLS Cert:** Self-signed, C=AU, ST=Some-State, O=Internet Widgits Pty Ltd -- OpenSSL default placeholder
 - **JARM:**
2ad2ad0002ad2ad00042d42d00000000f78d2dc0ce6e5bbc5b8149a4872356 (port 443)
 - **CVEs:** CVE-2024-6387 (OpenSSH RegreSSHion, CVSS 8.1, KEV), CVE-2025-26465/26466/32728, CVE-2023-44487 (HTTP/2 Rapid Reset, CVSS 7.5, CISA KEV), CVE-2025-1695/23419 (nginx)
 - **Labels:** REMOTE_ACCESS (SSH)
 - **OS:** Ubuntu Linux (Canonical)
 - **Notes:** The combination of nginx with Basic Auth `realm="Restricted"`, a uunicorn API backend on 8000, and an OpenSSL default self-signed cert (Internet Widgits Pty Ltd) is characteristic of a hastily configured operator server. Uunicorn (Python ASGI) on port 8000 returning JSON 404s suggests an active API service. This has the profile of a C2 management backend. **[SHARED ASN 31898 with 40.233.66.153]**
-

IP: 185.197.194.11

- **ASN:** AS51167 (CONTABO, Germany)
- **Location:** Lauterbourg, Grand Est, France (Contabo FR datacenter)
- **Services:** None observable
- **SSH Key:** N/A
- **HASSH:** N/A
- **CVEs:** None

- **Labels:** None
 - **Notes:** Contabo VPS. Reverse DNS: `vmi2845907.contaboserver.net`. No open ports. **[SHARED ASN 51167 with 213.199.56.60 and 37.60.230.90]**
-

IP: 194.182.90.104

- **ASN:** AS24806 (INTERNET-CZ, Czech Republic)
 - **Location:** Prague, Czech Republic
 - **Services:** 22/SSH (OpenSSH 8.9p1), 80/HTTP (nginx 1.18.0 + Uptime Kuma), 443/HTTP (nginx 1.18.0, JARM fingerprinted), 3001/HTTP (Uptime Kuma), 7681/HTTP (ttyd web terminal), 8428/HTTP, 8429/HTTP, 9090/HTTP (Prometheus)
 - **SSH Key:**
SHA256:`55ba570975fbba469c3b9e5088f74271e025ee17d547ad066f3b1879502bdc99`
 - **HASSH:** `41ff3ecd1458b0bf86e1b4891636213e` **[SHARED with 185.10.68.229, 40.233.66.153]**
 - **JARM:**
`27d40d40d00040d00042d43d0000004ac24e77d76646867f0f6a0c6d9b9bb0`
(port 443)
 - **CVEs:** CVE-2023-44487 (HTTP/2 Rapid Reset, CISA KEV), CVE-2025-1695/23419/2025-3618 (nginx), CVE-2021-23017/3618/2022-41741/41742 (nginx 1.18.0 legacy), CVE-2024-6387/CVE-2025-26465 (SSH)
 - **Labels:** None
 - **Notes:** **Most infrastructure-rich IP in the fleet.** Uptime Kuma (monitoring dashboard) on ports 80 and 3001 suggests an operator actively monitoring service availability -- consistent with someone managing a distributed implant network. Prometheus + VictoriaMetrics (8428/8429) on the same host suggests telemetry collection from other nodes. ttyd on 7681 (shared with 40.233.66.153) provides a browser-accessible terminal. nginx 1.18.0 is significantly outdated. The HASSH match with 185.10.68.229 and 40.233.66.153 makes this a definitive infrastructure linkage node.
-

ASN Distribution

ASN	Provider	Country	IPs
AS51167	Contabo GmbH	DE (nodes in FR)	213.199.56.60, 37.60.230.90, 185.197.194.11
AS8075	Microsoft Corporation	US	4.149.234.135, 4.200.16.222

ASN	Provider	Country	IPs
AS31898	Oracle Corporation	US	40.233.66.153, 168.107.59.85
AS197207	MCCI (Iran mobile)	IR	83.120.93.0, 83.121.109.70
AS200651	FlokiNET	RO	185.10.68.229
AS63023	GTHost	US	216.106.186.24
AS36352	AS-COLOCROSSING / RackNerd	US	107.172.34.27
AS9123	Timeweb.Cloud	RU	109.196.101.80
AS139659	LUCIDACLOUD	HK	38.55.192.204
AS49981	WorldStream	NL	190.2.153.222
AS60068	CDN77 / Datacamp	GB	138.199.53.249
AS9329	Sri Lanka Telecom	LK	112.134.208.214
AS36947	Algérie Télécom	DZ	105.99.130.198
AS13335	Cloudflare	US	104.28.210.246
AS209847	THE	US	103.35.189.136
AS135905	VNPT	VN	103.137.185.212
AS24806	INTERNET-CZ	CZ	194.182.90.104

C2 Infrastructure Indicators Summary

The following indicators have the highest confidence for operator-controlled C2 infrastructure:

IP	Indicator Type	Detail	Confidence
109.196.101.80	DNS C2 panel naming	<code>panel.dreamside.su</code> , <code>node.dreamside.su</code> , <code>launcher.dreamside.su</code>	HIGH

IP	Indicator Type	Detail	Confidence
103.137.185.212	Multi-port unknown TLS services	5x consecutive ports 20131-20135, JARM 3fd3fd0000000000000043d43d ...	HIGH
194.182.90.104	Operator monitoring stack	Uptime Kuma + Prometheus + ttyd + shared HASSH	HIGH
185.10.68.229	Bulletproof hosting + non-std SSH	FlokiNET, SSH on 1923, shared HASSH	HIGH
40.233.66.153	C2-pattern JARM + shared HASSH	JARM 40d40d40d... on port 25117, shared HASSH	HIGH
168.107.59.85	Protected API backend	nginx Basic Auth + uvicorn JSON API + OpenSSL default cert	MEDIUM
216.106.186.24	Jupyter + MongoDB exposed	Self-signed CN cert + unauthenticated MongoDB	MEDIUM
104.28.210.246	Cloudflare-fronted domain	Anycast IP, domain fronting C2 evasion likely	MEDIUM
37.60.230.90	Unknown domain on Contabo	snepchet.online on same ASN cluster	LOW

Notable Vulnerability Exposure

CVE	CVSS	KEV	Affected IPs
CVE-2024-6387 (OpenSSH RegreSSHion)	8.1	Yes (CISA+3P)	168.107.59.85, 185.10.68.229, 40.233.66.153, 194.182.90.104
CVE-2023-44487 (HTTP/2 Rapid Reset)	7.5	Yes (CISA)	168.107.59.85, 194.182.90.104
CVE-2023-48795 (Terrapin SSH)	5.9	No	185.10.68.229, 40.233.66.153, 194.182.90.104

CVE	CVSS	KEV	Affected IPs
CVE-2025-26465 (SSH MitM)	6.8	No	168.107.59.85, 185.10.68.229, 40.233.66.153, 194.182.90.104, 103.137.185.212

Enrichment produced by  Orbie ✨ | Data source: Censys | Queried: 2026-02-27