



DSA Trees


[< Previous](#)[Next >](#)

Trees

The Tree data structure is similar to [Linked Lists](#) in that each node contains data and can be linked to other nodes.

We have previously covered data structures like Arrays, Linked Lists, Stacks, and Queues. These are all linear structures, which means that each element follows directly after another in a sequence. Trees however, are different. In a Tree, a single element can have multiple 'next' elements, allowing the data structure to branch out in various directions.

The data structure is called a "tree" because it looks like a tree, only upside down, just like in the image below.




The Tree data structure can be useful in many cases:

- Hierarchical Data: File systems, organizational models, etc.
- Databases: Used for quick data retrieval.
- Routing Tables: Used for routing data in network algorithms.
- Sorting/Searching: Used for sorting data and searching for data.
- Priority Queues: Priority queue data structures are commonly implemented using trees, such as binary heaps.

Tree Terminology and Rules

Learn words used to describe the tree data structure by using the interactive tree visualization below.



The first node in a tree is called the **root** node.

A link connecting one node to another is called an **edge**.

A **parent** node has links to its **child** nodes. Another word for a parent node is **internal** node.



Nodes without links to other child nodes are called **leaves**, or **leaf nodes**.

The **tree height** is the maximum number of edges from the root node to a leaf node. The height of the tree above is 2.

The **height of a node** is the maximum number of edges between the node and a leaf node.

The **tree size** is the number of nodes in the tree.

Types of Trees

Trees are a fundamental data structure in computer science, used to represent hierarchical relationships. This tutorial covers several key types of trees.

Binary Trees: Each node has up to two children, the left child node and the right child node. This structure is the foundation for more complex tree types like Binary Search Trees and AVL Trees.

Binary Search Trees (BSTs): A type of Binary Tree where for each node, the left child node has a lower value, and the right child node has a higher value.


AVL Trees: A type of Binary Search Tree that self-balances so that for every node, the difference in height between the left and right subtrees is at most one. This balance is maintained through rotations when nodes are inserted or deleted.

Each of these data structures are described in detail on the next pages, including animations and how to implement them.

DSA Exercises

Test Yourself With Exercises

Exercise:



What are nodes C, D, E, and G called?

Nodes C, D, E, and G
are called nodes.

[Submit Answer »](#)

[Start the Exercise](#)

[◀ Previous](#)

[Sign in to track progress](#)

[Next >](#)

[Tutorials ▾](#)[References ▾](#)[Exercises ▾](#)[Sign In](#)[≡](#) [SS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C](#)

Full access

All Courses
All Certificates

Save 75%

\$499
~~\$1,995~~

COLOR PICKER

[PLUS](#)[SPACES](#)[GET CERTIFIED](#)[FOR TEACHERS](#)[FOR BUSINESS](#)[CONTACT US](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Sign In](#)[≡](#) [SS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C](#)[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[AngularJS Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)[FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookies](#) and [privacy policy](#).

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.