

Beta_Test_Plan

1. Project context

Griffon is a modular cybersecurity solution for Linux desktop systems.
It is composed of:

- A **Tauri + Next.js desktop application** (UI layer)
- A **Rust daemon** (security engine) responsible for loading and executing security plugins

The desktop application acts solely as an interface.
It communicates with the daemon to:

- Load and list available security plugins
- Call plugin-exposed methods through a unified interface
- Display results, logs, history, and notifications

The UI could be replaced by a CLI without modifying the core engine.

For the beta version (v1.0), the platform provides two main modules:

1. **Static Malware Analyzer**
Analyzes files, folders, binaries, and archive files using YARA rules.
2. **System Cleaner**
Analyzes and removes cache, temporary files, and unnecessary system data.

2. User Roles

The following roles will be involved in beta testing.

Role Name	Description
Standard User	Runs analyses and cleaning tasks using default settings
Advanced User	Configures plugins, performance options, history, and notifications
Developer	Creates, installs, and tests custom plugins

3. Feature table

All of the listed features will be demonstrated during the beta presentation.

Feature ID	User role	Feature name	Short description
F1	Everyone	Launch application	Start the application without encountering crashes or system errors.
F2	Everyone	Plugin listing	Display a dynamic list of all currently installed plugins.
F3	Everyone	Cleaner data selection	Select specific types of system data (cache, temporary files) for analysis.
F4	Everyone	Cleaner analysis	Scan the system to identify removable or unnecessary data.
F5	Everyone	Cleaner results	Review the detected data details before proceeding with cleaning.
F6	Everyone	Cleaner execution	Remove the selected system data to free up space.
F7	Everyone	File or folder analysis	Target a specific file or directory for a security scan.

Feature ID	User role	Feature name	Short description
F8	Everyone	Default static analysis	Run a malware analysis using the predefined default settings.
F9	Advanced	Threat selection	Filter the specific types of threats to be detected during analysis.
F10	Advanced	Performance configuration	Adjust the number of threads to optimize analysis speed and behavior.
F11	Everyone	Analysis results	View the analysis summary, including duration and threats found.
F12	Everyone	Threat handling	Manage detected threats by deleting or confining them to quarantine.
F13	Everyone	Archive analysis	Toggle the inclusion of compressed archive files (e.g., .zip) within the analysis scope.
F14	Everyone	Plugins history	Access the historical logs and past results for every installed plugin.
F15	Everyone	Notifications	Receive a system alert once an analysis or task is completed.
F16	Advanced	Plugin management	Toggle the enabled or disabled status of specific plugins.
F17	Advanced	Plugin installation	Handle the complete lifecycle of plugins, including installation and removal.
F18	Advanced	Notification settings	Configure notification preferences on a per-plugin basis.
F19	Developer	Plugin creation	Build new custom plugins using the provided technical documentation.

4. Success criteria

Success criteria are based on **real usage scenarios** performed by beta testers.

Feature ID	Key success criteria	Indicator / Use case	Result
F1	Application is stable	Application launches repeatedly without crash	Achieved
F2	Plugins are correctly detected	All installed plugins appear at startup	Achieved
F3	Cleaner configuration works	Selected data types match analysis scope	Achieved
F4	Cleaner analysis completes	Analysis finishes and returns results	Achieved
F5	Cleaner results are accurate	Displayed data corresponds to actual files	Achieved
F6	Cleaning is controlled	Only selected data is removed	Achieved
F7	File/folder selection works	Correct target is analyzed	Achieved
F8	Default analysis is usable	Analysis completes without configuration	Achieved
F9	Threat filters apply	Only selected threat types are reported	Achieved
F10	Performance settings apply	Thread count affects analysis behavior	Achieved
F11	Results are understandable	User can interpret analysis outcome	Achieved
F12	Threat actions are effective	Files are deleted or confined correctly	Achieved
F13	Archive analysis is supported	Archive contents are analyzed correctly	Achieved
F14	History is preserved	Past analyses remain accessible for every plugins	Achieved
F15	Background notification works	Notification received after task completion	Achieved
F16	Plugin control is effective	Disabled plugins cannot be executed	Achieved
F17	Plugin lifecycle is functional	Plugins can be installed and removed	Achieved
F18	Notification preferences apply	Disabled notifications are not sent	Achieved
F19	Developer workflow is usable	Plugin created using documentation only	Achieved