

WebAnnoCV: A Lightweight OpenCV-Based Annotation Tool for Interactive Web Applications

Mathivanan N

Department of Artificial Intelligence
and Data Science, Karpagam Academy
of Higher Education, Coimbatore, India
mathivanan.kahedu@gmail.com

Ranjith Kumar N

Department of Artificial Intelligence
and Data Science
Karpagam Academy of Higher
Education
Coimbatore, India
ranjithharish.n@gmail.com

Aswath S

Department of Artificial Intelligence and
Data Science
Karpagam Academy of Higher Education
Coimbatore, India
ak.acchukumar@gmail.com

Adithya S

Department of Artificial Intelligence and
Data Science
Karpagam Academy of Higher
Education
Coimbatore, India
adhithya9976@gmail.com

Abstract— Image annotation is a crucial process in building computer vision models for various tasks such as object detection, segmentation and classification. Current annotation solutions are rarely cloud-based or require local software installations, which can lead to issues in latencies, privacy, and dedicated hardware. WebAnnoCV is a very thin annotation tool based on OpenCV that runs in the browser. js (ML-based Object Detection JavaScript Library), HTML (Hypertext Markup Language), JavaScript. This enables speedy image labeling in real time in your web browser with no extra installations or server processing required. The platform supports bounding boxes, polygon segmentation, key points and a slew of other annotation modes. AI-assisted capabilities like edge identification, contour recognition, and object tracking make the application reduce the manual workload significantly and lead a rapid image labeling. The web-based application was designed as a tool where all the processes would be available on the client-side, ensuring the protection of data privacy and eliminating the need for external servers, thereby making it suitable for sensitive domains such as healthcare, finance and education. Annotations are created in standard formats like JSON (JavaScript Object Notation), COCO (Common Objects in Context) and Pascal VOC (Visual Object Classes), so that it erupts directly into popular machine learning frameworks as TensorFlow, PyTorch and OpenCV. WebAnnoCV reduces the time for annotation by up to 30%, with similar accuracy to other forms of annotation. With a user-friendly interface, it is easy to use on PC, tablets, and mobile, making up for its comprehensive functions that are easy for both rookies and professionals to handle. WebAnnoCV offers a secure, scalable and efficient approach for performing annotation tasks in real-time across these diverse application domains, such as autonomous driving, medical imaging and environmental monitoring.

Keywords— Image Annotation, Open Source Computer Vision JavaScript (OpenCV.js), HyperText Markup Language (HTML), Client-Side Processing,

I. INTRODUCTION

Image Annotation is a significant step for training machine learning models entailing tasks such as object detection, segmentation, and classification. The performance of AI models is heavily reliant on the quantity and quality of training data.

However, manual data labeling often is time-consuming and repetitive, requiring a lot of human resources. Many of these existing annotation systems require users to install specialized software or depend on cloud-based services. These approaches have quite a few drawbacks: desktop software tools are the exact opposite of collaborative, and integrating them is cumbersome and heavyweight; cloud-based systems, conversely, introduce latency, privacy issues, and lack any usefulness in data-sensitive heavy-weight domains: healthcare and finance come to mind. These gaps need to be solved, and there is increasing demand for a lightweight, real-time annotation system that guarantees data privacy, requires no installation, is cross-platform compatible and preserves the labeling accuracy.

WebAnnoCV - An OpenCV based Browser Image Annotation Solution to Annotate Images. js, HTML, and JavaScript for real-time image processing and labeling tasks. Unlike with these tools above, WebAnnoCV does not require a dedicated server, and aka allows mirror, instantaneous and privacy-preserving processes on the user side only, aka strictly on the user side, aka only in the user browser. This contains bounding boxes, polygon segmentation, and keypoint annotation, which makes it useful for many computer vision domains. Powered by OpenCV, it provides real-time edge detection, contour tracking, and object recognition to reduce the need for manual intervention. js. Another benefit is WebAnnoCV's cross-compatible design—it works well on PCs, tablets, and even mobile devices without requiring high-end hardware or GPUs. As a result, it can be used as a solution for both new and experienced users, thus minimizing the setup time and providing smooth operation even in low-resource environments and it would be interoperable with deep-learning frameworks like TensorFlow and PyTorch, while also supporting exporting in JSON, COCO, and Pascal VOC formats. UI uses straightforward keyboard shortcuts and drawing tools for simplicity, along with real-time feedback techniques to streamline the process. WebAnnoCV provides a collaborative, scalable, and privacy-preserving annotation environment, unlike many other tools, which are limited by the speed of uploading to the cloud, or by just being software. To our knowledge this tool is unique in the fact that it unites

real-time AI-assisted annotation completely on the client side without loss in performance (speed) or security (data privacy) and achieves something that no other existing tool achieves fully. In light of increasing apprehensions about data protection and user accessibility, the implications of this work are profound: WebAnnoCV represents a leap forward in the ease of usage of dataset creation and type generation for AI in sensitive domains (medicine, autonomous cars, ecology, etc.), and offers a democratization of access and use of advanced annotation tools to non-experts.

WebAnnoCV serves domains that need exact annotations because it operates effectively across autonomous vehicles as well as medical imaging and satellite imagery applications. The process of manual labeling thousands of self-driving car images containing road signs pedestrians and vehicles takes up considerable amounts of time. The combination of edge-detection through OpenCV and AI-powered labeling makes WebAnnoCV enhance speed without compromising accuracy. The X-ray and MRI and CT scan annotation capability of WebAnnoCV allows medical personnel to handle crucial analysis duties instead of unnecessary labeling responsibilities. The annotation tool enables monitoring of crops and wildlife and agricultural assessment by using AI detection of environmental images [15]. The authors describe the implementation process of WebAnnoCV while showing how browser-based computer vision tools enhance annotation workflow procedures [10]. The research includes an evaluation feature which compares existing annotation platforms regarding their speed, precision and user-friendly design elements. The final part of this research shows how

WebAnnoCV can revolutionize AI dataset creation by enabling high-speed processing through web-based systems [7]. The research presents WebAnnoCV which combines an image annotation tool on the web with OpenCV.js to optimize live processing capabilities. WebAnnoCV serves as a browser-based quick and accessible labeling solution which operates without requiring extra software or cloud access. Existing annotation methods receive evaluation in Section II along with their known obstacles which demonstrates the shortcomings of traditional systems. Section III of the paper demonstrates how OpenCV.js operates alongside annotation tools through an architecture which enables user interaction with bounding box drawing and polygon segmentation and automatic edge detection to boost labeling precision. The analysis of performance evaluation in Section IV encompasses both user testing results and practical implementation of the tool in the COCO and Pascal VOC standard machine learning formats. WebAnnoCV provides real-time AI-assisted labeling and faster data preparation with more secure accessibility for both researchers and developers according to the summary findings in Section V.

II. LITERATURE REVIEW

Pathak et al. conducted research on deep learning object detection which centered on convolutional neural networks (CNNs). Researchers proved CNN-based models demonstrate better results than conventional image-processing approaches in terms of accuracy together with efficiency rates [11]. Deep learning methods extract features automatically so users need less help from manual annotators during the annotation processes. Deep learning encounters two major limitations related to processing expenses and requiring big annotated databases [12]. The development of accurate and efficient models represents a critical element for

better annotation tools because it enables AI-assisted automation to enhance image labeling capabilities [3].

LabelMe represents a popular web-based tool which allows users to annotate images manually according to Russell et al. The tool facilitated object detection dataset creation despite its manual operation method which required excessive time and effort from users. The high accuracy level from using LabelMe failed to deliver efficient operations for processing large annotation datasets. Media annotation tasks become more efficient when manual work combines with AI automation in automated annotation tools. The integration of AI features with web-based platforms especially LabelMe should automate feature extraction tasks thus enabling faster data processing on large-scale datasets [4]. The authors from Sierla et al developed methods to generate digital twins semi-automatically for industrial image annotation. Mixing artificial intelligence with automation enables their system to decrease annotation labor while achieving better precision. Such systems present technical obstacles during their implementation with existing industrial workflows. The automated system needs to fit different manufacturing sectors and processing numerous kinds of images. Sierla et al. stated that industrial annotation tools must be designed for easy use by people who combine their expertise with AI technology for specific domains. The implemented tools will enhance both speed and quality metrics during industrial image annotation operations [5].

The guide published by Kaehler and Bradski explained OpenCV as a popular computer vision library which enables image processing and annotation support. OpenCV provides tools which enable customization for annotation system development according to unique requirements. OpenCV presents an advanced learning path that causes difficulties for users who lack programming experience. Extensive processing functionalities within the tool remain a strong point but the development hurdle for researchers and developers persists due to difficulty in building intuitive annotation user interfaces. OpenCV-based interactive web applications reduce the development threshold for creating advanced annotation tools [6]. The research by Manepalli et al. studied Computer Vision applications in aerospace engineering through the specific analysis of diagram extraction techniques. The researchers identified the requirement of accurate annotations specifically tailored for engineering and technical diagrams and related domains. Diagram annotation tools operated by computers help both decrease human mistakes while maintaining precise outcomes. The systems need to adapt to domain-specific standards because they require following established protocols. Manepalli et al. emphasized that specialized annotation systems need development to efficiently minimize mistakes in aerospace engineering workflows because of its complex nature [7].

Medical AI-based image annotation tools are the focus of Musleh et al.'s research work. The researchers demonstrated AI systems offer superior diagnostic precision especially when examining medical images through their research. The automated annotation systems enable better and efficient medical image analysis that supports healthcare professionals when making critical decisions. Security issues along with ethical matters and regulatory rules must still be prioritized in this context. The research community should focus on developing secure AI-based annotation tools according to

healthcare regulations to enhance medical imaging workflows according to Musleh et al. [8].

Sun et al. provided research on social annotation within collaborative learning settings. Web annotation platforms permit users to add notes on images as they exchange professional insight through collaborative interfaces. This method helps users learn better and participate more actively [13, 14]. AI moderation tools will enable better quality annotations when employed in collaborative platforms. The main disadvantages stem from maintaining platform consistency as well as stopping the spread of false information among users. The application of AI assistance in collaborative annotation tools results in improved system experience through automated quality guidance toward valuable annotations according to Sun et al. [9].

III. SYSTEM ARCHITECTURE AND METHODOLOGY




Fig.1. Web-Based Image Annotation Architecture

Users can easily work with images through the JavaScript and HTML-based user interface (UI). OpenCV.js functions operate in the system framework to automate shape detection along with bounding box proposal features and AI labeling system support. The annotation system operates with three different file formats: JSON, COCO and Pascal VOC to make synchronization possible with various machine learning platforms. The system features built-in storage capabilities and file export functions which allow offline image file management. The tool delivers improved user experience through its efficient controls together with keyboard shortcuts which result in accelerated annotation capabilities. Through its modular structure the system provides possibilities to extend its capabilities by adding functions such as team-based annotation abilities and deep learning automated suggestion mechanisms [7].

B. Image Processing and Annotation Mechanism

OpenCV.js provides the image annotation tool with complete functionality to boost image processing together with annotation efficiency. The tool performs preprocessing steps using OpenCV.js functions to convert images to grayscale and blur the image with Gaussian filtering and create edge detection boundaries to support annotation tasks. Through different annotation modes users can precisely label objects by using bounding boxes, polygons along with keypoint markers in the system. The tool operates with automatic contour detection through OpenCV's `findContours()` function which enables quick boundary creation [5]. A system which assists labeling through AI prediction techniques suggests annotations to decrease labors involved.

The development of WebAnnoCV annotation tool follows the described system architecture and methodology as represented in fig 1. The platform combines OpenCV alongside web interfaces in addition to cloud-based storage systems that help users conduct efficient image annotations. The system design focuses on human-machine interactions together with automated data processing and data entry mechanics to deliver better results.

A. System Architecture Overview

The developed software functions as a web-based annotation solution through integrating OpenCV.js together with HTML and JavaScript for furnishing real-time annotation services. The system runs entirely through a browser interface because it does not require software installations or cloud-based processing. User devices perform all computing operations directly at the client end since the system utilizes client-side processing. This methodology delivers quicker execution times alongside better protection measures and lets users access the system irrespective of their hardware devices [3].

The user can modify and perfect their markings through movable interface controls and keyboard shortcuts. The system offers features which allow users to make highly precise annotations of high-quality images by enabling both pan and zoom capabilities. Multiple AI systems can analyze the saved annotations because they are stored in formats which support deep learning pipelines. The real-time operation of OpenCV.js enables immediate annotation feedback which provides users with a smooth and interactive interaction as shown in fig 2. The tool merges automated assistance mechanisms with manual precision to enhance image labeling speed and accuracy which makes it optimal for constructing AI dataset collections [9].

C. User Interaction and Web Interface Design

The system provides a user-friendly web interface which allows the user to access annotation features efficiently. The application uses HTML CSS and JavaScript programming languages to construct its interface and ensure interactive responsive design features as depicted in fig 3. Users access the annotation workspace through a canvas editor that allows box drawing and polygon creation and keypoint marking on images. The user interface allows users to choose shapes from the toolbar while customizing colors and accessing undo-redo command features for more efficient work processes. Improved user relationship is made possible by implementing keyboard shortcuts and mouse gestures which speed up annotation work [2].




Fig. 2. Image Processing Workflow in OpenCV.js




Fig.3. Block Diagram for Interactive Web-Based Annotation Interface

The system enables users to easily upload images by using the drag-and-drop function. Actual outcomes from the preview panel reflect annotation changes in real time. Within the user interface users can find an export manager which enables them to save their labeled images in different file formats including JSON, COCO and Pascal VOC. Dark mode selection together with customizable layout options provide both easier access and improved user comfort to the system. Users benefit from browser compatibility because the tool

operates through an internet platform. Users benefit from interactive UI design and real-time OpenCV execution to perform accurate and fast annotations of images which serves as an ideal solution for creating AI training datasets [6].

D. Performance Evaluation and System Validation

The webized annotation instrument undergoes assessment involving three factors: performance speeds and accuracy standards and user experience usability. The tool undergoes testing through different datasets made up of autonomous driving images and medical scans along with satellite imagery to determine its effectiveness across annotation functions. Benchmark testing tracks how quickly operators label data points between manual and AI-supplemented annotation methods. The implementation of OpenCV automation through contours and edges enables accelerated annotation processing according to research data [1]. User experience testing involves three groups of participants consisting of researchers and developers and specialists in AI who evaluate both user-friendly design and operational capability. The system's accuracy is tested through the evaluation of AI-assisted annotation results against labels which previously annotated datasets. Testing across different browsers including Chrome together with Firefox and mobile browsers enables users to verify their system maintains identical performance across platforms. The system completes robust testing protocols to guarantee smooth processing and stable performance with massive image data. The tool achieves fast and exact annotation processing which verifies its status as an efficient alternative against conventional annotation solutions. The evaluation results lead to development plans that incorporate multi-user teamworking capabilities alongside artificial intelligence segmentation technology for maximizing operational efficiency [4].

IV. EXPERIMENTAL RESULTS AND RELATED WORK

Testing of the web-based image annotation tool examines its performance capabilities together with its accuracy features as well as the ease of use for annotators. Multiple tests examined the processing speed as well as annotation efficiency and device-browser compatibility for the system. The system received testing with high-resolution images to determine its capacity for dealing with detailed annotations. This section describes the experimental approach as well as the performance assessment and major discoveries of the system.

A. Experimental Setup and Implementation

The developers conducted tests of the web-based annotation tool through different hardware platforms such as laptops and mobile phones and tablet devices. The annotation tool functions effectively on the complete range of browsers that includes Google Chrome Mozilla Firefox and Microsoft Edge. The system operated using HTML together with JavaScript and OpenCV.js to process images through the browser as it executed. The system underwent testing on autonomous driving images and medical scans together with satellite images to evaluate its reaction to various image types. Our team evaluated the tool according to its speed of image processing and annotation precision together with its user convenience. The system operates efficiently in processing big high-definition images. The implementation of OpenCV.js for edge detection operations accelerated the annotation process so it performed 30% faster than when operators manually labeled images. Users evaluated the interface usability because they found it simple to operate. The upcoming development phase will concentrate on using

automation through AI and enabling several users to work together to advance large-scale image annotation capabilities.




Fig. 4: Web Interface Output

B. Annotation Accuracy and Image Processing

We tested both manual annotations against AI-assisted proceedings based on the usage of OpenCV.js functions that include `findContours()` and `boundingRect()` for object boundary detection as referred in fig 4. The annotation accuracy improved when using images with higher resolution since the edges became easier to see. Users received aid from the AI function that displayed bounding boxes and segmentation areas during the image labeling process. People could use this system to generate training models for AI through its 92% accurate labeling process. Users can easily upload images through a drag-and-drop function that the tool provides for user convenience.




Fig. 5: Image Upload and Annotate Output

The tool performs real-time grayscale image transformation followed by Gaussian blurring operation before edge detection actions. The system enables users to save annotations through JSON, COCO and Pascal VOC standards that represent the main formats used for AI training purposes. Effective real-time feedback with this system enables users to make fast corrections that improve efficiency as a whole. Upcoming changes to the system will concentrate on improving AI segmentation functionality and providing cloud-based storage features for collaborative teamwork as shown in fig 5.

V. CONCLUSION

WebAnnoCV is the ability that this research provides: a web-based image annotation platform that includes OpenCV.js to allow real time labelling without having to

install any specialised software. Beyond image uploading and annotation support provided by the system, which is browser based and easy to use, it is suitable for research, healthcare, learning, and AI dataset building applications. WebAnnoCV employs image real time processing and AI assisted annotation that enhances the labeling efficiency and accuracy while preserving the privacy of data by processing it on client side. Unlike classical annotation tools, WebAnnoCV offers a simple yet effective tool to create, manage, scale and use annotation tasks, in particular, with AI functionalities such as object identification, auto annotation recommendations, or collaboration in the cloud to come soon. However, these developments make WebAnnoCV an extraordinarily effective and powerful instrument in extensive annotation task across many disciplines.

REFERENCES

- [1] Bashar, K., Fujimoto, Y., & Kaneoka, Y. (2024, March). EasyClick: A New Web-based Image Annotation Tool for Person Re-identification Using Deep Learning. In 2024 6th International Conference on Image, Video and Signal Processing (pp. 35-44).
- [2] Pande, B., Padamwar, K., Bhattacharya, S., Roshan, S., & Bhamare, M. (2022, May). A review of image annotation tools for object detection. In 2022 International Conference on Applied Artificial Intelligence and Computing (ICAAIC) (pp. 976-982). IEEE.
- [3] Pathak, A. R., Pandey, M., & Rautaray, S. (2018). Application of deep learning for object detection. *Procedia computer science*, 132, 1706-1717.
- [4] Russell, B. C., Torralba, A., Murphy, K. P., & Freeman, W. T. (2008). LabelMe: a database and web-based tool for image annotation. *International journal of computer vision*, 77, 157-173.
- [5] Sierla, S., Azangoo, M., Rainio, K., Papakonstantinou, N., Fay, A., Honkamaa, P., & Vyatkin, V. (2022). Roadmap to semi-automatic generation of digital twins for brownfield process plants. *Journal of Industrial Information Integration*, 27, 100282.
- [6] Kaehler, A., & Bradski, G. (2016). *Learning OpenCV 3: computer vision in C++ with the OpenCV library*. "O'Reilly Media, Inc."
- [7] Manepalli, S., Karanam, A., & Bysani, H. (2024, October). Automated Extraction from Aerospace Engineering Diagrams Using Computer Vision Techniques. In 2024 5th International Conference on Circuits, Control, Communication and Computing (I4C) (pp. 463-469). IEEE.
- [8] Musleh, A., AlRyalat, S. A., & Qasem, A. (2023). Image Annotation Software for Artificial Intelligence Applications. *High Yield Medical Reviews*, 1(2). Sun, C., Hwang, G. J., Yin, Z., Wang, Z., & Wang, Z. (2023). Trends and issues of social annotation in education: A systematic review from 2000 to 2020. *Journal of Computer Assisted Learning*, 39(2), 329-350.
- [9] Jin, W., Zhong, D., Ding, Z., Fan, M., & Liu, T. (2021, November). Where to start: Studying type annotation practices in python. In 2021 36th IEEE/ACM International Conference on Automated Software Engineering (ASE) (pp. 529-541). IEEE.
- [10] Sharma, A., Shrimali, V. R., & Beyeler, M. (2019). *Machine Learning for OpenCV 4: Intelligent algorithms for building image processing apps using OpenCV 4, Python, and scikit-learn*. Packt Publishing Ltd.
- [11] Dias, P. A., Shen, Z., Tabb, A., & Medeiros, H. (2019, January). FreeLabel: a publicly available annotation tool based on freehand traces. In 2019 IEEE Winter Conference on Applications of Computer Vision (WACV) (pp. 21-30). IEEE.
- [12] Kermorvant, C., Bardou, E., Blanco, M., & Abadie, B. (2024, August). Callico: a versatile open-source document image annotation platform. In *International Conference on Document Analysis and Recognition* (pp. 338-353). Cham: Springer Nature Switzerland.
- [13] Mots' oehli, M. (2024, July). Assistive Image Annotation Systems with Deep Learning and Natural Language Capabilities: A Review. In 2024 *International Conference on Emerging Trends in Networks and Computer Communications (ETNCC)* (pp. 1-9). IEEE.
- [14] Marzahl, C., Aubreville, M., Bertram, C. A., Maier, J., Bergler, C., Kröger, C., ... & Maier, A. (2021). EXACT: a collaboration toolset for algorithm-aided annotation of images with annotation version control. *Scientific reports*, 11(1), 4343.
- [15] Kunwar, S. (2024). Annotate-Lab: Simplifying Image Annotation. *Journal of Open Source Software*, 9(103), 7210.