```
{std::basic_string<
                                        Char >
                                          ||}
                                      {std::string
                                          ||}
                                                       -Name
                                                    -Patronymic_
                                                       -Rank
                                                     -Surname
                                                                   {TCapitanInfo
                                                           ||+ TCapitanInfo()
                                                           + TCapitanInfo(const
                                                           std::string &name,
                                                           const std::string &surname,
       {TObjectOnMap
                                                           const std::string &patronymic,
|- int X
                                                           const std::string &rank)
- int Y
                                                           + TCapitanInfo(const
|+ TObjectOnMap(int x,
                                                           TCapitanInfo &other)
                                                           + TCapitanInfo & operator
int y)
                                                           =(const TCapitanInfo &other)
+ TObjectOnMap(const
TObjectOnMap &other)
                                                           + bool operator==(const
+ virtual ~TObjectOnMap
                                                           TCapitanInfo &other)
()=default
                                                           const
+ TObjectOnMap & operator
                                                           + void SetName(const
                                          #ShipName
=(const TObjectOnMap &other)
                                                           std::string &name)
                                                           + void SetSurname(const
+ bool operator==(const
TObjectOnMap &other)
                                                           std::string &surname)
const
                                                           + void SetPatronymic
+ void SetX(int x)
                                                           (const std::string &patronymic)
+ void SetY(int y)
                                                           + void SetRank(const
+ int GetX() const
                                                           std::string &rank)
+ int GetY() const
                                                           + std::string GetName
+ int DistTo(const TObject
                                                           () const
OnMap &other) const
                                                           + std::string GetSurname
                                                           () const
              }
                                                           + std::string GetPatronymic
                                                           () const
                                                           + std::string GetRank
                                                           () const
                                                                         }
                                                              #CapitanInfo
                                    {TShip
                       |# int ShipType
                       # int MaxSpeed
                       # int NowSpeed
                       # int HPTotal_
                       # int HPNow_
                       # int Cost
                       |+ TShip(int x, int y,
                        int shipType, const
                        std::string &shipName,
                        const TCapitanInfo &capitanInfo,
                        int maxSpeed, int nowSpeed,
                        int hpTotal, int hpNow, int cost)
                        + TShip(const TShip
                        &other)
                        + TShip & operator=(const
                        TShip &other)
                        + bool operator==(const
                        TShip &other) const
                        + void SetShipType(int
                       shipType)
+ void SetShipName(const
                        std::string &shipName)
                        + void SetCapitanInfo
                       (const TCapitanInfo
                        &capitanInfo)
                       + void SetMaxSpeed(int
                        maxSpeed)
                        + void SetNowSpeed(int
                        nowSpeed)
                        + void SetHPTotal(int
                        hpTotal)
                       + void SetHPNow(int hpNow)
                       + void SetCost(int cost)
                       + int GetShipType() const
                        + std::string GetShipName
                       () const
                       + TCapitanInfo GetCapitanInfo
                       () const
                       + int GetMaxSpeed() const
                       + int GetNowSpeed() const
                       + int GetHPTotal() const
                       + int GetHPNow() const
                       + int GetCost() const
                       + void BeDamaged(int
                        damage)
                        + virtual void Print
                       () const
                       + virtual std::unique
                        _ptr< TShip > Clone
                       () const
```

}