

LINE ARRAY SUSPENSION

Technical data / extra information sheet

Mechanical Theatre Equipment Compliance Portal

Purpose of this sheet

A technical record template for this equipment. Complete and review it using the actual manufacturer instructions, installation design, inspection records and site assessment. It does not certify an asset or assign a load rating.

1. Equipment identification

Field	Details
Equipment name	Line Array Suspension
Equipment category	General Equipment / Audio Suspension
Manufacturer / supplier	To be confirmed for the actual asset.
Model / product variant	To be confirmed; include part number and version.
Asset / serial / batch ID	To be completed; attach a photograph of identification markings.
Site / location	To be completed.
Owner / responsible person	To be completed.
Status / record date	Generic template - asset details and approval outstanding. Date: _____

2. Description and typical use

A loudspeaker suspension system comprising an approved frame, cabinet rigging and connecting hardware. Its capacity depends on the exact cabinet arrangement, angles, pickup points and manufacturer limits.

- Use the loudspeaker manufacturer's approved configuration and calculation method.
- Record the entire suspended mass, including frame, cabinets, cables and accessories.

3. Technical data to confirm

Enter confirmed values and the document/drawing reference in the asset record. WLL means working load limit. No numerical load rating is assigned by this sheet.

Parameter	Required confirmation
System family	Record speaker models, frame model and all rigging accessory identities.
Array configuration	Record cabinet count/order, splay angles and any pull-back arrangement.
Load calculation	Attach manufacturer software output or approved configuration evidence.
Pickup arrangement	Record frame pickup holes, number of points and calculated reactions.
Rigging hardware	Identify pins, links, shackles and required locking/retention features.
Operating conditions	Record trim height, clearances and applicable weather/wind limitations.
Operating limits	Record all manufacturer/designer restrictions and the approved load arrangement.
Inspection / maintenance	Record pre-use checks, periodic inspections and servicing responsibilities; use the exact product instructions.
Documents / traceability	Attach applicable instructions, drawings, certificates and inspection/examination reports. Record reference and revision.

Important limitation

Do not apply another array model's cabinet count, frame capacity or angle limits. Generic rigging hardware cannot establish system compatibility.

4. Regulatory and good practice context

Topic	Application to record
Work equipment	Apply relevant PUWER duties for suitability, maintenance, inspection and safe use.
Lifting equipment	Assess the complete lifting use under LOLER. Record the competent person's examination requirements and the appropriate equipment/accessory classification.
Standards / instructions	Identify relevant product/structural standards and any BS EN 17206 machinery interface. Confirm applicable editions and scope; use maker/designer limits.

5. Pre-use and periodic inspection

Use competent personnel and a safe inspection method. These checks support the asset-specific regime; they do not replace maintenance or a statutory thorough examination. Record Pass / Fail / N/A and findings.

Check	What to confirm	Result / notes
Identification/records	Asset and configuration identifiable; instructions and previous defect actions available.	
Cabinet rigging	Links and attachment points undamaged and set to the recorded angles.	
Pins/locks	Correct parts fitted; every locking device positively engaged.	
Frame and pickups	No distortion/cracks; pickup positions match the approved calculation.	
Suspension/cables	No unintended cable load, twist, interference or uncontrolled movement.	
Change or damage history	Check for overload, impact, modification, repair or changed environment since last assessment.	
Safe function check	Where applicable, verify intended operation using an authorised safe procedure; do not improvise a proof-load test.	
Outcome/actions	Record defects, restrictions and actions; confirm who authorises return to use.	

6. Removal from service triggers

- Missing locking pin, damaged cabinet rigging or an unapproved mix of system parts.
- Configuration differs from the approved calculation or any component has suffered overload.
- Damage, wear, corrosion or malfunction beyond the manufacturer/designer acceptance criteria, or uncertainty about safe condition.
- Suspected overload, significant impact or an unapproved modification: isolate the affected asset pending competent assessment.
- Tag and prevent use of unsafe equipment; record the defect and authorised repair/replacement and reinspection before return.

Inspection planning

Where LOLER applies, record the correct examination interval or a competent person's written scheme. Do not assume that an annual visual check is sufficient for every asset. Include examinations after relevant exceptional events.

7. Site-specific notes and limitations

Topic	Site entry / supporting document reference
Permitted loads / uses	
Prohibited uses / limits	
Location / environment	
Inspection / servicing plan	
Related assets / drawings	

8. Inspection and document record

Date	Check / document	Completed by	Outcome / action

Asset details verified by: _____ Date: _____

Release / approval reference: _____

Reference guidance

[L-Acoustics - K2 manual \(example; use actual system manual\)](#)

[HSE - PUWER overview](#)

[HSE - LOLER overview](#)

[HSE - thorough examinations](#)

References reviewed 9 October 2026. Example-brand documents do not identify the asset or approve another manufacturer's product. Keep the exact product manual and installation evidence with the portal record.

Portal document note

Suggested portal path: documents/line_array_suspension_technical_datasheet.pdf. Uploading the file only makes it available; the equipment record must link to this exact filename.