

SWIVEL LEG BAR

Technical data / extra information sheet

Mechanical Theatre Equipment Compliance Portal

Purpose of this sheet

A technical record template for this equipment. Complete and review it using the actual manufacturer instructions, installation design, inspection records and site assessment. It does not certify an asset or assign a load rating.

1. Equipment identification

Field	Details
Equipment name	Swivel Leg Bar
Equipment category	General Equipment / Audio Suspension
Manufacturer / supplier	To be confirmed for the actual asset.
Model / product variant	To be confirmed; include part number and version.
Asset / serial / batch ID	To be completed; attach a photograph of identification markings.
Site / location	To be completed.
Owner / responsible person	To be completed.
Status / record date	Generic template - asset details and approval outstanding. Date: _____

2. Description and typical use

A venue-named bar assembly incorporating a swivel or pivoting support. Confirm the actual product and intended function from photographs, drawings or manufacturer records before assigning operating limits.

- Document whether this asset is fixed, manually repositioned or part of a moving system.
- Use only the approved pivot, locking arrangement and load positions for the identified assembly.

3. Technical data to confirm

Enter confirmed values and the document/drawing reference in the asset record. WLL means working load limit. No numerical load rating is assigned by this sheet.

Parameter	Required confirmation
Asset definition	Attach a photograph/drawing and confirm what the venue calls a swivel leg bar.
Bar/support geometry	Record section, material, length, pivot position and supported spans.
Pivot connection	Record pin/bearing, retention, mounting bracket and supporting structure.
Locks and limits	Identify positive locks, end stops and permitted operating positions.
Load arrangement	Confirm capacity, centre of gravity and any asymmetric loading restrictions.
Movement control	Record safe repositioning method, cable clearances and crush/shear zones.
Operating limits	Record all manufacturer/designer restrictions and the approved load arrangement.
Inspection / maintenance	Record pre-use checks, periodic inspections and servicing responsibilities; use the exact product instructions.
Documents / traceability	Attach applicable instructions, drawings, certificates and inspection/examination reports. Record reference and revision.

Important limitation

The equipment name alone does not establish its design. No model-specific manufacturer instructions have been identified for this asset.

4. Regulatory and good practice context

Topic	Application to record
Work equipment	Apply relevant PUWER duties for suitability, maintenance, inspection and safe use.
Lifting equipment	Assess whether the actual mechanism raises/lowers a load and falls within LOLER. Manual adjustment or the asset name alone is not a classification decision.
Standards / instructions	Identify relevant product/structural standards and any BS EN 17206 machinery interface. Confirm applicable editions and scope; use maker/designer limits.

5. Pre-use and periodic inspection

Use competent personnel and a safe inspection method. These checks support the asset-specific regime; they do not replace maintenance or a statutory thorough examination. Record Pass / Fail / N/A and findings.

Check	What to confirm	Result / notes
Identification/records	Asset and configuration identifiable; instructions and previous defect actions available.	
Pivot and retention	No loose pin, damaged bearing, excessive wear or ineffective retainer.	
Locks/stops	Required locks engage positively and hold the intended position.	
Bar and supports	No bending, cracks, failed joints or loose structural fixings.	
Movement path	No snagged cables, uncontrolled swing or obstruction.	
Change or damage history	Check for overload, impact, modification, repair or changed environment since last assessment.	
Safe function check	Where applicable, verify intended operation using an authorised safe procedure; do not improvise a proof-load test.	
Outcome/actions	Record defects, restrictions and actions; confirm who authorises return to use.	

6. Removal from service triggers

- Uncontrolled rotation, failed lock/stop or missing pivot retention.
- Unknown assembly identity/capacity or structural damage at the swivel support.
- Damage, wear, corrosion or malfunction beyond the manufacturer/designer acceptance criteria, or uncertainty about safe condition.
- Suspected overload, significant impact or an unapproved modification: isolate the affected asset pending competent assessment.
- Tag and prevent use of unsafe equipment; record the defect and authorised repair/replacement and reinspection before return.

Inspection planning

Where LOLER applies, record the correct examination interval or a competent person's written scheme. Do not assume that an annual visual check is sufficient for every asset. Include examinations after relevant exceptional events.

7. Site-specific notes and limitations

Topic	Site entry / supporting document reference
Permitted loads / uses	
Prohibited uses / limits	
Location / environment	
Inspection / servicing plan	
Related assets / drawings	

8. Inspection and document record

Date	Check / document	Completed by	Outcome / action

Asset details verified by: _____ Date: _____

Release / approval reference: _____

Reference guidance

[HSE - PUWER overview](#)

[HSE - LOLER overview](#)

[HSE - thorough examinations](#)

References reviewed 9 October 2026. Example-brand documents do not identify the asset or approve another manufacturer's product. Keep the exact product manual and installation evidence with the portal record.

Portal document note

Suggested portal path: documents/swivel_leg_bar_technical_datasheet.pdf. Uploading the file only makes it available; the equipment record must link to this exact filename.