

Technical Datasheet

Lifting Stand

Generic equipment information and inspection support template

This datasheet is intended for use within the Stage Electrics Mechanical Theatre Equipment Compliance Portal. It provides generic technical information, inspection prompts and record fields for a lifting stand. It should be checked and edited against the actual manufacturer instructions, rating plate, site installation and competent-person advice before use.

Important limitation

This is not a manufacturer certificate, declaration of conformity, structural calculation or thorough examination report. It is a portal reference document to help capture and present equipment information consistently.

1. Equipment overview

A lifting stand is a portable or semi-portable support incorporating a lifting or height-adjustment mechanism used to raise, lower and support suitable production equipment. In theatre and entertainment environments this may include lighting bars, luminaires, small truss sections, loudspeakers, scenic items or other approved loads.

The stand, mast, lifting mechanism, base, outriggers, locking devices, load attachment, accessories and supported equipment should be considered as one complete load path. The safe use of the stand depends on correct assembly, stable footing, suitable ballast or outriggers where required, correct load position and competent operation.

2. Identification and technical data record

Equipment name	Lifting Stand
Manufacturer	To be completed
Model / type	To be completed
Serial number / asset ID	To be completed
Safe Working Load / WLL	To be confirmed from manufacturer marking or documentation
Maximum operating height	To be completed
Minimum operating height	To be completed
Lifting method	Manual winch / rack / screw / telescopic mast / other - to be confirmed

Load attachment method	Spigot / yoke / T-bar / truss adaptor / bracket / other - to be confirmed
Base / stabilisation	Tripod legs / outriggers / base frame / ballast / other - to be confirmed
Intended use	Supporting approved production equipment within the stated capacity and configuration
Inspection interval	To follow site regime, manufacturer guidance and competent-person requirements
Document owner	To be completed
Last reviewed	To be completed

3. Typical components

- Base frame, tripod legs, outriggers, stabilisers, ballast or levelling feet.
- Mast or telescopic sections, collars, sleeves, guides and alignment features.
- Manual lifting mechanism such as winch, handle, gearbox, rack, screw or pulley system.
- Wire rope, fibre rope, belt, chain, rack or other lifting medium where fitted.
- Locking pins, safety catches, pawls, brakes, clamps or secondary locking devices.
- Load attachment such as spigot, fork, yoke, T-bar, truss adaptor or bracket.
- Manufacturer rating plate, WLL/SWL marking and any height/configuration limitations.

4. Suitability and use limitations

- Use only on a surface that is level, stable and capable of supporting the imposed load.
- Do not exceed the stated WLL/SWL, maximum height, outreach or manufacturer configuration limits.
- Do not use where the load introduces unsuitable side loading, twisting, pulling, impact or wind loading.
- Ensure outriggers, legs or stabilisers are fully deployed and locked where required.
- Keep the load centred and correctly seated on the approved attachment point.
- Do not climb the stand, move it while loaded, or use it as access equipment unless specifically designed for that purpose.
- Where used in public or performance areas, consider exclusion zones, secondary restraint, cable management and foreseeable misuse.

Site-specific check

If the stand is being used with truss, speaker brackets, projector brackets or offset loads, confirm the full arrangement is permitted by the manufacturer and remains stable at the required height.

5. Regulatory context

Requirement	How it relates to a lifting stand	Portal note
LOLER	Relevant where the stand is used for lifting or lowering loads at work. The lifting arrangement should be suitable, strong, stable, marked and subject to examination or inspection as required.	Treat the stand and any fitted lifting mechanism as lifting equipment when it raises or lowers a load.
PUWER	Applies as work equipment. The stand should be suitable for its intended use, maintained in safe condition, inspected where deterioration could create risk, and used by trained people.	Applies even where a particular use is not treated as a LOLER lifting operation.
BS EN 17206	Relevant where the lifting stand forms part of an entertainment technology lifting or suspension system, particularly where loads are raised, lowered or held above people.	Consider compatibility with the full theatre or production system.
ABTT good practice	Supports competent selection, installation, inspection, maintenance and operation within places of entertainment.	Useful for venue-specific risk assessment and inspection regimes.

6. Pre-use and periodic inspection prompts

Check area	What to confirm	Pass / fail	Notes / action
Identification	Manufacturer, model, WLL/SWL, asset ID and configuration limits are known and legible.	☐ Pass ☐ Fail	
Base and stability	Legs, outriggers, feet, base frame and ballast arrangements are complete, secure and suitable for the surface.	☐ Pass ☐ Fail	
Mast sections	Mast or telescopic sections are straight, clean, correctly aligned and free from cracks, dents, corrosion or distortion.	☐ Pass ☐ Fail	
Lifting mechanism	Winch, gearbox, rack, screw, handle, pulleys or drive parts operate smoothly and hold position without slipping.	☐ Pass ☐ Fail	
Lifting medium	Rope, wire rope, belt or chain is free from broken wires, kinks, crushing, corrosion, contamination, cuts or excessive wear.	☐ Pass ☐ Fail	

Check area	What to confirm	Pass / fail	Notes / action
Locks and pins	Locking pins, collars, clamps, pawls, brakes and safety catches are present, correctly fitted and operating properly.	☐ Pass ☐ Fail	
Attachment point	Spigot, yoke, T-bar, bracket or adaptor is compatible with the load and is not cracked, bent, loose or worn.	☐ Pass ☐ Fail	
Fasteners	Bolts, nuts, rivets, pins, clips and retaining devices are present, tight and not damaged.	☐ Pass ☐ Fail	
Load condition	The intended load is within capacity, centred, correctly attached and does not introduce unsuitable side or offset loading.	☐ Pass ☐ Fail	
Operation	Raising and lowering are controlled, smooth and free from abnormal noise, snatching, jamming or uncontrolled movement.	☐ Pass ☐ Fail	
Environment	Floor, weather, public access, cables, trip hazards and surrounding obstructions have been considered.	☐ Pass ☐ Fail	
Records	Inspection, maintenance, defect and thorough examination records are available where required.	☐ Pass ☐ Fail	

7. Defects requiring removal from service

- Missing or illegible WLL/SWL, manufacturer plate or essential identification.
- Bent, cracked, corroded or distorted mast, base, legs, outriggers or attachment components.
- Damaged wire rope, fibre rope, belt, chain, sheave, drum, rack or screw mechanism.
- Brake, pawl, lock, pin or clutch that does not hold securely or cannot be verified.
- Unstable base, damaged feet, missing outriggers, poor levelling or uncertain ground support.
- Unapproved modification, drilling, welding, repair or substituted components.
- Any sign of overload, impact damage, uncontrolled descent, slipping, abnormal noise or rough operation.
- Uncertainty over rating, configuration, manufacturer instructions or inspection status.

8. Maintenance and records

Maintenance should follow the manufacturer instructions and the site maintenance regime. Typical tasks may include cleaning, lubrication where specified, adjustment, replacement of damaged components, inspection of moving parts and confirmation that locking and braking functions continue to operate safely.

Maintenance record location	To be completed
Inspection report location	To be completed
Manufacturer manual location	To be completed
Defect reporting route	To be completed
Competent person / responsible person	To be completed

9. Portal upload information

Suggested portal PDF filename: documents/lifting_stand_technical_datasheet.pdf

Suggested portal title: Lifting Stand Technical Datasheet

10. Review notes

- Confirm whether the specific stand is manually operated, powered, winch-operated, rack-operated or simply height-adjustable.
- Confirm whether LOLER thorough examination is required for the actual use and configuration.
- Add manufacturer-specific WLL/SWL, maximum height, load chart and permitted accessories where available.
- Add any venue-specific restrictions such as maximum height in public areas, minimum ballast, wind restrictions or restrictions on moving while loaded.