



larderEnhanced4

Create architecture questions based on the graph.

Code einblenden <>

Architecture Questions In Knowledge Graph • Benutzerdefiniertes Gem

Architecture Question Agenda — Community Cooking

Mode: graph. Knowledge graph compiled from 20 modeling artifacts (brainstorm, impact map, Wardley map, Business Model Canvas, capability map, 5 domain stories, EventStorming board, visual glossary, 9 bounded context canvases, and small ADR log), dated 2026-09-10 to 2026-09-12.

TTL

1. What this agenda is built from

Artifact	Type	Date	Finding / Node Count
Larder brainstorm	Brainstorm	2026-09-10	11 clusters, 42 ideas TTL
Larder impact map	ImpactMap	2026-09-10	1 goal, 9 actors, 14 impacts, 16 deliverables TTL
Larder Wardley map	WardleyMap	2026-09-10	4 users, 7 needs, 24 components TTL
Business Model Canvas	BusinessModelCanvas	2026-09-10	9 blocks, 26 stickies TTL
Capability Map	CapabilityMap	2026-09-10	5 level-1, 16 level-2 capabilities

Artifact	Type	Date	Finding / Node Count TTL
5 Domain Stories	DomainStory	2026-09-10	44 sentences across 5 stories TTL
EventStorming Board	EventStormingBoard	2026-09-10	21 events, 7 bounded context bubbles TTL
Visual Glossary	VisualGlossary	2026-09-10	25 terms, 36 relationships, 7 is-a edges TTL
9 Bounded Context Canvases	BoundedContextCanvas	2026-09-12	9 context canvases TTL
Small ADR Log (Sadrslarder.md)	ADRLog	2026-09-12	7 decisions (SADR0001-SADR0007) TTL

2. Already settled — do not re-open

- **AQ-S01 (Routing to Chef):** Settled by `D_SADR0001` — Chef is accessed exclusively, rather than as a parallel responder alongside Grandma Avatar and Community.
TTL
- **AQ-S02 (Meal Plan vs. Menu terminology):** Settled by `D_SADR0003` — "Menu" is used for both Menu and Meal plan across planning and execution contexts (supersedes `D_SADR0002`).
TTL
- **AQ-S03 (Help terminology split):** Settled by `D_SADR0004` — Split "Help" into distinct domain terms `Help request` and `Help response`.
TTL
- **AQ-S04 (Documentation Legends):** Settled by `D_SADR0005`, `D_SADR0006`, and `D_SADR0007` — Legend requirement adopted for Visual Glossary, Brainstorming, and Capability Map.
TTL

3. The agenda

3a. Context boundaries & ownership

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-001	Is Ingredient owned by Meal Planning or Recipe Catalog ? TTL	Decides whether recipe maintenance or meal planning owns ingredient schema and writing rights. TTL	(a) Owned by Meal Planning ;(b) Owned by Recipe Catalog . TTL	Canvas Meal Planning Catalog (Q_WhoOwnsIn) TTL
AQ-002	Are Cooking Assistance (planning-time help) and Cooking Help (cooking-time help) one bounded context or two? TTL	Determines whether help at the stove and help during planning are one deployable service or two distinct bounded contexts. TTL	(a) One merged context Cooking Assistance ;(b) Two separate contexts split by operational timing. TTL	EventStorming Board (EventStormingWithBo) vs EventStormingBoard . TTL
AQ-003	Does Grandma Avatar AI exist as an independent bounded context with an ACL, or is it an internal component inside Cooking Assistance ? TTL	An independent context requires an Anti-Corruption Layer (ACL) and separate service boundary; an internal component shares the context boundary directly. TTL	(a) Independent Grandma Avatar AI context with ACL; (b) Internal component within Cooking Assistance . TTL	Bounded Context Canvas AI vs Domain Stories & ES TTL

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-004	What aggregate owns the in-flight state during meal preparation? TTL	<code>MealPreparation</code> has events/commands but no aggregate drawn; without it, service state persistence cannot be designed. TTL	(a) Introduce <code>MealPreparation</code> aggregate root; (b) Delegate state tracking to client session. TTL	Bounded Context Canvas Preparation (<code>Q_WhatIsCookHolding</code>) TTL
AQ-005	Which context consumes the settled <code>Meal plan</code> ? TTL	<code>Meal plan</code> is produced at event 10 but never read by any subsequent context or service on the diagram. TTL	(a) Add direct read integration from <code>MealPreparation</code> ; (b) Remove <code>Meal plan</code> as a distinct business object. TTL	EventStorming Board (event Planning (<code>Q_WhoReads</code>) TTL

3b. Integration pattern & consistency

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-006	Is <code>Grandma Avatar</code> integrated as an external third-party API or an internal domain actor? TTL	ES board flags it as <code>ExternalSystem</code> (pink gear) requiring translation, while Domain Stories treat it as a human-like <code>Actor</code> . TTL	(a) Wrap via ACL as an external service; (b) Treat as an internal native domain responder. TTL	EventStorming Board vs Domain (<code>As_AvatarExternalSystem</code>) (<code>As_AvatarPersonActor_S</code>) TTL

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-007	Why does <code>Sharing</code> read <code>Help</code> response from <code>MealPreparation</code> instead of directly from <code>Cooking Assistance</code> ? TTL	Reading from <code>MealPreparation</code> introduces indirect coupling and pass-through dependencies across three contexts. TTL	(a) Direct read from <code>Cooking Assistance</code> ; (b) Indirect pass-through via <code>MealPreparation</code> . TTL	Bounded Context Canvas <code>ShareHelpResponseFromMealPreparation</code> (<code>Q_WhyHelpResponseFromMealPreparation</code>) TTL
AQ-008	Should <code>MediaConsentManagement</code> directly before serving photos to external readers? TTL	Decides whether <code>Media</code> must execute a synchronous compliance check on image requests or rely on upstream filtering. TTL	(a) Synchronous query dependency on <code>ConsentManagement</code> ; (b) Async consent flagging at capture time. TTL	Bounded Context Canvas <code>ConsentManagement</code> (<code>Q_WhyDoesMediaConsentManagement</code>) TTL

3c. Build vs. buy

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-009	Is <code>ContentCreation</code> a core domain differentiator or a commodity capability? TTL	Capability map marks <code>ContentCreation</code> as Core (custom build), whereas Wardley map places recipe writing and media upload in Commodity (buy/rent). TTL	(a) Custom-built core content engine; (b) Commodity CMS / media store integration. TTL	Capability Map vs Wardley Map (<code>As_ContentCreationCore</code> vs <code>As_CreateContentCommodity</code>) TTL

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-010	Is <code>Grandma</code> / <code>Grandpa</code> AI a core competitive pillar or a low-priority deliverable? TTL	Capability map marks <code>Grandma</code> / <code>Grandpa</code> capability as Core, while Impact Map assigns <code>Grandma</code> / <code>Grandpa</code> AI priority 3 (lowest). TTL	(a) Invest heavily in bespoke AI avatar architecture; (b) Offload to generic commercial LLM wrapper. TTL	Capability Map vs Impact Map (<code>As_GrandmaCore_CM</code> vs <code>As_GrandmaPriority3_CM</code>) TTL
AQ-011	Is <code>Recipe Catalog</code> an internal bounded context or an external off-board catalog behind an OHS? TTL	Canvas proposes <code>Recipe Catalog</code> as generic/product/commodity with no domain events or mutation commands. TTL	(a) Internal custom database service; (b) Off-the-shelf third-party catalog behind Open Host Service TTL	Bounded Context Canvas Profile (<code>Q_ContextOrOffBoardCatalog</code>) TTL

3d. Numbers nobody supplied

ID	Question	Why it moves the diagram	Options on the table	Evidence
AQ-012	What is the cardinality of <code>Cook gives Consent</code> ? TTL	Canvas lists cardinality as <code>?</code> , leaving unsettled whether consent is a single global flag or a granular 1..* collection. TTL	(a) Single global boolean flag; (b) Collection of consent records per policy/scope TTL	Bounded Context Canvas Profile (<code>Rel_CookGivesConsent</code>) TTL
AQ-013	How many ingredients can a preparation step require (<code>Step needs Ingredient</code>)?	Glossary relationship omits cardinality (<code>cardinalityGiven false</code>), affecting array storage vs single reference per step.	(a) Exactly 1 ingredient per step; (b) 1..* ingredients per step.	Visual Glossary (<code>Rel_StepNeedsIngredient</code>) TTL

ID	Question	Why it moves the diagram	Options on the table	Evidence
	TTL	TTL	TTL	

4. Severity ranking

1. **AQ-001 (Ingredient Ownership):** Reached by two independent context canvases (Meal Planning and Recipe Catalog); resolves core data ownership.
TTL
2. **AQ-002 (Cooking Assistance vs Help Split):** Disagreement between physical board renderings; impacts service boundary count and operational SLAs.
TTL
3. **AQ-009 (Content Creation Classification):** Direct contradiction between Capability Map (Core) and Wardley Map (Commodity); drives build vs. buy capital allocation.
TTL
4. **AQ-003 & AQ-006 (Grandma Avatar AI ACL & Context Boundary):** Contradiction across three artifact types (Stories, ES Board, Canvas); decides external API integration strategy.
TTL

5. Not on this agenda

- **Visual Legend Meanings (Q_ESIcons , Q_GlossaryColours , Q_BrainstormLegend):** Questions about sticky colors, sparkle icons, and board icons reflect workshop notation rather than system architecture.
TTL
- **Catastrophe vs Shared Pictures (Q_PicturesTwoSenses , Q_OnePictureOrTwo):** Distinguishing evidence photos from trophy photos is a UI asset/metadata tagging choice, not a service boundary issue.
TTL
- **Competition Story Sequence (Q_CompetitionNumbering):** Duplicate sentence numbering on the Competition story diagram represents an artifact drawing defect rather than an architectural doubt.
TTL

6. Feeding the answers back

Decisions made in response to this agenda should be appended to SadrsLarder.md following the established small-ADR format (Date · ID · Title · Status · Author · Decision · Question · Options). Re-ingesting the updated ADR log via domain-knowledge-graph will automatically create dkg:answers edges, moving resolved questions from §3 into §2 on subsequent runs.

