

Value Chain Physics:

Governance Laws of Open Complex Giant Systems

— A Complete Physics Constitution, Formal Work Operators, and 100-Billion-Scale Industrial Validation

Fanchun Meng (Grit Meng)

General Design Department of Global Digital Neural System Centroid

Former Chief Architect of Global Supply Chain Planning Systems (IPS), Lenovo Group

Email: gritmeng@outlook.com | GitHub: <https://gritmeng.github.io/Value-Chain-Physics/>

July 28, 2026

Abstract

Modern large-scale discrete manufacturing networks and global value chains represent classic **Open Complex Giant Systems (OCGS)**, characterized by non-independent and identically distributed (Non-IID) interactions and factorial state-space explosions ($O(N!)$). Traditional management paradigms—relying on steady-state assumptions, local optimization, and open-loop administrative workflows—inevitably collapse under Wolfram computational irreducibility and organizational entropic dissipation. In this monograph, we establish **Value Chain Physics (VCP)**, an axiomatic theoretical framework for open complex giant systems. Reconstructing Qian Xuesen’s “metasynthesis” through first-principles physics, we define the Digital Double-Helix Ontology $\langle \mathcal{D}, A \rangle$, coupling a five-dimensional orthogonal value-chain container $\mathcal{D}$ with a discrete-time algorithm engine A . We prove five foundational theorems: (1) algebraic irreducibility and topological completeness of container $\mathcal{D}$; (2) the quadratic decay law of Return on Invested Capital (ROIC) with respect to manufacturing lead time; (3) non-linear WIP inflation under non-kit arrival delays; (4) absolute optimality of physical-constraint truncated IF-THEN-ELSE stepping search; and (5) governance as a necessary mathematical precondition for observability. For engineering execution, we deploy Data-Oriented Design (DOD) with SIMD bitset vectorization in the IPC engine, achieving a decisive empirical benchmark: resolving 500,000 discrete demand orders, 2,000,000 SKU-location nodes, and 150,000 physical constraints in 296 seconds (5 minutes) on a single commodity personal computer (PC) for LCFC (World Economic Forum Lighthouse Factory). Finally, we demonstrate a 1:1 mathematical isomorphism between VCP and five classical system theories (Prigogine Dissipative Structures, Ashby Requisite Variety, Karl Friston Free Energy Principle, Conant-Ashby Good Regulator Theorem, and Renormalization Group Dynamics), elevating value chain governance from heuristic management to an empirical, falsifiable hard physics science.

Keywords: Value Chain Physics; Open Complex Giant Systems; Digital Double-Helix On-

tology; Computational Irreducibility; ROIC Quadratic Decay; Kalman Observability; Human-Out-of-the-Loop; Free Energy Principle

Contents

1	Volume I: Collapse of the Old Value Chain Continent and Axioms of the New Paradigm	9
1.1	Chapter 1: Complex Trap and Clinical Tableaux of Systemic Failure	9
1.1.1	Phenomenological Slice: Micro-Manifestation of $N!$ Complexity	9
1.1.2	The Three Physical Isolations and Seven Clinical Tableaux	9
1.1.3	Clinical Diagnosis: When Peak Management Philosophies Hit Compute Limits	10
1.2	Chapter 2: Evolution, Empirical Proof, and Isomorphic Principles	10
1.2.1	Historical Trajectory & The "Diseconomies of Scale" Paradox	10
1.2.2	Empirical Decisive Benchmark: Lenovo & LCFC Lighthouse Factory . . .	11
2	Physical and Mathematical Foundation of Value Chain Physics	11
2.1	The 5D Value Chain Container $\mathcal{D}$	11
2.2	Theorem 1: Algebraic Irreducibility and Topological Completeness	11
2.3	Theorem 2: Quadratic Decay Law of ROIC	12
2.4	Theorem 3: Non-Linear WIP Inflation under Non-Kit Wait Times	12
2.5	Theorem 4: Absolute Optimality of Physical-Constraint Truncated IF-THEN-ELSE Stepping Search	12
2.6	Theorem 5: Governance as a Precondition for Observability	12
3	One Plan Architecture, Dimensional Algebra, and DOD Compute Engine	13
3.1	Planning BOM Dimension Algebra	13
3.2	Allocation-Allotment Dual-Loop Feedback Control	13
3.3	Bare-Metal Data-Oriented Design (DOD)	13
4	100-Billion Industrial Empirical Benchmark: LCFC Lighthouse Factory	14
4.1	Experimental Setup	14
4.2	Empirical Benchmark Results	14
4.3	Verified Financial & Operational Results	14
5	Discussion: Unification with Five Classical System Theories	15

Prologue: Inspection at the Edge of the Old Paradigm

Introduction: The Needham Question and the Era Mismatch of Value Chains

The management paradigm of human business civilization has experienced two major evolutions and is now entering a third era driven by high-dimensional complexity absorption:

1. **The First Revolution (Mechanical Era):** Marked by Frederick Taylor's "Scientific Management." Its core was the standardization of physical labor, solving "how to make human physical actions as efficient as machines," propelling human productivity from craft workshops to industrial assembly lines.
2. **The Second Revolution (Information Era):** Marked by Peter Drucker's "Modern Management." Its core was knowledge work motivation and bureaucratic synergy, solving "how to make human brains work for common commercial goals," giving rise to twentieth-century multinational corporations.
3. **The Third Revolution (Algorithmic Era):** Its core lies in tackling the exponential leap in complexity. When variable combinations in modern business networks cross the $N!$ factorial threshold, transcending the physical limits of human brain concurrent processing bandwidth, the focus of governance must pivot from *personnel motivation* to *algorithmic authority*. This is not merely a tool upgrade, but the physical bedrock of enterprise survival in the intelligent era.

This monograph provides not only a set of digital tools forged in deep-water practice, but also an exploration of a new set of principles under objective laws for enterprise management. Before turning to the first page, we explicitly define our target audience:

- If you are a CEO or decision-maker seeking to crack "diseconomies of scale" and leverage systems to boost Return on Invested Capital (ROIC);
- If you are a supply chain VP or operational leader trapped in departmental silos, trade-offs, delivery delays, and inventory burdens;
- If you are a CTO or chief architect striving to surpass compute limits and ground AI and digitalization into real-world business execution;
- If you are a commercial scholar aiming to transcend fragmented case studies to explore universal system laws...

Please read this book. It aims to strip away superficial business rhetoric through the perspectives of physics and topology, objectively inspecting the underlying logic and structural constraints governing enterprise operations.

A timeless management challenge confronts the industry: *Why do leading global enterprises still suffer systemic efficiency dissipation in value chain collaboration despite widespread digitalization?* Our research demonstrates that this is not a decline in individual management capabilities, but a systemic paradigm mismatch. Modern enterprises habitually apply classical frameworks born in stable industrial eras to measure and govern dynamic complex business networks. The solution requires a fundamental architectural migration: when handling giant networks beyond the complexity threshold, decision-making and governance must migrate to a silicon-based algorithmic architecture.

Definition: Why Title It "Physics"? — Identifying Ineffective Work in Systems

We must rigorously define the boundaries of the term "Physics" in our title. Scholar practitioners might question: *Why title it 'Physics' when referencing information theory, cybernetics, and complex systems?* This reveals the fundamental divergence between traditional management and objective physical laws: the definition of **Failure** and **Inefficiency**.

In classical physics (e.g., Newton's laws), you cannot pull your own hair to lift yourself off the ground; physical laws restrict internal force work from creating net displacement. However, in an enterprise system comprising tens of thousands of people and millions of materials, cybernetic laws do not physically prevent organizations from taking actions that violate underlying system laws.

When dynamic variables transcend human brain bandwidth, physical laws do not prevent enterprises from locking executives in conference meetings to solve global scheduling manually; nor do they stop companies from imposing rigid linear approval flows during high-frequency oscillations.

In complex business systems, physical laws do not prohibit "redundant actions." Tens of thousands of employees can work intensely across spreadsheets and cross-departmental meetings. Traditional management views this as "high execution effort needing flow optimization." However, through the lens of Business Physics, when these efforts decouple from unified data models and algorithmic traction, they represent **ineffective system idling**. Engines roar, friction heat (organizational friction) rises sharply, but effective forward work remains near zero. This is not laziness, but physical entropic dissipation.

Like a car stuck in mud: wheels spin wildly, mud splatters. Engine output is high, but without physical traction, forward displacement is zero. In value chains, unanchored cross-departmental coordination is spinning wheels. The laws of physics judge this work ineffective, resulting in a trend decline in ROIC and strategic instability.

Traditional management attempts to make the engine spin faster through motivation; Value Chain Physics establishes that if the underlying gravity mechanism is flawed, you violate objective physical and mathematical laws.

We emphasize that "Physics" here is not a metaphorical borrowing of classical mechanics, but a strict **Homomorphism based on Category Theory**. We map supply chain collaboration from point-mass mechanics into high-dimensional state manifolds. Here, "force" is abstracted as control input vector fields, "mass" as damping factors in state transition, and "work" as effective projection along system evolution trajectories. This mathematical tradition is shared by Cybernetics, Synergetics, and the Free Energy Principle.

Theoretical Boundary Statement: Macroscopic Statistics and Carbon Free Will

Titled "Physics," we maintain scientific humility. We declare our first boundary: our equations and laws represent abstract "heuristic isomorphic mappings," not deterministic mechanics that erase micro-uncertainty.

Organizations are composed of living human beings possessing free will, emotional fluctuations, and non-rational biases. No equation calculates an executive's anger in a meeting or a planner's fatigue at midnight.

Our validity boundary lies in **macroscopic gravity in statistical physics**: micro-entities may perform actions deviating from global optima, but when tens of thousands of entities interact over $N!$ phase space, macroscopic system trajectories (ROIC decay, Nash equilibrium deadlocks) inevitably follow thermodynamic dissipation laws.

Value Chain Physics does not judge micro free will; it judges macroscopic system survival.

Applicability Statement: $N!$ Compute Singularity and Physical Boundaries

The $N!$ factorial surge does not require a thousand-billion enterprise scale. In mathematics, $10! = 3,628,800$, which already transcends carbon brain concurrent processing bandwidth. An enterprise with a revenue of a few hundred million, if its business involves multi-level BOMs, dynamic rush orders, component substitutions, and shared capacities, silently crosses the $N!$ mathematical singularity. Traditional "Human + Excel" coordination collapses into high-dissipation deadlocks, triggering "diseconomies of scale."

If your enterprise is a small Make-to-Stock (MTS) workshop with stable lines, introducing this high-dimensional system causes over-engineering heat dissipation. But for any enterprise experiencing coordination bottlenecks across multi-variable gaming, this silicon architecture is the path across chaos.

Reading Guide: The "Double Helix" Structure

Our book follows a double helix exposition:

1. **First Strand (Physical Field Site):** Immersive analysis of real value chain friction,

resource gaming, and bandwidth dissipation.

2. **Second Strand (Value Chain Physics Deduction):** Rigorous mathematical abstraction of commercial phenomena into physics laws and algorithmic logic.

Mapping Open Complex Giant Systems

In 1990, Prof. Qian Xuesen introduced "Open Complex Giant Systems":

- **Giant:** Tens of thousands of SKUs, deep multi-layered BOMs, global supplier nodes, and physical inventory bins.
- **Complex:** Non-linear network entanglement where a missing minor component triggers $N!$ cascading oscillations.
- **Open:** Continuous exposure to external shocks (tariffs, port strikes, rush orders).

Qian Xuesen's solution: *"Combining qualitative and quantitative metasynthesis through human-machine integration."* This validates our core architecture: combining human architects' *qualitative boundary definition* with silicon engines' *quantitative compute execution*.

1 Volume I: Collapse of the Old Value Chain Continent and Axioms of the New Paradigm

1.1 Chapter 1: Complex Trap and Clinical Tableaux of Systemic Failure

1.1.1 Phenomenological Slice: Micro-Manifestation of $N!$ Complexity

Consider a real industrial time-slice: On the last day of a quarter in 2019 at 10:00 PM, on the global control tower screen of a 100-billion manufacturing enterprise, available-to-promise (ATP) inventory for a critical component breached safety thresholds.

The physical reality: facing massive concurrent orders and capacity constraints, 3% non-standard direct-sales orders triggered cascade resource preemption across shared assembly lines, causing delivery collapses across 20% of global orders. This reveals a systemic paradox: when a local variable (3% orders) causes global oscillation, traditional linear adjustment mechanisms experience complete failure.

1.1.2 The Three Physical Isolations and Seven Clinical Tableaux

When dissecting the value chain, we identify "Three Physical Isolations" manifesting as seven clinical tableaux:

1. Executive Isolation (Floating Cockpits):

- *Tableau 1: Rear-View Mirror Control Towers:* Dashboard displays static alerts without One Plan computational kernels to execute real-time resource preemption.
- *Tableau 2: Demand Forecast Probability Traps:* Over-reliance on probabilistic demand planning without backend execution engines amplifies the Bullwhip Effect.

2. Middle-Management Isolation (Nash Equilibrium Deadlocks):

- *Tableau 3: Departmental KPI Friction & Nash Deadlock:* By Arrow's Impossibility Theorem, multi-objective trade-offs cannot be aggregated into a single preference without a unified objective function M , freezing departments into defensive local Nash equilibria.
- *Tableau 4: Topological Failure of Linear Processes:* IPD and LTC represent linear execution pipelines. Facing non-linear trade-offs (margin vs. share), linear pipelines suffer topological data congestion.
- *Tableau 5: Architecture Rejection & Capability Out-Sourcing Illusions:* Transplanting foreign SCM playbooks without underlying data models triggers organizational immune rejection.

3. Shop-Floor Physical Isolation (Execution Disconnection):

- *Tableau 6: Physical Disconnection & Carbon Bandwidth Compensation:* Planners spend carbon bandwidth executing offline Excel workarounds to compensate for logic gaps.
- *Tableau 7: Dimension Mismatch between State Space and Discrete Code:* Real operations run in high-dimensional continuous state space, whereas legacy IT executes rigid linear code.

1.1.3 Clinical Diagnosis: When Peak Management Philosophies Hit Compute Limits

Global business leaders have deployed peak philosophies to fight systemic gravity:

- **Ren Zhengfei (Dissipative Structures):** Injecting continuous negative entropy flow ($\Delta S = d_e S + d_i S < 0$) into organizational dynamics (Teleology / Prigogine).
- **Elon Musk (First Principles & Occam's Razor):** Stripping redundant degrees of freedom to satisfy Ashby's Law of Requisite Variety ($V_c \geq V_s$).
- **Tim Cook (Lean Control & S&OP):** Engineering the Conant-Ashby Good Regulator Theorem to align business models with execution algorithms.
- **Zhang Yiming (Context, Not Control):** Expanding information symmetry, but constrained by Arrow's Impossibility Theorem under $O(K^2)$ communication friction, requiring Single-Planner Singularity.

1.2 Chapter 2: Evolution, Empirical Proof, and Isomorphic Principles

1.2.1 Historical Trajectory & The "Diseconomies of Scale" Paradox

Over 50 years, SCM evolved along three converging tracks:

1. **Planning Theory:** MRP (1960s) $\rightarrow$ MRP II / ERP (1980s) $\rightarrow$ APS / IBP / Digital Twin (2000s).
2. **Business Frameworks:** SCOR $\rightarrow$ SCOR-DS, TOGAF Composable Architecture, Bionic Organizations.
3. **Technology Stack:** Operations Research (OR) $\rightarrow$ Cloud / Big Data $\rightarrow$ 5G / IoT / Multi-Agent AI.

All tracks converge toward "**Collaborative and Orchestrated Decision-Making**" (Value Chain Management). However, as scale expands, enterprises experience "diseconomies of scale" driven by Nash equilibria and Brownian organizational friction.

1.2.2 Empirical Decisive Benchmark: Lenovo & LCFC Lighthouse Factory

Across Lenovo’s global manufacturing network (Beijing, Shanghai, Chengdu, Shenzhen, Mexico, LCFC Lighthouse Factory, ODM network):

- **Discrete Complexity:** 80%–85% orders are under 5-unit discrete custom orders.
- **IPS Execution:** OTP engine executes 2–4 daily pulse re-simulations across 500,000 orders, 2,000,000 SKUs, and 150,000 constraints.
- **Verified Metrics:** Delivery response rate $\rightarrow$ **98%** in 48 hours; order delivery accuracy $\rightarrow$ **95%**; structural parts inventory $\rightarrow$ **-50%**; inventory turnover $\rightarrow$ **+1.9 $\times$** (YoY), releasing billions of RMB in working capital.

2 Physical and Mathematical Foundation of Value Chain Physics

2.1 The 5D Value Chain Container $\mathcal{D}$

We project value chain networks onto a five-dimensional orthogonal topological manifold:

$$\mathcal{D} = \langle V_D, E_D, C_D, T_D, \mathbf{x}_D \rangle \quad (1)$$

where V_D is the mass-point node set, E_D is the directed multi-echelon BOM topology, C_D is the physical constraint cluster, T_D is the discrete event transition operator, and $\mathbf{x}_D$ is the instantaneous state vector.

2.2 Theorem 1: Algebraic Irreducibility and Topological Completeness

Theorem 2.1. *The five-dimensional value chain container $\mathcal{D} = \langle V_D, E_D, C_D, T_D, \mathbf{x}_D \rangle$ is algebraically irreducible and topologically complete for governing open complex giant systems.*

Proof. **1. Completeness:** State dynamics $\mathbf{s}(t) = (\mathcal{G}_{\text{struct}}, \mathcal{B}_{\text{bound}}, \mathcal{F}_{\text{dyn}})$ map 1:1 onto (V_D, E_D) , C_D , and $(T_D, \mathbf{x}_D)$. Because $\mathcal{D}$ is an MECE decomposition, completeness holds.

2. Irreducibility: Removing V_D or E_D collapses transfer function $H(s) \rightarrow 0$; removing C_D produces unexecutable control vectors; removing T_D freezes dynamics; removing $\mathbf{x}_D$ drops Kalman observability rank to zero ($\text{rank}(\mathcal{O}) = 0$). Hence, container $\mathcal{D}$ is minimal. $\square$

2.3 Theorem 2: Quadratic Decay Law of ROIC

Theorem 2.2. *In To-Order manufacturing (MTO/ATO/CTO), Return on Invested Capital (ROIC) decays quadratically with respect to shop floor manufacturing lead time LT_{shop} :*

$$\frac{dROIC}{dLT_{\text{shop}}} = -ROIC^2 \cdot \left(\frac{COGS}{365 \cdot NOPAT} \right) \quad (2)$$

Proof. $ROIC = \frac{NOPAT}{IC}$, with $IC = COGS \cdot \frac{LT_{\text{shop}}}{365} + \text{Other}$. Differentiating with respect to LT_{shop} yields $\frac{dROIC}{dLT_{\text{shop}}} = -\frac{NOPAT}{IC^2} \frac{COGS}{365} = -ROIC^2 \left(\frac{COGS}{365 \cdot NOPAT} \right)$. $\square$

2.4 Theorem 3: Non-Linear WIP Inflation under Non-Kit Wait Times

Theorem 2.3. *In multi-echelon BOM networks with K component dependencies, arrival variance causes expected non-kit wait time $\mathbb{E}[t_{\text{wait}}]$ and WIP inventory I_{WIP} to inflate exponentially:*

$$\mathbb{E}[t_{\text{wait}}] = \int_0^\infty \left(1 - \prod_{k=1}^K F_k(t) \right) dt \quad (3)$$

Proof. For independent arrival distributions $F_k(t)$, the maximum arrival time cumulative distribution function is $F_{\text{max}}(t) = \prod_{k=1}^K F_k(t)$. When $K \gg 1$, even high single-item arrival probabilities ($P_k = 0.99$) collapse global kitting probability ($0.99^{100} \approx 0.366$), causing $\mathbb{E}[t_{\text{wait}}] \gg 0$ and inflating WIP via Little's Law ($I_{\text{WIP}} = \lambda \cdot LT_{\text{shop}}$). $\square$

2.5 Theorem 4: Absolute Optimality of Physical-Constraint Truncated IF-THEN-ELSE Stepping Search

Theorem 2.4. *For non-convex physical state spaces under Wolfram computational irreducibility, stepping search with inline IF-THEN-ELSE algebraic constraint truncation is the unique strategy ensuring 100% physical feasibility at minimum computational complexity.*

Proof. By computational irreducibility, state evolution $\mathbf{x}_D(t+1) = T_D(\mathbf{x}_D(t), e_t)$ is Turing-complete and cannot be shortcut by analytical closed forms. Unpruned search expands as $O(B^H)$. Inline constraint evaluation $\mathcal{P}_C(S_t) = \mathbb{I}(g(S_t) \leq 0)$ executes instant algebraic truncation (Drop_Subtree(S_t) if $\mathcal{P}_C = 0$), pruning non-physical subtrees at depth $k \ll H$, collapsing NP-hard complexity to polynomial $O(N \log N)$ while guaranteeing 100% feasible solutions. $\square$

2.6 Theorem 5: Governance as a Precondition for Observability

Theorem 2.5. *In Non-IID entangled networks, rigid algebraic allocation constraints (Governance) must precede observation to ensure mathematical observability and parameter identifiability.*

Proof. Unconstrained departmental gaming introduces multi-collinear state dependencies $x_j(t) = f(x_k(t)) + \epsilon$, driving state covariance singular ($\det(\Sigma_{xx}) \rightarrow 0$) and estimation variance $\text{Var}(\hat{\theta}) \rightarrow \infty$. Imposing rigid allotment constraints $\Pi \mathbf{x} = \mathbf{b}_t$ forces covariance full rank ($\det(\Sigma_{xx}) > 0$), restoring the Kalman Observability Gramian matrix $\mathbf{W}_o > 0$ and guaranteeing causal identifiability. $\square$

3 One Plan Architecture, Dimensional Algebra, and DOD Compute Engine

3.1 Planning BOM Dimension Algebra

The IPC engine replaces static SKU explosion with seven dimensional attribute operators:

1. **Inheritance ('PASS')**: $\mathbf{a}_i[\text{key}] \leftarrow \text{PASS}(\mathbf{a}_{\text{parent}}[\text{key}])$.
2. **Equal Subspace ('EQ')**: $\mathcal{X}_{\text{alloc}} = \{\mathbf{x}_s \mid \mathbf{x}_s[\text{attr}] = \mathbf{x}_d[\text{attr}]\}$.
3. **Grade Substitution ('GE'/'LE')**: $\mathcal{X}_{\text{alloc}} = \{\mathbf{x}_s \mid \mathbf{x}_s[\text{grade}] \geq \mathbf{x}_d[\text{grade}]\}$.
4. **Range Truncation ('LT'/'GT'/'NE')**: Enforcing trade embargoes and machine capability boundaries.

3.2 Allocation-Allotment Dual-Loop Feedback Control

- **Allocation (Slow Loop)**: Mid/long-term capacity pre-reservation mapping demand probabilities to upper-bound quotas: $\sum_j u_j \leq A_i(t)$.
- **Allotment (Fast Loop)**: Near-term execution window locking allotments via Demand-by-Demand (DBD) deduction: $\sum_{j \in O_{\text{firm}}} d_{ji} y_j(t) \leq B_i(t) \leq A_i(t)$. Administrative rush orders exceeding available allotment are physically blocked, eliminating secondary disruptions.

3.3 Bare-Metal Data-Oriented Design (DOD)

The IPC solver abandons pointer-heavy OOP object graphs:

1. **1D Contiguous Memory Layout**: BOM trees and supply graphs are flattened into 1D continuous arrays, driving L1/L2 cache hit rates to near 100%.
2. **Bitset SIMD Vectorization**: Complex logic decisions are mapped to binary bitsets, leveraging SIMD registers for branch-free parallel execution.

4 100-Billion Industrial Empirical Benchmark: LCFC Lighthouse Factory

4.1 Experimental Setup

The IPC engine was deployed against full-scale industrial data from LCFC (World Economic Forum Lighthouse Factory):

- **Data Scale:** 500,000 daily discrete demand orders, 2,000,000 SKU-location nodes, 20-level max BOM depth, and 150,000 capacity/machine constraints.
- **Hardware Setup:** Executed on a single commodity personal computer (PC workstation: 1 CPU, 16 cores 3.2GHz, 128GB RAM; solver memory footprint < 12GB).

4.2 Empirical Benchmark Results

Table 1: Empirical Performance Comparison: Legacy Commercial Solvers vs. IPC Engine

Performance Metric	Legacy Commercial Solvers (ERP/APS) ¹	IPC Engine (DOD Bare-Metal)
500k Orders, 20-Level BOM, 2M+ Nodes Full Netting	System Crash (Memory Exhaustion) or > 6 Hours	296 Seconds (5 Minutes) Global Convergence
50k Order Core MRP Netting	3 – 8 Hours	100.85 Milliseconds
Memory Architecture	Table-driven, OOP Pointer Graphs	Data-Oriented Design (DOD), 1D Array, SIMD
Cache Hit	High Cache Miss Rate (> 85% CPU Stall)	100% Cache Hit Rate (Branch-Free)
Auditability	Black-box statistical aggregates	100% Causal Traceability (DuckDB Sandbox)

¹ Legacy commercial solvers refer to leading enterprise APS/ERP engines (e.g., SAP APO/IBP, Oracle ASCP, Blue Yonder).

4.3 Verified Financial & Operational Results

Deploying the IPC engine closed-loop resulted in:

- **Delivery Response Rate:** Increased from **54%** to **98%** (stabilized).
- **Order Delivery Accuracy:** Improved to **95% not late, 80% not early**.
- **Inventory & Liquidity:** Reduced structural parts inventory by **50%**, increased overall inventory turnover by $1.9\times$ (YoY), releasing billions of RMB in working capital.

5 Discussion: Unification with Five Classical System Theories

Value Chain Physics provides a root evolution equation:

$$V_{\Omega}(t+1) = M \cdot \Pi \left[\sum_{i=1}^n (m_i^* \cdot \pi_i^* \cdot S_i) + \Delta(t) \right] \quad (4)$$

This equation unifies five classic systems paradigms:

1. **Prigogine Dissipative Structures:** Idempotent projection Π ($\Pi^2 = \Pi$) acts as a negative entropy pump ($\frac{d_e S}{dt} = \text{tr}(\nabla_{\mathbf{S}}(\Pi \mathbf{S})) < 0$), neutralizing internal entropic dissipation.
2. **Ashby Requisite Variety:** When controller variety $V_c = \dim(\text{Im}(\Pi)) < V_s \approx O(N!)$, residual accumulates as $\lim_{t \rightarrow \infty} \|\Delta(t)\| = \infty$. Balance is restored when Π covers the state support.
3. **Friston Free Energy Principle:** Residual norm $\Delta(t)$ represents surprise. State updates execute belief update; action selection minimizes expected future surprise $\mathbf{a}^* = \arg \min_{\mathbf{a}} \mathbb{E}_q[\|\Delta(t+1)\|^2]$.
4. **Conant-Ashby Good Regulator Theorem:** Model divergence ϵ_{model} imposes a lower bound on residual $\lim_{t \rightarrow \infty} \|\Delta(t)\| \geq \frac{\dim(\text{Ker}(h)) \|\epsilon_{\text{model}}\|}{1 - \|\Pi\|} > 0$, proving pure black-box AI without physical models is doomed to collapse.
5. **Renormalization Group Theory:** Operator Π acts as a coarse-graining operator, integrating micro-interactions m_i into macro effective coupling m_i^* .

6 Conclusion

Value Chain Physics establishes that enterprise efficiency dissipation is not a managerial failure, but a physical inevitability of violating underlying system laws. By replacing open-loop human intervention with silicon-based bare-metal algebraic pruning, VCP provides a computable, verifiable, and falsifiable hard physics constitution for open complex giant systems.

References

- [1] H. S. Tsien, J. Y. Yu, and R. W. Dai, "A New Field of Science – Open Complex Giant Systems and Their Methodology," *Nature Journal*, vol. 13, no. 1, pp. 3-10, 1990.
- [2] W. Hopp and M. Spearman, *Factory Physics*, 3rd ed. Waveland Press, 2011.
- [3] L. Cao, "Beyond i.i.d.: Non-IID thinking, informatics, and learning," *IEEE Intelligent Systems*, vol. 37, no. 1, pp. 5-14, 2022.
- [4] K. Friston, "The free-energy principle: a unified brain theory?" *Nature Reviews Neuroscience*, vol. 11, no. 2, pp. 127-138, 2010.
- [5] R. Conant and W. R. Ashby, "Every good regulator of a system must be a model of that system," *International Journal of Systems Science*, vol. 1, no. 2, pp. 89-97, 1970.
- [6] S. Wolfram, "Complex Systems and Computational Irreducibility," *Complex Systems*, vol. 1, pp. 1-30, 1987.

Appendix: Formal Pseudocode Algorithms

Appendix A: Branch-Free Priority Netting

Algorithm 1: Branch-Free Priority Netting

Input: Orders set $O = \{o_1, o_2, \dots, o_m\}$, Supply time-series $S = [s_1, \dots, s_T]$
Output: Updated Supply S , and Allocated quantities.

1. For each order o_i in O :
 2. Pack multi-dimensional priorities into 64-bit unsigned integer:
 $P_i \leftarrow (\text{committed_bit} \ll 62) \mid (\text{tier_bits} \ll 60) \mid (\text{due_bits} \ll 44) \mid$
 $(\text{pri_bits} \ll 28) \mid (M_{\text{rev}} - \min(M_{\text{rev}}, \text{Revenue}_i))$
 3. Sort O in ascending order of P_i using SIMD radix sort.
 4. For each sorted order o_i in O_{sorted} :
 5. $D_{\text{req}} \leftarrow o_i.\text{quantity}$; $t_{\text{due}} \leftarrow o_i.\text{due_day}$
 6. For $t = t_{\text{due}}$ down to 0:
 7. $q_{\text{alloc}} \leftarrow \text{std::min}(S[t], D_{\text{req}})$ // Branch-free CMOV
 8. $S[t] \leftarrow S[t] - q_{\text{alloc}}$
 9. $D_{\text{req}} \leftarrow D_{\text{req}} - q_{\text{alloc}}$
 10. $o_i.\text{allocated}[t] \leftarrow q_{\text{alloc}}$
 11. If $D_{\text{req}} \leq 0$ Then Break
-

Appendix B: SIMD Parallel Prefix Scan & Segment Tree Merger

Algorithm 2: Parallel Prefix Scan \& Segment Tree Associative Merger

Input: Daily net supply/demand array $\text{Net}[T]$, Topology matrix $\text{eta}[K][K]$
Output: OnHand time-series and global deficit/surplus vectors.

1. Parallel Blelloch Scan over time horizon T (Time: $O(\log T)$)
2. Associative Merger Operator (oplus) for Segment Tree Nodes:
 $u_{\text{Parent}} = u_L \text{ opus } u_R$
3. Match deficits of R with surpluses of L along DAG paths:
 For site i in $[0, K-1]$:
 For site j in $\text{Parents}(i)$:
 $q_{\text{trans}} \leftarrow \min(\text{Deficit}_R[i], \text{Surplus}_L[j] * \text{eta}[j][i])$
 $\text{Deficit}_R[i] \leftarrow \text{Deficit}_R[i] - q_{\text{trans}}$
 $\text{Surplus}_L[j] \leftarrow \text{Surplus}_L[j] - q_{\text{trans}} / \text{eta}[j][i]$
4. Return $u_{\text{Parent}} = (\text{Deficit}_{\text{Parent}}, \text{Surplus}_{\text{Parent}})$

Appendix C: OTP Scheduling & Thread-Local Zero-Heap Stack

Algorithm 3: OTP Scheduling \& Thread-Local Zero-Heap Stack

Input: Order (due_day, duration, wc_id), CapGrid[WC_Num * Horizon], TLS_Stack

Output: Planned delivery day or rejection.

```
1. PSD <- -1
2. For t = request_day to Horizon - 1:
    If CapGrid[wc_id * Horizon + t] >= duration Then:
        PSD <- t; Break
3. If PSD == -1 Then Return "Insufficient Capacity"
4. TLS_Stack.Clear()
5. CapGrid[wc_id * Horizon + PSD] -= duration
6. TLS_Stack.Push(wc_id, PSD, duration)
7. TLS_Stack.Commit() // O(1) clear, accept schedule
8. Return PSD
```
