



Open Source et Prisma Media

Expresso du 21 juin 2022

Jérôme TAMARELLE • Joris DANIEL

Jérôme Tamarelle

Lead Developer backend des sites TV-Entertainment

Prisma Media depuis 6 ans

Contributeur open source depuis 12 ans

Membre de "Symfony Core Team" depuis novembre 2021.

github.com/GromNaN



Joris Daniel

Tech Lead frontend des sites TV-Entertainment

Prisma Media depuis 4 ans

Mainteneur et contributeur open source depuis 10 ans

github.com/yoriis



95% du code source
de nos applications n'a pas été écrit
au sein de l'entreprise



ubuntu®



Visual Studio Code



git



ANSIBLE



webpack



<blink>
Moteur de rendu



Moteur Javascript



Chromium




Microsoft Edge



chrome



Lighthouse
Analyse performances




Visual Studio Code



One Web

Cascade des dépendances



 **Symfony**



Sylius



(à venir) → **prismaSHOP**

Socles de nos projets

Gestionnaire de dépendances



PHP

Installations/mois : 2 milliards

[Source](#) (2022)


JavaScript

Installations/mois : 174 billions

[Source](#) 2022



Dépendances



L'open source est partout

- Numérique (tv, montre connectée, sites et applications)
- Infrastructure informatique (serveur)
- Communication (téléphonie)
- Automobile (système embarqué, gps)
- Aéronautique ([Ingenuity](#))



+22



Mars 2020 Helicopter Contributor

Mariatta Wijaya contributed code to 2 repositories used in the **Mars 2020 Helicopter Mission**:

[python/cpython](#), and [benjaminp/six](#).



- Presented at [PyLadies](#)
- Organized the first e

gidgethub
ve a lightning talk
anized Python cc
t online event I've
ated PyLadies bc

- Interviewed by Rosal
- Interviewed by Tatum
- Presented my talk O



Log4Shell Vulnerability

LOG4J

CVE-2021-44228



Log4Shell, est une vulnérabilité zero-day exploitée par exécution de code arbitraire et touchant l'utilitaire Java Log4j. Cette vulnérabilité est divulguée à Apache par l'équipe de sécurité cloud d'Alibaba le 24 novembre 2021 et publiée le 9 décembre 2021. La vulnérabilité tire parti du fait que Log4j ne vérifie pas les requêtes LDAP et JNDI. Cela permet aux attaquants d'exécuter du code Java arbitraire sur un serveur ou un autre ordinateur. Les services concernés incluent iCloud, l'édition Java de Minecraft et Steam.

<https://fr.wikipedia.org/wiki/Log4Shell>

Open Source Developer Sabotages npm Libraries ‘Colors,’ ‘Faker’

TECH CYBERSECURITY

Open source developer corrupts widely-used libraries, affecting tons of projects

He pushed corrupt updates that trigger an infinite loop

By Emma Roth | Jan 9, 2022, 3:58pm EST

“Respectfully, I am no longer going to support Fortune 500s (and other smaller sized companies) with my free work.

There isn't much else to say.

Take this as an opportunity to send me a six figure yearly contract or fork the project and have someone else work on it.”

POURQUOI L'OPEN-SOURCE ?



3 VALEURS

Partage
Coopération
Entraide



Motivation
Sécurité
Pérennité

3 CONSEQUENCES

INDIRECTES
ou probables

7 CONSÉQUENCES
DIRECTES

Autonomie
Personnalisation
Améliorations
Mutualisation

Coût
Pédagogie
Biens communs



anybox

L'open source c'est vous

My First Open
Source Contribution





GitHub

GitHub est le site *gratuit* de partage de code source, collaboratif et social.

 [symfony / symfony](#) Public

Sponsor Notifications Fork 8.7k Star 27k

<> Code Issues 503 Pull requests 219 Discussions Actions Projects 1 Security 12 ...

Go to file Code About

6.2 ▾

 [nicolas-grekas](#) Merge branch '6.1' into 6.2 ... 19 hours ago 60,818

.github update docblock to not expose the internal class 22 days ago

src/Symfony Merge branch '6.1' into 6.2 19 hours ago

.appveyor.yml Merge branch '6.0' into 6.1 3 months ago

.editorconfig Update .editorconfig 4 years ago

.gitattributes [Runtime] a new component to decouple applic... 16 months ago

.gitignore Migrate configuration file for PHP CS Fixer 2.19... 13 months ago

.php-cs-fixer.dist.php Merge branch '6.0' into 6.1 2 months ago

CHANGELOG-6.0.md Update CHANGELOG for 6.0.9 24 days ago

CHANGELOG-6.1.md Update CHANGELOG for 6.1.1 11 days ago

CODE_OF_CONDUCT... Replaced full CoC text with link to documentati... 5 months ago

CONTRIBUTING.md Mention the community review guide 6 years ago

CONTRIBUTORS.md Update CONTRIBUTORS for 4.4.42 24 days ago

LICENSE Bump license year 6 months ago

README.md Update backers of Symfony 6.2: thank you Les... last month

UPGRADE-6.0.md Merge branch '6.0' into 6.1 3 months ago

UPGRADE-6.1.md [Routing] Fix changelog & deprecation messag... 2 months ago

UPGRADE-6.2.md [Serializer] Deprecate autowiring aliases pointi... 7 days ago

composer.json Update branch alias for contracts last month

link Added Translation Providers 14 months ago

phpunit sync ./phpunit in all branches 13 months ago

phpunit.xml.dist Merge branch '5.4' into 6.0 3 months ago

psalm.xml Suppress psalm error for UndefinedDocblockCl... 6 months ago

README.md

The Symfony PHP framework

 [symfony.com](#)

php framework symfony
bundle symfony-bundle
php-framework hacktoberfest

Readme MIT license Code of conduct 27k stars 1.2k watching 8.7k forks

Releases 367

v6.1.1 Latest 11 days ago

+ 366 releases

Sponsor this project

 fabpot Fabien Potencier 

 [tidelift.com/funding/github/pac...](#)

 <https://symfony.com/sponsor>

Learn more about GitHub Sponsors

Contributors 2,591

 + 2,580 contributors

 [facebook / react](#) Public

Notifications Fork 39.1k Star 190k

<> Code Issues 699 Pull requests 275 Actions Projects Wiki Security ...

Go to file Code About

main ▾

 [sebmarkbage](#) Abort Flight (#24754) ... 17 hours ago 15,048

.circleci Fix check_error_codes CI job (#24692) 12 days ago

.codesandbox Update Node.js to latest v14.17.6 LTS (#...) 9 months ago

.github Remove React 18 issue template (#242...) 3 months ago

fixtures [Fizz] Pipeable Stream Perf (#24291) 2 months ago

packages Abort Flight (#24754) 17 hours ago

scripts Add entry points for "static" server rend... yesterday

.editorconfig https link to editorconfig.org (#18421) 2 years ago

.eslintignore Renamed packages/react-devtools-sch... 8 months ago

.eslintrc.js Update deprecated features in ESLint c... 7 months ago

.gitattributes .gitattributes to ensure LF line endings ... 9 years ago

.gitignore Renamed packages/react-devtools-sch... 8 months ago

.mailmap updates mailmap entries (#19824) 2 years ago

.nvmrc Update Node.js to latest v14.17.6 LTS (#...) 9 months ago

.prettierignore Renamed packages/react-devtools-sch... 8 months ago

.prettierrc.js Bump Prettier (#17811) 3 years ago

.watchmanconfig .watchmanconfig must be valid json (#1...) 3 years ago

AUTHORS Remove my deadname from AUTHORS (...) 15 months ago

CHANGELOG.md Typo 5 days ago

CODE_OF_COND... Update code of conduct (#21251) 14 months ago

CONTRIBUTING.md [Gatsby] "https://facebook.github.io/re... 5 years ago

LICENSE Drop the year from Facebook copyright ... 4 years ago

README.md Update Example render for React v18 (#...) 3 months ago

ReactVersions.js bump versions for next release (#24725) 6 days ago

SECURITY.md Create SECURITY.md (#15784) 3 years ago

Releases 99

18.2.0 (June 14, 2022) Latest 6 days ago

+ 98 releases

Packages

No packages published

Used by 10.4m

 + 10,402,214

Contributors 1,561

 + 1,550 contributors

 [Sign up](#) 

[Notifications](#)  Fork 480  Star 259

[Code](#) [Issues 89](#) [Pull requests 15](#) [Discussions](#) [Actions](#) [Projects](#) [Security](#) [...](#)

[master](#) [Go to file](#) [Code](#)

About
Server side component to offload prebid processing to the cloud

 [Readme](#)
 Apache-2.0 license
 259 stars
 67 watching
 480 forks

Releases 206
 0.214.0 [\[Latest\]](#)
6 days ago
+ 205 releases

Packages
No packages published

Used by 1
 [@qiushuiqs / idhash-benchmark](#)

Contributors 266

+ 255 contributors

Languages
 Go 99.8%  Other 0.2%

[bsardo GDPR: move request-specific data onto...](#) ...  3 days ago  1,384

[.devcontainer sovrn: Add video support \(#2232\)](#) last month

[.github New GitHub Action: Trivy Security Scan ...](#) 3 months ago

[account Refactor: Move cookie sync account fet...](#) 26 days ago

[adapters Adnuntius: Bug Fix for reg being empty...](#) 4 days ago

[amp Fix Tpyos \(#2187\)](#) 3 months ago

[analytics I1725 vast event trackers - Support for ...](#) 3 months ago

[config New Adapter: Automatad \(#2255\)](#) 14 days ago

[currency Currency conversion on adapter JSON t...](#) 7 months ago

[docs Docs metrics configuration \(#1850\)](#) 13 months ago

[endpoints GDPR: move request-specific data onto ...](#) 3 days ago

[errortypes Update Some Dependencies - Part 4 \(#...](#) 4 months ago

[exchange GDPR: move request-specific data onto ...](#) 3 days ago

[firstpartydata First party data fix for user.data and use...](#) 3 months ago

[gdpr GDPR: move request-specific data onto ...](#) 3 days ago

[macros /cookie_sync Endpoint Rewrite \(#1879\)](#) 10 months ago

[metrics Debug Metrics Implementation \(#2246\)](#) 26 days ago

[openrtb_ext New Adapter: Automatad \(#2255\)](#) 14 days ago

[pbs Use the http.ProxyFromEnvironment fun...](#) 14 days ago

[prebid_cache_clie... Remove /auction Endpoint \(#2049\)](#) 8 months ago

[privacy Fix Tpyos \(#2187\)](#) 3 months ago

[router GDPR: move request-specific data onto ...](#) 3 days ago

[schain Add ORTB 2.4 schain support \(#2108\)](#) 5 months ago

[scripts Move router and legacy auction to route...](#) 4 years ago

[server Allow http support for unix_socket \(#22...](#) 2 months ago

 [Homebrew](#) [Sign up](#) 

 **Homebrew**
The missing package manager for macOS (or Linux)

 GitHub  <https://brew.sh>  @MacHomebrew 

[Overview](#) [Repositories 32](#) [Discussions](#) [Projects 2](#) [Packages](#) [People 46](#) [Sponsor](#)

Pinned

 [brew](#) [Public](#)
The missing package manager for macOS (or Linux)
Ruby ⭐ 32.5k  7.8k

 [homebrew-core](#) [Public](#)
Default formulae for the missing package manager for macOS (or Linux)
Ruby ⭐ 11.4k  10.6k

 [homebrew-cask](#) [Public](#)
A CLI workflow for the administration of macOS applications distributed as binaries
Ruby ⭐ 19.2k  9.9k

 [install](#) [Public](#)
Homebrew (un)installer
Shell ⭐ 1.5k  841

 [homebrew-bundle](#) [Public](#)
Bundler for non-Ruby dependencies from Homebrew, Homebrew Cask and the Mac App Store.
Ruby ⭐ 4.1k  268

 [homebrew-services](#) [Public](#)
Manage background services using the daemon manager launchctl on macOS or systemctl on Linux.
Ruby ⭐ 1.7k  194

Repositories

Find a repository...

Type  Language  Sort 

People


[View all](#)

Sponsors


[View all](#)

Top languages

 Ruby  Shell  JavaScript
 C  HTML



Etalab

Politique publique de la donnée

L'engagement des ministères sur
l'ouverture des codes sources et
l'utilisation de logiciels libres

Etalab

"Chief Data Officer" de l'Etat, en charge de la politique publique de la donnée , des algorithmes et des codes sources

France <https://www.etalab.gouv.fr> contact@etalab.gouv.fr Verified

Overview Repositories 316 Projects 5 Packages People 12

Pinned

DVF-app Public

Exploration des données DVF

JavaScript 418 82

covid19-dashboard Public

Tableau de bord officiel de suivi de l'épidémie de COVID-19

JavaScript 162 50

data.gouv.fr Public

Ce dépôt rassemble les tickets techniques qui portent sur data.gouv.fr.

44 9

cadastre.data.gouv.fr Public

Données cadastrales ouvertes - le site

JavaScript 32 6

transport-site Public

Rendre disponible, valoriser et améliorer les données transports

Elixir 91 22

schema.data.gouv.fr Public

Schémas de données ouvertes sur des formats réglementaires ou non

Vue 34 19

People

Top languages

- Python
- JavaScript
- Jupyter Notebook
- HTML
- Vue

Most used topics


- opendata
- etalab
- api
- datagouvfr
- open-data

Comment contribuer ?

- Ecrire et améliorer la documentation
- Rédiger des tutoriels
- Traduire la documentation
- Répondre aux questions sur les plateformes d'aide (StackOverflow)
- Corriger des problèmes (issues) remontés par la communauté
- Améliorer les tests
- Ecrire une nouvelle fonctionnalité
- Réviser le code sur les soumissions d'autres personnes

A quel moment contribuez-vous ?


24 réponses



Collaborer aux projets open source utilisés au sein de l'entreprise, fait partie de la mission des équipes de développement.

Pourquoi contribuez-vous ?

27 réponses



Les raisons de contribuer

- Améliorer ses compétences
- Rencontrez des gens qui s'intéressent à des choses similaires
- Enseigner aux autres
- Construire des projets publics qui vous aident à acquérir une réputation
- Apprendre les compétences des personnes
- Faire des changements sur un projet

[Sign up](#)

[twigphp / Twig](#) Public

Sponsor Notifications Fork 1.2k Star 7.5k

[Code](#) [Issues 84](#) [Pull requests 16](#) [Actions](#) [Security 1](#) [Insights](#)

Support object initialisation shortcut {a} == {a:a} from ES2015 #3277

[New issue](#)

[Merged](#) fabpot merged 1 commit into [twigphp:1.x](#) from [GromNaN:object-init-from-variable](#) on 23 Aug 2020

[Conversation 10](#) [Commits 1](#) [Checks 0](#) [Files changed 3](#) [+21 -1](#)

GromNaN commented on 21 Feb 2020 · edited [Contributor](#)

Object declaration in Twig is very close to the Javascript syntax and is targeting the same profile of developers. In order to provide a smooth developer experience, Twig should implement some new feature of ECMAScript.

Since ECMAScript 2015, a short syntax can be used to declare an object when the key is identical to a defined variable (see [MDN doc](#))

```
// Shorthand property names (ES2015)
let a = 'foo', b = 42, c = {};
let o = {a, b, c}
```

This PR adds the same syntax to Twig.
This can be very useful for `include ... with ... only`:

```
{% set title = "My title" %}
{% set image = "image.jpg" %}
{{ include("template.twig", {title, image}, false) }}
# instead of
{{ include("template.twig", {'title': title, 'image': image}, false) }}
```

11 1

Support object initialisation shortcut {a} == {a:a} from ES2015 #3277

[Merged](#) fabpot merged 1 commit into [twigphp:1.x](#) from [GromNaN:object-init-from-variable](#) on 23 Aug 2020

[Conversation 10](#) [Commits 1](#) [Checks 0](#) [Files changed 3](#) [+21 -1](#)

[Changes from all commits](#) [File filter](#) [Conversations](#)

[doc/templates.rst](#)

```
568 568 @@ -568,6 +568,10 @@ exist:
569 569 {# keys as integer #}
570 570 { 2: 'foo', 4: 'bar' }

571 + {# keys get the variable name when omitted #}
572 + {% set foo = 'foo' %}
573 +
574 + { foo }

575 575 {# keys as expressions (the expression must be enclosed into parentheses) -- as of Twig 1.5.#
576 576 {% set foo = 'foo' %}
577 577 { (foo): 'foo', (1 + 1): 'bar', (foo ~ 'b'): 'baz' }
```

[src/ExpressionParser.php](#)

```
376 376 // a string — a'
377 377 // a name, which is equivalent to a string — a
378 378 // an expression, which must be enclosed in parentheses — (1 + 2)
379 - if ($token = $stream->nextIf(Token::STRING_TYPE)) || ($token = $stream->nextIf(Token::NAME_TYPE)) || $token = $st
380 + if ($token = $stream->nextIf(Token::NAME_TYPE)) {
381     $key = new ConstantExpression($token->getValue(), $token->getLine());
382
383 + // (a) is a shortcut for (a:a)
384 + if ($stream->test(Token::PUNCTUATION_TYPE, [',', '}'])) {
385     $value = new NameExpression($key->getAttribute('value'), $key->getTemplateLine());
386     $node->addElement($value, $key);
387     continue;
388 }
389 } elseif (($token = $stream->nextIf(Token::STRING_TYPE)) || $token = $stream->nextIf(Token::NUMBER_TYPE)) {
390     $key = new ConstantExpression($token->getValue(), $token->getLine());
391 } elseif ($stream->test(Token::PUNCTUATION_TYPE, '(')) {
392     $key = $this->parseExpression();
393 }
```

[tests/ExpressionParserTest.php](#)

```
83 83 return [
84 84     ['[1, "a": "b"]']],

```

Exemple d'une [pull-request](#) qui répond à un besoin interne.

Product Team Enterprise Explore Marketplace Pricing Search Sign in Sign up

proteriax /jsx-dom Public

Code Issues 2 Pull requests 1 Actions Security Insights

Attribute with false value are rendered since 7.0.4 #65

Closed yoriliis opened this issue on 17 Aug 2021 · 2 comments

yoriliis commented on 17 Aug 2021

According to the JSX documentation and the README of the project, an attribute with the `false` value should be ignored.

Note that `false`, `true`, `null`, `undefined` will be ignored per React documentation, and everything else will be used.

Since the `v7.0.4`, the value of the boolean is rendered even if the value is `false`. The change was introduced by the following commit [18cb737](#).

Example:

```
<a href="" target={false}></a>
<a href="" target={false && '_blank'}></a>
<a href="" data-target={false}></a>
<a href="" data-target={false && '_blank'}></a>
```

Is rendered as:

```
<a href="" target="false"></a> /* incorrect */
<a href="" target="false"></a> /* incorrect */
<a href=""></a> /* correct */
<a href=""></a> /* correct */
```

It seems `data-*` attribute are ignored but not the `target` attribute.

Is it a mistake?

proteriax added the `bug` label on 21 Aug 2021

abc commented on 21 Aug 2021

You're right. This is a bug.

abc commented on 21 Aug 2021

Published `8.0.0-beta.0` to revert to the old boolean behavior.

Notifications Fork 23 Star 174

New issue

Assignees No one assigned

Labels bug

Projects None yet

Milestone None milestone

Development No branches or pull requests

2 participants yoriliis abc

Exemple d'une issue sur un projet utilisé en interne.

HttpClient Component

Symfony stands with Ukraine.

Symfony at a Glance

Symfony Components

Case Studies

Symfony Releases

Security Policy

Logo & Screenshots

Trademark & Licenses

symfony1 Legacy

Quickly build and deploy apps at scale

[Sign up and start building](#)



SMS, WhatsApp, Email,
Voice and more. APIs for any
communications channel.

ADS VIA CARBON

 Cloud

Create a sample project
1 Loading...
Download now
12 MB / 1.1 MB
Preparing project

Synchronize your app data
and services



Check Code Performance in
Dev, Test, Staging &
Production

Provides powerful methods to fetch HTTP resources synchronously or asynchronously

 [Read Documentation](#)

 [MIT License](#)

 1,214 OSS projects use it

 [View Source Code](#)

 67 million downloads (184,586 per day)

 First released on March 2019

This component is backed by [Prisma Media](#) 



Prisma Media has become in 40 years the n°1 French publishing group, on print and digitally, with 20 flagship brands of the news magazines : Femme Actuelle, GEO, Capital, Gala or Télé-Loisirs... Today, more than 42 million French people are in contact with one of our brand each month, either by leafing through a magazine, surfing the web, subscribing one our mobile or tablet application or listening to our podcasts' series. Prisma Media has successfully transformed one's business model : from a historic player in the world of paper, it has become in 5 years one of the first publishers of multi-media editorial content, and one of the first creators of digital solutions.

Installation

Use [Composer](#) to install this component in your PHP project:

```
...  
$ composer require symfony/http-client  

```

Main OSS Projects Using Symfony HttpClient



OroCRM



API Platform



Symfony



PrestaShop

Partenariat

financier



Visibilité pour Prisma Media

Meetups et conférences



2016 Meetup Elastic

2019 Meetup Symfony

2022 Symfony Live Paris



Jeanne Londiche
@jlondiche

Bravo @GromNaN pour sa Super présentation sur le code asynchrone dans une appli #symfony synchrone
@DevPrisma @PatriceBazerque #symfony_live

A screenshot of a Twitter post from Jeanne Londiche (@jlondiche). The post features a photo of a presentation slide titled "Conclusions" with three numbered points about non-blocking I/O and fibers in PHP. It also shows a man standing on stage at the SymfonyLive Paris 2022 event. The tweet text is: "Bravo @GromNaN pour sa Super présentation sur le code asynchrone dans une appli #symfony synchrone @DevPrisma @PatriceBazerque #symfony_live".


1. Plusieurs concepts dans l'asynchrone : I/O non-bloquants, parallélisation, coroutines
2. Chaque concept est utilisable indépendamment, dans un contexte synchrone
3. Les fibers permettent de capitaliser les coroutines à partir de PHP 8.1, pour traiter le domaine

11:54 AM · 8 avr. 2022 · Twitter for iPhone

Rejoignez Prisma Media sur GitHub

Contactez Jérôme Tamarelle

<https://github.com/prismamedia>



The screenshot shows the GitHub profile page for the organization 'prismamedia'. At the top, there's a dark header with the GitHub logo, the organization name 'prismamedia', a 'Sign up' button, and a menu icon. Below the header is a large profile picture containing a red 'PM' logo. To the right of the logo, the organization name 'Prisma Media' is displayed in bold black text, followed by a location pin icon and 'Gennevilliers, France'. A link to their website 'https://www.prismamedia.com/' is shown next to a green 'Verified' badge. Below the profile picture, there are tabs for 'Overview', 'Repositories' (13), 'Projects', 'Packages', and 'People' (2). The 'Overview' tab is currently selected. In the 'Pinned' section, three repositories are listed: 'metrics' (PHP, 11 stars, 4 forks), 'graphql-platform' (TypeScript, 6 stars), and 'php-endeavor' (PHP, 9 stars). To the right, under 'People', two user profiles are shown with small circular avatars. Below that, 'Top languages' are listed: TypeScript, PHP, and Swift.

prismamedia

Sign up

☰

Prisma Media

Gennevilliers, France <https://www.prismamedia.com/> Verified

Overview Repositories 13 Projects Packages People 2

Pinned

metrics Public

Symfony bundle to expose your own metrics to Prometheus

PHP 11 4

graphql-platform Public

GraphQL Platform

TypeScript 6

php-endeavor Public

PHP package to handle retry on failure

PHP 9

People

Top languages

TypeScript PHP

Swift

prismamedia / metrics Public

Code Issues 2 Pull requests Actions Projects Wiki Security Insights

Check if "service" function exists #16

Merged GromNaN merged 1 commit into prismamedia:2.x from Dropelikeit:fix/undefined_service_function on 17 Feb

Conversation 7 Commits 1 Checks 4 Files changed 3 +20 -5

Dropelikeit commented on 15 Feb • edited by GromNaN • ...
The package claims to be compatible with Symfony 4.4, unfortunately the package uses the service function, which is supposed to replace the ref function in the ContainerConfigurator as of Symfony 5.1.
This PR is intended to restore compatibility with Symfony 4.4.
Closes #15

Dropelikeit commented on 15 Feb Author ...
Issue: #15

GromNaN requested changes on 16 Feb View changes
GromNaN left a comment Member ...
Thanks for the fix. I don't have any Symfony 4.4 application, that explains the lack of tests.
1

src/MetricRenderer.php Show resolved
src/Bundle/Resources/config/services.php Outdated Show resolved

Dropelikeit requested a review from GromNaN 4 months ago

GromNaN approved these changes on 17 Feb View changes

Reviewers GromNaN ✓
Assignees No one assigned
Labels None yet
Projects None yet
Milestone No milestone
Development Successfully merging this pull request may close these issues.
UndefinedFunctionError: Attempted to call fu...
2 participants

1ère contribution
d'un externe sur un
projet open source
de Prisma Media

Co-opétition

Le Monde

Paris, France <http://www.lemonde.fr>

Overview Repositories 73 Projects Packages People 5

Pinned

- team** Public
Où nous annonçons nos ouvertures de postes côté technique
34 ⚡ 3
- angular-ckeditor** Public
CKEditor directive for Angular.
JavaScript 140 ⚡ 137
- php-circuit-breaker-bundle** Public
Circuit Breaker Bundle
PHP 11 ⚡ 3

Repositories

Find a repository...
Type Language Sort

- react-native-at-internet** Public
Implementation of AtInternet Android & iOS packages
TypeScript 3 MIT 2 0 0 Updated 20 days ago
- locky** Public
Resource locking system using redis.
JavaScript 7 MIT 1 0 2 Updated on 30 Mar

CCM Benchmark Group

Rennes, Paris <http://www.ccmbenchmark.com/>

Overview Repositories 10 Projects Packages People 2

Popular repositories

- statsd-php** Public
a minimalist implementation for statsd in php
PHP ⚡ 2
- mapael-maps** Public
Forked from neveldo/mapael-maps
JavaScript ⚡ 1
- ting** Public
Lightweight PHP datamapper
PHP ⚡ 1 ⚡ 4
- biggquery-bundle** Public
Batch upload data to bigquery
PHP
- ting_bundle** Public
PHP ⚡ 1
- ting_user_bundle** Public
PHP

Repositories

Find a repository...
Type Language Sort

- php-graphql-client** Public
A PHP library that simplifies the process of interacting with GraphQL API's by providing simple client and query generator classes.
PHP ⚡ 0 MIT 61 0 ⚡ 0 Updated on 25 Apr

Publications sur medium.com/prisma-media

Published in Prisma Media

Vincent Levorato [Follow](#)

May 18 · 2 min read · [Listen](#)

[Save](#) [Twitter](#) [Facebook](#) [LinkedIn](#) [Copy](#)

ML Feature Engineering: from Pandas to SQL (BigQuery)



When working in Data Science, one often needs to prepare

o. 5 | Q | ... | prepare

Yoriis [Follow](#)

Aug 1, 2019 · 4 min read · [Listen](#)

[Save](#) [Twitter](#) [Facebook](#) [LinkedIn](#) [Copy](#)

The real power of Webpack 4 SplitChunks Plugin



webpack

Code Splitting

Webpack — Code Splitting

If you have read [Hemal Patel's](#) excellent article about the [Mysterious SplitChunks Plugin](#), you probably asked yourself the same question as I did.

How do I include the

COC 200 | Q 1 | ...

Espace Medium géré par Marianne ROCHE

Pas de documentation = pas de projet

Point d'entrée d'un projet open source.

Plus elle est détaillée, plus la communauté pourra utiliser facilement le projet.

Plusieurs formes de documentation : readme, changelog, guide de contribution, modèle d'issue et de pull-request.

Questions ?

Pour aller plus loin

- [Qu'est-ce que l'open source ?](#)
- [Pourquoi l'open source + exemple de projet](#)
- [Open source libre vraiment ?](#)
- [Guide de l'open source](#)
- [GitHub de Prisma Media](#)
- [Medium de Prisma Media](#)