

Grounded DI LLC – Demo Materials for BriefWise, VerdictBridge, DepoBot, and Witness Finder

Included visuals:

- 01 – BriefWise DI2 System Stack
- 02 – BriefWise DI2 Case Heat Map
- 03 – BriefWise DI2 Case Law Engine Audit Metrics
- 04 – BriefWise DI2 Personal Jurisdiction Audit Heat Map
- 05 – VerdictBridge DI2 Litigation Risk & Trial Exposure Matrix
- 06 – DepoBot DI2 Deposition Intelligence Workflow
- 07A-C – BriefWise Constitutional Authority Audit – Injury in Chicago
- 08 – Witness Priority Mapper Demo




BriefWise DI² — System Stack

Governance • Logic • Audit



A structured architecture view of the deterministic legal-tech stack.



BRIEFWISE DI²

• Visual Series 003

• Formal Audit Artifact

• Legal-Tech Use






BriefWise DI² – Case Heat Map

Entity Linkage • Evidence Pressure • Contradiction Surfacing



A litigation-intelligence network that visualizes case pressure, linkage strength, and evidentiary risk.



Audit Flags



Contradiction Zones

- 6 high-impact contradictions detected.
- Focus review on timelines and causation.



Missing Evidence

- 3 key links lack supporting exhibits.
- Fill gaps to strengthen admissibility.



Product-ID Strength

- Strong linkage to Product Models.
- Maintain chain of identification.



Admissibility Sensitivity

- Moderate-high risk on key items.
- Address hearsay and foundation issues.



Authority Pressure

- Strong authority support.
- Leverage precedent to increase pressure.



BRIEFWISE DI²

• Visual Series 004

• Formal Audit Artifact

• Legal-Tech Use





BriefWise DI² — Case Law Engine Audit Metrics

100/100 Cases • Deterministic • Auditable • Reproducible



A formal compliance-metrics view for a citation-governed case law engine.

DI² Final Compliance Metrics — Vertical View (A+ Edition) *Sorted by Magnitude for Human Readability*



Interpretation



Zero hallucinated legal content.

CLR at 0.00 with no CanonLock violations.



Primary-source anchored.

PSRR, RCA, CTPI, and Scroll Compliance at 1.00 (Perfect).



Drift controls engaged.

ΔH (Entropy Integrity) at 0.0049 with zero drift events.



Audit trace preserved.

All events logged with no output delay or trap activations.



Human-readable compliance view.

Clear, verifiable metrics for legal and technical review.



PERSONAL JURISDICTION AUTHORITIES – AUDIT HEAT MAP

Surreply Case Law Audit – Accuracy, Weight, Application & Litigation Risk

BriefWise DI²

Legal Audit Engine




CASE AUTHORITY AUDIT TABLE

ID	CASE & CITATION	COURT / JURISDICTION	PRECEDENTIAL WEIGHT	AUDIT CRITERIA (PASS / PARTIAL / RISK)				LITIGATION RISK LEVEL	OVERALL AUDIT SCORE (0 – 100)
				Real & Verifiable Authority	Holding Accuracy	Proper Tier (Binding / Persuasive)	Accurate Application to Jurisdiction		
A	<i>Mallory v. Norfolk Southern Ry. Co.</i> , 600 U.S. 122 (2023)	U.S. Supreme Court	Controlling (Highest)	✓ PASS	✓ PASS	✓ PASS	✓ PASS	Moderate (Commerce Clause pivot possible)	95
B	<i>National Pork Producers Council v. Ross</i> , 598 U.S. 356 (2023)	U.S. Supreme Court	Controlling (High)	✓ PASS	✓ PASS	✓ PASS	– PARTIAL (Limit to burden analysis)	Moderate (Doctrinal domain mismatch argument)	85
C	<i>Bendix Autolite Corp. v. Midwesco Enterprises, Inc.</i> , 486 U.S. 888 (1988)	U.S. Supreme Court	Controlling (High)	✓ PASS	✓ PASS	✓ PASS	✓ PASS	Low (Strong distinction)	90
D	<i>Davis v. Farmers' Co-op Equity Co.</i> , 262 U.S. 312 (1923)	U.S. Supreme Court	Controlling (Narrow)	✓ PASS	✓ PASS	✓ PASS	– PARTIAL (Pre-Int'l Shoe; limited relevance)	Low (Outdated doctrine; weak defense value)	75
E	<i>International Shoe Co. v. Washington</i> , 326 U.S. 310 (1945)	U.S. Supreme Court	Foundational (High)	✓ PASS	✓ PASS	✓ PASS	✓ PASS	Low	95
F	<i>Bristol-Myers Squibb Co. v. Superior Court</i> , 582 U.S. 255 (2017)	U.S. Supreme Court	Controlling (High)	✓ PASS	✓ PASS	✓ PASS	– PARTIAL Underutilized in draft)	High (Defense strongest argument)	70
G	<i>Hammons v. Ethicon</i> , 240 A.3d 537 (Pa. 2020)	Pennsylvania Supreme Court	Controlling (State – High)	✓ PASS	✓ PASS	✓ PASS	✓ PASS	Low	90
H	<i>Pa.R.C.P. 1028(a)(1) + "Clear and Free from Doubt" Standard</i>	Pennsylvania Rule of Civil Procedure	Controlling (Procedural)	✓ PASS	✓ PASS	✓ PASS	✓ PASS	Low (Strong procedural foundation)	95

HEAT MAP – RISK OVERVIEW

Low Risk (Strong)	4
Moderate Risk (Manageable)	2
High Risk (Vulnerability)	1
Outdated / Narrow (Limited)	1

PRECEDENTIAL WEIGHT DISTRIBUTION



AUDIT SUMMARY

- ✓ No hallucinated cases detected.
- ✓ All authorities are real and verifiable.
- ✓ Hierarchy correct: SCOTUS → PA Supreme Court → Procedural Rules.
- ✓ Mallory is correctly positioned as dispositive primary authority.
- ✓ Defense authorities properly distinguished.

IDENTIFIED VULNERABILITIES (AUDIT NOTES)

- Dormant Commerce Clause** No direct post-*Mallory* appellate rejection cited. Argument is strong but still evolving law.
- Specific Jurisdiction** *Bristol-Myers Squibb* creates real exposure if Court bypasses *Mallory*.
- Discovery Section** Lacks explicit Pennsylvania appellate citation. Still valid, but could be fortified.

STRATEGIC INSIGHT



The draft correctly follows the optimal structure:

- ✓ Primary path: Consent jurisdiction (*Mallory*)
- ✓ Fallback path: Discovery
- ✓ Avoids overcommitting to specific jurisdiction

This is structurally optimal.

OVERALL AUDIT RESULT



LITIGATION-GRADE
RELIABLE

No citation corrections required.

Optional enhancement: Add Pennsylvania case explicitly supporting jurisdictional discovery (not required but beneficial).

CERTAINTY & RISK LOG

Certainty Score
99 / 100

Hallucination Risk
LOW



DI²

BRIEFWISE DI² – CASE LAW AUDIT ENGINE

DETERMINISTIC. SOURCE-BOUND. LITIGATION-GRADE.

PREPARED MAY 29, 2026



VerdictBridge DI² — Litigation Risk & Trial Exposure Matrix

Neutral case evaluation for liability, damages, expert risk, motion posture, and settlement strategy.



Evidence Strength	Litigation Risk	Recommended Action
 Product Identification Mixed	● Moderate Some evidence links product; gaps remain.	 Develop product-ID record.
 Witness Consistency Mixed	● Moderate Key witnesses aligned on basics; details vary.	 Prioritize deposition follow-up.
 Document Support Strong	● Low Contemporaneous records support core facts.	 Maintain & organize key exhibits.
 Expert Admissibility Mixed	● Elevated Methodology support challenged; Daubert risk present.	 Prepare expert challenge.
 MSJ Viability Moderate	● Elevated Material fact disputes limit summary judgment path.	 Target discrete MSJ arguments.
 Causation Vulnerability Mixed	● Elevated Plaintiff experts offer multiple causation theories.	 Strengthen causation defenses.
 Liability Allocation Strong	● Low Strong non-party and comparative fault evidence.	 Reinforce allocation narrative.
 Damages Exposure Mixed	● Elevated High specials; future damages subject to dispute.	 Update damages analysis & reserve view.
 Settlement Posture Moderate	● Moderate Range wide; plaintiff open but expecting movement.	 Review settlement range.
 Trial Pressure Mixed	● Elevated Venue and plaintiff counsel increase trial risk.	 Prepare trial-risk memo.



Overall Posture
Defensible but
discovery-sensitive



Confidence Score
82/100



Attorney Review State
Attorney review
required



Recommended Next Step
Develop record on product
identification and expert
support before mediation.



VERDICTBRIDGE DI²

● Neutral Evaluation

● Audit-Ready

● Litigation Intelligence





DepoBot DI² – Deposition Intelligence Workflow

*Transcript review, product identification, contradiction detection,
and attorney-ready issue synthesis.*



1



INGEST & NORMALIZE

- Import transcripts, exhibits, and metadata
- Identify witness, role, and deponent
- OCR and format normalization
- Preserve original testimony and context

OUTPUT



Clean, searchable
record set

2



SUMMARIZE & STRUCTURE

- High-level deposition summary
- Topics, timeline, and key events
- Admissions, denials, and key statements
- Witness-specific insights with page/line cites

OUTPUT



Structured
deposition summary

3



MAP EXPOSURE & PRODUCT ID

- Identify products, components, and models
- Map exposure testimony
- Worksites, locations, and circumstances
- Link defendants and entities
- Assess linkage strength and context

OUTPUT



Product-ID and
exposure map

4



FLAG RISK & CONTRADICTIONS

- Detect contradictions and inconsistencies
- Flag hearsay and foundation issues
- Identify missing or incomplete testimony
- Assess admissibility concerns
- Highlight weak causation or speculative links

OUTPUT



Risk & issue
flags with cites

5



GENERATE ATTORNEY REVIEW PACKET

- Attorney-ready deposition summary
- Product-ID chart and witness map
- Contradiction log and issue list
- MSJ support points and defenses
- Cross-exam targets and follow-up needs
- Quality control and final review

OUTPUT



Complete review
packet

CORE LITIGATION SAFEGUARDS



Attorney Remains in Control

You decide strategy.
We provide insight.



Preserve Original Testimony

Original transcripts
are never altered.



Use Transcript Language

We use the record
whenever possible.



Flag Hearsay & Foundation Issues

Potential problems
are surfaced early.



Page/Line References

Every assertion is
linked to the record.



Attorney Review Required

All outputs require
attorney review before
final use.



**Built for defense.
Designed for trust.**



PRIMARY OUTPUT

Structured deposition
review packet

Attorney-ready and
exportable.



KEY VALUE

Faster issue spotting.
Cleaner analysis.
Stronger strategy.

Save time. Improve
accuracy. Reduce risk.



ATTORNEY REVIEW STATE

**Attorney review
required**

Final decisions and
strategy remain with
counsel.



USE CASES

- MSJ preparation
- Product identification analysis
- Witness mapping
- Contradiction review
- Cross-examination prep
- Carrier reporting support



From transcript to strategy. From testimony to advantage.
Neutral. Record-Based. Attorney-Reviewed. Litigation-Ready.

BriefWise Constitutional Authority Audit — Product liability slip and fall in Chicago Illinois state court

Grounded DI LLC

Mode: BriefWise Source-Locked Artifact Mode | Audit-building only | FilingReady: Not yet determinable

Audit text + prompt SHA-256: 22451f47d20ff92066f243d59b6a354be82316d5710f4a6f8afcd23741dd70f3

A. Topic Audit Summary

This bounded batch verifies 10 authorities for Illinois state-court slip-and-fall / premises-liability practice in Chicago/Cook County. The request used the phrase “product liability,” but the operative topic is treated as premises-liability / negligence unless a defective-product theory is later supplied.

The case is assumed to be in the Circuit Court of Cook County. The Cook County Law Division identifies personal-injury and property-damage matters among the case types it hears and lists the Daley Center as the Law Division location in Chicago. Cook County publishes Circuit Court Rules separately from statewide Illinois law.

This is not FilingReady. Citator-grade treatment, official pinpoints for filing text, judge/calendar-specific Cook County orders, local motion scheduling, and record facts remain unresolved.

B. Verified Authority Table

#	Authority	Court / Source	Doctrine	Core Proposition	Treatment / Use
1	740 ILCS 130/2	Illinois statute	Premises Liability Act / entrant duty	Illinois abolished the common-law invitee/licensee distinction for non-trespasser premises entrants and states the duty as reasonable care under the circumstances.	Current text verified on ILGA; treatment/currentness still requires counsel check. Use with caution pending currentness and fact fit.
2	735 ILCS 5/2-1005	Illinois statute	Summary judgment procedure	Summary judgment is proper when the pleadings, depositions, admissions, and affidavits show no genuine issue of material fact and the movant is entitled to judgment as a matter of law.	Current text verified on ILGA; local Cook County motion scheduling/order practice unresolved. Use for summary-judgment posture; confirm judge/calendar standing orders.
3	745 ILCS 10/3-102	Illinois statute	Local public entity / municipal property	A local public entity must exercise ordinary care to maintain property in a reasonably safe condition for intended and permitted users, and liability requires actual or constructive notice in adequate time to remedy or protect against the condition.	Current text verified on ILGA; applies only when a local public entity/public property defendant is involved. Use if City of Chicago, CTA, or other local public entity/public property is implicated.
4	Donoho v. O'Connell's, Inc., 13 Ill. 2d 113 (1958)	Supreme Court of Illinois	Business premises / ordinary care / foreign substance	A proprietor owes invitees ordinary care to maintain premises in a reasonably safe condition; foreign-substance slip-and-fall liability turns on defendant creation, actual notice, or constructive notice in appropriate cases.	Existence/citation verified; negative-treatment status unresolved. Use with caution; verify pinpoints and treatment.
5	Ward v. K Mart Corp., 136 Ill. 2d 132 (1990)	Supreme Court of Illinois	Open and obvious / distraction exception	Illinois adopts Restatement premises-liability principles; open and obvious conditions do not automatically eliminate duty where the possessor should anticipate harm, including distraction scenarios.	Existence/citation verified; negative-treatment status unresolved. Use with caution; central for open-and-obvious/distraction arguments.
6	Deibert v. Bauer Brothers Construction Co., Inc., 141 Ill. 2d 430 (1990)	Supreme Court of Illinois	Open and obvious / distraction exception	The distraction exception may preserve a duty where the defendant should reasonably anticipate that the invitee's attention will be diverted from an otherwise obvious hazard.	Existence/citation verified; negative-treatment status unresolved. Use with caution; fact-specific and most useful with evidence of defendant-anticipated distraction.
7	Bruns v. City of Centralia, 2014 IL 116998	Supreme Court of Illinois	Open and obvious / municipal sidewalk / distraction limits	An open and obvious sidewalk defect can defeat duty where no legally sufficient distraction exception applies; Illinois recognizes distraction and deliberate-encounter exceptions but applies them narrowly.	Official opinion verified; negative-treatment status unresolved. Use with caution; important defense authority and required counterweight to plaintiff-side distraction theories.
8	Krywin v. Chicago Transit Authority, 238 Ill. 2d 215 (2010)	Supreme Court of Illinois	Natural accumulation / CTA / snow and ice	Illinois natural-accumulation doctrine can bar liability for injuries caused by natural accumulations of snow or ice, including in CTA-related circumstances, absent evidence supporting an exception.	Official opinion verified; negative-treatment status unresolved. Use if snow/ice/natural accumulation or CTA/common carrier issues are implicated; distinguish unnatural accumulation or negligent removal theories.

#	Authority	Court / Source	Doctrine	Core Proposition	Treatment / Use
9	Pavlik v. Wal-Mart Stores, Inc., 323 Ill. App. 3d 1060 (1st Dist. 2001)	Illinois Appellate Court, First District	Retail slip-and-fall / notice / summary judgment	In fall-down negligence cases, plaintiff must establish duty, breach, and proximate causation; summary judgment may turn on evidence of creation, actual notice, constructive notice, or failure of proof.	Official opinion verified; treatment status unresolved. Persuasive/controlling within First District depending on forum hierarchy; use for Cook County retail premises cases.
10	Newsom-Bogan v. Wendy's Old Fashioned Hamburgers of New York, Inc., 2011 IL App (1st) 092860	Illinois Appellate Court, First District	Foreign substance / business invitee / notice	For foreign-substance slip-and-fall claims, a business owner breaches its duty if the substance was placed by the proprietor's negligence, the proprietor had actual notice, or it existed long enough to support constructive notice.	Official opinion verified; treatment status unresolved. Use with caution; useful First District authority for Cook County business-premises notice.

C. Candidate Queue

No AI-memory-only authority is counted. These are potential supplemental authorities that should not count in this batch unless separately promoted:

- *Bucheleres v. Chicago Park District*, 171 Ill. 2d 435 (1996) — Potential open-and-obvious/duty authority; verified by official citations in Illinois Courts opinions but not counted due 10-authority cap.
- *Sollami v. Eaton*, 201 Ill. 2d 1 (2002) — Potential duty-factor/open-and-obvious exception authority; verified by official citations in Illinois Courts opinions but not counted due 10-authority cap.
- *Reed v. Galaxy Holdings, Inc.*, 394 Ill. App. 3d 39 (1st Dist. 2009) — Potential First District ingress/egress/natural-accumulation authority; not counted in this bounded batch.
- *Rozowicz v. C3 Presents, LLC*, 2017 IL App (1st) 161177 — Potential open-and-obvious/mud/event-premises authority; not counted in this batch.
- *Bailey v. Graham Enterprises, Inc.*, 2019 IL App (1st) 181316 — Potential natural/unnatural accumulation design/maintenance authority; not counted in this batch.

D. Proposition-to-Authority Map

Proposition	Verified authority
Illinois abolished the common-law invitee/licensee distinction for non-trespasser premises entrants and states the duty as reasonable care under the circumstances.	740 ILCS 130/2
Summary judgment is proper when the pleadings, depositions, admissions, and affidavits show no genuine issue of material fact and the movant is entitled to judgment as a matter of law.	735 ILCS 5/2-1005
A local public entity must exercise ordinary care to maintain property in a reasonably safe condition for intended and permitted users, and liability requires actual or constructive notice in adequate time to remedy or protect against the condition.	745 ILCS 10/3-102
A proprietor owes invitees ordinary care to maintain premises in a reasonably safe condition; foreign-substance slip-and-fall liability turns on defendant creation, actual notice, or constructive notice in appropriate cases.	<i>Donoho v. O'Connell's, Inc.</i> , 13 Ill. 2d 113 (1958)
Illinois adopts Restatement premises-liability principles; open and obvious conditions do not automatically eliminate duty where the possessor should anticipate harm, including distraction scenarios.	<i>Ward v. K Mart Corp.</i> , 136 Ill. 2d 132 (1990)
The distraction exception may preserve a duty where the defendant should reasonably anticipate that the invitee's attention will be diverted from an otherwise obvious hazard.	<i>Deibert v. Bauer Brothers Construction Co., Inc.</i> , 141 Ill. 2d 430 (1990)
An open and obvious sidewalk defect can defeat duty where no legally sufficient distraction exception applies; Illinois recognizes distraction and deliberate-encounter exceptions but applies them narrowly.	<i>Bruns v. City of Centralia</i> , 2014 IL 116998
Illinois natural-accumulation doctrine can bar liability for injuries caused by natural accumulations of snow or ice, including in CTA-related circumstances, absent evidence supporting an exception.	<i>Krywin v. Chicago Transit Authority</i> , 238 Ill. 2d 215 (2010)
In fall-down negligence cases, plaintiff must establish duty, breach, and proximate causation; summary judgment may turn on evidence of creation, actual notice, constructive notice, or failure of proof.	<i>Pavlik v. Wal-Mart Stores, Inc.</i> , 323 Ill. App. 3d 1060 (1st Dist. 2001)
For foreign-substance slip-and-fall claims, a business owner breaches its duty if the substance was placed by the proprietor's negligence, the proprietor had actual notice, or it existed long enough to support constructive notice.	<i>Newsom-Bogan v. Wendy's Old Fashioned Hamburgers of New York, Inc.</i> , 2011 IL App (1st) 092860

E. Treatment / Jurisdiction / Posture Cautions

- Treatment: Negative treatment is unresolved for every case; citator-grade review is required before filing-facing use.
- Chicago/Cook County posture: Confirm whether the case belongs in Cook County Law Division, Municipal Division, or another division based on amount in controversy and claims.
- Municipal/public-property cases: Use 745 ILCS 10/3-102 only when a local public entity/public property is involved.
- Snow/ice cases: Krywin is a natural-accumulation anchor; do not overuse it if facts support unnatural accumulation, negligent removal, design defect, or contractual/voluntary undertaking theories.
- Open-and-obvious cases: Bruns, Ward, and Deibert must be read together; do not treat open-and-obvious as a per se automatic bar without duty-factor and exception analysis.
- Foreign-substance retail cases: Pavlik and Newsom-Bogan are useful First District anchors but require fact-specific proof of creation, actual notice, constructive notice, and causation.
- Product-liability label: If the slip was caused by a defective product, equipment, mat, flooring material, or warning system rather than premises maintenance, a separate Illinois product-liability prompt should be run.

F. Filing-Use Recommendations

Use statutes and cases as filing candidates only after citator-grade treatment, official pinpoints, and case-specific fact matching. For now, all 10 are audit-countable but not FilingReady.

G. Batch Status

- Verified authorities counted: 10
- Candidate authorities excluded: 5
- Unresolved authorities: 0 as to existence/citation for counted authorities; 10 as to citator-grade treatment
- Topic complete: Yes for initial source-locked audit; No for FilingReady
- Suggested next command: Run next topic.

H. Source Verification Notes

Authority / source	Source URL
740 ILCS 130/2	https://www.ilga.gov/documents/legislation/ilcs/documents/074001300K2.htm
735 ILCS 5/2-1005	https://www.ilga.gov/Documents/legislation/ilcs/documents/073500050K2-1005.htm
745 ILCS 10/3-102	https://www.ilga.gov/Documents/legislation/ilcs/documents/074500100K3-102.htm
Cook County Law Division	https://www.cookcountyclerkofcourt.org/divisions/law-division
Cook County Circuit Court Rules	https://www.cookcountycourtill.gov/about/circuit-court-rules
Bruns v. City of Centralia, 2014 IL 116998	https://www.illinoiscourts.gov/files/116998.pdf/opinion
Krywin v. Chicago Transit Authority, 238 Ill. 2d 215	https://www.illinoiscourts.gov/files/108888.pdf/opinion
Pavlik v. Wal-Mart Stores, Inc., 323 Ill. App. 3d 1060	https://www.illinoiscourts.gov/files/1003279.htm/opinion
Newsom-Bogan v. Wendy's Old Fashioned Hamburgers, 2011 IL App (1st) 092860	https://www.illinoiscourts.gov/files/1092860.pdf/opinion

Authority / source	Source URL
Illinois Pattern Jury Instructions - Civil 120.00 Premises	https://www.illinoiscourts.gov/Resources/18fd27de-6edb-4c7d-9ee5-8957f48f4568/120.00.pdf

Appendix A — Original Prompt

Run BriefWise Constitutional Authority Audit — Source-Locked Artifact Mode.

Topic:

Product liability slip and fall in Chicago Illinois state court

Target:

Return up to 10 verified authorities. Do not pad.

Tasks:

1. Research and verify authorities using source-locked authority rules.
2. Exclude AI-suggested cases unless independently verified.
3. Build a verified authority table.
4. Build a candidate queue for unverified authorities.
5. Build a proposition-to-authority map.
6. Flag treatment, jurisdiction, posture, and filing-use cautions.
7. Generate a PDF artifact titled:
BriefWise Constitutional Authority Audit — [Topic]
8. Include Grounded DI LLC in the artifact metadata/footer.
9. Include the original prompt in the appendix.
10. Generate a SHA-256 digest of the final PDF.
11. Provide both the PDF and checksum file.

Hard limits:

- Do not exceed 10 verified authorities unless expressly authorized.
- Do not mark FilingReady.
- Do not count AI-memory-only cases.
- Do not silently omit unresolved treatment issues.
- If verification fails, place the authority in Candidate Queue only.

Output:

- Brief summary
- PDF artifact
- SHA-256 checksum
- Batch status
- Suggested next command: Run next topic.

Appendix B — Embedded Metadata

artifact_title: BriefWise Constitutional Authority Audit — Product liability slip and fall in Chicago Illinois state court

created_by: Grounded DI LLC

mode: BriefWise Source-Locked Artifact Mode

jurisdiction: Illinois state court / Circuit Court of Cook County / Chicago

topic: Slip and fall / premises liability / product liability label as provided

created_date: 2026-06-13

filingready: Not yet determinable

content_sha256: 22451f47d20ff92066f243d59b6a354be82316d5710f4a6f8afcd23741dd70f3

BriefWise Constitutional Authority Audit — Product liability slip and fall in Chicago Illinois state court

Grounded DI LLC

Mode: BriefWise Source-Locked Artifact Mode

Jurisdiction: Illinois state court / Circuit Court of Cook County / Chicago

Topic: Slip and fall / premises liability / product liability label as provided

FilingReady: Not yet determinable

Audit text + prompt SHA-256: 22451f47d20ff92066f243d59b6a354be82316d5710f4a6f8afcd23741dd70f3

A. Topic Audit Summary

This bounded batch verifies 10 authorities for Illinois state-court slip-and-fall / premises-liability practice in Chicago/Cook County. The request used the phrase “product liability,” but the operative topic is treated as premises-liability / negligence unless a defective-product theory is later supplied.

The case is assumed to be in the Circuit Court of Cook County. The Cook County Law Division identifies personal-injury and property-damage matters among the case types it hears and lists the Daley Center as the Law Division location in Chicago. Cook County publishes Circuit Court Rules separately from statewide Illinois law.

This is not FilingReady. Citator-grade treatment, official pinpoints for filing text, judge/calendar-specific Cook County orders, local motion scheduling, and record facts remain unresolved.

B. Verified Authority Table

#	Authority	Court / Source	Doctrine Category	Core Proposition	Treatment / Use
1	740 ILCS 130/2	Illinois statute	Premises Liability Act / entrant duty	Illinois abolished the common-law invitee/licensee distinction for non-trespasser premises entrants and states the duty as reasonable care under the circumstances.	Current text verified on ILGA; treatment/currentness still requires counsel check. Use with caution pending currentness and fact fit.
2	735 ILCS 5/2-1005	Illinois statute	Summary judgment procedure	Summary judgment is proper when the pleadings, depositions, admissions, and affidavits show no genuine issue of material fact and the movant is entitled to judgment as a matter of law.	Current text verified on ILGA; local Cook County motion scheduling/order practice unresolved. Use for summary-judgment posture; confirm judge/calendar standing orders.
3	745 ILCS 10/3-102	Illinois statute	Local public entity / municipal property	A local public entity must exercise ordinary care to maintain property in a reasonably safe condition for intended and permitted users, and liability requires actual or constructive notice in adequate time to remedy or protect against the condition.	Current text verified on ILGA; applies only when a local public entity/public property defendant is involved. Use if City of Chicago, CTA, or other local public entity/public property is implicated.
	Donoho v.	Supreme	Business premises /	A proprietor owes invitees ordinary care to maintain premises in a reasonably safe	Existence/citation verified; negative-

4	O'Connell's, Inc., 13 Ill. 2d 113 (1958)	Court of Illinois	ordinary care / foreign substance	condition; foreign-substance slip-and-fall liability turns on defendant creation, actual notice, or constructive notice in appropriate cases.	treatment status unresolved. Use with caution; verify pinpoints and treatment.
5	Ward v. K Mart Corp., 136 Ill. 2d 132 (1990)	Supreme Court of Illinois	Open and obvious / distraction exception	Illinois adopts Restatement premises-liability principles; open and obvious conditions do not automatically eliminate duty where the possessor should anticipate harm, including distraction scenarios.	Existence/citation verified; negative-treatment status unresolved. Use with caution; central for open-and-obvious/distraction arguments.
6	Deibert v. Bauer Brothers Construction Co., Inc., 141 Ill. 2d 430 (1990)	Supreme Court of Illinois	Open and obvious / distraction exception	The distraction exception may preserve a duty where the defendant should reasonably anticipate that the invitee's attention will be diverted from an otherwise obvious hazard.	Existence/citation verified; negative-treatment status unresolved. Use with caution; fact-specific and most useful with evidence of defendant-anticipated distraction.
7	Bruns v. City of Centralia, 2014 IL 116998	Supreme Court of Illinois	Open and obvious / municipal sidewalk / distraction limits	An open and obvious sidewalk defect can defeat duty where no legally sufficient distraction exception applies; Illinois recognizes distraction and deliberate-encounter exceptions but applies them narrowly.	Official opinion verified; negative-treatment status unresolved. Use with caution; important defense authority and required counterweight to plaintiff-side distraction theories.
8	Krywin v. Chicago Transit Authority, 238 Ill. 2d 215 (2010)	Supreme Court of Illinois	Natural accumulation / CTA / snow and ice	Illinois natural-accumulation doctrine can bar liability for injuries caused by natural accumulations of snow or ice, including in CTA-related circumstances, absent evidence supporting an exception.	Official opinion verified; negative-treatment status unresolved. Use if snow/ice/natural accumulation or CTA/common carrier issues are implicated; distinguish unnatural accumulation or negligent removal theories.
9	Pavlik v. Wal-Mart Stores, Inc., 323 Ill. App. 3d 1060 (1st Dist. 2001)	Illinois Appellate Court, First District	Retail slip-and-fall / notice / summary judgment	In fall-down negligence cases, plaintiff must establish duty, breach, and proximate causation; summary judgment may turn on evidence of creation, actual notice, constructive notice, or failure of proof.	Official opinion verified; treatment status unresolved. Persuasive/controlling within First District depending forum hierarchy; use for Cook County retail premises cases.
10	Newsom-Bogan v. Wendy's Old Fashioned Hamburgers of New York, Inc., 2011 IL App (1st) 092860	Illinois Appellate Court, First District	Foreign substance / business invitee / notice	For foreign-substance slip-and-fall claims, a business owner breaches its duty if the substance was placed by the proprietor's negligence, the proprietor had actual notice, or it existed long enough to support constructive notice.	Official opinion verified; treatment status unresolved. Use with caution; useful First District authority for Cook County business-premises notice.

C. Candidate Queue

No AI-memory-only authority is counted. These are potential supplemental authorities that should not count in this batch unless separately promoted:

- **Bucheleres v. Chicago Park District, 171 Ill. 2d 435 (1996)** — Potential open-and-obvious/duty authority; verified by official citations in Illinois Courts opinions but not counted due 10-authority cap.
- **Sollami v. Eaton, 201 Ill. 2d 1 (2002)** — Potential duty-factor/open-and-obvious exception authority; verified by official citations in Illinois Courts opinions but not counted due 10-authority cap.
- **Reed v. Galaxy Holdings, Inc., 394 Ill. App. 3d 39 (1st Dist. 2009)** — Potential First District ingress/egress/natural-accumulation authority; not counted in this bounded batch.
- **Rozowicz v. C3 Presents, LLC, 2017 IL App (1st) 161177** — Potential open-and-obvious/mud/event-premises authority; not counted in this batch.

- **Bailey v. Graham Enterprises, Inc., 2019 IL App (1st) 181316** — Potential natural/unnatural accumulation design/maintenance authority; not counted in this batch.

D. Proposition-to-Authority Map

- **Illinois abolished the common-law invitee/licensee distinction for non-trespasser premises entrants and states the duty as reasonable care under the circumstances.** → 740 ILCS 130/2
- **Summary judgment is proper when the pleadings, depositions, admissions, and affidavits show no genuine issue of material fact and the movant is entitled to judgment as a matter of law.** → 735 ILCS 5/2-1005
- **A local public entity must exercise ordinary care to maintain property in a reasonably safe condition for intended and permitted users, and liability requires actual or constructive notice in adequate time to remedy or protect against the condition.** → 745 ILCS 10/3-102
- **A proprietor owes invitees ordinary care to maintain premises in a reasonably safe condition; foreign-substance slip-and-fall liability turns on defendant creation, actual notice, or constructive notice in appropriate cases.** → *Donoho v. O'Connell's, Inc.*, 13 Ill. 2d 113 (1958)
- **Illinois adopts Restatement premises-liability principles; open and obvious conditions do not automatically eliminate duty where the possessor should anticipate harm, including distraction scenarios.** → *Ward v. K Mart Corp.*, 136 Ill. 2d 132 (1990)
- **The distraction exception may preserve a duty where the defendant should reasonably anticipate that the invitee's attention will be diverted from an otherwise obvious hazard.** → *Deibert v. Bauer Brothers Construction Co., Inc.*, 141 Ill. 2d 430 (1990)
- **An open and obvious sidewalk defect can defeat duty where no legally sufficient distraction exception applies; Illinois recognizes distraction and deliberate-encounter exceptions but applies them narrowly.** → *Bruns v. City of Centralia*, 2014 IL 116998
- **Illinois natural-accumulation doctrine can bar liability for injuries caused by natural accumulations of snow or ice, including in CTA-related circumstances, absent evidence supporting an exception.** → *Krywin v. Chicago Transit Authority*, 238 Ill. 2d 215 (2010)
- **In fall-down negligence cases, plaintiff must establish duty, breach, and proximate causation; summary judgment may turn on evidence of creation, actual notice, constructive notice, or failure of proof.** → *Pavlik v. Wal-Mart Stores, Inc.*, 323 Ill. App. 3d 1060 (1st Dist. 2001)
- **For foreign-substance slip-and-fall claims, a business owner breaches its duty if the substance was placed by the proprietor's negligence, the proprietor had actual notice, or it existed long enough to support constructive notice.** → *Newsom-Bogan v. Wendy's Old Fashioned Hamburgers of New York, Inc.*, 2011 IL App (1st) 092860

E. Treatment / Jurisdiction / Posture Cautions

- **Treatment:** Negative treatment is unresolved for every case; citator-grade review is required before filing-facing use.

- **Chicago/Cook County posture:** Confirm whether the case belongs in Cook County Law Division, Municipal Division, or another division based on amount in controversy and claims.
- **Municipal/public-property cases:** Use 745 ILCS 10/3-102 only when a local public entity/public property is involved.
- **Snow/ice cases:** Krywin is a natural-accumulation anchor; do not overuse it if facts support unnatural accumulation, negligent removal, design defect, or contractual/voluntary undertaking theories.
- **Open-and-obvious cases:** Bruns, Ward, and Deibert must be read together; do not treat open-and-obvious as a per se automatic bar without duty-factor and exception analysis.
- **Foreign-substance retail cases:** Pavlik and Newsom-Bogan are useful First District anchors but require fact-specific proof of creation, actual notice, constructive notice, and causation.
- **Product-liability label:** If the slip was caused by a defective product, equipment, mat, flooring material, or warning system rather than premises maintenance, a separate Illinois product-liability prompt should be run.

F. Filing-Use Recommendations

Use statutes and cases as filing candidates only after citator-grade treatment, official pinpoints, and case-specific fact matching. For now, all 10 are audit-countable but not FilingReady.

G. Batch Status

- Verified authorities counted: 10
- Candidate authorities excluded: 5
- Unresolved authorities: 0 as to existence/citation for counted authorities; 10 as to citator-grade treatment
- Topic complete: Yes for initial source-locked audit; No for FilingReady
- Suggested next command: Run next topic.

H. Source Verification Notes

- 740 ILCS 130/2: <https://www.ilga.gov/documents/legislation/ilcs/documents/074001300K2.htm>
- 735 ILCS 5/2-1005: <https://www.ilga.gov/Documents/legislation/ilcs/documents/073500050K2-1005.htm>
- 745 ILCS 10/3-102: <https://www.ilga.gov/Documents/legislation/ilcs/documents/074500100K3-102.htm>
- Cook County Law Division: <https://www.cookcountyclerkofcourt.org/divisions/law-division>
- Cook County Circuit Court Rules: <https://www.cookcountycourtclerk.org/about/circuit-court-rules>
- Bruns v. City of Centralia, 2014 IL 116998: <https://www.illinoiscourts.gov/files/116998.pdf/opinion>
- Krywin v. Chicago Transit Authority, 238 Ill. 2d 215: <https://www.illinoiscourts.gov/files/108888.pdf/opinion>
- Pavlik v. Wal-Mart Stores, Inc., 323 Ill. App. 3d 1060: <https://www.illinoiscourts.gov/files/1003279.htm/opi>

[nion](#)

- Newsom-Bogan v. Wendy's Old Fashioned Hamburgers, 2011 IL App (1st) 092860: <https://www.illinoiscourts.gov/files/1092860.pdf/opinion>
- Illinois Pattern Jury Instructions - Civil 120.00 Premises: <https://www.illinoiscourts.gov/Resources/18fd27de-6edb-4c7d-9ee5-8957f48f4568/120.00.pdf>

Appendix A — Original Prompt

Run BriefWise Constitutional Authority Audit — Source-Locked Artifact Mode.

Topic:

Product liability slip and fall in Chicago Illinois state court

Target:

Return up to 10 verified authorities. Do not pad.

Tasks:

1. Research and verify authorities using source-locked authority rules.
2. Exclude AI-suggested cases unless independently verified.
3. Build a verified authority table.
4. Build a candidate queue for unverified authorities.
5. Build a proposition-to-authority map.
6. Flag treatment, jurisdiction, posture, and filing-use cautions.
7. Generate a PDF artifact titled:
BriefWise Constitutional Authority Audit — [Topic]
8. Include Grounded DI LLC in the artifact metadata/footer.
9. Include the original prompt in the appendix.
10. Generate a SHA-256 digest of the final PDF.
11. Provide both the PDF and checksum file.

Hard limits:

- Do not exceed 10 verified authorities unless expressly authorized.
- Do not mark FilingReady.
- Do not count AI-memory-only cases.
- Do not silently omit unresolved treatment issues.
- If verification fails, place the authority in Candidate Queue only.

Output:

- Brief summary
- PDF artifact
- SHA-256 checksum
- Batch status
- Suggested next command: Run next topic.

Appendix B — Embedded Metadata

```
{
  "artifact_title": "BriefWise Constitutional Authority Audit \u2014 Product liability slip
and fall in Chicago Illinois state court",
  "created_by": "Grounded DI LLC",
  "mode": "BriefWise Source-Locked Artifact Mode",
  "jurisdiction": "Illinois state court / Circuit Court of Cook County / Chicago",
  "topic": "Slip and fall / premises liability / product liability label as provided",
  "created_date": "2026-06-13",
  "filingready": "Not yet determinable",
  "content_sha256": "22451f47d20ff92066f243d59b6a354be82316d5710f4a6f8afcd23741dd70f3"
}
```

4f701fa677878bc02382497cf89bace565723a277ef7f0621524b66afe5f42eb
BriefWise_IL_Chicago_Slip_and_Fall_Source_Locked_Audit_GroundedDI.pdf
content_sha256
22451f47d20ff92066f243d59b6a354be82316d5710f4a6f8afcd23741dd70f3

Witness Priority Mapper DI2

Former-Employee Location Triage and Exposure-Gap Review

Industrial Asbestos / Product-Liability Licensing Demo

Field	Value
Prepared by	Grounded DI LLC
Product	Witness Priority Mapper DI2
Alternate Name	Human Source Evidence Inventory
Demo Type	Witness-location triage / exposure-gap review
Matter Type	Hypothetical industrial asbestos / product-liability investigation
Review Mode	Source-linked witness prioritization and escalation routing
Artifact Class	External-safe licensing demo / pilot-readiness package

Claim Discipline

This demo uses hypothetical facts only. It does not include real client names, real plaintiffs, real defendants, privileged facts, or confidential case information. The artifact does not prove exposure, asbestos content, causation, punitive damages, liability, or legal responsibility. It demonstrates an internal litigation-support workflow for witness prioritization, source review, and investigation planning.

1. Claim Discipline

This demo uses hypothetical facts only. It does not include real client names, real plaintiffs, real defendants, privileged facts, or confidential case information.

This artifact does not prove exposure, asbestos content, causation, punitive damages, liability, or legal responsibility. It is designed to demonstrate an internal litigation-support workflow for witness prioritization, source review, and investigation planning.

The vendor's role is to locate, verify, and report human-source information. Attorneys retain all legal judgment, witness-use decisions, case strategy, and litigation-facing conclusions.

2. Demo Overview

Field	Description
Product Name	Witness Priority Mapper DI2
Alternate Name	Human Source Evidence Inventory
Intended User	Former-employee investigation company / litigation-support vendor
Hypothetical Worksite	Heavy industrial refining / steel / chemical facility near Pittsburgh
Hypothetical Time Period	1970-1975
Claimed Worker Role	Welder / maintenance mechanic
Review Function	Source-linked exposure-gap and witness-priority review
Output Status	Internal investigation / litigation-support work product
Workflow Result	Targeted witness-location escalation, not automated legal resolution

3. Executive Summary

Witness Priority Mapper DI2 helps a former-employee investigation company determine which human witnesses are worth finding first in an industrial asbestos / product-liability matter.

The tool does not replace investigators. It does not make legal conclusions. It does not determine whether exposure, causation, asbestos content, punitive damages, or liability can be proven.

Its value is practical: the vendor may know how to find people, but the client needs to know which people matter most, why they matter, what facts they may be able to support, what they cannot prove, and what search instructions should be sent before investigation resources are spent.

In this hypothetical matter, the record contains vague recollections of pumps, compressors, valves, boilers, pipe insulation, gasket work, shutdown work, dusty maintenance activities, and possible legacy industrial equipment. Product identification is thin. Frequency, regularity, and proximity are weak. One possible former coworker lead exists, but the only current identifier is a social-media profile with a matching name.

Workflow Result
The proper workflow result is targeted witness-location escalation with attorney review before legal use.

4. Input Sources and Assumptions

4.1 Source Register

Source	Description	What It Supports	What It Does Not Support	Reliability	Follow-Up Needed
A	Plaintiff intake notes	Claimed work at a Pittsburgh-area industrial facility from about 1970-1975 as a welder / maintenance mechanic	Exact facility, unit, employer, product ID, asbestos content, exposure dose, causation	Medium	Clarify facility name, employer, trade duties, departments, and coworkers
B	Work history sheet	Approximate employment timeline and trade history	Specific equipment exposure or coworker overlap	Medium-High	Confirm employer records, union records, and earnings records
C	Union card / employment record	Possible trade affiliation and date range	Specific site, unit, defendant product exposure	Medium	Identify union local, contractor, and dispatch records
D	Deposition excerpt	Mentions pumps, compressors, valves, boilers, insulation, gaskets, and shutdowns	Model numbers, asbestos content, precise frequency / proximity	Medium	Extract product clues and unresolved testimony gaps
E	Jobsite list	Identifies possible industrial facility near Pittsburgh	Exact operator, unit, product presence, plaintiff proximity	Low-Medium	Confirm facility identity and ownership history
F	Product clue list	Mentions legacy industrial equipment generally	Model number, OEM supply, asbestos content, maintenance history	Low-Medium	Search equipment lists, nameplates, manuals, and parts records
G	Social-media-only witness lead	Possible former coworker named 'James M.' believed to live in Ohio	Identity, employment, site overlap, willingness, testimony value	Low	Verify identity before contact or reliance
H	Investigator notes	Possible lead chain and social-media match	Legal use, exposure proof, admissible testimony	Low-Medium	Verify source of match and avoid overstatement

4.2 Assumptions

All facts are hypothetical. All sources are treated as investigation materials, not final truth. A social-media profile is treated as a lead only. No person is treated as a witness until identity, employment, site overlap, and willingness are verified. No legal conclusion is made. Attorney review is required before any witness statement is used in litigation strategy, motion practice, settlement valuation, or punitive-damages analysis.

5. Case Chronology

Date / Period	Source	Event / Allegation	Treatment	Reliability
1970	A/B	Plaintiff allegedly begins work at industrial facility near Pittsburgh	Treated as alleged worksite presence	Medium
1970-1972	A/D	Plaintiff recalls welding and maintenance work near pipes, valves, pumps, and compressors	Treated as exposure-pathway clue, not proof	Medium
1971-1974	D/F	Plaintiff vaguely recalls legacy industrial equipment	Product clue only; model and component unknown	Low-Medium
1972-1975	D	Plaintiff recalls shutdown work and dusty maintenance activities	Potentially relevant to frequency / proximity; needs witness support	Medium

Date / Period	Source	Event / Allegation	Treatment	Reliability
1973	D	Plaintiff recalls gasket scraping or flange work nearby	Component-exposure clue; asbestos content not established	Medium-Low
Unknown	G	Possible coworker 'James M.' may now live in Ohio	Investigative lead only	Low
Current	H	Vendor can attempt to verify former employees, supervisors, coworkers, and decision-makers	Search pathway available	Medium

6. Product / Exposure Gap Matrix

Gap	Current Support	Weakness	Witness Type Needed	Document Type Needed	Review Priority
Exact site identity	Plaintiff recalls facility near Pittsburgh	Facility name/operator uncertain	Same-site coworker, supervisor	Jobsite records, employer records, maps	High
Employer / contractor identity	Work history suggests industrial work	Contractor name incomplete	Coworker, union source, payroll source	Earnings records, union records, payroll records	High
Unit / department	Plaintiff recalls general industrial areas	No unit or department confirmed	Foreman, same-crew coworker	Department rosters, site maps	High
Same-crew overlap	No confirmed coworker yet	Cannot prove witness saw plaintiff work	Same-crew coworker	Crew lists, dispatch records	High
Product identification	Legacy equipment recalled vaguely	No model, component, location, or date	Equipment mechanic, maintenance supervisor	Equipment lists, nameplate photos, manuals	High
Component identification	Gasket / packing work recalled generally	Product/component source unknown	Pipefitter, mechanic, storeroom employee	Parts records, invoices, manuals	High
Asbestos content	None	Product or component ID does not prove asbestos	Qualified source, records custodian, documents	Specs, MSDS, historical parts books	High
Frequency / duration / proximity	Plaintiff gives vague exposure narrative	Weak for motion opposition or valuation	Same-crew coworker, foreman	Daily logs, assignment records	High
Maintenance activity	Shutdown and gasket work recalled	No specific job or date	Maintenance mechanic, pipefitter	Shutdown schedules, work orders	High
Insulation disturbance	Pipe insulation recalled	No insulator or disturbance confirmation	Insulator, coworker	Insulation records, contractor invoices	Medium-High
Gasket / packing work	General memory only	No brand, component, frequency	Pipefitter, mechanic, storeroom employee	Parts books, purchase records	High
Warnings / safety practices	Not established	No punitive pathway yet	Safety manager, supervisor	Safety manuals, memos, training records	Medium
Corporate knowledge / punitive facts	Not established	Speculative without insider facts or documents	Safety manager, supervisor, decision-maker	Internal memos, complaints, prior incidents	High if asserted

7. Human Witness Role Classifier

Witness Category	May Support	Cannot Prove Alone	Search Priority	Interview Priority	Legal-Use Caveat
Same-crew coworker	Plaintiff presence, work tasks, proximity, frequency	Asbestos content, corporate knowledge, causation	Very High	Very High	Requires memory testing and corroboration
Welder	Similar work practices, hot work, shutdown work	Defendant-specific product ID unless personally observed	High	High	Useful only if same site/unit/years are confirmed
Pipefitter / steamfitter	Gasket work, flange work, valve work, pipe insulation disturbance	Asbestos content without basis	High	High	Strong exposure-pathway witness if overlap exists
Insulator	Insulation materials, removal, dust conditions	Plaintiff proximity unless personally observed	Medium-High	High	May support insulation disturbance only
Compressor / equipment mechanic	Equipment locations, maintenance, overhaul work	Legal responsibility, asbestos content without records	High	High	Product-ID potential, but overclaiming risk exists
Pump mechanic	Pump and gasket work practices	Compressor-specific product ID	Medium-High	Medium-High	Useful for component exposure patterns
Maintenance supervisor / foreman	Assignments, departments, work practices, warnings, complaints	Asbestos content without documentation	Very High	Very High	High value for overlap and notice issues
Storeroom / purchasing employee	Suppliers, parts, invoices, gasket/packing sources	Plaintiff exposure or causation	Medium-High	Medium	Document-lead witness
Safety manager	Warnings, respirators, complaints, safety practices	Product ID or plaintiff-specific exposure unless personally connected	Medium	Medium-High	Possible punitive-fact pathway only if supported
Contractor supervisor	Contractor work, crews, shutdowns, equipment areas	Owner/operator knowledge unless known	Medium-High	High	Useful for worksite mapping
Social-media-only lead	Possible path to verified coworker	Nothing until verified	Lead-only	None until verified	Investigative lead only

8. Witness Lead Evaluation

8.1 Sample Lead

Field	Value
Lead ID	W-001
Name	James M.
Possible Role	Former welder
Possible Location	Ohio
Lead Source	Social-media profile with matching name
Claimed Connection	Possible coworker at industrial facility near Pittsburgh, 1970-1975
Current Status	Unverified investigative lead

8.2 Lead Scoring

Category	Score	Reason
Identity Confidence	Low-Medium	Name and location are plausible but unverified
Site Overlap	Unknown	No employment confirmation yet
Year Overlap	Unknown	No date confirmation yet
Trade Relevance	Medium-High	Welder role could be relevant if verified
Product-ID Potential	Unknown	No evidence he recalls equipment or brands
Exposure-Pathway Potential	Medium	Same trade could support work practices if overlap exists
Punitive-Fact Potential	Low	No supervisor, safety, or decision-maker role known
Outreach Risk	Medium	Social-media-only lead; privacy and identity caution needed
Current Legal-Use Status	Not usable	Investigative lead only

8.3 Routing

Routing Field	Result
Verification Required	Yes
Treat as Witness	No
Use in Filing or Motion	No
Disclose Privileged Facts	No
Suggest Answers	No
Attorney-Approved Outreach Required	Yes

9. Investigator Search Packet

9.1 Vendor-Facing Assignment

Objective: Verify whether 'James M.' is the same person who worked as a welder, maintenance mechanic, or related tradesperson at the hypothetical Pittsburgh-area industrial facility between approximately 1970 and 1975.

9.2 Information to Find

Required Field	Instructions
Verified Identity	Confirm full name, aliases, age range, and location
Employment Years	Confirm whether the person worked at the facility during 1970-1975
Employer / Contractor	Identify direct employer, contractor, or union affiliation
Trade	Confirm welder, maintenance mechanic, pipefitter, insulator, supervisor, or other role
Department / Unit	Identify work area, unit, building, shop, or maintenance group

Required Field	Instructions
Plaintiff Overlap	Determine whether the person knew or worked near the plaintiff
Observed Work	Determine whether the person observed pumps, compressors, valves, boilers, pipe insulation, gasket work, packing work, shutdowns, or dusty maintenance
Other Witnesses	Ask whether the person can identify coworkers, supervisors, mechanics, insulators, storeroom employees, or safety personnel
Willingness	Determine whether the person is willing to speak with counsel
Source of Verification	Record how each point was verified
Confidence Level	Provide low / medium / high with explanation

9.3 Do Not Ask / Do Not Say

Outreach Guardrails

Do not suggest answers. Do not state that asbestos exposure is proven. Do not state that any company is liable. Do not discuss legal theories. Do not discuss punitive damages. Do not contact represented persons. Do not pressure the witness. Do not disclose privileged facts or attorney strategy. Do not ask the witness to agree with a prepared narrative.

10. Attorney Interview Prep

If W-001 is verified, attorney-facing questions may include:

1. What years did you work at the facility?
2. Who employed you?
3. What was your trade?
4. What units, departments, buildings, or work areas did you work in?
5. Did you know the plaintiff?
6. Did you work on the same crew or in the same area?
7. What equipment was present in those areas?
8. Do you remember compressors, pumps, valves, boilers, pipe insulation, refractory, gaskets, or packing?
9. Do you remember any equipment nameplates, brands, colors, labels, manuals, boxes, or part numbers?
10. Do you remember legacy industrial equipment of a particular brand or manufacturer? If yes, what type, where, and how do you know?
11. Were gaskets scraped, cut, removed, replaced, brushed, sanded, or blown out with compressed air?
12. Who performed gasket, packing, insulation, pump, compressor, or valve work?
13. How often did shutdown work occur?
14. Was the plaintiff nearby during dusty maintenance work?
15. Were warnings, respirators, ventilation, wet methods, or dust controls used?
16. Were supervisors aware of dust conditions?
17. Did anyone complain about dust, insulation, or maintenance conditions?

Hypothetical facts only | Internal investigation / litigation-support workflow demonstration

18. Do you know other coworkers, supervisors, mechanics, insulators, or storeroom employees?
19. Do you have photos, notebooks, union materials, badges, documents, or contact lists?
20. What do you not remember clearly?

11. Contradiction / Weakness Matrix

Issue	Potential Contradiction / Weakness	Why It Matters	Treatment
Product name but no model	Plaintiff recalls legacy equipment but no model number	Product ID may be attacked as vague	Preserve as clue only
Same site but different unit	Witness may have worked at same facility but not same area	Weakens exposure pathway	Verify unit/department
Social-media profile mismatch	Lead may be the wrong person	Identity risk	Treat as lead only
Equipment memory without asbestos basis	Witness may remember equipment but not material composition	Product ID does not prove asbestos content	Require records or qualified basis
Work-practice support but no defendant link	Witness may support dusty work generally but not defendant-specific product	Product-ID vulnerability remains	Route to attorney review
Old memory	50-year recollection may be inconsistent or incomplete	Credibility and admissibility concerns	Ask limits-of-memory questions
Punitive facts speculative	Witness may not know corporate knowledge or warnings	Punitive theory requires stronger facts	Do not assert without insider or document support
Coworker hearsay	Witness may repeat what others said	May not be usable for the truth of the matter	Identify original source
Social-media outreach risk	Contact may be intrusive or improper if mishandled	Ethics and reputation risk	Use attorney-approved script
Asbestos content gap	No material specs or historical manuals	Product/component evidence incomplete	Search documents separately

12. Missing Information Flags

Missing Item	Why It Matters	Priority	Requested Follow-Up
Exact facility name	Needed to avoid wrong-site investigation	High	Confirm facility, operator, address, and unit
Employer records	Needed to verify work years and role	High	Obtain employment, union, contractor, or earnings records
Union local	May identify coworkers and dispatch records	High	Identify local, trade, and dispatch hall
Jobsite maps	Needed for proximity and unit analysis	Medium-High	Request maps, unit diagrams, and department layouts
Department / unit	Needed to determine witness overlap	High	Identify shop, area, unit, or maintenance group
Shutdown schedules	May show exposure-intensive work periods	Medium-High	Request outage or shutdown records
Equipment lists	Needed for product ID	High	Request asset lists, maintenance logs, and nameplate photos
Maintenance records	Needed for work practices and component replacement	High	Request work orders and repair logs

Hypothetical facts only | Internal investigation / litigation-support workflow demonstration

Missing Item	Why It Matters	Priority	Requested Follow-Up
Purchase records	May identify parts, suppliers, gaskets, or packing	High	Request invoices, purchase orders, and storeroom records
Coworker names	Needed to expand human-source map	High	Ask verified witnesses for names
Supervisor names	Needed for assignments, notice, and warnings	High	Identify foremen and maintenance supervisors
Photos / nameplates	Can verify equipment identity	High	Search archives, personal photos, and site records
Manuals / parts books	Needed for component architecture and historical parts	High	Search OEM manuals, parts catalogs, and archives

13. Escalation Routing

Routing Item	Result
Human Review Required	Yes
Investigator Verification Required	Yes
Attorney Interview Required Before Legal Use	Yes
Product-ID Support	Insufficient
Exposure Pathway	Incomplete
Asbestos Content	Not established
Frequency / Duration / Proximity	Weak
Punitive-Damages Pathway	Speculative unless insider facts or documents are verified
Vendor Action	Locate and verify targeted human sources
Attorney Action	Decide legal relevance, interview scope, and use of statements

Routing Statement

This matter should be routed to targeted witness-location work. The current record is not strong enough for product/exposure reliance. The highest-value search targets are same-crew coworkers, maintenance supervisors, compressor or pump mechanics, pipefitters, insulators, and storeroom or purchasing personnel.

14. Structured Export Packet

14.1 Validated / Provisionally Supported Facts

- Plaintiff alleges industrial work near Pittsburgh from approximately 1970-1975.
- Plaintiff allegedly worked as a welder / maintenance mechanic.
- Plaintiff recalls general industrial equipment and materials, including pumps, compressors, valves, boilers, pipe insulation, gasket work, shutdown work, and dusty maintenance activities.
- Plaintiff may recall legacy industrial equipment, but model and component details are not confirmed.

- One possible former coworker lead exists, but the lead is currently social-media-only and unverified.

14.2 Disputed / Unresolved Facts

- Exact facility name.
- Exact employer / contractor.
- Exact unit or department.
- Whether plaintiff worked near specific equipment.
- Whether particular equipment was present in plaintiff's work area.
- Whether any component contained asbestos.
- Frequency, regularity, and proximity.
- Whether any witness can support punitive-damages facts.
- Whether James M. is the correct person.

14.3 Witness Search Priorities

21. Same-crew coworker.
22. Maintenance supervisor / foreman.
23. Pipefitter / steamfitter.
24. Compressor or equipment mechanic.
25. Pump mechanic.
26. Insulator.
27. Storeroom / purchasing employee.
28. Safety manager.
29. Contractor supervisor.
30. Social-media-only lead verification.

14.4 Investigator Instructions

Locate and verify former employees associated with the facility from 1970-1975. Prioritize same-site, same-year, same-trade, same-unit overlap. Return verification facts only. Do not evaluate legal merit. Do not suggest exposure conclusions. Do not disclose privileged case theory.

14.5 Attorney Review Questions

- Which witness categories are most likely to close product-ID gaps?
- Which witnesses may support frequency / duration / proximity?
- Which witnesses are likely only background witnesses?
- Which witnesses create admissibility or memory concerns?
- Are punitive-damages facts supported by human testimony, documents, or both?
- What documents should be requested before or after witness outreach?

14.6 Recommended Documents

- Employment records.
- Union records.

- Facility maps.
- Department or unit records.
- Equipment lists.
- Maintenance logs.
- Purchase orders.
- Parts books.
- Manuals.
- Shutdown schedules.
- Safety records.
- Photos or nameplate evidence.

14.7 Next Action

Send a narrow vendor search packet for James M. and parallel high-priority witness classes. Require attorney review before any witness statement is used for legal conclusions, motion practice, settlement valuation, or punitive-damages analysis.

15. Audit Capsule

Field	Value
Module Name	Witness Priority Mapper DI2
Alternate Mode	Human Source Evidence Inventory
Run Type	Witness-location triage / exposure-gap review
Claim Type	Industrial asbestos / product-liability investigation
Input Sources	Plaintiff intake notes; work history sheet; union/employment record; deposition excerpt; jobsite list; product clue list; social-media-only lead; investigator notes
Primary Flags	Product-ID gap; exposure-pathway gap; unverified witness lead; weak frequency / duration / proximity; asbestos-content not established
High-Priority Witness Categories	Same-crew coworker; maintenance supervisor; pipefitter; equipment mechanic; insulator; storeroom/purchasing employee
Unresolved Gaps	Site identity; employer; unit; product ID; component ID; asbestos content; proximity; punitive-fact support
Human Review Required	Yes
Investigator Verification Required	Yes
Attorney Review Required	Yes
Export Status	Ready for vendor-facing search packet
Recommended Next Action	Verify James M. and locate same-site, same-year, same-trade witnesses before legal reliance

16. Licensing Demo Note

Witness Priority Mapper DI2 is designed for former-employee investigation companies that already know how to locate people but want a clearer, source-linked reason for which people to locate first.

The tool does not replace investigators. It makes investigation work more targeted.

The commercial value is not automated legal resolution. The value is earlier exposure-gap visibility, better witness prioritization, cleaner attorney handoff, less wasted search effort, and a structured explanation of why each witness target matters.

For a litigation-support vendor, the tool can help convert vague requests like: "Find anyone who worked there in the 1970s."

into a more useful search assignment: "Prioritize same-site maintenance welders, pipefitters, equipment mechanics, foremen, insulators, and storeroom employees from 1970-1975 who can verify plaintiff overlap, equipment areas, shutdown work, gasket/packing work, and additional witness names."

17. Final Bottom Line

This hypothetical matter is not ready for product/exposure reliance.

The current record contains useful clues, but product identification is thin, witness identity is unverified, exposure-pathway facts are incomplete, and punitive-damages facts are speculative.

Correct Workflow Result

Targeted witness-location escalation.

Investigator verification first.

Attorney review before legal use.