

IntakeWise DI2 - Intake QC / Validation Demo

Commercial Property Water-Loss / Mold Exposure Intake

Source-Linked Contradiction Review and Escalation Routing

Prepared by:	Grounded DI LLC
Product:	IntakeWise DI2
Demo Type:	Intake QC / Validation
Claim Type:	Commercial property water-loss / mold exposure
Review Mode:	Source-linked contradiction and escalation review
Artifact Class:	Licensing demo / pilot-readiness package

Claim Discipline: This artifact supports workflow review for this sample intake only and does not claim perfect accuracy or broad model-wide performance.

External-safe demo artifact for source-linked intake quality control, contradiction visibility, escalation routing, and structured export.

Executive Summary

IntakeWise DI2 reviewed a multi-source intake packet involving a reported commercial property water-loss and potential mold exposure claim.

The packet contained intake call notes, a building maintenance report, an insurance intake form, a vendor mitigation invoice, and text message excerpts. IntakeWise converted those materials into a source-linked chronology, contradiction matrix, missing-information list, escalation recommendation, confidence routing summary, structured export packet, and audit capsule.

The system did not resolve disputed facts beyond the record. Instead, it preserved contradictions, identified unsupported statements, and routed the matter for human review where the intake record contained conflicts affecting causation, notice, mitigation, occupancy, damages, and potential coverage issues.

The demo shows how IntakeWise can make intake risk visible earlier, reduce missed contradictions, and give reviewers a structured packet before the matter proceeds further.

Method Note

Each intake statement was tied back to a named source where possible.

Conflicts were identified by comparing source-to-source inconsistencies, especially where one source asserted a fact that another source contradicted or materially weakened.

Unsupported statements were flagged rather than treated as true. Escalation was based on contradiction severity, missing information, and downstream claims, legal, coverage, or compliance risk.

Claim Discipline

This artifact demonstrates intake QC, contradiction detection, unsupported-statement flagging, escalation routing, and structured export for one sample intake packet.

It does not establish perfect accuracy, replace human review, or determine legal or coverage outcomes.

Inputs & Assumptions

Input Sources

Source	Description
Source A	Intake Call Summary
Source B	Maintenance Report
Source C	Insurance Intake Form
Source D	Vendor Mitigation Invoice

Source	Description
Source E	Text Message Export

Assumptions

All sources are treated as intake materials, not final truth.

Higher reliability is assigned to timestamped business records and vendor records, subject to human review.

Text messages may support chronology but require authentication or confirmation in a real workflow.

Insurance form entries may reflect reporting selections rather than actual event truth.

Constraints Applied

No fact was treated as resolved unless supported by source materials.

Contradictions were preserved rather than smoothed over.

Missing records were separately identified.

Escalation was recommended where contradictions affected causation, notice, mitigation, damages, occupancy, or coverage.

No legal conclusion or coverage decision was made.

Source Register

Source	Description	Key Data	Reliability Notes
A	Intake Call Summary	Reported March 2 pipe burst under kitchen sink; flooding discovered around 6:15 AM; alleged 7:00 AM shutoff; no visible prior mold; tenant allegedly stayed until March 8; carrier allegedly notified same day.	Useful for claimant narrative, but several statements conflict with other records.
B	Maintenance Report	March 1, 11:42 PM log reports slow leak beneath sink; tenant allegedly advised to avoid sink use; inspection scheduled for March 3; water shutoff completed at 9:15 AM on March 2.	Timestamped business record; high value for notice, timing, and maintenance response.
C	Insurance Intake Form	Submitted March 5; damage first observed March 4; property vacated immediately; prior mold unknown; mitigation within 24 hours marked "NO."	Reliable for submitted selections, but entries conflict with other intake sources.
D	Vendor Mitigation Invoice	DryFast invoice dated March 3; services included extraction, dehumidifiers, mold-prevention treatment; arrival timestamp March 2 at 8:05 AM; standing water observed throughout kitchen.	Strong timing and mitigation evidence; high value for event occurrence and response timing.
E	Text Message Export	March 1 tenant text says leak had been getting worse all week; March 3 tenant says no one told her not to use sink.	Useful chronology support, subject to authentication and context review.

Intake Chronology

Date / Time	Source	Event	IntakeWise Treatment	Reliability
Prior week	E	Tenant says leak had been "getting worse all week."	Treated as prior-leak signal requiring confirmation.	Medium
Mar. 1, 8:14 PM	E	Tenant texts friend about worsening leak.	Supports progressive leak possibility.	Medium-High
Mar. 1, 11:42 PM	B	Maintenance log records slow leak beneath sink.	Strong prior-notice and pre-event condition signal.	High
Mar. 2, 6:15 AM	A	Caller says flooding was discovered.	Accepted as reported statement, not independently resolved.	Medium
Mar. 2, 7:00 AM	A	Caller says water was shut off.	Flagged due to conflict with maintenance record and vendor observation.	Low-Medium
Mar. 2, 8:05 AM	D	Vendor arrives and observes standing water.	Strong evidence of active water condition and mitigation timing.	High
Mar. 2, 9:15 AM	B	Maintenance says water shutoff completed.	Stronger than caller's 7:00 AM statement unless rebutted.	High
Mar. 3	D	Mitigation invoice date; services documented.	Confirms vendor involvement and documented mitigation services.	High
Mar. 3, 9:48 AM	E	Tenant says landlord never told her not to use sink.	Creates notice / instruction dispute with maintenance log.	Medium
Mar. 4	C	Insurance form says damage first observed.	Conflicts with caller's March 2 discovery statement.	Low
Mar. 5	C	Carrier intake submitted.	Reliable for submission date.	High
Mar. 8	A	Caller says tenant remained inside continuously until this date.	Conflicts with insurance form's "vacated immediately" entry.	Medium

Findings Summary

Finding	Observed Record Basis	IntakeWise Inference	Confidence
Water event occurred	Caller report, vendor arrival, standing water note, mitigation invoice.	A water-loss event involving the kitchen sink area occurred.	High
Prior leak signal exists	Maintenance log and March 1 text message.	The record contains evidence inconsistent with a sudden-burst-only narrative.	High
Shutoff time is disputed	Caller says 7:00 AM; maintenance says 9:15 AM; vendor saw standing water at 8:05 AM.	Shutoff timing requires review because it affects mitigation, severity, and response timeline.	High
Insurance intake form contains conflicts	Carrier form conflicts with call summary and vendor invoice.	Insurance form may be incomplete, inaccurate, or based on later reporting selections.	Medium-High
Mold causation is unresolved	No moisture readings, photos, prior condition records, or medical records supplied.	Mold-related claim support is insufficient on the current packet.	Insufficient data
Escalation is required	Multiple high-severity contradictions affect causation, notice, coverage, occupancy, and mitigation.	Human review is required before treating the intake as clean.	High

Contradiction Matrix

Issue	Conflict	Sources	Severity	Why It Matters	Review Action
Sudden burst vs prior leak	Caller frames event as a March 2 pipe burst, but maintenance and text records show a leak existed before March 2.	A vs B/E	High	Affects causation, notice, coverage, negligence, and mold causation.	Request full maintenance history, prior complaints, photos, and inspection records.
Water shutoff time	Caller says 7:00 AM; maintenance says 9:15 AM; vendor observed standing water at 8:05 AM.	A/B/D	High	Affects mitigation timeline and severity analysis.	Confirm shutoff logs, maintenance dispatch records, and vendor work order.
Damage discovery date	Caller says damage was discovered March 2 at 6:15 AM; insurance form says March 4.	A/C	High	Affects notice, reporting, coverage, and timeline integrity.	Request carrier notice log, timestamped photos, and call records.
Occupancy / vacating	Caller says tenant stayed continuously until March 8; insurance form says property was vacated immediately.	A/C	High	Affects displacement damages, habitability, exposure timeline, and claim valuation.	Request occupancy documentation, hotel receipts, tenant communications, and lease records.
Mitigation within 24 hours	Insurance form says no; vendor arrived March 2 at 8:05 AM and performed mitigation.	C/D	High	Affects mitigation compliance, damages, and claim-handling posture.	Request full vendor work order, arrival logs, and service completion records.
Mold status	Caller says no visible mold existed before incident; insurance form says prior mold status unknown.	A/C	Medium	Affects mold causation and preexisting condition analysis.	Request pre-loss photos, inspection records, maintenance records, and mold testing if available.
Sink-use warning	Maintenance says tenant was advised to avoid sink use; tenant later says no one told her.	B/E	Medium-High	Affects comparative conduct, notice, and response reasonableness.	Request written notice, text/email communications, and maintenance call notes.
Ceiling damage timing / causation	Caller says ceiling damage appeared two days later, but source is described as under kitchen sink.	A only / causation issue	Medium	May indicate unrelated damage, vertical migration issue, or inaccurate description.	Request photos, unit layout, moisture mapping, and inspection report.

Unsupported / Hallucinated Statement Review

Supported Statements

Statement	Source Support	Treatment
Property is 2148 Wexford Lane, Unit 3B.	A	Treated as intake-identifying information.
Water event involved the kitchen sink area.	A/B/D	Treated as supported by multiple sources.
Leak was reported before March 2.	B/E	Treated as supported prior-leak signal.
Vendor arrived March 2 at 8:05 AM.	D	Treated as strongly supported.
Standing water was observed in the kitchen.	D	Treated as strongly supported.
Mitigation services were documented.	D	Treated as supported, subject to work-order confirmation.

Unsupported Statements

Statement	Source	Treatment
Insurance carrier was notified "same day."	A only	Requires carrier notice log or timestamped communication.
No visible mold existed before the incident.	A only; C says unknown	Requires photos, inspection records, or witness confirmation.
Tenant remained continuously inside until March 8.	A only; conflicts with C	Requires occupancy documentation.
Ceiling damage appeared two days later and is related to the sink event.	A only	Requires causation review, layout, photos, and moisture data.

Contradicted Statements

Statement	Conflict	Treatment
Event was only a sudden March 2 burst.	Maintenance and text evidence indicate earlier leak.	Treat as disputed, not resolved.
Water was shut off at 7:00 AM.	Maintenance says 9:15 AM; vendor saw standing water at 8:05 AM.	Treat as disputed.
Damage was first observed March 4.	Caller says damage discovered March 2.	Treat as disputed.
Property was vacated immediately.	Caller says tenant stayed until March 8.	Treat as disputed.
No mitigation occurred within 24 hours.	Vendor arrived March 2 at 8:05 AM.	Treat as contradicted unless vendor record is invalid.

Statements Needing Document Follow-Up

Statement	Follow-Up Needed
Carrier was notified same day.	Carrier notice log, call record, claim submission timestamp.
Tenant was advised not to use sink.	Written notice, maintenance notes, text/email records.
Mold was not present before incident.	Pre-loss photos, prior inspection, maintenance history, mold reports.
Tenant occupancy through March 8.	Tenant statement, hotel receipts, utility/access records, landlord communications.
Ceiling damage timing and relation.	Photos, moisture readings, unit layout, inspection report.

Missing Information Flags

Missing Item	Why It Matters	Priority	Requested Follow-Up
Timestamped photos	Verifies damage timing, visible mold, and progression.	High	Request all photos/videos with metadata.
Full maintenance history	Determines prior notice and whether leak was progressive.	High	Request maintenance records for prior 6-12 months.
Written tenant warning / notice records	Resolves dispute over whether tenant was told not to use sink.	High	Request emails, texts, portal notices, and maintenance call notes.
Vendor work order details	Confirms arrival, scope, services, and completion timing.	High	Request full DryFast work order, technician notes, and service logs.

Missing Item	Why It Matters	Priority	Requested Follow-Up
Moisture readings	Needed for water-loss severity and mold causation.	High	Request moisture maps, drying logs, humidity readings, and equipment logs.
Carrier notice timestamp	Tests same-day notice claim and insurance intake timing.	High	Request claim creation log, call log, email timestamp, and submission receipt.
Occupancy documentation	Resolves vacated-immediately conflict.	Medium-High	Request tenant statement, hotel receipts, access logs, and communications.
Lease / building policy	Determines reporting obligations, maintenance duties, and habitability terms.	Medium	Request lease, building rules, and tenant reporting policy.
Medical complaints if mold exposure is claimed	Needed to evaluate exposure-related damages and timing.	Medium	Request medical complaints, treatment records, or symptom timeline if claimed.
Exact pipe failure location	Determines cause and whether ceiling damage could be related.	Medium-High	Request plumber report, photos, repair invoice, and unit layout.

Escalation Routing

Escalation Recommendation: Human review required.

Escalation Category: Claims supervisor review + legal / coverage / document follow-up as appropriate.

Priority: High.

Reason: The intake contains multiple high-severity contradictions affecting causation, notice, mitigation timing, occupancy, damages, mold causation, and potential coverage posture.

Human Review Questions

1. Was this a covered sudden loss, a progressive maintenance issue, or a mixed event?
2. Did the landlord or maintenance team have prior notice before March 2?
3. What was the actual shutoff time?
4. Did mitigation occur within 24 hours?
5. Is the insurance intake form inaccurate, incomplete, or based on later selections?
6. Did the tenant vacate immediately or remain inside until March 8?
7. Is mold causation supportable from the current record?
8. Is the ceiling damage causally related to the kitchen sink event?

Confidence Routing Summary

Category	Confidence	Reason
Water event occurred	High	Multiple sources support a water-loss event involving the kitchen sink area.
Prior leak existed before March 2	High	Maintenance log and text message indicate a leak before the reported burst date.
Sudden-burst-only narrative	Low	Prior leak evidence weakens a clean sudden-event-only narrative.
Mitigation within 24 hours	High	Vendor arrival at 8:05 AM on March 2 supports timely mitigation activity.
Insurance form accuracy	Low-Medium	Several insurance form entries conflict with call summary and vendor records.
Occupancy timeline	Low	Caller's continuous-occupancy statement conflicts with form entry saying vacated immediately.
Mold causation	Insufficient data	No moisture readings, photos, pre-loss condition records, or medical support provided.
Coverage posture	Needs review	Conflicts affect sudden/progressive loss, notice, mitigation, and damage timing.

Structured Export Packet

Validated Facts

- Property: 2148 Wexford Lane, Unit 3B.
- Claim type: Commercial property water-loss / mold exposure intake.
- Water event involved the kitchen sink area.
- Maintenance log exists from March 1, 2026.
- Maintenance log reports a slow leak beneath the sink before March 2.
- Vendor arrived on March 2, 2026 at 8:05 AM.
- Vendor observed standing water throughout the kitchen.
- Vendor invoice documents water extraction, dehumidifier installation, and mold-prevention treatment.

Disputed / Unresolved Facts

- Whether the event was a sudden burst or progressive leak.
- Actual water shutoff time.
- Actual first-observed damage date.
- Whether the tenant vacated immediately.
- Whether the tenant was warned not to use the sink.
- Whether mold existed before the event.

- Whether ceiling damage is causally related to the kitchen sink event.
- Whether the carrier was notified the same day.

Human Review Questions

1. Was this a sudden covered event or a progressive maintenance condition?
2. Did the landlord have prior notice?
3. Did maintenance response worsen, reduce, or fail to mitigate damage?
4. Is the insurance intake form unreliable or incorrectly completed?
5. Is mold causation supportable from the current record?
6. What documents are needed before routing the claim to legal, coverage, or specialist review?

Recommended Document Requests

- Timestamped photos and videos.
- Full maintenance history.
- Written notice to tenant regarding sink use.
- Carrier notice log and claim creation timestamp.
- Vendor work order and drying logs.
- Moisture readings and humidity logs.
- Unit layout and plumbing repair invoice.
- Occupancy documentation.
- Lease and building policy.
- Medical complaint timeline if mold exposure damages are claimed.

Next Action

Route to human review with targeted document follow-up before treating the intake as clean or making downstream coverage, legal, or damages decisions.

Verification Block

Final Validation Statement

For this sample intake packet, IntakeWise DI2 identified a high-risk intake posture based on source-linked contradictions, unsupported statements, missing records, and unresolved chronology issues.

The strongest supported findings are that a water event occurred, the kitchen sink area was involved, a prior leak signal existed before March 2, and vendor mitigation activity occurred on March 2 at 8:05 AM.

The weakest or most disputed areas are the sudden-burst-only narrative, shutoff time, damage discovery date, occupancy timeline, mold causation, and insurance form accuracy.

The workflow result is escalation, not automated resolution.

Audit Capsule

Field	Value
Module	IntakeWise DI2
Prepared By	Grounded DI LLC
Run Type	Intake QC / contradiction scan
Claim Type	Commercial property water-loss / mold exposure
Input Sources	A-E
Primary Flags	Contradiction, unsupported statement, missing information, escalation required
High-Severity Contradictions	5
Medium / Medium-High Contradictions	3
Human Review Required	Yes
Export Status	Ready
Recommended Next Action	Request photos, full maintenance history, carrier notice log, vendor work order, moisture readings, occupancy documentation, and notice records.

Licensing Demo Note

IntakeWise DI2 is a Grounded DI LLC intake-review workflow support module designed for source-linked QC, contradiction visibility, escalation routing, and audit-ready structured export.

The commercial value is not automated claim resolution. The value is earlier risk visibility.

In a real intake environment, IntakeWise can support review teams by:

- reducing missed contradictions,
- improving routing consistency,
- giving reviewers a structured packet,
- supporting claims, legal, compliance, and operations intake workflows,

- and creating an audit trail explaining why escalation occurred.

This is the narrow QC / validation lane: the system helps identify what needs human review before a flawed intake narrative becomes operationally expensive.

Final Bottom Line

This intake should not be treated as clean.

IntakeWise identifies a prior-leak signal, inconsistent reporting, disputed notice, conflicting mitigation and occupancy facts, and missing support for mold causation.

The proper workflow result is escalation with targeted document follow-up, not automated resolution.