

Law Firm Decision & Evidence Book

Litigation modules, implementation signals, and evidence boundaries

A decision resource for plaintiff-side law firms considering whether Grounded DI merits a substantive meeting, further diligence, or another appropriate commercial discussion.

Read the opening section for the decision view.

Part II contains selected, actual source artifacts. Each exhibit explains what it shows and what it does not establish. The book does not presume one deployment path or commercial next step.

1. EXECUTIVE DECISION VIEW

What Grounded DI is - and the decision this book supports.

Grounded DI is a family of litigation systems built to make work state, source support, unresolved conditions, and attorney-controlled release more inspectable than an ordinary generated answer. The relevant question for a law firm is not whether the system produces text. It is whether the particular module and its evidence justify further consideration.

THE CORE IDEA

Grounded DI attempts to move system trust toward artifact trust: a reader should be able to ask what record, control, or test supports a claim rather than accept a polished answer on faith.

The opening answer

Grounded DI is not presented here as a universal litigation workflow or as a substitute for legal judgment. It is presented as four interoperable capabilities, each with different matter fit and its own evidence boundary.

THIS BOOK LETS A FIRM DECIDE

Whether the available materials warrant a substantive product meeting, targeted diligence, a discussion about data/security/integration, licensing or deployment discussion, additional product-specific information, or no further action.

THIS BOOK DOES NOT DECIDE

Whether a product is legally correct, secure in a proposed environment, integrated with the firm's systems, suitable for an active matter, or capable of removing attorney responsibility. Those are separate questions.

A discipline of artifacts

The decision case rests on what can be inspected: runtime pages, current outputs, interface evidence, audit certificates, local verification records, replay certificates, and source manifests. Each is labeled for the narrow thing it proves.

2. FOUR LEGAL CAPABILITIES

Four modules. No required sequence.

Grounded DI is a set of interoperable litigation capabilities. Their relevance, ordering, and combination depend on the matter, the practice, and the firm's systems. The book does not depict a mandatory workflow.

DEPOBOT

Deposition and testimony work

Source-anchored review, structured deposition work, and controlled attorney review.

BRIEFWISE DI2

Legal work-product development

Structured authority and issue work, with visible status and source discipline.

VERDICTBRIDGE

Matter record and litigation decision support

Maps the specific record, dependencies, support, and available next paths.

PIDBOT

Specialty product / exposure identification

A directly relevant option for product-liability, toxic-tort, mass-tort, asbestos, exposure, and related practices.

COMBINATION RULE

A firm may use DepoBot, BriefWise DI2, and VerdictBridge without PIDBot. PIDBot is not a universal prerequisite; it is a specialty capability where the record and practice make product or exposure identification central.

Each module has its own current materials and may use materially different records, states, gates, or release conditions.

3. MODULE DECISION VIEW

DepoBot

DECISION LENS

Deposition work often becomes a high-volume blend of transcript review, admissions tracking, impeachment preparation, follow-up research, and coordination. The decision issue is whether source anchoring and controlled review can make that work more inspectable without pretending that metric output is a legal conclusion.

What it is designed to do

The supplied runtime material describes a deposition-oriented object model, source-anchoring/parser controls, a registry of metrics and hard conditions, gatekeeper logic, receipt/replay concepts, and an attorney review boundary.

Plaintiff-side use

For plaintiff counsel, the relevant uses may include organizing testimony, locating source-backed admissions and inconsistencies, preparing examination and follow-up work, preserving structured review questions, and coordinating a record that still requires counsel to decide relevance, strategy, and use.

Why a firm may distinguish it

The materials point to a system that treats deposition work as a controlled record-and-review task rather than a request for a generic transcript summary. Its value is most plausible where the firm wants to see source anchors, conditions, and work state alongside output.

VISIBLE LIMITS IN THE AVAILABLE MATERIAL

The selected runtime pages do not show a live transcript run, comparative accuracy, a real deposition outcome, or a complete deployment. They do not establish that every metric is appropriate to every witness or that any output is ready for litigation use without attorney review.

SELECTED EVIDENCE THAT FOLLOWS IN PART II

Exhibit A begins with current runtime material rather than an architecture illustration: purpose/control boundary, object model, source anchoring, gatekeeper, receipt/replay, and attorney review boundary.

3A. MODULE EVIDENCE AND FIT

DepoBot: what the current materials show and what a firm should ask next.

Exhibit A is deliberately a runtime-first cluster. It includes the purpose/control boundary, canonical object model, parser/source anchoring, gatekeeper, receipt/replay representation, and attorney review boundary from the supplied runtime edition. That provides more useful preliminary evidence than a conceptual diagram alone.

MODULE-SPECIFIC RATHER THAN UNIVERSAL

The right questions depend on the product. Do not assume that another Grounded DI module uses the same record types, gate names, release states, or validation path.

Why the evidence sequence matters

The material for this module is ordered to put a current runtime, interface, or output artifact ahead of any architecture-only explanation. It still has to be read narrowly: a runtime page shows what it shows; a demonstration shows its stated scenario; an internal check shows only its controlled property.

Questions for substantive diligence

- What transcript formats, source fragments, speaker mapping, exhibit handling, and quality conditions are actually supported in the proposed deployment?
- Which fields or metrics are review aids rather than factual conclusions, and how are unresolved or unavailable inputs represented?
- What does an authorization or release state mean operationally for the firm, and who has authority to change it?

What a firm could reasonably request next

- A redacted current product walkthrough using a safely shareable transcript and an explanation of every visible source anchor.
- A deployment-specific review of user roles, data movement, retention, export controls, and integration points.
- A clear explanation of how the firm can inspect a result, identify a blocker, correct a record, and distinguish a candidate artifact from a usable work product.

Boundary to preserve

No page in Exhibit A should be read as a comparative claim about transcript accuracy or as a substitute for counsel's review of testimony, objections, procedure, strategy, or admissibility.

4. MODULE DECISION VIEW

BriefWise DI2

DECISION LENS

Legal work product becomes risky when authority, record facts, issue framing, citations, and draft status collapse into an answer with no visible support path. The decision issue is whether a firm wants a controlled way to develop and scrutinize legal analysis rather than rely solely on raw generated prose.

What it is designed to do

The selected materials include current runtime pages covering structured legal records and state routing, a browser interface/replay capture, a source-checked authority checkpoint, a local legal-work-product audit certificate, and a separately identified historical visual-output demonstration.

Plaintiff-side use

For plaintiff counsel, potential uses include research and issue mapping, motion or brief development, authority/source checking, deposition or document work planning, and review of how record support and unresolved conditions relate to a draft. The attorney remains responsible for authority, factual, jurisdictional, procedural, and strategic review.

Why a firm may distinguish it

The evidence goes beyond a description by including runtime pages, a browser capture of local artifact inspection, source-check material, and an explicitly historical visual-output demonstration. It frames the system as one that can preserve structured authority and work-state information around legal work, not merely compose language.

VISIBLE LIMITS IN THE AVAILABLE MATERIAL

The historical visual-output material is not a court filing, a result in a real matter, or a certification of legal correctness. The 501/501 audit is local and expressly not an official Harvey or independent audit. A matching local artifact hash shows byte identity of the particular file, not fresh model generation or legal accuracy.

SELECTED EVIDENCE THAT FOLLOWS IN PART II

Exhibit B starts with current runtime material, then a local interface/replay record and audit artifacts, before the clearly labeled historical visual-output demonstration.

4A. MODULE EVIDENCE AND FIT

BriefWise DI2: what the current materials show and what a firm should ask next.

Exhibit B places the supplied current runtime material and an artifact-inspection interface before a clearly historical visual-output demonstration. It then separates a source-checked authority checkpoint from the local 501/501 benchmark certificate, preserving the certificates' own non-official and non-independent boundaries.

MODULE-SPECIFIC RATHER THAN UNIVERSAL

The right questions depend on the product. Do not assume that another Grounded DI module uses the same record types, gate names, release states, or validation path.

Why the evidence sequence matters

The material for this module is ordered to put a current runtime, interface, or output artifact ahead of any architecture-only explanation. It still has to be read narrowly: a runtime page shows what it shows; a demonstration shows its stated scenario; an internal check shows only its controlled property.

Questions for substantive diligence

- Which authority sources, citation-verification methods, jurisdiction controls, and citator steps would be used for the firm's work?
- How are record facts, controlling authorities, unresolved issues, and candidate output kept distinct in the actual module?
- What actual status changes occur before a legal work product can be exported or used, and how is attorney review recorded?

What a firm could reasonably request next

- A current, redacted product output with the underlying source/authority path and a plain explanation of what remains unresolved.
- A targeted review of firm data, research subscriptions, document systems, user permissions, logging, and retention requirements.
- A demonstration of how an attorney corrects, rejects, revises, or relies on a citation-linked proposition.

Boundary to preserve

The audit material can support a request for diligence. It cannot prove a proposition is correct, that a source is complete, that a citation is current, or that an output is filing-ready.

5. MODULE DECISION VIEW

VerdictBridge

DECISION LENS

A litigation matter can have strong facts, compelling damages evidence, and serious risks while the relation between support, dependency, uncertainty, and next action remains opaque. The decision issue is whether a structured matter map can help counsel see the record before a recommendation hardens into an unsupported conclusion.

What it is designed to do

The available materials show a structured synthetic matter assessment and a five-hash replay certificate for a closed-world demonstration package. They describe record normalization, evidence mapping, and the distinction between what a record can support and what it cannot.

Plaintiff-side use

For plaintiff counsel, the relevant question is not a generic verdict prediction. It is whether the system can organize liability proof, damages support, witness/record gaps, procedural dependencies, and the next discovery, expert, mediation, or trial-preparation question in a visible matter-specific form.

Why a firm may distinguish it

The best differentiated use is a controlled litigation-record map: the record, its support, its dependencies, and available next paths should be visible enough for counsel to challenge. That is different from treating a numeric range or prose recommendation as self-validating.

VISIBLE LIMITS IN THE AVAILABLE MATERIAL

The selected current output is a synthetic, defense-side trucking demonstration. It is included because it shows the type of structured record and analysis produced, not because it establishes plaintiff-side performance, real-case reliability, value prediction accuracy, or absence of hallucination. The replay certificate is confined to the supplied synthetic package.

SELECTED EVIDENCE THAT FOLLOWS IN PART II

Exhibit C leads with the synthetic output itself and then shows the exact scope of the controlled replay material.

5A. MODULE EVIDENCE AND FIT

VerdictBridge: what the current materials show and what a firm should ask next.

The public material gives a candid, synthetic demonstration record and a replay certificate for a sealed demonstration package. It is valuable because it shows record classification, source support, dispute visibility, and controlled package identity; it is limited because it is not an actual plaintiff matter or independent validation.

MODULE-SPECIFIC RATHER THAN UNIVERSAL

The right questions depend on the product. Do not assume that another Grounded DI module uses the same record types, gate names, release states, or validation path.

Why the evidence sequence matters

The material for this module is ordered to put a current runtime, interface, or output artifact ahead of any architecture-only explanation. It still has to be read narrowly: a runtime page shows what it shows; a demonstration shows its stated scenario; an internal check shows only its controlled property.

Questions for substantive diligence

- How would a plaintiff-side matter record distinguish established evidence, disputed contentions, expert assumptions, attorney work, and unresolved gaps?
- Which actions or recommendations can the module suggest, and which require explicit attorney approval or separate foundation?
- How are changes to a fact, source, assumption, or record state surfaced to the attorney reviewing the litigation strategy?

What a firm could reasonably request next

- A plaintiff-side, safely shareable walkthrough that uses a synthetic or redacted record and identifies each evidence/support boundary.
- A precise explanation of any valuation, scenario, or recommendation feature, including the inputs it does not validate.
- A review of replay scope: what artifact identity, execution state, or dependency can be reproduced and what cannot.

Boundary to preserve

The synthetic output in Exhibit C is not a valuation claim, a recommendation for any firm or matter, or a representation that a record has become legally sufficient merely because it was structured.

6. SPECIALTY MODULE DECISION VIEW

PIDBot

DECISION LENS

In product-liability, toxic-tort, mass-tort, asbestos/exposure, and similar matters, product or exposure identification may be the central evidentiary bottleneck. The decision issue is whether a structured source hierarchy and reconciliation process can preserve uncertainty and support instead of turning incomplete identification into an unqualified answer.

What it is designed to do

The supplied runtime edition describes source hierarchy and reconciliation, a structured exposure record, product/exposure role support, allocation configuration, a visual data schema, controlled delivery state, authorization state, and a test vector.

Plaintiff-side use

For plaintiff counsel, possible uses include organizing identification evidence, tracking competing product/exposure hypotheses, connecting source materials to roles and records, directing further factual investigation, and keeping what is unresolved visible to counsel and appropriate experts.

Why a firm may distinguish it

PIDBot is directly relevant when identification is the litigation problem. It is not a prerequisite for broader deposition, legal-work-product, or matter-record work, and it should not be used to collapse a product/exposure dispute into a mechanical conclusion.

VISIBLE LIMITS IN THE AVAILABLE MATERIAL

The selected runtime pages do not establish that a particular product was present, that an exposure occurred, or that a product identification opinion is admissible. They do not replace document discovery, testimony, experts, chain-of-custody work, or attorney judgment.

SELECTED EVIDENCE THAT FOLLOWS IN PART II

Exhibit D presents current runtime evidence rather than a reconstructed interface: source/reconciliation, structured records, role support, visual schema, controlled delivery, authorization, and test-vector material.

6A. MODULE EVIDENCE AND FIT

PIDBot: what the current materials show and what a firm should ask next.

Exhibit D begins with the supplied runtime material for source hierarchy, structured exposure records, role support, data schema, controlled delivery, authorization, and a test vector. That evidence is relevant only where product or exposure identification is a material litigation problem.

MODULE-SPECIFIC RATHER THAN UNIVERSAL

The right questions depend on the product. Do not assume that another Grounded DI module uses the same record types, gate names, release states, or validation path.

Why the evidence sequence matters

The material for this module is ordered to put a current runtime, interface, or output artifact ahead of any architecture-only explanation. It still has to be read narrowly: a runtime page shows what it shows; a demonstration shows its stated scenario; an internal check shows only its controlled property.

Questions for substantive diligence

- What source types and collection methods can enter the product/exposure record, and how are provenance and missing evidence represented?
- Which fields are support for an investigation versus a conclusion about product identity, exposure, causation, or liability?
- How can counsel and retained experts inspect, challenge, correct, or supplement a record before it is used in analysis or work product?

What a firm could reasonably request next

- A product/exposure scenario using fully synthetic or redacted materials that traces uncertainty from initial source to attorney/expert review.
- A deployment-specific explanation of image, document, transcript, database, and expert-input handling where relevant.
- A review of the specialist handoff: what belongs to investigation, discovery, retained experts, legal research, and attorney judgment.

Boundary to preserve

PIDBot should not be treated as an automatic product-identification or exposure-determination engine. Its most valuable preliminary question is whether the system makes support and uncertainty more inspectable for the firm's own investigation.

SOURCE AND ARCHITECTURE DISCIPLINE

Functional commonality without fictitious uniformity.

The selected materials support a functional description across several systems. They do not establish that every product has the same named state, gate, record, ledger, receipt, release condition, or replay mechanism. Evidence type matters as much as technical vocabulary.

THE SAFE GENERALIZATION

Multiple systems distinguish generation or assembly from controlled release. That is a functional commonality. It is not a claim that every current module implements the same workflow or uses the same labels.

SOURCE / RECORD

Each product may organize source material, structured records, and unresolved items differently.

WORK / REVIEW

The materials show efforts to keep structured work visible to attorney review instead of treating generated text as self-justifying.

RELEASE / RECEIPT

Some artifacts show gates, receipts, hashes, or replay records. Those constructs are module-specific and their effect is bounded by the artifact.

What a firm should ask in technical diligence

- Which controls and labels are actually implemented in the specific module being evaluated?
- What sources, records, review states, validation steps, and release conditions are configurable for that deployment?
- Which claims are established by a current runtime/output artifact, and which remain architecture, configuration, or future-deployment questions?

EVIDENCE RULE

A patent figure establishes patent-disclosed architecture. An architecture graphic explains design. A current runtime, interface, or output demonstrates implementation only to the extent shown. A replay, test, or benchmark demonstrates only the controlled property actually tested. This distinction is applied throughout Part II.

SELECTED EVIDENCE AND DILIGENCE

Audit, hallucination, and cross-domain evidence: useful, but bounded.

The record includes a local Harvey LAB-derived legal-work-product audit, a cross-domain IFEval series with transparent local checks, replay certificates, and a hash-verified supplied installer archive. None is presented as independent certification.

IMPORTANT BOUNDARY

No artifact in this book proves that a generative system cannot hallucinate, that every legal conclusion is correct, or that a product is ready for unsupervised filing. The useful question is narrower: what source, constraint, or controlled property did a particular artifact actually test or preserve?

Legal-work-product audit

The BriefWise material reports a local 501/501 audit across selected benchmark criteria. Its own certificate and repository disclaim an official Harvey score, third-party audit, legal correctness guarantee, and filing-use certification. It is meaningful diligence evidence because it preserves the audit boundary and supporting package, not because it ends the inquiry.

Cross-domain audit

The IFEval record shows transparent local checks for a defined instruction-following item. The repository reports 20 locally checked items and separately reports zero official evaluator executions and zero independent external verifications. That is evidence of documented local constraint checking, not an official benchmark result or legal performance proof.

Current cross-domain implementation archive

The supplied environmental installer archive matched its supplied SHA-256 sidecar. Its included implementation receipt reports a loopback-only configuration, disabled external release, and a stated internal test/build result. This book includes the raw receipt as a located artifact; the tests were not re-executed for this publication.

Questions these artifacts should prompt

- Which visible controls are actually available in the legal module and deployment the firm would evaluate?
- What source systems, access roles, retention, security, integration, and review requirements would apply to the firm's environment?
- What evidence would establish the firm's specific use case beyond a local benchmark, a synthetic demonstration, or an archived receipt?

7. HOW A FIRM CAN EVALUATE THE SYSTEM

The book is a decision instrument, not a prescribed commercial path.

At the end of Part I, a law firm should be able to decide whether the materials justify another conversation - and what kind of conversation best matches its interest. Grounded DI does not presume one next step for every firm or matter.

PRELIMINARY DECISION CHOICES

Take a substantive product meeting; request further technical diligence; review additional product-specific material; discuss data, security, or integration; discuss licensing or deployment; or take no further action.

How to use the evidence

- Start with the four module pages and identify the practice problem that actually matters to the firm. There is no required sequence.
- Read the associated evidence cluster before relying on architecture diagrams or descriptions. Notice each exhibit's category and limitation.
- Use Part II to formulate diligence questions about current implementation, data, security, integration, workflows, and deployment terms.
- If the book does not establish enough relevance, implementation evidence, or fit for the firm, decline. The materials are designed to make that a sound outcome as well.

What the book deliberately does not do

It does not ask a firm to assume that commercial interest must begin through a particular test arrangement. The appropriate next step can be a demonstration, a diligence discussion, a security review, an integration discussion, a licensing or deployment discussion, another mutually appropriate evaluation, or no further action.

READER STANDARD

Seriousness should come from visible evidence, stated limits, and questions a firm can answer - not from a claim that the implementation blueprint has been disclosed or that judgment has been automated.

PART II. SELECTED EVIDENCE

Source artifacts first. Assertions second.

This appendix contains actual located source artifacts selected for preliminary law-firm diligence. Exhibit covers state the evidentiary role, why the material matters, and what it does not establish. Original source pages appear without reconstruction.

READING RULE

A current interface, runtime, or output is prioritized for every legal module where available. Patent and architecture materials are not used as a substitute for implementation evidence. An internal test is not treated as an independent result.

Evidence sequence

- Exhibit A - DepoBot current runtime excerpts: source/control boundary, object model, source anchoring, gatekeeper, replay, and attorney review.
- Exhibit B - BriefWise DI2 output, interface, runtime, authority audit, and local legal-work-product audit certificate.
- Exhibit C - VerdictBridge synthetic current output and controlled replay record, with plaintiff-side limitations stated.
- Exhibit D - PIDBot current runtime excerpts for product and exposure identification work.
- Exhibit E - Cross-domain local-check record, actual supplied implementation receipt, and narrow replay evidence.
- Source manifest - principal exhibit roles, provenance, and non-claims.

EXHIBIT A

DepoBot - selected current runtime excerpts

CURRENT RUNTIME

CURRENT IMPLEMENTATION

CONFIGURABLE

SOURCE

Source artifact: 24_DepoBot_MagicPDF_API_Runtime_Edition_DRAP_1.0.pdf (supplied source file). Selected source pages: 2, 3, 4, 14, 15, and 22.

What the following source pages show

- A runtime-specific purpose and control boundary, object model, parser/source-anchoring view, gatekeeper, receipt/replay concepts, and attorney review boundary.
- Evidence that the supplied runtime edition contains identifiable implementation-facing controls rather than a standalone architecture diagram.

WHAT THIS EXHIBIT DOES NOT ESTABLISH

- A live production interface, a transcript-quality study, an executed matter, a universal metric system, or a litigation-ready deposition conclusion.
- That a receipt/replay concept independently validates legal substance or covers another module.

READER NOTE

Read this as current runtime documentation. Its evidentiary force is limited to the structures and controls visible in the selected source pages.

1. Runtime Purpose and Control Boundary

DepoBot DRAP 1.0 converts deposition, testimony, exhibit, product, site, defendant, audio/video, and litigation-context inputs into structured deposition records, applies version-locked rule logic and the 30-metric registry, generates deposition-native composite outputs, and holds candidate artifacts in controlled pre-delivery until audit, replay, verification, and authorization conditions are satisfied.

Generation is not authorization. No metric, composite, verification value, or user-facing score may directly release an artifact.

Artifact authorization
ARTIFACT_AUTHORIZED means the validated DepoBot work product may leave the engine through a controlled route.

Filing-use authorization
FILING_USE_AUTHORIZED is a separate downstream state requiring motion/jurisdiction/evidentiary/source mapping and an attorney review record.

Source priority

- 1. DepoBot nonprovisional - controlling substantive architecture.
- 2. Approved Phase 1 / Phase 1.5 design freeze - controlling DRAP implementation.
- 3. Tier-13 materials - historical lineage only.
- 4. BriefWise RFAP 1.0 - package-format precedent only.
- 5. Public workflow graphics - user-facing workflow terminology.

Patent / implementation distinction. The patent supplies the metric universe, entropy kernel, parser/gate/receipt/replay/ authorization framework, but intentionally permits version-locked thresholds, bins, taxonomies, and implementation details. DRAP-specific equations are labeled implementation choices, not patent mandates.

2. Canonical Object Model

Object	Canonical meaning
Metric	One of the 30 DMR_1_0 machine-readable deposition calculations applied to structured records.
Composite output	Higher-order object assembled from records, metrics, rules, and other outputs: DIS, WSM, CCI, optional Voice-Filler.
Gate	Deterministic condition controlling proceed/review/correct/freeze/block behavior.
Runtime state	Machine state such as SOURCE_ANCHORED, CONTROLLED_PRE_DELIVERY, REVIEW_HELD, FAIL_CLOSED.
Metric receipt	Deterministic receipt for an emitted metric, including value/state/evidence/configuration/replay/auth linkage.
TriggerReceipt Record	Event-level machine receipt binding a rule/module/artifact event to source, validation, verification, and authorization information.
ReplayLedger Record	Durable lineage record storing receipts, outputs, audit, replay, verification, authorization, correction, blocking, and delivery records.
Candidate artifact	Generated deposition work product not yet authorized for external delivery.
Verification value	Hash/checksum/signature/source-lock/replay-equivalence/output-integrity value.
Authorization State	Machine decision controlling authorized delivery, review, correction, fail-closed routing, or blocking.

3. Parser Preconditions and Source Anchoring

Dependent metrics cannot execute until their required parser preconditions are PASS or validly NOT_APPLICABLE under the active profile.

ID	Precondition	Function	Failure route
PP01	PAGE_LINE_INDEXING	Index transcript by page/line and bind material transcript fragments to page-line anchors.	CORRECTION_REQUIRED FAIL_CLOSED
PP02	TIMESTAMP_INDEXING	Index synchronized timestamps where timestamp-dependent analysis is invoked.	CORRECTION_REQUIRED or metric NOT_APPLICABLE if timing is optional
PP03	PAGE_TIME_HARMONIZATION	Map page-line and timestamp tuples when transcript and synchronized time streams are combined.	CORRECTION_REQUIRED or metric NOT_APPLICABLE if optional
PP04	SPEAKER_TAGGING	Assign and validate speaker identity and role.	CORRECTION_REQUIRED FAIL_CLOSED
PP05	QUESTION_ANSWER_PAIRING	Create canonical Q-A pair IDs and validation status.	CORRECTION_REQUIRED FAIL_CLOSED
PP06	EXHIBIT_EVENT_DETECTION	Identify exhibit events, exhibit IDs, transitions, and references.	CORRECTION_REQUIRED or NOT_APPLICABLE if exhibit layer inactive
PP07	OBJECTION_TAXONOMY_ASSIGNMENT	Assign objection events to version-locked objection taxonomy.	CORRECTION_REQUIRED or NOT_APPLICABLE
PP08	PRIVILEGE_TAXONOMY_ASSIGNMENT	Assign privilege/instruction-not-to-answer events to version-locked taxonomy.	CORRECTION_REQUIRED or NOT_APPLICABLE
PP09	CIVILITY_TAXONOMY_ASSIGNMENT	Assign conduct/civility events under version-locked taxonomy.	CORRECTION_REQUIRED or NOT_APPLICABLE
PP10	EXPOSURE_TYPE_TAXONOMY_ASSIGNMENT	Assign exposure-type/mechanism/activity classes.	CORRECTION_REQUIRED or NOT_APPLICABLE
PP11	PRODUCT_LINKAGE_VALIDATION	Validate product identity and source-supported product linkages.	SOURCE_SUPPORT_REVIEW CORRECTION_REQUIRED FAIL_CLOSED
PP12	SITE_LINKAGE_VALIDATION	Validate site linkage when material.	SOURCE_SUPPORT_REVIEW CORRECTION_REQUIRED
PP13	DEFENDANT_LINKAGE_VALIDATION	Validate defendant/entity linkage when material.	SOURCE_SUPPORT_REVIEW CORRECTION_REQUIRED
PP14	SOURCE_FRAGMENT_NORMALIZATION	Canonicalize and validate source-fragment pointers across material output.	FAIL_CLOSED if required support cannot be established


N/A is not failure. A metric may be NOT_APPLICABLE when its input type is legitimately unavailable and the active Version-Locked Metric Configuration does not require it. The reason and input-availability state are recorded in the receipt.

10. DepoBot Gatekeeper - DGF_1_0

Gate	Name	Function	Failure route
G01	Input package integrity	Validate input-package ID, source-file IDs, hashes, and basic completeness.	CORRECTION_REQUIRED FAIL_CLOSED
G02	Parser preconditions	Evaluate DPP_1_0 preconditions for active metrics/modules.	CORRECTION_REQUIRED FAIL_CLOSED
G03	Source-anchor validation	Require material source-fragment pointers and required page/time/audio anchors.	SOURCE_SUPPORT_REVIEW FAIL_CLOSED
G04	Version-Locked Configuration resolution	Resolve rule, metric, taxonomy, threshold, profile, and state versions before execution.	FAIL_CLOSED
G05	Structural metric gate	Evaluate SB metric conditions and SIDS structural state.	CORRECTION_REQUIRED FAIL_CLOSED
G06	Distributional/advisory review	Evaluate DA metrics and profile advisory rules.	REVIEW_REQUIRED REVIEW_HELD
G07	Risk-flag review	Evaluate RF metrics; unresolved source/linkage defect overrides aggregate score.	SOURCE_SUPPORT_REVIEW REVIEW_HELD
G08	Composite-output validation	Validate DIS_CORE_1_0, WSM, CCI, optional Voice-Filler objects and source linkage.	CORRECTION_REQUIRED REVIEW_HELD
G09	Motion-aware / filing-use validation	If filing-facing use invoked, evaluate filing-use preconditions and FU gates.	FILING_USE_REVIEW_HELD FILING_USE_CORRECTION_REQUIRED FILING_USE_BLOCKED
G10	Candidate-artifact completeness	Validate artifact identifiers, versions, linked outputs, source-support status, and controlled pre-delivery state.	CORRECTION_REQUIRED
G11	Audit + TriggerReceipt + ReplayLedger completeness	Require audit trace, configured receipts, ledger write, and lineage references.	FAIL_CLOSED CORRECTION_REQUIRED
G12	Replay validation	Replay/reconstruct and compare configured outputs, paths, pointers, IDs, and records.	REPLAY_MISMATCH
G13	Verification-value validation	Validate hash/checksum/signature/source-lock/replay-equivalence/output-integrity marker.	VERIFICATION_FAILED
G14	Authorization / Controlled Export	DAU_1_0 assigns Authorization State; export only if authorized.	REVIEW_HELD CORRECTION_REQUIRED SOURCE_SUPPORT_REVIEW FAIL_CLOSED ARTIFACT_BLOCKED

Analytical metrics create receipts/states. Authorization State - not a metric - controls delivery.

11. Receipts, Ledger, Replay, and Verification



TriggerReceipt Record: event-level machine receipt for configured module, validation, metric, artifact, replay, authorization, or delivery events.

ReplayLedger Record: append-only/hash-link capable lineage store for receipts, outputs, audit, replay, verification, authorization, correction, blocking, and delivery.

Verification value: SHA-256/checksum/signature/source-lock/logic-chain/replay-equivalence/output-integrity marker. Failed required replay or verification routes non-authorized and fails closed.

18. Attorney Review Boundary and Integrity Rules

- DepoBot assists; it does not autonomously decide litigation strategy or file legal papers.
- Every material factual proposition exposed to the user should remain source-anchored and citeable to transcript/exhibit records where available.
- Risk/behavioral metrics identify patterns under version-locked rules; they do not automatically prove misconduct, credibility, admissibility, causation, exposure, or trial outcome.
- No generated object bypasses Authorization State.
- Structural, replay, and verification failures fail closed.
- Valid NOT_APPLICABLE states do not create false failures when the active profile does not require the missing input.
- Filing-facing use requires separate filing-use gates and recorded attorney review/authorization.

Work-product control. Candidate artifacts remain controlled pre-delivery until release conditions are satisfied. Public/restricted attestations may omit raw transcript text and preserve hashed/source-pointer evidence references instead.

EXHIBIT B

BriefWise DI2 - current runtime, interface, audit evidence, and historical output

CURRENT RUNTIME

CURRENT IMPLEMENTATION

DEMONSTRATION

HISTORICAL

SOURCE

Sources: supplied BriefWise runtime edition; local Artifact Lab replay capture; Grounded-DI/BriefWise_DI2 authority-audit checkpoint; Grounded-DI local 501/501 certificate; Grounded-DI public 2025 visual asbestos demonstration.

What the following source pages show

- Current runtime-specific structured-record and state material, a browser capture of local artifact inspection, a source-checked authority checkpoint, a local benchmark audit certificate, and one clearly labeled historical visual-output demonstration.
- An evidence sequence that begins with current runtime and interface evidence before the historical visual source.

WHAT THIS EXHIBIT DOES NOT ESTABLISH

- A real-matter result, filing authorization, an official Harvey or Artificial Analysis score, independent grading, a citator/completeness certification, or a general guarantee of legal correctness.
- That a matching artifact hash proves fresh model generation or substantive legal validity.

READER NOTE

The following pages retain their source categories. Treat the local interface/replay, source-check, local-audit, and historical visual materials according to their stated limits.

BriefWise MagicPDF API Runtime Edition v1.0

BriefWise MagicPDF / API Runtime Edition Source Package v1.0

1. Cover Page / Runtime Identity

BriefWise MagicPDF / API Runtime Edition v1.0 Controlled Pre-Output Assembly of Legal Outputs Using Authority Binding and Filing-Integrity Validation

Professional legal-technology use only. Attorney-supervised review required.

Field	Value
Runtime Name	BriefWise_LegalIntegrity
Runtime Version	BW_NP_19_686_791_MAGICPDF_v1_0
Application No.	19/686,791
Filing Receipt Date / Time	05/25/2026 12:02:53 AM Z ET
Confirmation No.	4457
Application Type	Utility - Nonprovisional Application under 35 U.S.C. 111(a)
First Named Inventor	Mr. Mark S. Weinstein
Title	Deterministic Intelligence Systems and Methods for Controlled Pre-Output Assembly of Legal Outputs Using Authority Binding and Filing-Integrity Validation
Native Export State	FILING_READY / EXPORT_AUTHORIZED only when filing-readiness gates, replay conditions, audit binding, and export authorization conditions are satisfied
Export Mode	Immutable / Replay-Audited / Hash-Bound
Use Context	Attorney-supervised legal-output integrity and filing-readiness control
Source Artifact	1_BriefWise_NonProvisional_Filed_Combined.pdf
Artifact Role	Conversion and sealing package only; not a continuation draft; no claim amendment; no new matter

Runtime Summary

BriefWise_LegalIntegrity is a deterministic legal-output integrity runtime for controlled pre-output assembly of legal outputs. The runtime converts legal input data into structured legal analysis records, generates proposition-to-authority mapping records, validates candidate output segments before commitment, computes legal integrity metrics, assigns execution states, generates structured audit records, supports replay verification, computes verification hashes, and authorizes or denies export based on threshold-controlled filing-readiness gates.

2. Filing Receipt Preservation Page

2.1 Initial Nonprovisional Filing Receipt

Field	Value
USPTO Receipt Type	Electronic Acknowledgement Receipt
Application No.	19/686,791

support-status fields, validation-status fields, applicable rule identifiers, pinpoint or quotation-boundary fields, source-fragment pointers, assigned weights, and execution-state effects.

4.5 Authority Binding

Authority binding requires that legal propositions selected for output be associated with identifiable and verifiable legal authority before inclusion in filing-eligible output. Authority records may include citation text, court identifiers, jurisdiction identifiers, publication status, treatment status, authority type, date, source identifiers, source-fragment pointers, verification status, and authority priority values.

4.6 Validation Pipeline

The validation pipeline evaluates assembled or in-progress output against a predefined rule-governed validation configuration. The filed validation pipeline includes citation verification, quotation validation, jurisdiction validation, motion-element coverage validation, and procedural alignment validation. Validation may be sequential or parallel and may update intermediate data structures based on validation results.

4.7 Candidate Segment Buffering

Candidate output segments may be stored in a buffer structure before inclusion in an output data object. The buffer structure may comprise a temporary memory region, queue, staging table, object store, database table, cache, or other machine-readable holding structure. The buffer prevents serialization of a candidate output segment into a filing-eligible output data object before completion of required validation.

4.8 Threshold-Based Execution States

Legal integrity metrics are compared against threshold conditions. Execution states include approved, review-required, revision-required, halted, and export-blocked. State transitions are determined by threshold-triggered routing rules and govern continuation of validation, candidate-segment revision, output-object generation, non-filing-output generation, transmission-interface availability, filing-format generation, export authorization, or export denial.

4.9 Structured Audit Records

A structured audit record links input records, authority identifiers, mapping records, applied rules, validation results, metric values, candidate segment identifiers, execution-state information, output identifiers, and export authorization status. In some embodiments, the structured audit record is append-only and preserves timestamped execution-stage entries.

4.10 Replay Specification

A replay specification identifies inputs, rule configurations, authority records, mapping records, threshold values, execution parameters, candidate segment identifiers, output identifiers, state-routing table identifiers, validation-stage identifiers, runtime parameters, and formatting parameters sufficient to reproduce an output data object under identical validated runtime conditions.

4.11 Verification Hash

A verification hash is computed over at least a portion of input data, intermediate data, structured legal analysis records, authority records, proposition-to-authority mappings, rule configuration, structured audit record, replay specification, output data object, or legal output. A mismatch between a stored verification hash and a replay-generated verification hash may cause review-required, halted, export-blocked, audit-warning, verification-failure, audit-quarantine, runtime-reseal, or execution-halt states.

4.12 Export Authorization / Filing-Readiness Gate

The export authorization module selectively authorizes or denies export of the output data object based on system execution state, legal integrity metrics, threshold conditions, audit-record completeness, replay-specification completeness, verification-hash status, and filing-readiness gates. Export may be denied, held, warning-only, filing-ready blocked, hard-denied, or authorized.

Formula ID	Name	Short Name	Formula / Logic	Variables	Threshold Condition	Failure Condition	Runtime Effect
F05	Jurisdiction Bindingness Score	JBS	$JBS = \sum_i B_i w_i / \sum_i w_i$	B_i = binary indicator of jurisdictionally binding authority i ; w_i = assigned authority weight	$JBS \geq 0.80$	$JBS < 0.80$	Routes to review-required or export-held-if-unresolved
F06	Motion-Element Coverage Score	MECS	$MECS = E_c / E_r$	E_c = covered required motion elements; E_r = required motion elements	$MECS = 1.0$	$E_c < E_r$	Routes to motion-incomplete or filing-blocked state
F07	Proposition-to-Authority Mapping	PAMP	$PAMP = P_v / P_t$	P_v = verified proposition-authority mappings; P_t = total propositions evaluated	$PAMP \geq 0.98$	$PAMP < 0.98$	Routes to proposition-unsupported or filing-blocked state
F08	Holding Preference Ratio	HPR	$HPR = H_b / H_t$	H_b = binding holdings cited; H_t = total holdings cited	$HPR \geq 0.85$	$HPR < 0.85$	Produces warning state unless elevated by runtime policy
F09	Citation Treatment Integrity Rating	SKIR	$SKIR = S_v / S_t$	S_v = treatment-verified authorities; S_t = authorities requiring treatment verification	$SKIR = 1.0$	$S_v < S_t$	Routes to authority-fail or filing-blocked state
F10	Quote Fidelity Hash Match	QFHM	$QFHM = 1$ if quote hash matches required source text / boundary; 0 otherwise	quote hash; source hash; quotation boundary	$QFHM = 1.0$	$QFHM = 0$	Routes to quote-fail or filing-blocked state
F11	Pinpoint Density	PPD	$PPD = P_p / P_c$	P_p = citations with valid pinpoints; P_c = total citations	$PPD \geq 0.95$	$PPD < 0.95$	Produces warning state unless elevated by runtime policy
F12	Reporter Canonicalization Accuracy	RCA	$RCA = R_c / R_t$; $RCA_verification$ must equal 1	R_c = correctly canonicalized reporters; R_t = reporters processed; $RCA_verification$ = reporter verification completed	$RCA \geq 0.98$ and $RCA_verification = 1$	$RCA < 0.98$ or $RCA_verification = 0$	Routes to authority-fail or filing-blocked state
F13	Docket-Posture Alignment Score	DPAS	$DPAS = D_a / D_t$	D_a = procedurally aligned authorities; D_t = authorities evaluated for procedural posture	$DPAS \geq 0.95$	$DPAS < 0.95$	Routes to procedural-mismatch or filing-blocked state
F14	Standard-of-Review Alignment	SRA	$SRA = 1$ if review standard is correctly aligned; 0 otherwise	review-standard alignment flag	$SRA = 1.0$	$SRA = 0$	Routes to review-standard-fail or filing-blocked state
F15	Authority Currency Index	ACI	$ACI = A_c / A_t$	A_c = authorities remaining current and valid; A_t = authorities evaluated for currency	$ACI \geq 0.90$	$ACI < 0.90$	Produces warning state unless elevated by runtime policy
F16	Negative Treatment Disclosure Rate	NTDR	$NTDR = N_d / N_r$	N_d = disclosed negative treatments; N_r = negative treatments required to be disclosed	$NTDR = 1.0$	$NTDR < 1.0$	Routes to authority-fail or filing-blocked state
F17	Cross-Jurisdiction Contamination Index	CJCI	$CJCI = J_c / J_t$	J_c = cross-jurisdiction contamination events; J_t = jurisdictional evaluations	$CJCI \leq 0.01$	$CJCI > 0.01$	Routes to jurisdiction-contamination or filing-blocked state

Group	Included Formula Types	Export Effect
System-Stability Formula Group	Legal drift divergence, entropy seal ratio, entropy-linked override chain trigger, override escalation, disagreement, procedural instability, override volatility, inversion risk	Failure or threshold trigger may route to integrity-control, drift-lock, replay review, audit quarantine, escalation-active, or execution-halt state

8. State Machine / Gatekeeper Layer

8.1 State-Routing Table

State	Entry Condition	Permitted Action	Export Effect	Audit / Replay Requirement
approved	All applicable legal integrity metrics satisfy corresponding threshold conditions; required candidate segments are validated; no blocking state active	Continue assembly; commit validated candidate segments; generate output data object	May proceed toward filing-ready authorization	Audit entry required; replay parameters preserved
review-required	Missing treatment status, advisory formula failure, unresolved authority priority, unresolved jurisdictional issue, unresolved assumption, or runtime condition requiring attorney review	Hold output for attorney review; permit non-filing review output	EXPORT_HELD_IF_UNRESOLVED or WARNING_ONLY	Audit entry required; unresolved issue recorded
revision-required	Candidate segment fails quotation validation, proposition-support validation, jurisdiction validation, motion-element coverage validation, procedural alignment validation, or output-format validation, but alternative candidate segment may be generated	Revise, replace, suppress, omit, or substitute candidate output segment; re-evaluate through validation pipeline	EXPORT_HELD until corrected	Audit attempted revision path; replay revised candidate path
halted	Required hard gate fails, execution-halt condition occurs, rule configuration integrity fails, runtime registry fails, replay cannot proceed, or override activation triggers halt	Stop controlled assembly execution	HARD_DENIED or EXPORT_DENIED	Halt code, failed rule, state transition, and replay requirement recorded
export-blocked	One or more threshold conditions fail; filing-readiness gate fails; replay validation fails; audit binding incomplete; verification hash mismatch; export authorization matrix denies export	Prevent creation, download, transmission, filing-format generation, external submission, API transmission, or e-filing submission	FILING_READY_BLOCKED, EXPORT_DENIED, or HARD_DENIED	Audit record and export denial trace required
filing-ready authorized	Required filing-readiness gates pass; no hard-gate validation condition fails; replay passes; audit binding passes; rule configuration integrity is verified; no execution-halt state is active	Generate, transmit, download, externally submit, or otherwise export filing-eligible legal output subject to attorney supervision	FILING_READY / EXPORT_AUTHORIZE	Full structured audit record; replay specification; verification hash; export authorization trace
export denied / held / blocked	Export authorization matrix maps current state to denied, held, warning-only, filing-ready blocked, hard-denied, or authorized	Deny, hold, warn, block, hard-deny, or authorize based on matrix	DENIED / HELD / WARNING_ONLY / FILING_READY_BLOCKED / HARD_DENIED / AUTHORIZED	Export decision and state transition recorded

8.2 Gatekeeper Flow

Step	Runtime Gate	Function	Failure / Hold Effect
1	Input Canonicalization	Normalize legal input data, source records, jurisdiction labels, procedural posture, proposition identifiers, and authority identifiers	Input normalization failure; review-required or halt
2	Runtime Registry Resolution	Verify runtime identity, rule configuration object, formula registry, threshold identifiers, state-routing table, and validation-stage identifiers	Registry resolution failure; halt

Step	Runtime Gate	Function	Failure / Hold Effect
3	Authority Verification	Confirm authority records, citation identifiers, source identifiers, jurisdiction identifiers, treatment status, and verification status	Authority-fail; filing-blocked
4	Proposition Mapping	Generate and validate proposition-to-authority mapping records	Proposition-unsupported; filing-blocked
5	Candidate Segment Buffering	Maintain candidate output segments in uncommitted state before commitment	Commitment blocked until validation passes
6	Citation Verification	Confirm cited authorities correspond to verified authority records	Citation failure; filing-blocked
7	Quotation / Quote Hash Verification	Compare quote, paraphrase, cited text, or quotation boundary against source fragment or source hash	Quote-fail; revision-required or filing-blocked
8	Jurisdiction Validation	Confirm cited authority and legal standard are permitted under selected jurisdiction	Jurisdiction-contamination or review-required
9	Motion-Element Coverage	Confirm required motion elements are covered	Motion-incomplete; filing-blocked
10	Procedural Alignment	Confirm legal standard, argument section, or candidate output segment aligns with procedural posture	Procedural-mismatch; filing-blocked
11	Metric Computation	Compute formula outputs and legal integrity metrics	State routing based on threshold failure
12	State Determination	Assign approved, review-required, revision-required, halted, or export-blocked state	State controls downstream actions
13	Audit Binding	Generate structured audit record and bind runtime artifacts	Audit-binding failure; export denied
14	Replay Validation	Recompute outputs, hashes, state transitions, or export decisions and compare to stored audit record	Replay-failure, audit quarantine, export denial, reseal requirement, or execution halt
15	Filing-Readiness Validation	Confirm enumerated filing-readiness gates pass	Filing-ready blocked or hard-denied
16	Export Authorization	Apply export authorization matrix	Denied, held, warning-only, filing-ready blocked, hard-denied, or authorized

8.3 Filing-Readiness Gates

Filing-readiness validation requires that enumerated filing-readiness gates pass before an output data object is eligible for export. Filing-readiness gates may include:

- no-hallucinated-authority condition
- primary-authority-reliance condition
- motion-elements-complete condition
- proposition-support condition
- citation-treatment-verified condition
- quote-hash-match condition
- reporter-canonicalization condition
- docket-posture-aligned condition
- standard-of-review-aligned condition
- negative-treatment-disclosed condition
- jurisdiction-contamination-limit condition
- entropy-seal-intact condition
- override-not-active condition
- replay-pass condition
- no-execution-halt condition

8.4 Export Authorization Matrix

Condition Category	Required For Authorized Export
Input Canonicalization	Required

Source Component	USPTO SHA-512 Anchor
Transmittal of New Application	24B7AC665F698DEB27A51D26395EBA5BFF59F5316EAC307FFFC00BB65E99B55F11A3C11D362209A4BA8909900C8E68AF07E99A60520E5A6089178615C558518B
Certification of Micro Entity	753E0E9EABFFDB667087D35F6AC49A5EB221AB78A6D4CA544F1840E6CE6EBD76A09157B27AA09E0F27D4A230C030FACD579D55439A615AE46DF4A62FF2014FA7
Oath or Declaration	B03A3071A9E46FF0FF7BB29FA9BFD79E8622ED81924BA3E1363174366CB55622B3021A44F14BAEFD017F3012173F010F947914831B51BD56F2DCD2A79B1D822D
Application Body	9E5DEDCF48CB845FBBCC5B96583DC33769FBB9CA8EDA257E453281D8B90F112E12D40ACD15FBB9321F6986F4A45809BD5313D93D2F910FE5006FC8D0772C6D86
Figures 1-6	17B85B3D72DBFE844A56B141EE97F4816BBDF2FB530825A341E497854F7C9B1191EE235D8515569960BE8E4DD4E1B628B43F2A046AD96B3108CF15EA98F405DB

11.3 Manifest Seal Statement

This manifest preserves the USPTO receipt hash anchors and reserves final hash fields for the generated BriefWise MagicPDF / API Runtime Edition v1.0 package. Mutation of any controlled artifact requires resealing, new version assignment, and a new manifest.

12. Non-Controlling Integration Notes

The BriefWise MagicPDF / API Runtime Edition v1.0 is a sealed standalone conversion of the timely filed nonprovisional application for Application No. 19/686,791.

Later integration with VerdictBridge, Runtime Authorization, DIA, DI², AGIA, DIAGI, cross-domain DI, or portfolio-wide runtime materials must be performed only through a separate integration index. Such later integration must not alter, rewrite, expand, narrow, amend, or otherwise modify this sealed BriefWise MagicPDF artifact.

BriefWise controls legal-output integrity, authority discipline, citation integrity, quote fidelity, procedural filing alignment, audit-linked replay, and filing-readiness authorization for the filed application. Any cross-system relationship must preserve BriefWise as its own filed invention record and must not import limitations from later applications or adjacent runtimes.

End of BriefWise MagicPDF / API Runtime Edition Source Package v1.0

Chrome File Edit View History Bookmarks Profiles Tab Window Help

localhost

BriefWise
GROUNDED DI

LOCAL BYTE INSPECTION

Artifact Lab

Load a local PDF, DOCX, or text artifact, inspect its exact bytes, and calculate its SHA-256 locally in this browser.

01 LOAD

Inspect a local artifact

Select or drop an artifact

PDF, DOCX, or TXT · local browser inspection only

Choose artifact

Filename	BriefWise_DI2_Localhost_Demo_Output_Deterministic_Intelligence_Grounded_DI_LLC.pdf
Kind	PDF
Bytes	99.8 KiB (102153 bytes)
SHA-256	94eafddcdb2367b58b08cddb5a2a72c43a1df85de8b59e6723da7107e083c5d
Expected SHA-256	Optional 64-character digest

BriefWise - Grounded DI

localhost:3000

BriefWise
GROUNDED DI

LOCAL BYTE INSPECTION

Artifact Lab

Load a local PDF, DOCX, or text artifact, inspect its exact bytes, and calculate its SHA-256 locally in this browser.

01 LOAD

Inspect a local artifact

Select or drop an artifact

PDF, DOCX, or TXT · local browser inspection only

Choose artifact

Filename	BriefWise_DI2_Localhost_Demo_Output_Deterministic_Intelligence_Grounded_DI_LLC.pdf
Kind	PDF
Bytes	99.8 KiB (102153 bytes)
SHA-256	94eafddcdb2367b58b08cddb5a2a72c43a1df85de8b59e6723da7107e083c5d
Expected SHA-256	Optional 64-character digest

02 CREATE EXACT BYTES

Text artifact

Filename

briefwise_artifact.txt

Exact UTF-8 text

Paste or type the exact artifact text. No newline is added unless you enter one.

Create and hash local text

The text is encoded exactly as entered using UTF-8. This is a local byte-hash tool, not controlled-output replay or legal verification.

Grounded DI / BriefWise DI²

CERTIFICATE OF AUDIT COMPLETION

for BriefWise DI²

June 13-14, 2026

500+ Cases and Legal Authorities Source-Checked

This certificate recognizes that Grounded DI / BriefWise DI² completed a large-scale, source-locked legal authority audit covering cases, statutes, rules, regulations, and legal authorities across multiple legal topics.

Across many audit batches, Grounded DI / BriefWise DI² located, source-checked, organized, documented, and preserved authority-level review in a repeatable audit format.

At this checkpoint, the audit crossed the 500+ provisional unique-authority threshold while maintaining a zero count for AI-memory-only authorities.

This is a certificate of audit completion and milestone recognition. It is not a filing-use certification.

CHECKPOINT LEDGER

Checkpoint field	Value
Provisional unique-authority total	508 provisional / unresolved
Running audit-count total	569 source-locked / verified authority entries
AI-memory-only authorities counted	0
Latest counted batch	Clean Air Act State-Law Nuisance / Trespass Preemption
Latest batch addition	+10
FilingReady	Not yet determinable
PackageReady	Not invoked

THE THREE-DOCUMENT AUDIT PACKAGE

For each completed audit batch, Grounded DI / BriefWise DI² preserves a three-document audit package:

1. PDF Audit Artifact	The PDF is the readable audit document. It presents the topic, audit summary, verified authority table, candidate or reserve queue, proposition-to-authority mapping, caution flags, filing-use recommendations, batch status, source appendix, and original prompt appendix.
2. Markdown Source File	The markdown file is the plain-text source version of the audit. It preserves content in a format that can be inspected, searched, compared, regenerated, or converted into other formats.
3. SHA-256 Checksum File	The checksum file records file-integrity fingerprints for the PDF, markdown source, and audit text plus original prompt. If a file changes, its checksum changes.

Checksums support document integrity, traceability, and change detection. They do not prove legal correctness, citator completeness, or FilingReady status.

WHAT THIS CERTIFICATE RECOGNIZES

This certificate recognizes that Grounded DI / BriefWise DI² completed a substantial source-locked legal authority audit crossing the 500+ provisional unique-authority checkpoint.

The audit included cases, statutes, rules, regulations, and other legal authorities that were counted only when tied to source-based verification. AI-memory-only authorities were not counted.

This milestone reflects disciplined legal research, authority tracking, source review, prompt preservation, checksum documentation, and audit continuity across multiple legal subject areas.

WHAT THIS CERTIFICATE DOES NOT CERTIFY

This certificate does not certify that any brief, motion, memorandum, complaint, appeal, or legal filing is ready to be submitted in court.

It does not certify final deduplication, final citator treatment, full negative-treatment review, official reporter pinpoints, quote fidelity, local-rule compliance, jurisdictional fit, evidentiary support, or attorney approval.

It does not certify FilingReady status, PackageReady status, legal sufficiency, court admissibility, or outcome reliability.

The audit remains provisional and unresolved for filing-use purposes until the required case-specific verification steps are completed.

WHAT WOULD BE REQUIRED FOR REAL-WORLD FILINGREADY STATUS

FilingReady means ready for real-world legal filing only after attorney review and case-specific verification, including current citator treatment, official-source and reporter verification, quote and pinpoint verification, jurisdiction and procedural-posture validation, record-cite support, controlling-authority review, proposition-to-authority mapping, and final deduplication.

1	Attorney review and authorization.
2	Current Shepard's, KeyCite, or equivalent citator review.
3	Official-source, reporter, statute, rule, or regulation verification.
4	Exact quotation and pinpoint-citation verification.
5	Jurisdiction, court, procedural posture, and standard-of-review validation.
6	Record-cite and evidentiary support for every filing-facing factual proposition.
7	Controlling-authority review and negative-treatment screening.
8	Proposition-to-authority mapping for each legal argument.
9	Final deduplication and conflict review.
10	Confirmation that the specific filing, motion, brief, or other legal submission satisfies all applicable procedural and substantive requirements.

Recognition Status	Milestone documented; audit may continue.
Scope	Legal authority audit recognition only. Three-document audit package preserved. No filing-use certification.

BriefWise Energy and Pipeline Safety Preemption Source-Locked Audit

Generated for Grounded DI LLC • Source-Locked Artifact Mode • 2026-06-14T20:04:14+00:00

FilingReady: Not yet determinable. This is an audit-building artifact only.

Topic

Energy and pipeline safety preemption — Natural Gas Pipeline Safety Act, PHMSA pipeline rules, state tort claims, design/operations warnings, permit/franchise issues, and savings boundaries.

Brief Summary

This audit identifies 10 source-verified authorities for Energy and Pipeline Safety preemption, focusing on the Pipeline Safety Act, PHMSA gas and hazardous-liquid/CO2 pipeline rules, state tort claims, design/operations/warnings duties, permit/franchise issues, and savings boundaries. The core tension is between strong preemption of interstate pipeline safety standards and the statutory preservation of tort liability. Texas Midstream and Washington Gas are required counterweights against overreading ANR, Kinley, Olympic, or Couser because genuine zoning, land-use, aesthetic, or location-related rules may survive where they are not direct/substantial safety standards. FilingReady status cannot be confirmed because citator-grade treatment, pinpoints, forum, pipeline classification, regulatory coverage, permit/franchise text, and record-specific facts remain unresolved.

Verification Summary

Item	Result
Verified authorities counted	10
AI-memory-only authorities counted	0
Candidate/reserve authorities excluded	6
Citator-grade treatment review	UNRESOLVED — verification required
Quote fidelity review	Not performed; no filing quote should be used from this audit
Topic complete	Yes for initial source-locked audit; No for FilingReady

Verified Authority Table

#	Authority	Category	Filing use
1	49 U.S.C. §§ 60104-60106	Pipeline Safety Act preemption / state certification and agreements	Use as the statutory anchor for preemption of interstate pipeline safety standards and limited state roles for intrastate and interstate oversight.
2	49 U.S.C. § 60120(c)	Pipeline Safety Act tort-liability savings	Use as the counterweight against treating PSA preemption as blanket tort immunity.
3	49 C.F.R. Part 192	PHMSA gas-pipeline minimum federal safety standards	Use for gas-pipeline design, construction, operations, maintenance, emergency, public-awareness, and damage-prevention duties.
4	49 C.F.R. Part 195	PHMSA hazardous-liquid / carbon-dioxide pipeline standards	Use for hazardous-liquid and CO2 pipeline design, construction, operation, maintenance, accident reporting, and emergency procedures.
5	ANR Pipeline Co. v. Iowa State Commerce Comm’n, 828 F.2d 465 (8th Cir. 1987)	Natural gas interstate pipeline safety / state permit program	Use as foundational Eighth Circuit authority preempting a state hearing, permit, inspection, and enforcement regime for interstate gas pipelines where it regulated safety.
6	Kinley Corp. v. Iowa Utils. Bd., 999 F.2d 354 (8th Cir. 1993)	Hazardous-liquid interstate pipeline safety / state permit and inspection	Use as foundational Eighth Circuit authority on hazardous-liquid pipeline safety preemption and severability of state permit/inspection provisions.
7	Olympic Pipe Line Co. v. City of Seattle, 437 F.3d 872 (9th Cir. 2006)	Municipal franchise / contract used as safety regulation	Use for the rule that a municipality cannot evade PSA preemption by using franchise or contract leverage to impose pipeline safety oversight as a regulator.
8	Texas Midstream Gas Servs., LLC v. City of Grand Prairie, 608 F.3d 200 (5th Cir. 2010)	Local zoning / setback counterweight	Use as a counterweight against overbroad preemption where a local compressor-station setback/aesthetic ordinance only incidentally affects safety.
9	Washington Gas Light Co. v. Prince George’s Cnty. Council, 711 F.3d 412 (4th Cir. 2013)	Local land use / zoning counterweight	Use as Fourth Circuit counterweight where land-use/zoning rules are not pipeline safety regulations.

Grounded DI / BriefWise DI²

CERTIFICATE OF BENCHMARK AUDIT COMPLETION

Harvey LAB Legal Work Product Series

August 10, 2026

501 / 501 Criteria Locally Audited

This certificate recognizes completion of a multi-benchmark legal work-product audit sequence conducted in **FastPath SOL - High** mode under Tier 18, DIP 0-166, and ΔH 0.0041.

The sequence reached a provisional local continuity checkpoint of **501/501 criteria** after completion of the 64-criterion Harvey LAB CGL toxic-tort coverage-opinion benchmark.

This is a certificate of benchmark audit completion and milestone recognition. It is **not** an official Harvey score, an independent third-party audit, a legal correctness guarantee, or a FilingReady certification.

CHECKPOINT LEDGER

Checkpoint field	Value
Prior continuity	437 / 437 provisional
Current benchmark	Draft Coverage Opinion Letter - CGL Policy Analysis for Toxic Tort Claim
Current addition	64 / 64 PASS_PROVISIONAL
Updated continuity	501 / 501 provisional
Required deliverable	coverage-opinion-letter.docx
Functional render	12 pages; all pages inspected
Package integrity	ZIP integrity clean; SHA-256 matched
FilingReady	Not invoked; not determined
Official Harvey evaluation	Not performed

RUNTIME AND SOURCE BINDING

Field	Bound value
Runtime	FastPath SOL - High Tier 18 DIP 0-166 ΔH 0.0041
Pinned repository commit	55510f0e609ffa5cf6f5df17d9a813ce4bb33d0c
Task path	tasks/insurance/draft-coverage-opinion-letter
Thread continuity reference	https://chatgpt.com/share/6a7a5d21-1bbc-83ea-a903-d072b0b427f5

CURRENT BENCHMARK EVIDENCE PACKAGE

The package preserves the required DOCX opinion, a 64-row criterion audit, content-validation and continuity records, pinned task provenance and input hashes, a package manifest, a ZIP archive, and a SHA-256 checksum.

The local audit covered the required case, policy, exposure, occurrence, products-completed operations, pollution, known loss, expected-or-intended injury, punitive damages, contractual liability, subrogation, recall, notice, defense, independent-counsel, and indemnity criteria.

WHAT THIS CERTIFICATE RECOGNIZES

This certificate recognizes a documented local benchmark process in which required source files were reconciled, a required legal work product was created, every listed task criterion was mapped to evidence in that work product, numerical and integrity checks were executed, and the rendered document was inspected for functional defects.

It also recognizes continuity from 437/437 to 501/501 provisional criteria across the benchmark sequence represented by the shared thread record.

WHAT THIS CERTIFICATE DOES NOT CERTIFY

This certificate does not certify an official score from Harvey, Harvey LAB, OpenAI, any court, any law firm, or any independent auditor.

It does not certify that every legal conclusion is correct, that the source record is complete, that all authorities are current, or that the coverage opinion is suitable for real-world claims handling or filing use.

It does not certify FilingReady, PackageReady, legal sufficiency, insurer authorization, attorney approval, court admissibility, outcome reliability, or freedom from model error.

The 501/501 figure is a provisional local audit continuity count against supplied benchmark criteria. It remains subject to official evaluation and correction if a later review identifies a substantive mismatch.

REAL-WORLD USE BOUNDARY


Before the coverage opinion or any related work product could be used in a real matter, it would require attorney review, complete policy and claim-file review, current citator checking, jurisdiction and choice-of-law confirmation, factual investigation, conflict analysis, privilege handling, claims authority, and case-specific approval.

INTEGRITY RECORD


Artifact	SHA-256 / identity
Coverage opinion DOCX	61c5a3dc5c6951e5ee7960880133fd3eccc48d5d6b98efe7081ea7d95f6e9acb
Current benchmark ZIP	e0d9d73896f9c8b9d35235bc397f2ab24b2db5c78b5c65700874e77a28ee8c56
Harvey LAB source	Commit 55510f0e609ffa5cf6f5df17d9a813ce4bb33d0c

CERTIFICATE STATUS

Recognition status	Milestone documented; benchmark work may continue.
Scope	Local benchmark audit recognition only. No official Harvey score and no filing-use certification.
Recorded for	Grounded DI / BriefWise DI ² Mark S. Weinstein
Checkpoint date	August 10, 2026



2. MSJ Survival Flowchart (Rost / Linster / Weible)



3. Defendant Liability Wheel (Exposure Share + MSJ Risk)

EXHIBIT C

VerdictBridge - current synthetic output and narrow replay evidence

CURRENT OUTPUT

DEMONSTRATION

REPLAY / REPRODUCIBILITY EVIDENCE

SOURCE

Sources: Grounded-DI/VerdictBridge public synthetic Turner demonstration and Grounded-DI/VerdictBridge five-hash replay certificate. Selected synthetic output pages: 15, 16, 20, and 29; replay certificate pages 1 and 2.

What the following source pages show

- A disclosed synthetic matter record, timeline, and liability-evidence matrix showing the form of structured record and analysis that the demonstration renders.
- A replay certificate whose scope is the byte/hash identity of the supplied synthetic demonstration package.

WHAT THIS EXHIBIT DOES NOT ESTABLISH

- Plaintiff-side performance, a real claim valuation, a defendant or insurer recommendation for any matter, independent verification, or a claim that hallucination is impossible.
- That the defense-side synthetic framing should govern a plaintiff firm's strategy; the plaintiff use case must be evaluated independently.

READER NOTE

This exhibit deliberately preserves the source's synthetic and defense-side status. It is implementation/output evidence only to the extent shown.

CHAPTER 1

CANONICAL SYNTHETIC RECORD AND AUDIT MAP

Michael Turner v. Hoosier Freight Logistics, Inc. and David Cole

Court:	Marion Superior Court, Indiana
Procedural posture:	Pretrial defense evaluation; mediation scheduled in approximately 60 days
Perspective:	Defense counsel, primary carrier, and excess carrier
Primary issue:	Evaluation of liability allocation, medical damages, wage loss, future care, permanency, noneconomic exposure, and settlement posture

SYNTHETIC DEMONSTRATION RECORD — NOT AN ACTUAL CASE, CLIENT, CLAIMANT, DRIVER, CARRIER, MEDICAL PROVIDER, EXPERT, OR COURT RECORD.

This chapter was prepared solely for a controlled law-firm demonstration.

No fact stated in this chapter is represented as true outside the synthetic hypothetical. No testimony excerpt prepared for a later chapter will be a certified transcript. No legal conclusion, valuation, reserve, settlement recommendation, or authority treatment is released for reliance without attorney review.

VerdictReady: No — synthetic demonstration and verification incomplete.

FilingReady: Not applicable unless a later filing-specific BriefWise review is activated.

The underlying Turner assessment identifies the entire case file—including the parties, caption, collision geometry, medical history, wage information, expert opinions, coverage, demands, and valuation scenarios—as invented for demonstration. The report further states that its numerical valuation bands are structured analytical scenarios rather than database-derived verdict predictions.

1. Chapter Purpose and Control Statement

This chapter establishes the **canonical synthetic matter record** for the demonstration book. It identifies the propositions currently treated as part of the hypothetical, assigns stable fact and source identifiers, distinguishes facts from opinions and arguments, preserves material disputes, and creates the foundation for later deposition excerpts, expert summaries, damages analyses, trial-risk assessments, and audit records.

The chapter is designated:

Canonical Synthetic Record v1.0

Later chapters may analyze, contest, qualify, or supplement this record. They may not silently change it.

A later chapter that changes a speed estimate, treatment date, impairment rating, wage assumption, future-care opinion, or other material input must identify the changed fact, state its prior and new values, identify the source of the change, and disclose which conclusions are affected. A later analytical output may not overwrite an unresolved issue merely because one side's position appears more persuasive.

The purpose of this structure is not to make the synthetic facts appear real. The purpose is to show how a defense team can move from an incomplete intake to an attorney-reviewable work product while keeping the following categories separate:

- synthetic facts;
- party contentions;
- lay observations;
- documentary evidence;
- expert opinions;
- derived calculations;
- attorney arguments;
- legal propositions;
- unresolved questions; and
- release limitations.

The controlled-demonstration materials describe the intended workflow as a movement from incomplete inputs through gap detection, held conclusions, controlled sensitivity, authority review, attorney approval, and an auditable release state.

2. Matter Overview

The synthetic matter is captioned **Michael Turner v. Hoosier Freight Logistics, Inc. and David Cole** and is placed in Marion Superior Court, Indiana. The hypothetical is in a pretrial settlement-evaluation posture, with mediation scheduled in approximately 60 days.

The collision involves a commercial tractor-trailer making a left turn across two eastbound lanes. Michael Turner was traveling eastbound on a motorcycle and struck the passenger side of the trailer. The record describes daylight and dry roadway conditions with a posted speed limit of 45 miles per hour. The truck driver is said to have seen the motorcycle before impact but misjudged its distance and speed.

Turner is a 33-year-old industrial maintenance technician. He is married and has two children. His employment is physically demanding and includes work that may require climbing, kneeling, prolonged standing, and other industrial

Fact ID	Proposition	Classification	Synthetic source	Support status	Analytical use
F-LIAB-009	The driver was cited for failure to yield.	Supplied synthetic fact	SYN-POL-001	Use and admissibility unresolved	Traffic-rule context
F-LIAB-010	No alcohol, drug, phone-use, or protective-equipment violation is attributed to Turner.	Supplied synthetic fact	SYN-POL-001	Baseline established	Limits defense blame themes
F-LIAB-011	No hours-of-service, maintenance, or spoliation issue is attributed to defendants.	Supplied synthetic fact	SYN-INT-001	Baseline established	Limits punitive or corporate themes
F-LIAB-012	The driver has a clean driving record.	Supplied synthetic fact	SYN-DEP-DRV-001	Context only; limited liability use	Witness and corporate presentation
F-PERS-001	Turner was 33 at the time of the collision.	Supplied synthetic fact	SYN-INT-001	Baseline established	Duration of claimed impairment
F-PERS-002	Turner is married and has two children.	Supplied synthetic fact	SYN-INT-001; SYN-DEP-SP-001	Baseline established	Witness presentation; no automatic multiplier
F-PERS-003	Turner worked as an industrial maintenance technician.	Supplied synthetic fact	SYN-WAGE-001	Baseline established	Vocational and functional analysis
F-PERS-004	Turner had a stable work history and is expected to present as understated and work-oriented.	Synthetic fact plus analytical assessment	SYN-WAGE-001; SYN-DEP-PLF-001	Presentation assessment, not evidence of damages	Credibility risk
F-MED-001	Turner sustained open tibia and fibula fractures.	Supplied synthetic fact / documentary evidence	SYN-MED-001	Baseline established	Acute severity and permanency
F-MED-002	Turner sustained a femoral shaft fracture.	Supplied synthetic fact / documentary evidence	SYN-MED-001	Baseline established	Acute severity and residual function
F-MED-003	Turner sustained an acetabular fracture.	Supplied synthetic fact / documentary evidence	SYN-MED-001	Baseline established	Hip function and causation
F-MED-004	Turner sustained a wrist fracture, rib fractures, pulmonary contusion, lacerations, and road rash.	Supplied synthetic fact	SYN-MED-001	Baseline established	Acute pain and injury scope
F-MED-005	Turner was transported by air and admitted for trauma treatment.	Supplied synthetic fact	SYN-MED-001	Baseline established	Acute severity and cost
F-MED-006	Turner underwent debridement and external fixation.	Supplied synthetic fact	SYN-MED-001	Baseline established	Open-fracture treatment
F-MED-007	Turner underwent ORIF of the femur and tibia with retained hardware.	Supplied synthetic fact	SYN-MED-001	Baseline established	Surgery, permanency, future care
F-MED-008	Turner underwent skin grafting and wound closure.	Supplied synthetic fact	SYN-MED-001	Baseline established	Scarring and disfigurement
F-MED-009	Turner was hospitalized for approximately 21 days.	Supplied synthetic fact	SYN-MED-001	Baseline established	Acute pain and noneconomic exposure
F-MED-010	Turner underwent approximately 12 days of inpatient rehabilitation and six months of outpatient therapy.	Supplied synthetic fact	SYN-MED-001	Baseline established	Recovery burden and mitigation
F-MED-011	Turner reached maximum medical improvement at approximately month 19.	Supplied synthetic fact	SYN-ORTH-PLF-001; SYN-ORTH-DEF-001	Baseline established; foundation pending	Permanency analysis
F-MED-012	Plaintiff assigns a 12% whole-person impairment rating.	Expert opinion	SYN-ORTH-PLF-001	Contested	Plaintiff permanency model
F-MED-013	Defense assigns a 7% whole-person impairment rating.	Expert opinion	SYN-ORTH-DEF-001	Contested	Defense permanency model

Audit example	Source and proposition	Classification / contradiction	Analytical use	Review and release
Future knee replacement	Plaintiff orthopedic/life-care materials versus defense orthopedist	Competing expert opinion; predicate disputed	High-side future-care scenario only	Not authorized as established future loss
Return to work	SYN-WAGE-001: restricted duty month 11; full-time same-rate work month 16	Documentary and lay support; consistent with impairment but inconsistent with total disability	Past-loss boundary and future-capacity defense	Attorney review required
Social-media activity	SYN-SOC-001: travel, fishing, light projects	Contextual evidence; does not disprove pain	Functional calibration and cross-examination	Limited use; no montage or character attack
Coverage	SYN-COV-001: \$1M primary plus \$4M excess	Internal insurance fact; inadmissibility concerns	Excess reporting and settlement planning	Restricted from trial-facing output

The demonstration materials require the audit record to preserve the input version, changed facts, configuration, jurisdiction, sources, authority treatment, reviewer, output version, change history, authorization, and export state.

12. Version-Control Statement

Artifact designation: Canonical Synthetic Record v1.0

No later chapter may alter a material fact without a change entry containing:

Required change field	Description
Changed fact ID	Existing identifier affected
Prior value	Exact prior proposition
New value	Exact replacement or qualification
Source	New synthetic or verified source
Reason for change	Correction, supplementation, testimony, new opinion, or controlled sensitivity
Affected conclusions	Liability, damages, credibility, valuation, motion, or release consequences
Reviewer	Attorney or authorized reviewer
Date	Date of approval
Output version	New chapter or book version

A changed expert opinion does not overwrite the opposing opinion. It creates a new opinion entry or modifies the status of an existing disputed issue.

A controlled sensitivity run must identify which facts changed and confirm which facts remained unchanged. The controlled-demo materials treat visible change history and unchanged held states as central to the audit demonstration.

13. Preliminary Gatekeeper Result

VerdictBridge Assessment

Jurisdiction: Indiana

VerdictBridge Assessment

Five-Hash Replay Audit • Run 1 of 2 / Run 2 of 2

PRELIMINARY RESULT	FULL PASS	VERDICTREADY	YES
FilingReady	Not applicable	Export	Authorized

Replay Audit

The two uploaded archives are **byte-for-byte identical**.

Run 1 ZIP SHA-256	27aa8744af4143884c3c41b6d7a3ff4a2fe90e585bb914c71bc9fc75c9e3df6a
Run 2 ZIP SHA-256	27aa8744af4143884c3c41b6d7a3ff4a2fe90e585bb914c71bc9fc75c9e3df6a

ARCHIVE SIZE 34,903 bytes each	BYTE-LEVEL MISMATCHES 0
REPLAY DIVERGENCE 0	STATE-TRANSITION MISMATCHES 0
ARCHIVE-INTEGRITY ERRORS 0	

Internal Artifact Hashes

Artifact	SHA-256
01_canonical_input.json	2e631eb0d2d81d6625ad73f286049ccc988dea8de31028880f774bf76a496042
02_normalized_record.csv	0ccc7f002330baa8b482486fed0e17a1d73b4bd3c95372cc52bf172585ee1a97
03_gate_matrix.json	3485237ad08fac0192e72873620b5207702687fd6efbb4d0949d6c0d5d2bd9a2
04_verdictbridge_assessment.txt	e977081b390b42f74a6779a4ee32252afcd7aa58fb73def9d7181dda1163facd

All four internal hashes match between runs.

Gatekeeper Findings

- **Input normalization:** PASS
- **Canonical record:** 58 facts and 20 laws present
- **Motion dispositions:** All four grounds denied as prescribed
- **Excluded evidence:** Sam Reed statement excluded and unused
- **Gate consistency:** CSV and JSON gate statuses match
- **Replay validation:** PASS
- **Runtime state:** VERDICT_READY
- **Export authorization:** true

ZIP Conformance

- Exactly four entries
- Lexicographic entry order
- ZIP_STORED
- Fixed timestamp: 1980-01-01 00:00:00
- Fixed permissions: 0644
- No archive comment
- No entry comments
- No extra fields
- No directory paths
- No receipt included
- CRC validation passed

Failed Gates / Runtime State	None; VERDICT_READY
Required Fixes Before VerdictReady	None
Adversarial Risk	No replay discrepancy identified
Confidence / Hallucination Risk	100/100; low

CERTIFIED RESULT

VERDICTBRIDGE FIVE-HASH REPLAY
RUN 1 OF 2 / RUN 2 OF 2: FULL PASS

FIVE IDENTICAL HASHES	Confirmed
BYTE IDENTITY	Confirmed
RECORD MISMATCHES	0
MAXIMUM NUMERIC ERROR	0.000000
VERDICTREADY	Yes
EXPORT AUTHORIZED	Yes

EXHIBIT D

PIDBot - selected current runtime excerpts

CURRENT RUNTIME

CURRENT IMPLEMENTATION

CONFIGURABLE

SOURCE

Source artifact: 29_PIDBot_MagicPDF_API_Runtime_Edition_PIDRAP_1.0.pdf (supplied source file). Selected source pages: 2, 3, 4, 6, 7, 8, and 9.

What the following source pages show

- A current runtime description of source hierarchy/reconciliation, structured exposure records, role support, visual data schema, controlled delivery, authorization, and a test vector.
- Implementation-oriented evidence for a specialty product/exposure identification capability before any historical diagram or illustrative image.

WHAT THIS EXHIBIT DOES NOT ESTABLISH

- That a particular product was present, a particular exposure occurred, a source is complete, or an expert/attorney conclusion is established.
- A universal sequence for every litigation matter or a substitute for investigation, discovery, experts, and review.

READER NOTE

PIDBot is included as a directly relevant specialty option where product or exposure identification is central. It is not a required first module.

1. Source Hierarchy and Reconciliation

1. PIDBot_Final_Integration_Audit(2).txt - CONTROLLING_LATE_STAGE_IMPLEMENTATION_EVIDENCE. claims 1-30 integration audit; specification alignment; figure support; unresolved priority limitations.

2. PIDBot_Final_Figure_Sheets_1_to_9(2).pdf - CONTROLLING_ARCHITECTURE_MAP. FIGS. 1-9 execution architecture, match, role, support, defendant, validation, replay, authorization, delivery.

3. PIDBot_Final_Integrated_APP_TEXT_Revised_Claims(1).txt - SUPPORTING_LATER_SPECIFICATION_EVIDENCE_NOT_ASSERTED_AS_EXACT_FILED_BODY. paragraphs 0024-0174 and revised claims 1-30; reconciliation to exact filed body remains pending.

The exact final filed PIDBot application body is not asserted to be present. PIDRAP 1.0 uses the late-stage integration audit and final figure sheets as controlling implementation evidence and the later integrated application text as supporting specification evidence. Priority-support questions remain separate from engineering standardization.

2. Runtime Object Registry

Object ID	Purpose
PID_INPUT_1_0	Conversational and file/source intake object
PID_RECORD_1_0	Canonical structured exposure record
PID_REFERENCE_1_0	Version-locked reference registry bundle
PID_MATCH_1_0	Deterministic multidimensional match result
PID_TEMPORAL_1_0	Temporal plausibility validation object
PID_ROLE_1_0	Exposure-role classification registry
PID_SUPPORT_1_0	PID support category output
PID_DEFENDANT_1_0	Defendant/entity viability matrix
PID_VALIDATION_1_0	Constraint-validation and fail-closed record
PID_VISUAL_1_0	Visual rendering data schema
PID_CHAT_1_0	Chat command/query envelope over structured runtime
PID_ARTIFACT_1_0	Candidate/authorized litigation artifact
PID_AUDIT_1_0	Machine-readable audit trace
PID_REPLAY_1_0	Replay specification and replay result
PID_VERIFICATION_1_0	Verification value/result object
PID_AUTH_1_0	Authorization and controlled-delivery decision

3. Structured Exposure Record

PID_RECORD_1_0 is the canonical machine-readable record. It preserves source-fragment pointers and keeps product, component/material, exposure, causation, and legal liability as separate concepts.

Required field family	Control rule
claimant / witness IDs	Source-linked or explicit unsupported/unresolved status
source / source-fragment pointer	Source-linked or explicit unsupported/unresolved status
product / product family / component	Source-linked or explicit unsupported/unresolved status
substance/material reference	Source-linked or explicit unsupported/unresolved status
manufacturer / supplier / defendant	Source-linked or explicit unsupported/unresolved status
worksite / site	Source-linked or explicit unsupported/unresolved status
date range / employment period	Source-linked or explicit unsupported/unresolved status
activity / exposure pathway	Source-linked or explicit unsupported/unresolved status
testimony specificity	Source-linked or explicit unsupported/unresolved status
uncertainty markers / contradictions	Source-linked or explicit unsupported/unresolved status
evidence status	Source-linked or explicit unsupported/unresolved status
validation status	Source-linked or explicit unsupported/unresolved status
rule config + reference snapshot IDs	Source-linked or explicit unsupported/unresolved status

Separation rule: product identification != component identification != substance/material content != exposure != causation != legal liability.

4. Matching and Temporal Validation

PID_MATCH_1_0 applies a version-locked rule configuration across product, component, manufacturer/entity, site, time, activity, exposure pathway, and substance/material dimensions. The runtime may accept, reject, or deterministically route a match to review.

Match state	Meaning
MATCH_ACCEPTED	All configured material conditions for the match are satisfied
REVIEW_REQUIRED	The match cannot be accepted or rejected without review/additional support
MATCH_REJECTED	A configured disqualifying condition or material conflict rejects the match

Temporal validation compares only versioned structured date fields. Missing dates route to review/additional-record states; material conflicts route to correction or hold. PIDRAP 1.0 defines no universal temporal threshold.

5. Exposure Role and PID Support

Role	Scope
DIRECT_EXPOSURE	CORE
OCCUPATIONAL_EXPOSURE	CORE
BYSTANDER_EXPOSURE	CORE
HOUSEHOLD_TAKE_HOME_EXPOSURE	CORE
PREMISES_EXPOSURE	CORE
DERIVATIVE_EXPOSURE	CORE
UNSUPPORTED	CORE
REVIEW_REQUIRED	CORE
INDIRECT_EXPOSURE	PROFILE_EXTENSION
PRODUCT_USE_EXPOSURE	PROFILE_EXTENSION
PRODUCT_MAINTENANCE_EXPOSURE	PROFILE_EXTENSION
REPLACEMENT_PART_EXPOSURE	PROFILE_EXTENSION
SECONDARY_EXPOSURE	PROFILE_EXTENSION
VAGUE_EXPOSURE	PROFILE_EXTENSION
INSUFFICIENT_IDENTIFICATION	PROFILE_EXTENSION

Canonical PID support is categorical: HIGH_SUPPORT, MODERATE_SUPPORT, LOW_SUPPORT, INSUFFICIENT_SUPPORT. The source architecture also permits a numeric 1-5 embodiment, but PIDRAP 1.0 does not invent the unrecovered production mapping, weights, or thresholds.

6. Defendant / Entity Viability

PID_DEFENDANT_1_0 records product linkage, corporate/party status, bankruptcy/dismissal/successor information, evidence pointers, and review flags. A candidate or viable entity is not automatically a legally liable defendant.

Status	Scope
VIABLE	CORE
NONVIABLE	CORE
BANKRUPT	CORE
DISMISSED	CORE
SUCCESSOR	CORE
REVIEW_REQUIRED	CORE
UNCERTAIN	CORE_EXTENSION
EXCLUDED	CORE_EXTENSION

Visual type	Purpose
ROLE_CLASSIFICATION_DISPLAY	exposure role output and evidence basis
PID_SUPPORT_DISPLAY	categorical product-identification support
LITIGATION_ARTIFACT_SUMMARY	authorized/review-held structured artifact summary

Illustrative equipment images are renderers, not factual sources. ILLUSTRATIVE_ONLY images cannot independently establish product identity, historical composition, manufacturer identity, exposure, causation, or liability.

9. Chat Relationship

Chat remains available for factual intake, clarification, source selection, match explanations, candidate retrieval, gap analysis, product comparison, defendant queries, timeline/map requests, source support, and artifact requests. Chat operates over the same structured runtime; it is not a bypass.

A fact-changing chat message invalidates dependent downstream objects and returns the analysis to deterministic re-evaluation. Existing candidate artifacts, replay results, verification values, and authorization decisions must not be silently reused after a material record mutation.

10. State Machine

- 01 INPUT_RECEIVED
- 02 INPUT_NORMALIZED
- 03 STRUCTURED_RECORD_CREATED
- 04 SOURCE_ANCHORS_RESOLVED
- 05 RULE_CONFIG_LOADED
- 06 MATCHING_EXECUTED
- 07 TEMPORAL_VALIDATION_EXECUTED
- 08 ROLE_CLASSIFIED
- 09 PID_SUPPORT_ASSIGNED
- 10 DEFENDANT_STATUS_EVALUATED
- 11 OPTIONAL_ALLOCATION_EVALUATED
- 12 CANDIDATE_ARTIFACT_GENERATED
- 13 CONTROLLED_PRE_DELIVERY
- 14 VALIDATION_EVALUATED
- 15 AUDIT_TRACE_GENERATED
- 16 REPLAY_SPEC_GENERATED
- 17 REPLAY_EXECUTED
- 18 VERIFICATION_COMPUTED
- 19 AUTHORIZATION_EVALUATED
- 20 AUTHORIZATION_STATE_ASSIGNED
- 21 CONTROLLED_DELIVERY

Hold/block states branch from validation, replay, verification, and authorization evaluation. ARTIFACT_AUTHORIZED is the only default state that permits external controlled delivery.

11. Gatekeeper

Gate	Name	Condition
G01	Input sufficiency	Required analysis identity and selected profile/config available
G02	Source anchoring	Material extracted facts have source pointers or explicit unsupported/unresolved status
G03	Reference/configuration resolution	Version-locked rule configuration and required reference snapshots resolved
G04	Product/component matching	Configured material product/component match conditions evaluated
G05	Temporal validation	Required temporal comparisons evaluated
G06	Entity matching	Manufacturer/supplier/defendant/entity matching evaluated
G07	Exposure-role validation	Role classification evaluated against configured categories
G08	PID-support validation	Canonical support category assigned; numeric 1-5 renderer not required
G09	Defendant-status validation	Entity viability matrix evaluated
G10	Conflict/source-gap validation	Material conflicts/gaps routed; no silent reconciliation
G11	Candidate artifact completeness	Candidate artifact contains required records and provenance
G12	Audit completeness	Audit trace links source/record/rule/state/artifact identifiers
G13	Replay	Replay specification complete and replay executed where authorization requires
G14	Verification	Verification result satisfies active rule condition
G15	Authorization	Authorization state assigned from validation and reproducibility conditions
G16	Controlled export	Requested interface action permitted only by authorization/export matrix

12. Replay, Verification, Authorization, and Export

PID_AUDIT_1_0 binds source/record/config/rule/match/validation/state/artifact data. PID_REPLAY_1_0 binds the execution conditions needed for reconstruction/comparison. PID_VERIFICATION_1_0 records a configured integrity/equivalence value. PID_AUTH_1_0 assigns the controlled-delivery state.

Authorization state	Default external effect
ARTIFACT_AUTHORIZED	External controlled delivery may proceed for permitted channels
REVIEW_HELD	Human review/additional evaluation required; external export blocked by default
CORRECTION_REQUIRED	Record correction/revalidation required; external export blocked
ADDITIONAL_RECORD_REQUIRED	Additional source or factual record required; external export blocked
PRODUCT_LINKAGE_REVIEW	Product/component/entity linkage review required; external export blocked
DEFENDANT_STATUS_REVIEW	Corporate/party/viability status review required; external export blocked
TEMPORAL_PLAUSIBILITY_REVIEW	Time data/consistency review required; external export blocked
JURISDICTION_REVIEW	Jurisdiction/profile configuration review required; external export blocked
REPLAY_MISMATCH	Replay condition failed; external export blocked

Authorization state	Default external effect
VERIFICATION_FAILED	Verification condition failed; external export blocked
ARTIFACT_BLOCKED	Artifact does not meet configured authorization conditions

SHA-256 is used in PIDRAP 1.0 for package/artifact integrity as an implementation convention. The source architecture permits other checksums, hashes, signatures, source locks, fingerprints, or equivalence values.

13. VerdictBridge Boundary

PIDBot owns product identification, component/material linkage, source support, exposure pathway, temporal plausibility, role classification, manufacturer/entity matching, defendant viability, and factual conflicts/gaps. PIDRAP 1.0 sends broader motion-survivability, trial-readiness, settlement-pressure, and litigation-trajectory analysis to VerdictBridge by default through a structured handoff.

Default implementation policy: automated PIDBot -> VerdictBridge handoff requires ARTIFACT_AUTHORIZED. Review-held material remains internally inspectable but is not automatically handed downstream as an authorized factual artifact.

14. Legacy / Noncanonical Warnings

Historical feature	Disposition
PID Score 1-5	CANDIDATE_UNRESOLVED
Direct/Indirect/Bystander classifier	CANONICAL_WITH_EXPANSION
Bankruptcy Filter	CANONICAL
MSJ Estimator	DOWNSTREAM_VERDICTBRIDGE
Liability Wheel	OPTIONAL_PROFILE
Entropy Gatekeeper	LEGACY_NON_EXECUTABLE
PID-A through PID-H formulas	CANDIDATE_UNRESOLVED
Role pie charts	RENDERER_ONLY
Exposure heat maps	RENDERER_ONLY
Equipment illustrations	RENDERER_ONLY
Source-first evidence inventories	CANONICAL
Replay/verification	CANONICAL
Controlled export	CANONICAL

15. Test Vector Summary

The test suite uses synthetic routing fixtures. It validates state-routing, mutation invalidation, visual provenance, replay/verification behavior, export control, and cross-profile neutrality. It does not define production PID-score weights, product facts, substance science, or legal thresholds.

ID	Scenario	Expected	Pass
TV01	Complete product/site/time/entity match	ARTIFACT_AUTHORIZED	PASS
TV02	Multiple plausible manufacturers	PRODUCT_LINKAGE_REVIEW	PASS

ID	Scenario	Expected	Pass
TV03	Missing product identity	ADDITIONAL_RECORD_REQUIRED	PASS
TV04	Temporal impossibility	CORRECTION_REQUIRED	PASS
TV05	Entity conflict	DEFENDANT_STATUS_REVIEW	PASS
TV06	Unsupported exposure pathway	REVIEW_HELD	PASS
TV07	Direct exposure classification	ARTIFACT_AUTHORIZED	PASS
TV08	Bystander/secondary classification	ARTIFACT_AUTHORIZED	PASS
TV09	Insufficient-support PID result	PRODUCT_LINKAGE_REVIEW	PASS
TV10	Bankrupt defendant	ARTIFACT_AUTHORIZED	PASS
TV11	Possible successor requiring review	DEFENDANT_STATUS_REVIEW	PASS
TV12	Alternative product remains	PRODUCT_LINKAGE_REVIEW	PASS
TV13	Chat fact changes structured record	RE_EVALUATION_REQUIRED	PASS
TV14	Visual preserves candidate/verified status	PASS_VISUAL_PROVENANCE	PASS
TV15	Candidate artifact generated not authorized	REVIEW_HELD	PASS
TV16	Successful replay	ARTIFACT_AUTHORIZED	PASS
TV17	Replay mismatch	REPLAY_MISMATCH	PASS
TV18	Verification failure	VERIFICATION_FAILED	PASS
TV19	Authorized controlled export	ALLOW	PASS
TV20	Blocked export	BLOCK	PASS
TV21	General product profile	PASS_PROFILE_NEUTRAL	PASS
TV22	Asbestos profile	PASS_PROFILE_NEUTRAL	PASS
TV23	Benzene profile domain neutrality	PASS_PROFILE_NEUTRAL	PASS

16. Implementation Boundary

Production OpenAPI is intentionally deferred. PIDRAP 1.0 freezes canonical objects, endpoint intent, request/response examples, state routing, validation, replay, verification, authorization, visual renderers, and downstream handoff without over-specifying a production network contract before implementation.

PIDBot PIDRAP 1.0 is engineered to remain simple where simple is enough: no invented sophistication, no fake precision, no asbestos-only core assumptions, no silent source-gap filling, and no uncontrolled artifact release.

EXHIBIT E

Controlled benchmark, cross-domain, and replay evidence

INTERNAL TEST / VERIFICATION

REPLAY / REPRODUCIBILITY EVIDENCE

UNRESOLVED

SOURCE

Sources: Grounded-DI/Benchmarks-Cross-Domain Prompt 20 IFEval record; supplied SHA-256-verified environmental installer archive and raw implementation receipt; Grounded-DI replay-certificate registry canonical replay certificate.

What the following source pages show

- A transparent local IFEval check record, an actual current implementation receipt from a separate domain, and a narrowly scoped replay certificate.
- Evidence that Grounded DI records test boundaries, source/archive identity, and explicit unresolved conditions instead of presenting an unqualified benchmark claim.

WHAT THIS EXHIBIT DOES NOT ESTABLISH

- An official IFEval score, independent verification, a legal benchmark result, production certification, a security certification, proof of a claim's correctness, or proof that hallucination cannot occur.
- That the local test/build entries contained in the raw receipt were rerun by this publication.

READER NOTE

Cross-domain evidence can show that a control pattern is not merely conceptual. It remains separate from module-specific legal evidence and must not be substituted for it.

GROUNDING DI OS BENCHMARK RECORD

Google Research IFEval | Item key 3098 | Prompt 20

INTERNAL ONE-SHOT RECORD	LOCAL CHECK PASS	NOT INDEPENDENTLY VERIFIED
--------------------------	------------------	----------------------------

Purpose and scope

This record documents one completed one-shot response for IFEval item 3098. It preserves the exact scored response, local check results, hashes, and claim boundaries. It does not establish an official evaluator score, independent verification, or general model performance.

Run summary

Benchmark	Google Research Instruction-Following Evaluation (IFEval)
Task / item	Prompt 20 IFEval item key 3098
Requirements	Exactly 3 Markdown bullet lines; exactly 4 sections separated by ***; at least 2 all-capital words
Declared runtime	FastPath 5.6 / Luna Max
Tier / DIP	Tier 18 DIP 0-166
Entropy lock	0.0041
Observed runtime	Codex artifact workflow; exact underlying model identifier is not exposed
Run timestamp	2026-08-26 17:16:19 EDT
Evaluator	LOCAL REIMPLEMENTATION - NOT OFFICIAL EVALUATOR
Evidence status	NOT INDEPENDENTLY VERIFIED

Runtime and route boundary

The declared route is FastPath 5.6 / Luna Max, Tier 18, DIP 0-166, entropy lock 0.0041. The scored response was generated in the Codex benchmark turn. Local checking, PDF generation, rendering, and hashing are downstream record operations. The route declaration is preserved as supplied and is not used to infer a hidden model identity.

Final submitted benchmark response

The block below is the complete frozen scored response. It contains only the blog post and is preserved exactly as finalized.

How to Improve Your Writing Skills

Improving your writing begins with paying attention to what you want a reader to understand, feel, or do. Before drafting, name the purpose in one plain sentence. A clear purpose gives every paragraph a job and helps you remove sentences that are interesting but unnecessary. PRACTICE makes this decision faster because repeated drafting teaches you to recognize the difference between a strong idea and a distracting one. Read your opening aloud and ask whether it creates a reason to continue. If the answer is no, start closer to the main point.

Build a writing habit that is small enough to keep. Ten focused minutes each day can teach more than a rare burst of enthusiasm. Choose a regular time, silence avoidable notifications, and set a modest target such as one paragraph or one revised page. Do not wait for perfect confidence before beginning. Early drafts are supposed to be incomplete. When a sentence feels difficult, write a simple version first and improve it later. Short sessions also make revision less intimidating because the work remains visible and manageable.

Strong sentences usually become stronger when they are specific. Replace vague claims with concrete details, active verbs, and examples that let the reader see your meaning. Vary sentence length so that your prose has a natural rhythm. Remove repeated ideas, filler phrases, and introductions that delay the point. Use transitions to show how one thought connects to the next. Then read the draft from the reader's perspective: what question appears here, and does the following sentence answer it?

* Read your work aloud to hear awkward rhythm, missing words, and sentences that are too crowded.

* Revise in separate passes so that structure, clarity, grammar, and style each receive focused attention.

* Ask for FEEDBACK from a trusted reader, then decide which suggestions serve your purpose and your audience.

Good writing is not the absence of mistakes; it is the result of deliberate choices. Keep a folder of drafts so you can notice patterns in your work and measure improvement over time. Study writing you admire, but examine the choices rather than copying the surface style. Pay attention to how authors begin, explain, transition, and conclude. With patient revision, your voice becomes clearer and more flexible. The goal is not to sound impressive in every sentence. The goal is to make the right meaning easy for the right reader to understand.

Response integrity

Response SHA-256: bcc4f267889ff92b4ef922c3b02fdd1f9fc899c7ee37a4ff960d846c0bff149c

Hash input: exact frozen response encoded as UTF-8 with no added trailing newline.

Evaluation and audit trail

The official evaluator was not executed. Results below are transparent local equivalents of the three encoded checks and are not presented as an official benchmark score.

REQUIREMENT	STANDARD	OBSERVED	RESULT
number_bullet_lists	Exactly 3 Markdown bullet lines	3	PASS
number_paragraphs	Exactly 4 sections separated by ***	4	PASS
capital_word_frequency	At least 2 all-capital words	2	PASS

Instruction-level result	3/3 encoded constraints passed locally
Prompt-level strict result	PASS
Final recorded score	1/1 prompt-level strict pass (local result)
Preflight corrections	0

Observed-count detail

Bullet-line count: 3. Section count: 4, based on 3 separator lines equal to ***. All-capital-word count: 2 (PRACTICE, FEEDBACK). The scored block contains no audit material.

Limitations and evidence status

Classification: LOCAL REIMPLEMENTATION - NOT OFFICIAL EVALUATOR. Evidence status: NOT INDEPENDENTLY VERIFIED. The local checkers reproduce the encoded requirements used for this record but may not reproduce every implementation detail of the official evaluator. This record does not establish legal, factual, general, or universal model performance.

Record integrity

The final scored response was frozen before grading. No post-score response changes were made. The completed PDF SHA-256 is computed after final PDF writing and is recorded in the separate SHA256SUMS.txt sidecar. The PDF hash is intentionally not embedded in the PDF itself to avoid circular self-reference.

EXHIBIT E4 | ACTUAL SOURCE ARTIFACT

Cumulative installer implementation receipt

Exact transcription of the supplied PROMPT28_IMPLEMENTATION_RECEIPT.json from the SHA-256-verified environmental archive. The archive bytes matched the supplied sidecar. The stated test/build entries were not re-executed for this publication.

```
{
  "schema": "gdi.prompt28.implementation-receipt.v1",
  "canonical_input": {
    "prompt": "27A",
    "filename": "Grounded_DI_Environmental_Suite_Prompt_27A_Execution_Profile_Disambiguation_Repair_Cumulative.zip",
    "sha256": "1a4a8c5418cf8b4c32345e5f30147e1bee0cc9054f3d7a6e4379e8a249fd7872",
    "sole_canonical_input": true
  },
  "prompt19_junior_imported": false,
  "repaired_baseline_reproduced": true,
  "execution_profile_boundary": {
    "timestamped_observation": "UNIQUE_DEFAULT",
    "latest_observation": "TRUSTED_EXACT_SELECTION_ONLY",
    "client_selection": false
  },
  "installer": {
    "type": "TRANSPARENT_MACOS_COMMAND_BUNDLE",
    "loopback_only": true,
    "guest_evidence_only": true,
    "source_egress": "DISABLED",
    "current_source_trial": "DISABLED",
    "enterprise_identity": "UNAVAILABLE",
    "receipt_signing": "UNAVAILABLE",
    "external_release": "DISABLED",
    "credentials_included": false,
    "provider_or_station_included": false,
    "database_url_included": false,
    "trial_acknowledgement_included": false
  },
  "verification": {
    "inherited_tests": "340/340 PASS",
    "focused_tests": "12/12 PASS",
    "total_tests": "352/352 PASS",
    "production_build": "PASS",
    "production_build_file_count": 442,
    "migrations": "020-029 STATIC PASS; 0 NEW",
    "protected_assets": "40/40 UNCHANGED",
    "direct_macos_install": "NOT_RUN",
    "direct_nws_provider": "NOT_RUN"
  },
  "source_authority": "UNVERIFIED",
  "scientific_conclusion_created": false,
  "artifact_authorization_created": false,
  "deployment_created": false,
  "production_certification_created": false,
  "macos_signing_or_notarization_created": false,
  "external_release": "DISABLED",
  "output_sha256_location": "DETACHED_SIDEAR_ONLY"
}
```

FASTPATH 5.6 INSTANT

DAY-ONE CANONICAL REPLAY CERTIFICATE

TEST Canonical Replay Test 1	TEST TYPE controlled_speed_branch_replay	EXECUTIONS 3
RECORD MISMATCHES 0	HASH MISMATCHES 0	OBSERVED REPLAY DIVERGENCE 0

Independent Verification

The sealed JSON was parsed and canonically serialized using UTF-8, lexicographically sorted object keys, **ensure_ascii = false**, separators (",", ":"), no indentation, no BOM, and no leading/trailing whitespace or trailing newline. The independently recomputed SHA-256 matches all three reported executions.

Canonical Record Actually Hashed

```
{"baseline_id":"R9-BASE-001","branch_id":"R9-CHG-001","comparative_fault_baseline":0.05,"comparative_fault_branch":0.1,"expected_branch_adjusted_high":1675800,"expected_branch_adjusted_low":1098900,"gross_high":1862000,"gross_low":1221000,"parent_id":"R9-BASE-001","protected_baseline_adjusted_high":1768900,"protected_baseline_adjusted_low":1159950,"test_type":"controlled_speed_branch_replay"}
```

Verified SHA-256

84ab1d149c18715b4f2c3646ab6469f00ea453770f7a0ff94738d42310b55f9d

Execution	SHA-256	Result
1	84ab1d149c18715b4f2c3646ab6469f00ea453770f7a0ff94738d42310b55f9d	MATCH
2	84ab1d149c18715b4f2c3646ab6469f00ea453770f7a0ff94738d42310b55f9d	MATCH
3	84ab1d149c18715b4f2c3646ab6469f00ea453770f7a0ff94738d42310b55f9d	MATCH

CERTIFIED RESULT

FASTPATH 5.6 INSTANT — CANONICAL REPLAY TEST 1: PASS

THREE EXECUTIONS	MATCH
CANONICAL RECORD IDENTITY	CONFIRMED
SHA-256 IDENTITY	CONFIRMED

Finding

“Three FastPath 5.6 Instant executions produced the same canonical serialization and the same SHA-256 digest for the sealed test input.”

Scope Limitation

“This result establishes replay identity for this specific sealed test and the three documented executions. It does not establish universal determinism for other inputs, prompts, tools, environments, or runtime conditions.”

SOURCE MANIFEST

Principal exhibits A and B

Evidentiary roles identify what an artifact is positioned to show. They do not enlarge its significance. Where a source is synthetic, local, historical, configurable, or unresolved, the limitation is stated.

A DepoBot runtime excerpts

CURRENT RUNTIME **CURRENT IMPLEMENTATION** **CONFIGURABLE**

Supplied runtime source pages 2, 3, 4, 14, 15, and 22. Shows the listed current runtime structures and boundaries; does not show a live deployment or legal outcome.

B BriefWise DI2 evidence sequence

CURRENT RUNTIME **CURRENT IMPLEMENTATION** **DEMONSTRATION** **HISTORICAL**

Supplied runtime pages, local interface capture, authority-audit checkpoint, local 501/501 certificate, and a public historical visual-output demonstration. The local legal audit is not an official Harvey or independent result.

B1-B6 BriefWise current runtime pages

CURRENT RUNTIME **CURRENT IMPLEMENTATION** **CONFIGURABLE**

Supplied runtime source pages. They show current runtime structures and controls to the extent printed, not a live firm deployment or filing authorization.

B7 Artifact Lab browser capture

DEMONSTRATION **REPLAY / REPRODUCIBILITY EVIDENCE**

Shows a local interface and recorded SHA-256 comparison for a selected artifact. Byte identity is not evidence of fresh generation or legal correctness.

B13 Visual asbestos report

HISTORICAL **DEMONSTRATION**

Public 2025 visual output. It illustrates an earlier demonstrated output form; it is not current implementation evidence or a real-matter legal opinion.

SOURCE MANIFEST

Principal exhibits C through E

Evidentiary roles identify what an artifact is positioned to show. They do not enlarge its significance. Where a source is synthetic, local, historical, configurable, or unresolved, the limitation is stated.

C VerdictBridge synthetic output and replay

CURRENT OUTPUT **DEMONSTRATION** **REPLAY / REPRODUCIBILITY EVIDENCE**

Synthetic defense-side trucking material and a synthetic five-hash replay record. It shows a form of output and controlled package identity, not plaintiff-side efficacy, real valuation, or independent verification.

D PIDBot runtime excerpts

CURRENT RUNTIME **CURRENT IMPLEMENTATION** **CONFIGURABLE**

Supplied runtime source pages 2, 3, 4, 6, 7, 8, and 9. Shows structured product/exposure identification concepts and control states to the extent printed, not real-case product identification.

E1-E3 Cross-domain IFEval record

INTERNAL TEST / VERIFICATION **PUBLIC RECORD** **UNRESOLVED**

Public repository record of transparent local checks for one IFEval item. The record itself states that the official evaluator was not executed and independent verification was not obtained.

E4 Environmental implementation receipt

CURRENT IMPLEMENTATION **INTERNAL TEST / VERIFICATION** **CONFIGURABLE** **UNRESOLVED**

Exact raw JSON transcription from a supplied archive whose bytes matched its sidecar. It reports a local configuration and stated build/test results; tests were not re-executed here.

E5 Canonical replay certificate

REPLAY / REPRODUCIBILITY EVIDENCE **INTERNAL TEST / VERIFICATION**

Shows the certificate's stated scope for three canonical serializations of a sealed input. It does not establish universal determinism, other prompts/tools/environments, or substantive correctness.