

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Vulnerability Assessment Report

Target: scanme.nmap.org

Date: September 28, 2026

1. Executive Summary

AI unavailable: GEMINI_API_KEY not configured. Set env var or edit config.py

Overall Risk: **Unknown (0/10)**

2. Top Findings

No findings reported.

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

3. Penetration-Test Details & Exploitation Options

3.1 Test Details & Methodology

Target: scanme.nmap.org Scan ID: 20260928_071712 Date: 2026-09-28 07:18

Ports scanned: Nmap Top 1000 ports (selection: top1000)

Network: nmap with version detection (-sV), default scripts (-sC) and the vulners NSE script; HTTP services were located via -sV and directory brute-forcing (gobuster dir) was executed against the detected HTTP port(s) rather than assuming port 80.

Web audit base URL (nmap-confirmed): http://scanme.nmap.org

HTTP service(s) detected by nmap -sV:

- http://scanme.nmap.org service=http Apache httpd 2.4.7

Nuclei (default template scanner): unavailable this run — nuclei binary not found. Install it: `sudo apt install nuclei` (or download from <https://github.com/projectdiscovery/nuclei>). Install the 'nuclei' binary to enable it.

Rules of engagement: all steps above are non-destructive checks performed within the authorized scope of this assessment.

3.2 Exploitation Options (authorized verification only)

1. [CRITICAL] CVE-2023-38408 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

2. [CRITICAL] CVE-2016-1908 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

3. [CRITICAL] CVE-2026-60002 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

4. [CRITICAL] CVE-2026-44631 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

5. [CRITICAL] CVE-2026-29167 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

6. [CRITICAL] CVE-2026-28780 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

7. [CRITICAL] CVE-2024-38476 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

8. [CRITICAL] CVE-2024-38474 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

9. [CRITICAL] CVE-2023-25690 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

10. [CRITICAL] CVE-2022-31813 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

11. [CRITICAL] CVE-2022-23943 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

12. [CRITICAL] CVE-2022-22720 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

13. [CRITICAL] CVE-2021-44790 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

14. [CRITICAL] CVE-2021-39275 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

15. [CRITICAL] CVE-2021-26691 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

16. [CRITICAL] CVE-2018-1312 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

17. [CRITICAL] CVE-2017-7679 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

18. [CRITICAL] CVE-2017-3169 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

19. [CRITICAL] CVE-2017-3167 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

20. [CRITICAL] CVE-2026-89282 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

21. [CRITICAL] CVE-2026-42535 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

22. [CRITICAL] CVE-2024-38475 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

23. [CRITICAL] CVE-2022-28615 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

24. [CRITICAL] CVE-2022-22721 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

25. [CRITICAL] CVE-2017-9788 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

26. [CRITICAL] CVE-2022-36760 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

27. [CRITICAL] CVE-2021-40438 on http port 80

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

28. [HIGH] CVE-2015-5600 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

29. [HIGH] CVE-2026-35414 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

30. [HIGH] CVE-2026-35386 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.
Verify : Run the matching Nuclei template in non-intrusive mode:
Verify : nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high
Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.
Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

31. [HIGH] CVE-2026-35385 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

32. [HIGH] CVE-2020-15778 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

33. [HIGH] CVE-2016-6515 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

34. [HIGH] CVE-2016-10012 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

35. [HIGH] CVE-2015-8325 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : nuclei, nmap NSE (vulners/http-* scripts), metasploit (authorized use)

36. [HIGH] CVE-2026-60000 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

37. [HIGH] CVE-2026-59999 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

38. [HIGH] CVE-2016-10708 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

39. [HIGH] CVE-2016-10009 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

40. [HIGH] CVE-2021-41617 on ssh port 22

Attack paths : Direct exploitation of the vulnerable service version; Pivoting from the exposed service into internal networks

Difficulty : Varies by CVE

Verify : Check the advertised version against the CVE advisory range.

Verify : Run the matching Nuclei template in non-intrusive mode:

Verify : `nuclei -u <service-url> -id <cve-id-lowercase> -severity critical,high`

Verify : Metasploit auxiliary/check modules only where the RoE explicitly allows.

Tools : `nuclei`, `nmap NSE (vulners/http-* scripts)`, `metasploit (authorized use)`

...and 104 more finding(s); see section 5 for the full list.

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

4. Technical Remediation

No technical remediation steps provided.

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

5. Appendix: Scan Details

A. Target Information

Target: scanme.nmap.org
Scan ID: 20260928_071712

B. Network Scan

Open Ports: 4
Ports Scanned: Nmap Top 1000 ports
Total CVEs: 155
Severity: Critical: 27 | High: 49 | Medium: 60 | Low: 6

Host: 45.33.32.156 (scanme.nmap.org) State: up
Port 22/tcp: ssh OpenSSH 6.6.1p1 Ubuntu 2ubuntu2.13

- CVE: CVE-2023-38408 CVSS: 9.8 [critical]
- CVE: CVE-2016-1908 CVSS: 9.8 [critical]
- CVE: CVE-2026-60002 CVSS: 9.4 [critical]
- CVE: CVE-2015-5600 CVSS: 8.5 [high]
- CVE: CVE-2026-35414 CVSS: 8.1 [high]
- CVE: CVE-2026-35386 CVSS: 8.1 [high]
- CVE: CVE-2026-35385 CVSS: 8.1 [high]
- CVE: CVE-2020-15778 CVSS: 7.8 [high]
- CVE: CVE-2016-6515 CVSS: 7.8 [high]
- CVE: CVE-2016-10012 CVSS: 7.8 [high]
- CVE: CVE-2015-8325 CVSS: 7.8 [high]
- CVE: CVE-2026-60000 CVSS: 7.5 [high]
- CVE: CVE-2026-59999 CVSS: 7.5 [high]
- CVE: CVE-2016-10708 CVSS: 7.5 [high]
- CVE: CVE-2016-10009 CVSS: 7.5 [high]
- CVE: CVE-2021-41617 CVSS: 7.0 [high]
- CVE: CVE-2016-10010 CVSS: 7.0 [high]
- CVE: CVE-2015-6564 CVSS: 7.0 [high]
- CVE: CVE-2019-6110 CVSS: 6.8 [medium]
- CVE: CVE-2019-6109 CVSS: 6.8 [medium]
- CVE: CVE-2026-60001 CVSS: 6.5 [medium]
- CVE: CVE-2026-59998 CVSS: 6.5 [medium]
- CVE: CVE-2026-35387 CVSS: 6.5 [medium]
- CVE: CVE-2023-51385 CVSS: 6.5 [medium]
- CVE: CVE-2016-3115 CVSS: 6.4 [medium]
- CVE: CVE-2015-6563 CVSS: 6.4 [medium]
- CVE: CVE-2016-10011 CVSS: 6.2 [medium]
- CVE: CVE-2023-48795 CVSS: 5.9 [medium]
- CVE: CVE-2020-14145 CVSS: 5.9 [medium]
- CVE: CVE-2019-6111 CVSS: 5.9 [medium]
- CVE: CVE-2016-6210 CVSS: 5.9 [medium]
- CVE: CVE-2026-59997 CVSS: 5.4 [medium]

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

CVE: CVE-2026-59996 CVSS: 5.4 [medium]
CVE: CVE-2026-59995 CVSS: 5.4 [medium]
CVE: CVE-2018-20685 CVSS: 5.3 [medium]
CVE: CVE-2018-15919 CVSS: 5.3 [medium]
CVE: CVE-2018-15473 CVSS: 5.3 [medium]
CVE: CVE-2017-15906 CVSS: 5.3 [medium]
CVE: CVE-2016-20012 CVSS: 5.3 [medium]
CVE: CVE-2026-73282 CVSS: 4.8 [medium]
CVE: CVE-2015-5352 CVSS: 4.3 [medium]
CVE: CVE-2021-36368 CVSS: 3.7 [low]
CVE: CVE-2025-61985 CVSS: 3.6 [low]
CVE: CVE-2025-61984 CVSS: 3.6 [low]
CVE: CVE-2026-73281 CVSS: 3.5 [low]
CVE: CVE-2026-73283 CVSS: 2.5 [low]
CVE: CVE-2026-35388 CVSS: 2.5 [low]

Port 80/tcp: http Apache httpd 2.4.7

CVE: CVE-2026-44631 CVSS: 9.8 [critical]
CVE: CVE-2026-29167 CVSS: 9.8 [critical]
CVE: CVE-2026-28780 CVSS: 9.8 [critical]
CVE: CVE-2024-38476 CVSS: 9.8 [critical]
CVE: CVE-2024-38474 CVSS: 9.8 [critical]
CVE: CVE-2023-25690 CVSS: 9.8 [critical]
CVE: CVE-2022-31813 CVSS: 9.8 [critical]
CVE: CVE-2022-23943 CVSS: 9.8 [critical]
CVE: CVE-2022-22720 CVSS: 9.8 [critical]
CVE: CVE-2021-44790 CVSS: 9.8 [critical]
CVE: CVE-2021-39275 CVSS: 9.8 [critical]
CVE: CVE-2021-26691 CVSS: 9.8 [critical]
CVE: CVE-2018-1312 CVSS: 9.8 [critical]
CVE: CVE-2017-7679 CVSS: 9.8 [critical]
CVE: CVE-2017-3169 CVSS: 9.8 [critical]
CVE: CVE-2017-3167 CVSS: 9.8 [critical]
CVE: CVE-2026-89282 CVSS: 9.1 [critical]
CVE: CVE-2026-42535 CVSS: 9.1 [critical]
CVE: CVE-2024-38475 CVSS: 9.1 [critical]
CVE: CVE-2022-28615 CVSS: 9.1 [critical]
CVE: CVE-2022-22721 CVSS: 9.1 [critical]
CVE: CVE-2017-9788 CVSS: 9.1 [critical]
CVE: CVE-2022-36760 CVSS: 9.0 [critical]
CVE: CVE-2021-40438 CVSS: 9.0 [critical]
CVE: CVE-2026-24072 CVSS: 8.8 [high]
CVE: CVE-2026-89281 CVSS: 8.4 [high]
CVE: CVE-2025-58098 CVSS: 8.3 [high]
CVE: CVE-2021-44224 CVSS: 8.2 [high]
CVE: CVE-2017-15715 CVSS: 8.1 [high]
CVE: CVE-2016-5387 CVSS: 8.1 [high]
CVE: CVE-2026-42536 CVSS: 7.5 [high]
CVE: CVE-2026-34356 CVSS: 7.5 [high]
CVE: CVE-2026-34355 CVSS: 7.5 [high]

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

CVE: CVE-2026-34059 CVSS: 7.5 [high]
CVE: CVE-2026-29169 CVSS: 7.5 [high]
CVE: CVE-2024-40898 CVSS: 7.5 [high]
CVE: CVE-2024-38477 CVSS: 7.5 [high]
CVE: CVE-2023-31122 CVSS: 7.5 [high]
CVE: CVE-2022-30556 CVSS: 7.5 [high]
CVE: CVE-2022-29404 CVSS: 7.5 [high]
CVE: CVE-2022-26377 CVSS: 7.5 [high]
CVE: CVE-2022-22719 CVSS: 7.5 [high]
CVE: CVE-2021-34798 CVSS: 7.5 [high]
CVE: CVE-2021-33193 CVSS: 7.5 [high]
CVE: CVE-2021-26690 CVSS: 7.5 [high]
CVE: CVE-2019-0217 CVSS: 7.5 [high]
CVE: CVE-2018-17199 CVSS: 7.5 [high]
CVE: CVE-2018-1333 CVSS: 7.5 [high]
CVE: CVE-2018-1303 CVSS: 7.5 [high]
CVE: CVE-2017-9798 CVSS: 7.5 [high]
CVE: CVE-2017-15710 CVSS: 7.5 [high]
CVE: CVE-2016-8743 CVSS: 7.5 [high]
CVE: CVE-2016-2161 CVSS: 7.5 [high]
CVE: CVE-2016-0736 CVSS: 7.5 [high]
CVE: CVE-2006-20001 CVSS: 7.5 [high]
CVE: CVE-2026-44186 CVSS: 7.3 [high]
CVE: CVE-2026-44185 CVSS: 7.3 [high]
CVE: CVE-2020-35452 CVSS: 7.3 [high]
CVE: CVE-2014-0226 CVSS: 6.8 [medium]
CVE: CVE-2026-43951 CVSS: 6.5 [medium]
CVE: CVE-2026-33523 CVSS: 6.5 [medium]
CVE: CVE-2026-29170 CVSS: 6.1 [medium]
CVE: CVE-2020-1927 CVSS: 6.1 [medium]
CVE: CVE-2019-10098 CVSS: 6.1 [medium]
CVE: CVE-2019-10092 CVSS: 6.1 [medium]
CVE: CVE-2016-4975 CVSS: 6.1 [medium]
CVE: CVE-2018-1302 CVSS: 5.9 [medium]
CVE: CVE-2018-1301 CVSS: 5.9 [medium]
CVE: CVE-2026-44119 CVSS: 5.5 [medium]
CVE: CVE-2020-13938 CVSS: 5.5 [medium]
CVE: CVE-2026-34032 CVSS: 5.3 [medium]
CVE: CVE-2026-33857 CVSS: 5.3 [medium]
CVE: CVE-2026-33007 CVSS: 5.3 [medium]
CVE: CVE-2022-37436 CVSS: 5.3 [medium]
CVE: CVE-2022-28614 CVSS: 5.3 [medium]
CVE: CVE-2022-28330 CVSS: 5.3 [medium]
CVE: CVE-2020-1934 CVSS: 5.3 [medium]
CVE: CVE-2020-11985 CVSS: 5.3 [medium]
CVE: CVE-2019-17567 CVSS: 5.3 [medium]
CVE: CVE-2019-0220 CVSS: 5.3 [medium]
CVE: CVE-2018-1283 CVSS: 5.3 [medium]
CVE: CVE-2015-3183 CVSS: 5.0 [medium]

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

CVE: CVE-2015-0228 CVSS: 5.0 [medium]
CVE: CVE-2014-3581 CVSS: 5.0 [medium]
CVE: CVE-2014-3523 CVSS: 5.0 [medium]
CVE: CVE-2014-0231 CVSS: 5.0 [medium]
CVE: CVE-2014-0098 CVSS: 5.0 [medium]
CVE: CVE-2013-6438 CVSS: 5.0 [medium]
CVE: CVE-2013-5704 CVSS: 5.0 [medium]
CVE: CVE-2026-33006 CVSS: 4.8 [medium]
CVE: CVE-2016-8612 CVSS: 4.3 [medium]
CVE: CVE-2015-3185 CVSS: 4.3 [medium]
CVE: CVE-2014-8109 CVSS: 4.3 [medium]
CVE: CVE-2014-0118 CVSS: 4.3 [medium]
CVE: CVE-2014-0117 CVSS: 4.3 [medium]
CVE: CVE-2025-66200 CVSS: 0.0 [info]
CVE: CVE-2025-65082 CVSS: 0.0 [info]
CVE: CVE-2025-59775 CVSS: 0.0 [info]
CVE: CVE-2025-49812 CVSS: 0.0 [info]
CVE: CVE-2024-47252 CVSS: 0.0 [info]
CVE: CVE-2024-43394 CVSS: 0.0 [info]
CVE: CVE-2024-43204 CVSS: 0.0 [info]
CVE: CVE-2024-42516 CVSS: 0.0 [info]
CVE: CVE-2024-39573 CVSS: 0.0 [info]
CVE: CVE-2024-38473 CVSS: 0.0 [info]
CVE: CVE-2024-38472 CVSS: 0.0 [info]
CVE: CVE-2024-24795 CVSS: 0.0 [info]
CVE: CVE-2023-38709 CVSS: 0.0 [info]

Port 9929/tcp: nping-echo Nping echo

Port 31337/tcp: tcpwrapped

C. Web Application Scan

Server: Apache/2.4.7 (Ubuntu)

Missing security headers (6):

- Strict-Transport-Security
- Content-Security-Policy
- X-Frame-Options
- X-Content-Type-Options
- Referrer-Policy
- Permissions-Policy

Present security headers (0):

Detected technologies (1):

- Apache/2.4.7 (Ubuntu) (via header:Server)

Discovered directories (10):

- /.htpasswd [HTTP 403]
- /.htaccess [HTTP 403]
- /.hta [HTTP 403]
- /.svn/entries [HTTP 403]
- /.svn [HTTP 301]

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

- /favicon.ico [HTTP 403]
- /images [HTTP 301]
- /index [HTTP 200]
- /index.html [HTTP 200]
- /shared [HTTP 301]

Redirect chain (1 hops):

200 <http://scanme.nmap.org/>

D. DNS / Email Security

Domain: scanme.nmap.org
SPF Present: No
DMARC Present: No

I. Full Findings List

1. [CRITICAL] CVE-2023-38408 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2023-38408 9.8 <https://vulners.com/cve/CVE-2023-38408>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

2. [CRITICAL] CVE-2016-1908 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-1908 9.8 <https://vulners.com/cve/CVE-2016-1908>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

3. [CRITICAL] CVE-2026-60002 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-60002 9.4 <https://vulners.com/cve/CVE-2026-60002>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

4. [CRITICAL] CVE-2026-44631 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-44631 9.8 <https://vulners.com/cve/CVE-2026-44631>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

5. [CRITICAL] CVE-2026-29167 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-29167 9.8 <https://vulners.com/cve/CVE-2026-29167>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

6. [CRITICAL] CVE-2026-28780 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-28780 9.8 <https://vulners.com/cve/CVE-2026-28780>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

7. [CRITICAL] CVE-2024-38476 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-38476 9.8 <https://vulners.com/cve/CVE-2024-38476>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

8. [CRITICAL] CVE-2024-38474 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-38474 9.8 <https://vulners.com/cve/CVE-2024-38474>

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

9. [CRITICAL] CVE-2023-25690 on http port 80

Target: 45.33.32.156

Evidence: CVE-2023-25690 9.8 <https://vulners.com/cve/CVE-2023-25690>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

10. [CRITICAL] CVE-2022-31813 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-31813 9.8 <https://vulners.com/cve/CVE-2022-31813>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

11. [CRITICAL] CVE-2022-23943 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-23943 9.8 <https://vulners.com/cve/CVE-2022-23943>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

12. [CRITICAL] CVE-2022-22720 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-22720 9.8 <https://vulners.com/cve/CVE-2022-22720>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

13. [CRITICAL] CVE-2021-44790 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-44790 9.8 <https://vulners.com/cve/CVE-2021-44790>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

14. [CRITICAL] CVE-2021-39275 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-39275 9.8 <https://vulners.com/cve/CVE-2021-39275>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

15. [CRITICAL] CVE-2021-26691 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-26691 9.8 <https://vulners.com/cve/CVE-2021-26691>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

16. [CRITICAL] CVE-2018-1312 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-1312 9.8 <https://vulners.com/cve/CVE-2018-1312>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

17. [CRITICAL] CVE-2017-7679 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-7679 9.8 <https://vulners.com/cve/CVE-2017-7679>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

18. [CRITICAL] CVE-2017-3169 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-3169 9.8 <https://vulners.com/cve/CVE-2017-3169>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

19. [CRITICAL] CVE-2017-3167 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-3167 9.8 <https://vulners.com/cve/CVE-2017-3167>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

20. [CRITICAL] CVE-2026-89282 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-89282 9.1 <https://vulners.com/cve/CVE-2026-89282>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

21. [CRITICAL] CVE-2026-42535 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-42535 9.1 <https://vulners.com/cve/CVE-2026-42535>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

22. [CRITICAL] CVE-2024-38475 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-38475 9.1 <https://vulners.com/cve/CVE-2024-38475>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

23. [CRITICAL] CVE-2022-28615 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-28615 9.1 <https://vulners.com/cve/CVE-2022-28615>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

24. [CRITICAL] CVE-2022-22721 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-22721 9.1 <https://vulners.com/cve/CVE-2022-22721>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

25. [CRITICAL] CVE-2017-9788 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-9788 9.1 <https://vulners.com/cve/CVE-2017-9788>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

26. [CRITICAL] CVE-2022-36760 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-36760 9.0 <https://vulners.com/cve/CVE-2022-36760>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

27. [CRITICAL] CVE-2021-40438 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-40438 9.0 <https://vulners.com/cve/CVE-2021-40438>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

28. [HIGH] CVE-2015-5600 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2015-5600 8.5 <https://vulners.com/cve/CVE-2015-5600>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

29. [HIGH] CVE-2026-35414 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-35414 8.1 <https://vulners.com/cve/CVE-2026-35414>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

30. [HIGH] CVE-2026-35386 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-35386 8.1 <https://vulners.com/cve/CVE-2026-35386>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

31. [HIGH] CVE-2026-35385 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-35385 8.1 <https://vulners.com/cve/CVE-2026-35385>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

32. [HIGH] CVE-2020-15778 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2020-15778 7.8 <https://vulners.com/cve/CVE-2020-15778>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

33. [HIGH] CVE-2016-6515 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-6515 7.8 <https://vulners.com/cve/CVE-2016-6515>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

34. [HIGH] CVE-2016-10012 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-10012 7.8 <https://vulners.com/cve/CVE-2016-10012>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

35. [HIGH] CVE-2015-8325 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2015-8325 7.8 <https://vulners.com/cve/CVE-2015-8325>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

36. [HIGH] CVE-2026-60000 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-60000 7.5 <https://vulners.com/cve/CVE-2026-60000>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

37. [HIGH] CVE-2026-59999 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-59999 7.5 <https://vulners.com/cve/CVE-2026-59999>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

38. [HIGH] CVE-2016-10708 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-10708 7.5 <https://vulners.com/cve/CVE-2016-10708>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

39. [HIGH] CVE-2016-10009 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-10009 7.5 <https://vulners.com/cve/CVE-2016-10009>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

40. [HIGH] CVE-2021-41617 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2021-41617 7.0 <https://vulners.com/cve/CVE-2021-41617>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

41. [HIGH] CVE-2016-10010 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-10010 7.0 <https://vulners.com/cve/CVE-2016-10010>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

42. [HIGH] CVE-2015-6564 on ssh port 22

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Target: 45.33.32.156

Evidence: CVE-2015-6564 7.0 <https://vulners.com/cve/CVE-2015-6564>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

43. [HIGH] CVE-2026-24072 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-24072 8.8 <https://vulners.com/cve/CVE-2026-24072>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

44. [HIGH] CVE-2026-89281 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-89281 8.4 <https://vulners.com/cve/CVE-2026-89281>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

45. [HIGH] CVE-2025-58098 on http port 80

Target: 45.33.32.156

Evidence: CVE-2025-58098 8.3 <https://vulners.com/cve/CVE-2025-58098>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

46. [HIGH] CVE-2021-44224 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-44224 8.2 <https://vulners.com/cve/CVE-2021-44224>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

47. [HIGH] CVE-2017-15715 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-15715 8.1 <https://vulners.com/cve/CVE-2017-15715>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

48. [HIGH] CVE-2016-5387 on http port 80

Target: 45.33.32.156

Evidence: CVE-2016-5387 8.1 <https://vulners.com/cve/CVE-2016-5387>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

49. [HIGH] CVE-2026-42536 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-42536 7.5 <https://vulners.com/cve/CVE-2026-42536>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

50. [HIGH] CVE-2026-34356 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-34356 7.5 <https://vulners.com/cve/CVE-2026-34356>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

51. [HIGH] CVE-2026-34355 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-34355 7.5 <https://vulners.com/cve/CVE-2026-34355>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

52. [HIGH] CVE-2026-34059 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-34059 7.5 <https://vulners.com/cve/CVE-2026-34059>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

53. [HIGH] CVE-2026-29169 on http port 80

Target: 45.33.32.156

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Evidence: CVE-2026-29169 7.5 <https://vulners.com/cve/CVE-2026-29169>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

54. [HIGH] CVE-2024-40898 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-40898 7.5 <https://vulners.com/cve/CVE-2024-40898>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

55. [HIGH] CVE-2024-38477 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-38477 7.5 <https://vulners.com/cve/CVE-2024-38477>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

56. [HIGH] CVE-2023-31122 on http port 80

Target: 45.33.32.156

Evidence: CVE-2023-31122 7.5 <https://vulners.com/cve/CVE-2023-31122>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

57. [HIGH] CVE-2022-30556 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-30556 7.5 <https://vulners.com/cve/CVE-2022-30556>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

58. [HIGH] CVE-2022-29404 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-29404 7.5 <https://vulners.com/cve/CVE-2022-29404>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

59. [HIGH] CVE-2022-26377 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-26377 7.5 <https://vulners.com/cve/CVE-2022-26377>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

60. [HIGH] CVE-2022-22719 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-22719 7.5 <https://vulners.com/cve/CVE-2022-22719>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

61. [HIGH] CVE-2021-34798 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-34798 7.5 <https://vulners.com/cve/CVE-2021-34798>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

62. [HIGH] CVE-2021-33193 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-33193 7.5 <https://vulners.com/cve/CVE-2021-33193>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

63. [HIGH] CVE-2021-26690 on http port 80

Target: 45.33.32.156

Evidence: CVE-2021-26690 7.5 <https://vulners.com/cve/CVE-2021-26690>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

64. [HIGH] CVE-2019-0217 on http port 80

Target: 45.33.32.156

Evidence: CVE-2019-0217 7.5 <https://vulners.com/cve/CVE-2019-0217>

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

65. [HIGH] CVE-2018-17199 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-17199 7.5 <https://vulners.com/cve/CVE-2018-17199>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

66. [HIGH] CVE-2018-1333 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-1333 7.5 <https://vulners.com/cve/CVE-2018-1333>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

67. [HIGH] CVE-2018-1303 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-1303 7.5 <https://vulners.com/cve/CVE-2018-1303>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

68. [HIGH] CVE-2017-9798 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-9798 7.5 <https://vulners.com/cve/CVE-2017-9798>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

69. [HIGH] CVE-2017-15710 on http port 80

Target: 45.33.32.156

Evidence: CVE-2017-15710 7.5 <https://vulners.com/cve/CVE-2017-15710>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

70. [HIGH] CVE-2016-8743 on http port 80

Target: 45.33.32.156

Evidence: CVE-2016-8743 7.5 <https://vulners.com/cve/CVE-2016-8743>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

71. [HIGH] CVE-2016-2161 on http port 80

Target: 45.33.32.156

Evidence: CVE-2016-2161 7.5 <https://vulners.com/cve/CVE-2016-2161>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

72. [HIGH] CVE-2016-0736 on http port 80

Target: 45.33.32.156

Evidence: CVE-2016-0736 7.5 <https://vulners.com/cve/CVE-2016-0736>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

73. [HIGH] CVE-2006-20001 on http port 80

Target: 45.33.32.156

Evidence: CVE-2006-20001 7.5 <https://vulners.com/cve/CVE-2006-20001>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

74. [HIGH] CVE-2026-44186 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-44186 7.3 <https://vulners.com/cve/CVE-2026-44186>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

75. [HIGH] CVE-2026-44185 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-44185 7.3 <https://vulners.com/cve/CVE-2026-44185>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

76. [HIGH] CVE-2020-35452 on http port 80

Target: 45.33.32.156

Evidence: CVE-2020-35452 7.3 <https://vulners.com/cve/CVE-2020-35452>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

77. [HIGH] Missing SPF record

Target: scanme.nmap.org

Evidence: The DNS response does not contain an answer to the question: scanme.nmap.org. IN TXT

Remediation: Publish an SPF record listing authorized sending IPs/services.; Publish DMARC starting with p=none, monitor reports, then move to p=quarantine/reject.; Enforce MTA-STS and DNSSEC where supported by your registrar.

78. [HIGH] Missing DMARC record

Target: scanme.nmap.org

Evidence: The DNS query name does not exist: _dmarc.scanme.nmap.org.

Remediation: Publish an SPF record listing authorized sending IPs/services.; Publish DMARC starting with p=none, monitor reports, then move to p=quarantine/reject.; Enforce MTA-STS and DNSSEC where supported by your registrar.

79. [MEDIUM] CVE-2019-6110 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2019-6110 6.8 <https://vulners.com/cve/CVE-2019-6110>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

80. [MEDIUM] CVE-2019-6109 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2019-6109 6.8 <https://vulners.com/cve/CVE-2019-6109>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

81. [MEDIUM] CVE-2026-60001 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-60001 6.5 <https://vulners.com/cve/CVE-2026-60001>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

82. [MEDIUM] CVE-2026-59998 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-59998 6.5 <https://vulners.com/cve/CVE-2026-59998>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

83. [MEDIUM] CVE-2026-35387 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-35387 6.5 <https://vulners.com/cve/CVE-2026-35387>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

84. [MEDIUM] CVE-2023-51385 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2023-51385 6.5 <https://vulners.com/cve/CVE-2023-51385>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

85. [MEDIUM] CVE-2016-3115 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-3115 6.4 <https://vulners.com/cve/CVE-2016-3115>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

86. [MEDIUM] CVE-2015-6563 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2015-6563 6.4 <https://vulners.com/cve/CVE-2015-6563>

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

87. [MEDIUM] CVE-2016-10011 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-10011 6.2 <https://vulners.com/cve/CVE-2016-10011>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

88. [MEDIUM] CVE-2023-48795 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2023-48795 5.9 <https://vulners.com/cve/CVE-2023-48795>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

89. [MEDIUM] CVE-2020-14145 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2020-14145 5.9 <https://vulners.com/cve/CVE-2020-14145>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

90. [MEDIUM] CVE-2019-6111 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2019-6111 5.9 <https://vulners.com/cve/CVE-2019-6111>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

91. [MEDIUM] CVE-2016-6210 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-6210 5.9 <https://vulners.com/cve/CVE-2016-6210>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

92. [MEDIUM] CVE-2026-59997 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-59997 5.4 <https://vulners.com/cve/CVE-2026-59997>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

93. [MEDIUM] CVE-2026-59996 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-59996 5.4 <https://vulners.com/cve/CVE-2026-59996>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

94. [MEDIUM] CVE-2026-59995 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-59995 5.4 <https://vulners.com/cve/CVE-2026-59995>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

95. [MEDIUM] CVE-2018-20685 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2018-20685 5.3 <https://vulners.com/cve/CVE-2018-20685>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

96. [MEDIUM] CVE-2018-15919 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2018-15919 5.3 <https://vulners.com/cve/CVE-2018-15919>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

97. [MEDIUM] CVE-2018-15473 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2018-15473 5.3 <https://vulners.com/cve/CVE-2018-15473>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

98. [MEDIUM] CVE-2017-15906 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2017-15906 5.3 <https://vulners.com/cve/CVE-2017-15906>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

99. [MEDIUM] CVE-2016-20012 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2016-20012 5.3 <https://vulners.com/cve/CVE-2016-20012>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

100. [MEDIUM] CVE-2026-73282 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-73282 4.8 <https://vulners.com/cve/CVE-2026-73282>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

101. [MEDIUM] CVE-2015-5352 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2015-5352 4.3 <https://vulners.com/cve/CVE-2015-5352>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

102. [MEDIUM] CVE-2014-0226 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-0226 6.8 <https://vulners.com/cve/CVE-2014-0226>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

103. [MEDIUM] CVE-2026-43951 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-43951 6.5 <https://vulners.com/cve/CVE-2026-43951>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

104. [MEDIUM] CVE-2026-33523 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-33523 6.5 <https://vulners.com/cve/CVE-2026-33523>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

105. [MEDIUM] CVE-2026-29170 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-29170 6.1 <https://vulners.com/cve/CVE-2026-29170>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

106. [MEDIUM] CVE-2020-1927 on http port 80

Target: 45.33.32.156

Evidence: CVE-2020-1927 6.1 <https://vulners.com/cve/CVE-2020-1927>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

107. [MEDIUM] CVE-2019-10098 on http port 80

Target: 45.33.32.156

Evidence: CVE-2019-10098 6.1 <https://vulners.com/cve/CVE-2019-10098>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

108. [MEDIUM] CVE-2019-10092 on http port 80

Target: 45.33.32.156

Evidence: CVE-2019-10092 6.1 <https://vulners.com/cve/CVE-2019-10092>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

109. [MEDIUM] CVE-2016-4975 on http port 80

Target: 45.33.32.156

Evidence: CVE-2016-4975 6.1 <https://vulners.com/cve/CVE-2016-4975>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

110. [MEDIUM] CVE-2018-1302 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-1302 5.9 <https://vulners.com/cve/CVE-2018-1302>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

111. [MEDIUM] CVE-2018-1301 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-1301 5.9 <https://vulners.com/cve/CVE-2018-1301>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

112. [MEDIUM] CVE-2026-44119 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-44119 5.5 <https://vulners.com/cve/CVE-2026-44119>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

113. [MEDIUM] CVE-2020-13938 on http port 80

Target: 45.33.32.156

Evidence: CVE-2020-13938 5.5 <https://vulners.com/cve/CVE-2020-13938>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

114. [MEDIUM] CVE-2026-34032 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-34032 5.3 <https://vulners.com/cve/CVE-2026-34032>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

115. [MEDIUM] CVE-2026-33857 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-33857 5.3 <https://vulners.com/cve/CVE-2026-33857>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

116. [MEDIUM] CVE-2026-33007 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-33007 5.3 <https://vulners.com/cve/CVE-2026-33007>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

117. [MEDIUM] CVE-2022-37436 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-37436 5.3 <https://vulners.com/cve/CVE-2022-37436>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

118. [MEDIUM] CVE-2022-28614 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-28614 5.3 <https://vulners.com/cve/CVE-2022-28614>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

119. [MEDIUM] CVE-2022-28330 on http port 80

Target: 45.33.32.156

Evidence: CVE-2022-28330 5.3 <https://vulners.com/cve/CVE-2022-28330>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

120. [MEDIUM] CVE-2020-1934 on http port 80

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Target: 45.33.32.156

Evidence: CVE-2020-1934 5.3 <https://vulners.com/cve/CVE-2020-1934>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

121. [MEDIUM] CVE-2020-11985 on http port 80

Target: 45.33.32.156

Evidence: CVE-2020-11985 5.3 <https://vulners.com/cve/CVE-2020-11985>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

122. [MEDIUM] CVE-2019-17567 on http port 80

Target: 45.33.32.156

Evidence: CVE-2019-17567 5.3 <https://vulners.com/cve/CVE-2019-17567>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

123. [MEDIUM] CVE-2019-0220 on http port 80

Target: 45.33.32.156

Evidence: CVE-2019-0220 5.3 <https://vulners.com/cve/CVE-2019-0220>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

124. [MEDIUM] CVE-2018-1283 on http port 80

Target: 45.33.32.156

Evidence: CVE-2018-1283 5.3 <https://vulners.com/cve/CVE-2018-1283>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

125. [MEDIUM] CVE-2015-3183 on http port 80

Target: 45.33.32.156

Evidence: CVE-2015-3183 5.0 <https://vulners.com/cve/CVE-2015-3183>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

126. [MEDIUM] CVE-2015-0228 on http port 80

Target: 45.33.32.156

Evidence: CVE-2015-0228 5.0 <https://vulners.com/cve/CVE-2015-0228>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

127. [MEDIUM] CVE-2014-3581 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-3581 5.0 <https://vulners.com/cve/CVE-2014-3581>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

128. [MEDIUM] CVE-2014-3523 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-3523 5.0 <https://vulners.com/cve/CVE-2014-3523>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

129. [MEDIUM] CVE-2014-0231 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-0231 5.0 <https://vulners.com/cve/CVE-2014-0231>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

130. [MEDIUM] CVE-2014-0098 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-0098 5.0 <https://vulners.com/cve/CVE-2014-0098>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

131. [MEDIUM] CVE-2013-6438 on http port 80

Target: 45.33.32.156

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Evidence: CVE-2013-6438 5.0 <https://vulners.com/cve/CVE-2013-6438>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

132. [MEDIUM] CVE-2013-5704 on http port 80

Target: 45.33.32.156

Evidence: CVE-2013-5704 5.0 <https://vulners.com/cve/CVE-2013-5704>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

133. [MEDIUM] CVE-2026-33006 on http port 80

Target: 45.33.32.156

Evidence: CVE-2026-33006 4.8 <https://vulners.com/cve/CVE-2026-33006>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

134. [MEDIUM] CVE-2016-8612 on http port 80

Target: 45.33.32.156

Evidence: CVE-2016-8612 4.3 <https://vulners.com/cve/CVE-2016-8612>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

135. [MEDIUM] CVE-2015-3185 on http port 80

Target: 45.33.32.156

Evidence: CVE-2015-3185 4.3 <https://vulners.com/cve/CVE-2015-3185>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

136. [MEDIUM] CVE-2014-8109 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-8109 4.3 <https://vulners.com/cve/CVE-2014-8109>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

137. [MEDIUM] CVE-2014-0118 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-0118 4.3 <https://vulners.com/cve/CVE-2014-0118>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

138. [MEDIUM] CVE-2014-0117 on http port 80

Target: 45.33.32.156

Evidence: CVE-2014-0117 4.3 <https://vulners.com/cve/CVE-2014-0117>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

139. [MEDIUM] Missing security header: Strict-Transport-Security

Target: <http://scanme.nmap.org>

Evidence: GET <http://scanme.nmap.org> -> no 'Strict-Transport-Security' header

Remediation: Identify the web server / reverse proxy in front of the application.; Add the missing security header globally so every response carries it.; Verify with a re-scan that the header is present on all endpoints.

140. [MEDIUM] Missing security header: Content-Security-Policy

Target: <http://scanme.nmap.org>

Evidence: GET <http://scanme.nmap.org> -> no 'Content-Security-Policy' header

Remediation: Identify the web server / reverse proxy in front of the application.; Add the missing security header globally so every response carries it.; Verify with a re-scan that the header is present on all endpoints.

141. [MEDIUM] Missing security header: X-Frame-Options

Target: <http://scanme.nmap.org>

Evidence: GET <http://scanme.nmap.org> -> no 'X-Frame-Options' header

Remediation: Identify the web server / reverse proxy in front of the application.; Add the missing security header globally so every response carries it.; Verify with a re-scan that the header is present on all endpoints.

142. [MEDIUM] Missing security header: X-Content-Type-Options

Target: <http://scanme.nmap.org>

Evidence: GET <http://scanme.nmap.org> -> no 'X-Content-Type-Options' header

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

Remediation: Identify the web server / reverse proxy in front of the application.; Add the missing security header globally so every response carries it.; Verify with a re-scan that the header is present on all endpoints.

143. [MEDIUM] Missing security header: Referrer-Policy

Target: <http://scanme.nmap.org>

Evidence: GET <http://scanme.nmap.org> -> no 'Referrer-Policy' header

Remediation: Identify the web server / reverse proxy in front of the application.; Add the missing security header globally so every response carries it.; Verify with a re-scan that the header is present on all endpoints.

144. [MEDIUM] Missing security header: Permissions-Policy

Target: <http://scanme.nmap.org>

Evidence: GET <http://scanme.nmap.org> -> no 'Permissions-Policy' header

Remediation: Identify the web server / reverse proxy in front of the application.; Add the missing security header globally so every response carries it.; Verify with a re-scan that the header is present on all endpoints.

145. [LOW] CVE-2021-36368 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2021-36368 3.7 <https://vulners.com/cve/CVE-2021-36368>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

146. [LOW] CVE-2025-61985 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2025-61985 3.6 <https://vulners.com/cve/CVE-2025-61985>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

147. [LOW] CVE-2025-61984 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2025-61984 3.6 <https://vulners.com/cve/CVE-2025-61984>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

148. [LOW] CVE-2026-73281 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-73281 3.5 <https://vulners.com/cve/CVE-2026-73281>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

149. [LOW] CVE-2026-73283 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-73283 2.5 <https://vulners.com/cve/CVE-2026-73283>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

150. [LOW] CVE-2026-35388 on ssh port 22

Target: 45.33.32.156

Evidence: CVE-2026-35388 2.5 <https://vulners.com/cve/CVE-2026-35388>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

151. [INFO] CVE-2025-66200 on http port 80

Target: 45.33.32.156

Evidence: CVE-2025-66200 0.0 <https://vulners.com/cve/CVE-2025-66200>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

152. [INFO] CVE-2025-65082 on http port 80

Target: 45.33.32.156

Evidence: CVE-2025-65082 0.0 <https://vulners.com/cve/CVE-2025-65082>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

153. [INFO] CVE-2025-59775 on http port 80

Target: 45.33.32.156

Evidence: CVE-2025-59775 0.0 <https://vulners.com/cve/CVE-2025-59775>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched

SmartVAPT Security Assessment Report

ICT Academy of Kerala - Cyber Security Analyst (VAPT)

release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

154. [INFO] CVE-2025-49812 on http port 80

Target: 45.33.32.156

Evidence: CVE-2025-49812 0.0 <https://vulners.com/cve/CVE-2025-49812>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

155. [INFO] CVE-2024-47252 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-47252 0.0 <https://vulners.com/cve/CVE-2024-47252>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

156. [INFO] CVE-2024-43394 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-43394 0.0 <https://vulners.com/cve/CVE-2024-43394>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

157. [INFO] CVE-2024-43204 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-43204 0.0 <https://vulners.com/cve/CVE-2024-43204>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

158. [INFO] CVE-2024-42516 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-42516 0.0 <https://vulners.com/cve/CVE-2024-42516>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

159. [INFO] CVE-2024-39573 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-39573 0.0 <https://vulners.com/cve/CVE-2024-39573>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

160. [INFO] CVE-2024-38473 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-38473 0.0 <https://vulners.com/cve/CVE-2024-38473>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

161. [INFO] CVE-2024-38472 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-38472 0.0 <https://vulners.com/cve/CVE-2024-38472>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

162. [INFO] CVE-2024-24795 on http port 80

Target: 45.33.32.156

Evidence: CVE-2024-24795 0.0 <https://vulners.com/cve/CVE-2024-24795>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.

163. [INFO] CVE-2023-38709 on http port 80

Target: 45.33.32.156

Evidence: CVE-2023-38709 0.0 <https://vulners.com/cve/CVE-2023-38709>

Remediation: Inventory the affected service/version from the scan evidence.; Upgrade to the vendor-patched release; if unavailable, mitigate via firewall/ACL.; Re-run the scan to confirm the CVE no longer appears.