

OVER DIMENSIONAL CONSIGNMENT (ODC)

1. Concept of ODC / ISMD

- **ODC (Over Dimensional Consignment)** is any consignment which **exceeds Standard Moving Dimensions (SMD)** of Indian Railways.
- Even if infringement occurs **in any part of the route**, it becomes ODC.

2. Fundamental Clearances (Core to Classification & Movement)

2.1 Gross Clearance

- Distance between **consignment & fixed structure** when wagon is *stationary* on straight track.

2.2 Net Clearance

- Minimum expected clearance **in motion**, after accounting:
 - Lurching
 - Bouncing
 - Overhang on curves
 - Super-Elevation

3. Railway Board Classification of ODCs

Class	Gross Clearance	Definition
Class 'A' (Permitted out of Gauge loads)	$\geq 228.6 \text{ mm (9")}$	Safest category; good margin from structures
Class 'B' (Exceptional out of Gauge loads)	$\geq 152.4 \text{ mm (6") but } < 9"$	Moderate infringement requiring restrictions
Class 'C' (Extra-ordinary out of Gauge loads)	$\geq 101.6 \text{ mm (4") but } < 6"$	Very critical infringement; highest restrictions

3.1 Classification of ODC

ODCs are universally classified into three categories based on their gross clearance.

Class 'A' ODC (Permitted out of Gauge)

- **Definition:** Consignments with a **gross clearance of 9 inches (22.86 cm) and above**.
- **Sanctioning Authority:**
 - **Within Division:** Divisional Railway Manager (DRM)
 - **Inter-Division (Same Zone):** Pr.Chief Operations Manager (PCOM)
 - **Inter-Railway:** PCOMs of all concerned Railways
- **Movement Conditions:**
 - **Speed:** Sectional speed (unless specified otherwise).
 - **Movement:** Permitted during both day and night.
 - **Escort:** Generally, not required.

OVER DIMENSIONAL CONSIGNMENT (ODC)

Class 'B' ODC (Exceptional out of Gauge)

- **Definition:** Consignments with a **gross clearance of 6 inches (15.24 cm) and above**, but less than 9 inches (22.86 cm).
- **Sanctioning Authority:** PCOM, who sanctions in consultation with the Pr.Chief Engineer.
- **Movement Conditions:**
 - **Speed:** Restricted. Typically, **40 KMPH** on Broad Gauge.
 - **Movement:** Permitted during both day and night.
 - **Escort:** TXR is required.

Class 'C' ODC (Extraordinary out of Gauge)

- **Definition:** Consignments with a **gross clearance of less than 6 inches (15.24 cm)**, but not less than 4 inches (10.16 cm).
- **Sanctioning Authority:** **Commissioner of Railway Safety (CRS)**. The sanction is obtained by the PCOM through the Pr.Chief Engineer.
- **Movement Conditions:**
 - **Speed:** Highly restricted. Typically, **25 KMPH** on Broad Gauge.
 - **Movement:** Permitted **during daylight hours ONLY**.
 - **Escort:** A senior escort team is mandatory, typically including SE(C&W), SE(P.Way), and a Traffic Inspector (TI).

4. Sanctioning Authorities & Speed Restrictions

4.1 Class 'A'

- **Sanctioning Authority:**
 - Within Division: **DRM**
 - Inter-Division (same zone): **PCOM**
 - Inter-Railway: **PCOMs of all affected Railways**
 - **Speed:** *Sectional speed*
 - **Movement:** Day & Night
 - **Escort:** Not required
-

4.2 Class 'B'

- **Sanctioning Authority:** DRM/PCOM
- **Speed (Typical):**
 - BG → **40 kmph**
 - MG → **25 kmph**
- **Movement:** Day & Night
- **Escort:** **TXR** escort mandatory

OVER DIMENSIONAL CONSIGNMENT (ODC)

4.3 Class 'C'

- **Sanctioning Authority: CRS** (through PCOM & PCE)
- **Speed:**
 - BG → 25 kmph
- **Movement:** Daylight only
- **Escort:**
 - SSE (C&W)
 - SSE (P.Way)
 - Traffic Inspector (TI)

Class	Sanctioning Authority	Speed	Movement	Escort
A	DRM / PCOM / PCOM of concerned Rlys	Sectional Speed	Day & Night	NIL
B	DRM /PCOM	40 kmph (BG)	Day & Night	TXR
C	CRS (through PCOM/PCE)	25 kmph (BG)	Day Only	SSE(C&W) + SSE(P.Way) + TI

FOLLOW JPO ON ODC GIVEN IN YOUR WORKING TIME TABLE (WTT)