

Q1)

```
SELECT e.ename,e.age
FROM Emp e
JOIN Works w1 ON e.eid=w1.eid
JOIN Works w2 ON e.eid=w2.eid
WHERE w1.did='Hardware' AND w2.did='Software';
```

The screenshot shows the Microsoft SQL Server Management Studio interface. The title bar indicates the file is 'SQLQuery1.sql' on a local machine. The menu bar includes File, Edit, View, Query, Project, Tools, Window, and Help. The toolbar contains various icons for file operations, query execution, and formatting. The Object Explorer on the left shows the server structure for 'LAPTOP-8VIV6O04 (SQL Server 15)', including Databases, Security, and Server Objects. The main query editor displays a SQL script with two parts: an insert statement for the 'Works' table and a select statement for the 'Emp' table. The insert statement adds five rows with details like department, job, and salary. The select statement filters employees based on their department and job. The Results pane at the bottom shows a single row of data for an employee named 'David' with an age of 30.

```
SQLQuery1.sql - L...VIV6O04\ASUS (52))* - Microsoft SQL Server Management Studio
```

Object Explorer: LAPTOP-8VIV6O04 (SQL Server 15)

- Databases
 - System Databases
 - Database Snapshots
- Security
- Server Objects
- Replication
- PolyBase
- Always On High Availability
- Management
- Integration Services Catalogs
- SQL Server Agent (Agent XPs di
- XEvent Profiler

```
(3, 'HR', 50),
(3, 'Sales', 50),
(4, 'Hardware', 50),
(4, 'Software', 50),
(5, 'Hardware', 100);

SELECT e.ename,e.age
FROM Emp e
JOIN Works w1 ON e.eid=w1.eid
JOIN Works w2 ON e.eid=w2.eid
WHERE w1.did='Hardware' AND w2.did='Software';
```

100 %

Results Messages

	ename	age
1	David	30

Q2)

```
SELECT e.ename
FROM Emp e
WHERE e.salary>ALL
(
SELECT d.budget
FROM Dep d
JOIN Works w ON d.did=w.did
WHERE w.eid=e.eid
);
```

SQLQuery1.sql - LAPTOP-8VIV6O04.master (LAPTOP-8VIV6O04\ASUS (52))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

master Execute

Object Explorer

Connect LAPTOP-8VIV6O04 (SQL Server 15)

- Databases
 - System Databases
 - Database Snapshots
 - Security
 - Server Objects
 - Replication
 - PolyBase
 - Always On High Availability
 - Management
 - Integration Services Catalogs
 - SQL Server Agent (Agent XPs di
 - XEvent Profiler

SQLQuery1.sql - L...VIV6O04\ASUS (52))*

```

JOIN Works w2 ON e.eid=w2.eid
WHERE w1.did='Hardware' AND w2.did='Software';

SELECT e.ename
FROM Emp e
WHERE e.salary>ALL
(
  SELECT d.budget
  FROM Dep d
  JOIN Works w ON d.did=w.did
  WHERE w.eid=e.eid
);

```

100 %

Results Messages

	ename
1	Eve

Q3)

```

SELECT managerid
FROM Dep
GROUP BY(managerid)
HAVING MIN(budget)>1000000;

```

SQLQuery1.sql - LAPTOP-8VIV6O04.master (LAPTOP-8VIV6O04\ASUS (52))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

master Execute

Object Explorer

- Connect
- LAPTOP-8VIV6O04 (SQL Server 15)
 - Databases
 - System Databases
 - Database Snapshots
 - Security
 - Server Objects
 - Replication
 - PolyBase
 - Always On High Availability
 - Management
 - Integration Services Catalogs
 - SQL Server Agent (Agent XPs di
 - XEvent Profiler

SQLQuery1.sql - L...VIV6O04\ASUS (52))*

```
WHERE w.eid=e.eid
);
SELECT managerid
FROM Dep
GROUP BY(managerid)
HAVING MIN(budget)>1000000;
```


100 %

Results Messages

	managerid
1	2
2	3

Q4)

```
SELECT e.ename
FROM Emp e
JOIN Dep d ON e.eid = d.managerid
WHERE d.budget = (SELECT MAX(budget) FROM Dep);
```



Q5)

```
SELECT managerid
FROM Dep
GROUP BY managerid
HAVING SUM(budget) > 1000000;
```

SQLQuery1.sql - LAPTOP-8VIV6O04.master (LAPTOP-8VIV6O04\ASUS (52))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

master Execute

Object Explorer

Connect LAPTOP-8VIV6O04 (SQL Server 15)

- Databases
 - System Databases
 - Database Snapshots
- Security
- Server Objects
- Replication
- PolyBase
- Always On High Availability
- Management
- Integration Services Catalogs
- SQL Server Agent (Agent XPs di
- XEvent Profiler

SQLQuery1.sql - L...VIV6O04\ASUS (52))*

```

JOIN Dep d ON e.eid = d.managerid
WHERE d.budget = (SELECT MAX(budget) FROM Dep);

SELECT managerid
FROM Dep
GROUP BY managerid
HAVING SUM(budget) > 1000000;

```

100 %

Results Messages

	managerid
1	1
2	2
3	3

Q6)

```

SELECT managerid
FROM Dep
GROUP BY managerid
HAVING SUM(budget) = (
  SELECT MAX(total_budget)
  FROM (
    SELECT SUM(budget) AS total_budget
    FROM Dep
    GROUP BY managerid
  ) AS temp
);

```

SQLQuery1.sql - LAPTOP-8VIV6O04.master (LAPTOP-8VIV6O04\ASUS (52))* - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

master Execute

Object Explorer

- Connect
- LAPTOP-8VIV6O04 (SQL Server 15)
 - Databases
 - System Databases
 - Database Snapshots
 - Security
 - Server Objects
 - Replication
 - PolyBase
 - Always On High Availability
 - Management
 - Integration Services Catalogs
 - SQL Server Agent (Agent XPs disabled)
 - XEvent Profiler

SQLQuery1.sql - L...VIV6O04\ASUS (52))*

```
HAVING SUM(budget) > 1000000;

SELECT managerid
FROM Dep
GROUP BY managerid
HAVING SUM(budget) = (
    SELECT MAX(total_budget)
    FROM (
        SELECT SUM(budget) AS total_budget
        FROM Dep
        GROUP BY managerid
    ) AS temp
);
```

100 %

Results Messages

	managerid
1	3