

## Add Credentials

The screenshot shows the Postman interface with the following details:

- Method:** POST
- URL:** http://rideguide.test/api/users/create-profile
- Body:** form-data (selected)
- Headers:** (11) (not explicitly listed but includes Authorization, Content-Type, etc.)
- Body Fields:**

Key	Value	Description
birthdate	Text: 02/26/2005	
gender	Text: male	
profile_image	File: Select Files	
- Test Results:** 201 Created (Success), 276 ms, 574 B
- Response Preview:**

```
1 {  
2   "success": true,  
3   "message": "User profile created successfully.",  
4   "data": {  
5     "user_id": "019c93cd-758d-73a2-b8cb-3ae4a45bf682",  
6     "birthdate": "02/26/2005",  
7     "gender": "male",  
8     "profile_image": null,  
9     "id": "019c93de-1d75-713e-a51f-75fe61efcd73",  
10    "updated_at": "2026-02-25T08:15:33.000000Z",  
11    "created_at": "2026-02-25T08:15:33.000000Z"  
12  }  
13 }
```

## Update Credentials

The screenshot shows the Postman interface with the following details:

- Method:** PUT
- URL:** http://rideguide.test/api/users/update-profile/019c93de-1d75-713e-a51f-75fe61efcd73
- Body:** form-data (selected)
- Headers:** (11) (not explicitly listed but includes Authorization, Content-Type, etc.)
- Body Fields:**

Key	Value	Description
birthdate	Text: 02/25/2026	
gender	Text: male	
profile_image	File: ian.jpg	
- Test Results:** 200 OK (Success), 146 ms, 537 B
- Response Preview:**

```
1 {  
2   "success": true,  
3   "message": "User profile updated successfully.",  
4   "data": {  
5     "id": "019c93de-1d75-713e-a51f-75fe61efcd73",  
6     "user_id": "019c93cd-758d-73a2-b8cb-3ae4a45bf682",  
7     "birthdate": "02/25/2026",  
8     "gender": "male",  
9     "profile_image": {},  
10    "deleted_at": null,  
11    "created_at": "2026-02-25T08:15:33.000000Z",  
12    "updated_at": "2026-02-25T08:31:47.000000Z"  
13  }  
14 }
```

## Read Credentials

The screenshot shows the Postman interface with the following details:

- Method:** GET
- URL:** `http://rideguide.test/api/users/read-profile/019c93de-1d75-713e-a51f-75fe61efcd73`
- Authorization:** Bearer Token (Token field contains a redacted token)
- Headers:** (8) (including Content-Type: application/json)
- Body:** (JSON) Response body:

```
1 {
2     "success": true,
3     "data": {
4         "id": "019c93de-1d75-713e-a51f-75fe61efcd73",
5         "user_id": "019c93cd-758d-73a2-b6cb-3ae4a45bf682",
6         "birthdate": "02/25/2026",
7         "gender": "male",
8         "profile_image": "C:\\\\Users\\\\Nitro\\\\AppData\\\\Local\\\\Temp\\\\php1A5D.tmp",
9         "deleted_at": null,
10        "created_at": "2026-02-25T08:15:33.000000Z",
11        "updated_at": "2026-02-25T08:31:47.000000Z"
12    }
13 }
```

- Response:** 200 OK (262 ms, 551 B)

## Delete Credentials

The screenshot shows the Postman interface with the following details:

- Method:** DELETE
- URL:** `http://rideguide.test/api/users/delete-profile/019c93de-1d75-713e-a51f-75fe61efcd73`
- Authorization:** Bearer Token (Token field contains a redacted token)
- Headers:** (8) (including Content-Type: application/json)
- Body:** (JSON) Response body:

```
1 {
2     "success": true,
3     "message": "User profile deleted successfully."
4 }
```

- Response:** 200 OK (225 ms, 377 B)

## Restore Credentials

The screenshot shows the Postman application interface. At the top, there's a navigation bar with various icons and a dropdown menu. Below the bar, the URL is set to `http://rideguide.test/api/users/restore-profile/019c93de-1d75-713e-a51f-75fe61efcd73`. The method is selected as `PUT`. On the right side of the header, there are buttons for `Save`, `Share`, and `Send`.

In the main workspace, under the `Authorization` tab, it's set to `Bearer Token`. A note says: "The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization." To the right, there's a placeholder for a token value, represented by a series of dots (...).

Below the authorization section, there are tabs for `Body`, `Cookies`, `Headers (10)`, and `Test Results`. The `Body` tab is currently active, showing a JSON response. The response body is as follows:

```
1 {  
2     "success": true,  
3     "message": "User profile restored successfully.",  
4     "data": {  
5         "id": "019c93de-1d75-713e-a51f-75fe61efcd73",  
6         "user_id": "019c93cd-758d-73a2-b8cb-3ae4a45bf682",  
7         "birthdate": "02/25/2026",  
8         "gender": "male",  
9         "profile_image": "C:\\\\Users\\\\Nitro\\\\AppData\\\\Local\\\\Temp\\\\php1A5D.tmp",  
10        "deleted_at": null,  
11        "created_at": "2026-02-25T08:15:33.000000Z",  
12        "updated_at": "2026-02-25T08:35:37.000000Z"  
13    }  
14 }
```

At the bottom right of the workspace, there are several small icons for saving, sharing, and other operations. Above the response area, there's a status bar showing `200 OK`, `80 ms`, `578 B`, and a save response button.