



Catalog ZAP Scanning Report

Site: <http://localhost:8081>

Generated on ter., 30 jul. 2024 21:05:34

ZAP Version: 2.15.0

ZAP is supported by the [Crash Override Open Source Fellowship](#)

Summary of Alerts

Nível de Risco	Number of Alerts
Alto	1
Médio	0
Baixo	3
Informativo	2

Alertas

Nome	Nível de Risco	Number of Instances
Injeção SQL	Alto	1
Application Error Disclosure	Baixo	5
Divulgação de informações - Mensagens de Erro de Depuração	Baixo	1
X-Content-Type-Options Header Missing	Baixo	1
Divulgação de Informações - Comentários Suspeitos	Informativo	1
User Agent Fuzzer	Informativo	96

Alert Detail

Alto	Injeção SQL
Descrição	SQL injection may be possible.
URL	http://localhost:8081/v1/product/type/MAIN?pageable=+AND+1%3D1+--+
Método	GET
Ataque	AND 1=1 --
Evidence	
Other Info	The page results were successfully manipulated using the boolean conditions [AND 1=1 --] and [AND 1=2 --] The parameter value being modified was NOT stripped from the HTML output for the purposes of the comparison Os dados foram retornados para o parâmetro original. A vulnerabilidade foi detectada ao restringir com sucesso os dados originalmente retornados, manipulando o parâmetro
Instances	1
	Do not trust client side input, even if there is client side validation in place.

Solution	In general, type check all data on the server side.
	If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'
	If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.
	If database Stored Procedures can be used, use them.
	Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!
	Do not create dynamic SQL queries using simple string concatenation.
	Escape all data received from the client.
	Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.
	Apply the principle of least privilege by using the least privileged database user possible.
Reference	In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.
	Grant the minimum database access that is necessary for the application.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
CWE Id	89
WASC Id	19
Plugin Id	40018

Baixo	Application Error Disclosure
Descrição	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	

URL	http://localhost:8081/v1/product
Método	POST
Ataque	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
Instances	5
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	90022

Baixo	Divulgação de informações - Mensagens de Erro de Depuração
Descrição	A resposta parecia conter mensagens de erro comuns retornadas por plataformas como ASP.NET e servidores da Web como IIS e Apache. Você pode configurar a lista de mensagens de depuração comuns.
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	
Evidence	Internal Server Error
Other Info	
Instances	1
Solution	Desative as mensagens de depuração antes de enviar para a produção.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10023

Baixo	X-Content-Type-Options Header Missing
Descrição	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	1
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informativo	Divulgação de Informações - Comentários Suspeitos
Descrição	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: "<!--","price":1.2,"image":"John Doe","type":"MAIN"},"{"id":"66a97d322a29b67e7daf6f9b","name":"","select":"'java.lang.Thread.sleep'", see evidence field for the suspicious comment /snippet.
Instances	1
Solution	Remova todos os comentários que retornam informações que podem ajudar um invasor e corrigir quaisquer problemas subjacentes aos quais eles se referem.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10027

Informativo	User Agent Fuzzer
Descrição	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product

Método	DELETE
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE

Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	DELETE
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET

Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET

Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081
Método	GET
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Ataque	Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1
Método	GET
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	GET
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	

Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/id
Método	GET
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other	

Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1/product/type/MAIN?pageable=
Método	GET
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other	

Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	

URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	POST
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	

URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8081/v1/product

Método	PUT
Ataque	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8081/v1/product
Método	PUT
Ataque	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	96
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104