



# Catalog ZAP Scanning Report

Site: <http://localhost:8081>

Generated on ter., 30 jul. 2024 21:16:13

ZAP Version: 2.15.0

ZAP is supported by the [Crash Override Open Source Fellowship](#)

## Summary of Alerts

| Nível de Risco | Number of Alerts |
|----------------|------------------|
| Alto           | 0                |
| Médio          | 0                |
| Baixo          | 3                |
| Informativo    | 2                |

## Alertas

| Nome                                                                       | Nível de Risco | Number of Instances |
|----------------------------------------------------------------------------|----------------|---------------------|
| <a href="#">Application Error Disclosure</a>                               | Baixo          | 1                   |
| <a href="#">Divulgação de informações - Mensagens de Erro de Depuração</a> | Baixo          | 1                   |
| <a href="#">X-Content-Type-Options Header Missing</a>                      | Baixo          | 3                   |
| <a href="#">Divulgação de Informações - Comentários Suspeitos</a>          | Informativo    | 1                   |
| <a href="#">User Agent Fuzzer</a>                                          | Informativo    | 72                  |

## Alert Detail

| Baixo      | Application Error Disclosure                                                                                                                                                                                                                                                                                                                |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Descrição  | This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page. |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                                                                                                                                                                                                                             |
| Método     | DELETE                                                                                                                                                                                                                                                                                                                                      |
| Ataque     |                                                                                                                                                                                                                                                                                                                                             |
| Evidence   | HTTP/1.1 500 Internal Server Error                                                                                                                                                                                                                                                                                                          |
| Other Info |                                                                                                                                                                                                                                                                                                                                             |
| Instances  | 1                                                                                                                                                                                                                                                                                                                                           |
| Solution   | Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.                                                                                 |
|            |                                                                                                                                                                                                                                                                                                                                             |

|           |                       |
|-----------|-----------------------|
| Reference |                       |
| CWE Id    | <a href="#">200</a>   |
| WASC Id   | 13                    |
| Plugin Id | <a href="#">90022</a> |

| Baixo      | Divulgação de informações - Mensagens de Erro de Depuração                                                                                                                                       |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Descrição  | A resposta parecia conter mensagens de erro comuns retornadas por plataformas como ASP.NET e servidores da Web como IIS e Apache. Você pode configurar a lista de mensagens de depuração comuns. |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                                                                                  |
| Método     | DELETE                                                                                                                                                                                           |
| Ataque     |                                                                                                                                                                                                  |
| Evidence   | Internal Server Error                                                                                                                                                                            |
| Other Info |                                                                                                                                                                                                  |
| Instances  | 1                                                                                                                                                                                                |
| Solution   | Desative as mensagens de depuração antes de enviar para a produção.                                                                                                                              |
| Reference  |                                                                                                                                                                                                  |
| CWE Id     | <a href="#">200</a>                                                                                                                                                                              |
| WASC Id    | 13                                                                                                                                                                                               |
| Plugin Id  | <a href="#">10023</a>                                                                                                                                                                            |

| Baixo      | X-Content-Type-Options Header Missing                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Descrição  | The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing. |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                                                                                                                                                                                                                                                                                                                                                  |
| Método     | GET                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Ataque     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Evidence   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.                                                                                                                                         |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                                                                                                                                                                                                                                                                                                                                                      |
| Método     | POST                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Ataque     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Evidence   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.                                                                                                                                         |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                                                                                                                                                                                                                                                                                                                                                      |
| Método     | PUT                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Ataque     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Evidence   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|            |                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.                                                                              |
| Instances  | 3                                                                                                                                                                                                                                                                                                                                                                                                         |
| Solution   | Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.<br><br>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing. |
| Reference  | <a href="https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)">https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)</a><br><a href="https://owasp.org/www-community/Security-Headers">https://owasp.org/www-community/Security-Headers</a>                    |
| CWE Id     | <a href="#">693</a>                                                                                                                                                                                                                                                                                                                                                                                       |
| WASC Id    | 15                                                                                                                                                                                                                                                                                                                                                                                                        |
| Plugin Id  | <a href="#">10021</a>                                                                                                                                                                                                                                                                                                                                                                                     |

| Informativo | Divulgação de Informações - Comentários Suspeitos                                                                                                                                                                                                                                         |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Descrição   | The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.                                                                                                        |
| URL         | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                                                                                                                                                                       |
| Método      | GET                                                                                                                                                                                                                                                                                       |
| Ataque      |                                                                                                                                                                                                                                                                                           |
| Evidence    | select                                                                                                                                                                                                                                                                                    |
| Other Info  | The following pattern was used: \bSELECT\b and was detected in the element starting with: "<!--","price":1.2,"image":"John Doe","type":"MAIN"},"{"id":"66a97d322a29b67e7daf6f9b","name":"",""; select \"java.lang.Thread.sleep\", see evidence field for the suspicious comment /snippet. |
| Instances   | 1                                                                                                                                                                                                                                                                                         |
| Solution    | Remova todos os comentários que retornam informações que podem ajudar um invasor e corrigir quaisquer problemas subjacentes aos quais eles se referem.                                                                                                                                    |
| Reference   |                                                                                                                                                                                                                                                                                           |
| CWE Id      | <a href="#">200</a>                                                                                                                                                                                                                                                                       |
| WASC Id     | 13                                                                                                                                                                                                                                                                                        |
| Plugin Id   | <a href="#">10027</a>                                                                                                                                                                                                                                                                     |

| Informativo | User Agent Fuzzer                                                                                                                                                                                                      |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Descrição   | Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response. |
| URL         | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                                                                                                        |
| Método      | DELETE                                                                                                                                                                                                                 |
| Ataque      | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                                                                                                     |
| Evidence    |                                                                                                                                                                                                                        |
| Other Info  |                                                                                                                                                                                                                        |
| URL         | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                                                                                                        |
| Método      | DELETE                                                                                                                                                                                                                 |
| Ataque      | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                                                                                                                     |

|            |                                                                                                                                  |
|------------|----------------------------------------------------------------------------------------------------------------------------------|
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                               |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko                                                                   |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36              |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0                                                   |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)                                                         |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | DELETE                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)                                              |
| Evidence   |                                                                                                                                  |

|            |                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | DELETE                                                                                                                                        |
| Ataque     | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | DELETE                                                                                                                                        |
| Ataque     | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | DELETE                                                                                                                                        |
| Ataque     | msnbot/1.1 (+http://search.msn.com/msnbot.htm)                                                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko                                                                                |
| Evidence   |                                                                                                                                               |
|            |                                                                                                                                               |

|            |                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0              |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36                           |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)                                                                      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)                                                           |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                                     |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence   |                                                                                                                                               |

|            |                                                                                                                                  |
|------------|----------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081">http://localhost:8081</a>                                                                        |
| Método     | GET                                                                                                                              |
| Ataque     | msnbot/1.1 (+http://search.msn.com/msnbot.htm)                                                                                   |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                               |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                               |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                               |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko                                                                   |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36              |
| Evidence   |                                                                                                                                  |
|            |                                                                                                                                  |

|            |                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)                                                                      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)                                                           |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1">http://localhost:8081/v1</a>                                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | msnbot/1.1 (+http://search.msn.com/msnbot.htm)                                                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other      |                                                                                                                                               |

|            |                                                                                                                                  |
|------------|----------------------------------------------------------------------------------------------------------------------------------|
| Info       |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                               |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                               |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko                                                                   |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36              |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0                                                   |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                  |
| Método     | GET                                                                                                                              |
| Ataque     | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)                                                         |
| Evidence   |                                                                                                                                  |
| Other Info |                                                                                                                                  |

|            |                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)                                                           |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | GET                                                                                                                                           |
| Ataque     | msnbot/1.1 (+http://search.msn.com/msnbot.htm)                                                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                           |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                           |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                           |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
|            |                                                                                                                                               |

|            |                                                                                                                                          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko                                                                           |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0         |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36                      |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0                                                           |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)                                                                 |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)                                                      |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                      |
| Método     | GET                                                                                                                                      |
| Ataque     | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence   |                                                                                                                                          |
| Other Info |                                                                                                                                          |

|            |                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                           |
| Método     | GET                                                                                                                                           |
| Ataque     | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product/type/MAIN">http://localhost:8081/v1/product/type/MAIN</a>                                           |
| Método     | GET                                                                                                                                           |
| Ataque     | msnbot/1.1 (+http://search.msn.com/msnbot.htm)                                                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                                            |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko                                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0              |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |

|            |                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36                           |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)                                                                      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)                                                           |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4      |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| URL        | <a href="http://localhost:8081/v1/product">http://localhost:8081/v1/product</a>                                                               |
| Método     | POST                                                                                                                                          |
| Ataque     | msnbot/1.1 (+http://search.msn.com/msnbot.htm)                                                                                                |
| Evidence   |                                                                                                                                               |
| Other Info |                                                                                                                                               |
| Instances  | 72                                                                                                                                            |

|           |                                                             |
|-----------|-------------------------------------------------------------|
| Solution  |                                                             |
| Reference | <a href="https://owasp.org/wstg">https://owasp.org/wstg</a> |
| CWE Id    |                                                             |
| WASC Id   |                                                             |
| Plugin Id | <a href="#">10104</a>                                       |