Database model documentation



# Table of contents

1.	Model details	3
2.	Tables	4
	1.1. Table CHASSI	4
	1.2. Table USER	4
	1.3. Table PERMISSION	4
	1.4. Table SERVICE_BULLETIN	5
	1.5. Table CONDITIONAL_SBITE	5
	1.6. Table FORMULA	5
	1.7. Table ITEM	6
	1.8. Table CHASSI_SB	6
	1.9. Table CHASSI_USER	6
	1.10. Table EDIT_USER_SB	7
	1.11. Table REGISTER_USER_ITEM	7
3.	References	8
	2.1. Reference USER_PERMISSION	8
	2.2. Reference CHASSI_SB_CHASSI	8
	2.3. Reference CHASSI_SB_SERVICE_BULLETIN	
	2.4. Reference CONDITIONAL_SBITE_SB	8
	2.5. Reference CONDITIONAL_SBITE_FORMULA	8
	2.6. Reference CHASSI_USER_CHASSI	8
	2.7. Reference CHASSI_USER_USER	8
	2.8. Reference CHASSI_USER	8
	2.9. Reference SERVICE_BULLETIN_USER	9
	2.10. Reference EDIT_USER_SB_USER	9
	2.11. Reference EDIT_USER_SB_SERVICE_BULLETIN	9
	2.12. Reference CONDITIONAL_SBITE_ITEM	9
	2.13. Reference REGISTER_USER_ITEM_ITEM	9
	2.14. Reference REGISTER_USER_ITEM_USER	9



# 1. Model details

Model name:

Embraer\_Oracle\_Logical

**Version:** 

2.4

Database engine:

Oracle Database

**Description:** 



# 2. Tables

### 2.1. Table CHASSI

#### **Description:**

Chassi table

#### 2.1.1. Columns

Column name	Туре	Properties	Description
chassi_id	integer	PK	Id chassi
chassi_dtregiste	timestamp		chassi register date time
chassi_status	integer		Chassi status,
USER_user_id	integer		Tables references between Chassi and Service Bulletin

### 2.2. Table USER

#### **Description:**

User table

#### 2.2.1. Columns

Column name	Туре	Properties	Description
user_id	integer	PK	ID table
user_name	varchar2(50)		Field to describe user name
user_password	varchar2(50)		Field to describe password user, will be used cryptography
PERMISSION_permi ssion_id	integer		Permission ID, Foreign key

# 2.3. Table PERMISSION

#### **Description:**

Permission table

#### 2.3.1. Columns

Column name	Туре	Properties	Description
permission_id	integer	PK	ID permission records
permission_name	varchar2(50)		Permission name



### 2.4. Table SERVICE\_BULLETIN

#### **Description:**

Service Bulletin table

#### 2.4.1. Columns

Column name	Туре	Properties	Description
sb_id	integer	PK	Field describe id records.
sb_dtregister	timestamp		Field about date time of records
sb_statusservice	varchar2(15)		Field describe statuse about Service Bulletin
sb_partservice	varchar2(50)		Field describe part service of Service Bulletin
USER_user_id	integer		User ID Foreign Key

# 2.5. Table CONDITIONAL\_SBITE

#### **Description:**

Conditional Service Bulletin Table

#### 2.5.1. Columns

Column name	Туре	Properties	Description
condition_id	integer	PK	Conditionaal_SBITE ID records.
condition_var	varchar2(50)		Conditional SBITE description or notes
SERVICE_BULLETIN _sb_id	integer		Service Bulletin ID, Foreign Key
FORMULA_formula_id	integer		Formula ID, Foreign Key
ITEM_item_id	integer		Item ID, Foreign Key

# 2.6. Table FORMULA

#### **Description:**

Formula table

#### 2.6.1. Columns

Column name	Туре	Properties	Description



formula_id	integer	PK	Formula ID records
formula_desc	varchar2(250)	l .	Field description about Formula

### 2.7. Table ITEM

#### **Description:**

ITEM table

#### 2.7.1. Columns

Column name	Туре	Properties	Description
item_id	integer	PK	Item ID record
item_name	varchar2(250)		Describe name of item
item_dtregister	timestamp		Item record date time

# 2.8. Table CHASSI\_SB

### **Description:**

Relationship between Chassi and Service Bulletin

#### 2.8.1. Columns

Column name	Туре	Properties	Description
CHASSI_chassi_id	integer		Chassi ID, Foreign Key
SERVICE_BULLETIN _sb_id	integer		Service Bulletin ID, Foreign Key
chassi_sb_id	integer	PK	Chassi_SB ID records.

# 2.9. Table CHASSI\_USER

### **Description:**

Relationship between User and Chassi

#### 2.9.1. Columns

Column name	Туре	Properties	Description
CHASSI_cassi_id	integer		Foreign key, relationship between User and Chassi
USER_user_id	integer		Foreign key, relationship between User and Chassi
chassi_user_id	integer	PK	Chassi and user, ID table



# 2.10. Table EDIT\_USER\_SB

### **Description:**

Relationship between User and Service Bulletin

#### 2.10.1. Columns

Column name	Туре	Properties	Description
USER_user_id	integer		User ID, foreign key
SERVICE_BULLETIN _sb_id	integer		Service Bulletin ID, Foreign Key
edit_user_sb_id	integer	PK	ID table records

# 2.11. Table REGISTER\_USER\_ITEM

### **Description:**

Relationship between User and Item

#### 2.11.1. Columns

Column name	Туре	Properties	Description
ITEM_item_id	integer		Item ID Foreign Key
USER_user_id	integer		User ID Foreign Key
register_user_it em_id	integer		Register User Item ID records



# 3. References

# 3.1. Reference USER\_PERMISSION

PERMISSION	0*	USER
permission_id	<->	PERMISSION_permission_id

# 3.2. Reference CHASSI\_SB\_CHASSI

CHASSI	0*	CHASSI_SB
chassi_id	<->	CHASSI_chassi_id

### 3.3. Reference CHASSI\_SB\_SERVICE\_BULLETIN

SERVICE_BULLETIN	0*	CHASSI_SB
sb_id	<->	SERVICE_BULLETIN_sb_id

### 3.4. Reference CONDITIONAL\_SBITE\_SB

SERVICE_BULLETIN	0*	CONDITIONAL_SBITE
sb_id	<->	SERVICE_BULLETIN_sb_id

### 3.5. Reference CONDITIONAL SBITE FORMULA

FORMULA	0*	CONDITIONAL_SBITE
formula_id	<->	FORMULA_formula_id

### 3.6. Reference CHASSI\_USER\_CHASSI

CHASSI	0*	CHASSI_USER
chassi_id	<->	CHASSI_cassi_id

# 3.7. Reference CHASSI\_USER\_USER

USER	0*	CHASSI_USER
user_id	<->	USER_user_id

### 3.8. Reference CHASSI\_USER



USER	0*	CHASSI
user_id	<->	USER_user_id

### 3.9. Reference SERVICE\_BULLETIN\_USER

USER	0*	SERVICE_BULLETIN
user_id	<->	USER_user_id

### 3.10. Reference EDIT\_USER\_SB\_USER

USER	0*	EDIT_USER_SB
user_id	<->	USER_user_id

### 3.11. Reference EDIT\_USER\_SB\_SERVICE\_BULLETIN

SERVICE_BULLETIN	0*	EDIT_USER_SB
sb_id	<->	SERVICE_BULLETIN_sb_id

### 3.12. Reference CONDITIONAL\_SBITE\_ITEM

ITEM	0*	CONDITIONAL_SBITE
item_id	<->	ITEM_item_id

### 3.13. Reference REGISTER\_USER\_ITEM\_ITEM

ITEM	0*	REGISTER_USER_ITEM
item_id	<->	ITEM_item_id

# 3.14. Reference REGISTER\_USER\_ITEM\_USER

USER	0*	REGISTER_USER_ITEM
user_id	<b>&lt;-&gt;</b>	USER_user_id

