



1. TEMENOS Programming Standards



2. PuTTY:



3. Telnet: R18MB/R18.MB, GLOBUS = N

192.168.35.40 - PuTTY

jBASE Telnetd Server Version 4.1.1

Account Name: R18MB

Password:

START GLOBUS Y/N=N

jsh R18MB ~ -->

jsh R18MB ~ -->

jsh R18MB ~ -->mkdir SMW.BP

jsh R18MB ~ -->dir

&COMO&	GEN.OFS.LOG	restore.sh
&COMO&]D	GEN.OFS.LOG]D	ruleengine
&ED&	GENERIC.IN	RULES.LOG
&ED&]D	GENERIC.IN]D	RULES.LOG]D
BAKR	jdiag.out	SETT.IN.FILE1
bin	jGLOBUS.ksh	SETT.IN.FILE1]D
BKIN	jnl	SETT.LOG.FILE1
BKIN1	jpp5456.tmp	SETT.LOG.FILE1]D
BKIN1]D	jpp6072.tmp	SMW.BP
BKLOG1	jprofile.bat	SP.IN
BKLOG1]D	jspooler	SP.IN]D
BP	LCIN.LOGG	SP.LOG

4. JDIAG – информация об установке TAFС

Account Name: R18MB

Password:

START GLOBUS Y/N=N

jsh R18MB ~ -->jdiag

jdiag - jBASE diagnostic '\$Revision: 1.15 \$'

System Information

=====

System	: winNT T24-DEV1-R18 6.2 AMD64
OS Release	: windows Server 2012, Build 9200,
NT User	: R18MB
Time	: Thu May 06 18:35:54 2021

Environment


=====

JBCPORTNO	: '1000-9999'
TAFС_HOME	: 'c:\TAFС\R18'
JBCGLOBALDIR	: 'c:\TAFС\R18'
JBCDATADIR	: 'c:\TAFС\R18\jbase_data'
WARNING: JBCDATADIR is subdirectory of JBCGLOBALDIR	
HOME	: 'c:\T24\R18MB\env\bnk.run'
JEDIFILEPATH	: 'c:\T24\R18MB\env\bnk.run'
JEDIFILENAME_MD	: 'c:\T24\R18MB\env\bnk.run\voc'
JEDIFILENAME_SYSTEM	: 'c:\TAFС\R18\src\SYSTEM'
SYSTEM File is (DICT)	: 'c:\TAFС\R18\src\SYSTEM]D'
RELEASE Information	: Major 18.0 , Minor 0.0 , Patch (Change 130430)
Spooler dir (JBCSPOOLERDIR)	: 'c:\T24\R18MB\env\bnk.run\jspooler'
JBCEMULATE	: 'prime'
TEMP file path	: 'c:\windows\TEMP\'
Object path (JBCOBJECTLIST)	: 'c:\T24\R18MB\env\bnk.run\lib;c:\T24\R18MB\env\bnk.run\t24lib'
WARNING: From checking the registry, It appears that VC++ is not loaded	
WARNING: JBC_COMPILER_PATH is set to 'c:\VC\Microsoft Visual Studio 10.0\vc'	
jBASE Compiler Run-time	: 'c:\TAFС\R18\config\system.properties'
Program dir (JBCDEV_BIN)	: 'c:\T24\R18MB\env\bnk.run\bin'
Subroutine dir (JBCDEV_LIB)	: 'c:\T24\R18MB\env\bnk.run\lib'

jsh R18MB ~ -->

5. TDIAG – информация об установке TAFJ (не установлен)


6. JED SMW.BP HELLO, Alt+FS (Save), Alt+EX(Exit Item), Alt+FI (Save&Exit)



```
> 192.168.35.40 - PuTTY


File SMW.BP , Record 'HELLO'
Command->
0001 PROGRAM HELLO
0002 CRT "Hello, SMW!"
0003 STOP
0004 END
```

7. SET



```
jsh R18MB ~ -->SET
HOME=c:\T24\R18MB\env\bnk.run
HOMEDRIVE=C:
HOMEPATH=\T24\R18MB\env\bnk.run
INCLUDE=c:\TAF\R18\include;c:\VC\Microsoft Visual Studio 10.0\VC\include;c:\VC\Microsoft SDKs\Windows\v7.0A\Include
JAVA_HOME=c:\TAF\R18\java\jre
JBASEUNIQUE=c:\T24\R18MB\env\bnk.run\jBASEWORK
JBASE_CODEPAGE=utf8
JBASE_ERRMSG_NON_NUMERIC=1
JBASE_ERRMSG_ZERO_USED=1
JBASE_I18N=1
JBASE_INHIBIT_ZERO_USED=1
JBASE_JBCOBJECTLIST_DIR=1
JBASE_LOCALE=en_US
JBASE_NOCOLLATION=1
JBASE_PATH=c:\T24\R18MB\env\bnk.run\t24bin
JBASE_PORT_OLDPID_CHECK_DISABLE=1
JBASE_WARNLEVEL=30
JBCDATADIR=c:\TAF\R18\ibase_data
JBCDEV_BIN=c:\T24\R18MB\env\bnk.run\bin
JBCDEV_LIB=c:\T24\R18MB\env\bnk.run\lib
JBCEMULATE=pr ime
JBCERRFILE=c:\TAF\R18\jbcmessages_en_US
JBCGLOBALDIR=c:\TAF\R18
```

8. EB.COMPILE



```
Record 'HELLO' exited from file 'SMW.BP'

jsh R18MB ~ -->EB.COMPILE SMW.BP HELLO
Source directory : SMW.BP Single item : HELLO
Score Checks Compile Catalog
Score Checks Compile Catalog
current settings of bin & lib unchanged:
c:\T24\R18MB\env\bnk.run\bin & lib
HELLO
BASIC 1001.c
Source file HELLO compiled successfully
HELLO
Object HELLO cataloged successfully
<compileoutput><errors></errors><warnings><warning><msg>java standards was not checked! Code 2 was returned.</msg></li>
ne></line><type>Ensure your T24 java environment is configured correctly.</type></warning><warning><msg>Warning - fou
nd 'CRT'</msg></line><type>Incompatible with Browser, Desktop and OFS. Do not use</type></warning></warnings><
codereviews></codereviews><standards></standards><RatingDetail><CodeLines>0</CodeLines><Paralines>0</Paralines><Nests
>0</Nests><Conditions>0</Conditions><Gotos>0</Gotos><SameLine>0</SameLine><Labels>0</Labels><Comments>0</Comments><Ra
ting>0</Rating></RatingDetail></compileoutput>

jsh R18MB ~ -->
```

9. DLL, EXE

JBCDEV_BIN=c:\T24\R18MB\env\bnk.run\bin
JBCDEV_LIB=c:\T24\R18MB\env\bnk.run\lib

```

jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->DIR c:\T24\R18MB\env\bnk.run\bin
CMPL.exe          HELLO.dll          LECT2.2.A.ilc      LECT2.A.ilc
CMPL.ilc          HELLO.exe          LECT2.2.A.pdb      LECT2.A.pdb
CMPL.pdb          HELLO.ilc          LECT2.2.A_TMP_0.dll LECT2.A_TMP_0.dll
CMPL_TMP_0.dll    HELLO.pdb          LECT2.3.A.dll      SMW.dll
EB.COMPILE.dll    LECT2.1.A.dll      LECT2.3.A.exe      SMW.exe
EB.COMPILE.exe    LECT2.1.A.exe      LECT2.3.A.ilc      SMW.ilc
EB.COMPILE.ilc    LECT2.1.A.ilc      LECT2.3.A.pdb      SMW.pdb
EB.COMPILE.pdb    LECT2.1.A.pdb      LECT2.3.A_TMP_0.dll TEST.dll
FNX.P.TEST.exe    LECT2.1.A_TMP_0.dll LECT2.3.A_TMP_1.dll TEST.exe
FNX.P.TEST.ilc    LECT2.2.A.dll      LECT2.A.dll         TEST.ilc
FNX.P.TEST.pdb    LECT2.2.A.exe      LECT2.A.exe         TEST.pdb
jsh R18MB ~ -->c:\T24\R18MB\env\bnk.run\bin\HELLO
Hello, SMW!
jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->

```

```

jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->hello
Hello, SMW!
jsh R18MB ~ -->
jsh R18MB ~ -->jshow -c hello
Executable:      c:\T24\R18MB\env\bnk.run\bin\hello.dll
                 jBC main() version 18.0 Thu May 06 00:26:47 2021
                 jBC main() source file SMW.BP
Executable (DUP!!): c:\T24\R18MB\env\bnk.run\bin\hello.exe
                 jBC main() version 18.0 Thu May 06 00:26:47 2021
                 jBC main() source file SMW.BP
jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->

```

10. Месторасположение ТАФС-файлов: 2 типа файлов, с данными и словарь (]D), словарь общий для LIVE, NAU и HIS, версия новый словарь над файлом данных.

```

jsh R18MB ~ -->CT VOC FBANK.ACCOUNT
FBANK.ACCOUNT
001 F
002 ..\bnk.data\ac\FBANK_ACCOUNT
003 ..\bnk.dict\F_ACCOUNT]D
jsh R18MB ~ -->

```

```

jsh R18MB ~ -->
jsh R18MB ~ -->CT VOC FBANK.CUSTOMER
FBANK.CUSTOMER
001 F
002 ..\bnk.data\st\FBANK_CUSTOMER
003 ..\bnk.dict\F_CUSTOMER]D
jsh R18MB ~ -->

```

```
jsh R18MB ~ -->CT VOC FBNK.FUNDS.TRANSFER
FBNK.FUNDS.TRANSFER
001 F
002 ..\bnk.data\ft\FBNK_FUNDS_TRANSFER
003 ..\bnk.dict\F_FUNDS_TRANSFER]D
jsh R18MB ~ -->
```

11. Посмотреть ТАФС-файлы:

```
jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->jed FBNK.CUSTOMER]D
Record Keys : MNEMONIC
File FBNK.CUSTOMER]D , Record 'MNEMONIC'
Command->
0001 0
0002 1
0003
0004 MNEMONIC
0005 10L
0006 S
0007
0008
0009
0010
0011
0012
0013
0014
0015
0016
0017
0018
0019
0020
0021
0022
```

```
jsh R18MB ~ -->jed FBNK.CUSTOMER]D
Record Keys : SHORT.NAME
File FBNK.CUSTOMER]D , Record 'SHORT.NAME'
Command->
0001 0
0002 2
0003
0004 SHORT.NAME
0005 35L
0006 M
0007
0008
0009
0010
0011
0012
0013
0014
0015
0016
0017
0018
0019
0020
0021
0022
```

```

jsh R18MB ~ -->jed FBNK.CUSTOMER
Record Keys : *
File FBNK.CUSTOMER , Record '111702'
Command->
001 ALUGHN
002 Alex
003 Alex Vaughn
004
005
006
007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022

```

```

jsh R18MB ~ -->jed FBNK.CUSTOMER
Record Keys : 111702
File FBNK.CUSTOMER , Record '111702'
Command->
0001 ALUGHN
0002 Alex
0003 Alex Vaughn
0004
0005
0006
0007
0008
0009
0010
0011
0012
0013
0014
0015
0016
0017
0018
0019
0020
0021
0022

```

12. Посмотреть ТАФС-файлы через web-интерфейс

<http://192.168.35.40:8080/BrowserWeb>

N	Sign.On.Name	Password	USER>ID
1	TESTUSER1	654321	USER.1
2	TESTUSER2	654321	USER.2
3	TESTUSER3	654321	USER.3
4	TESTUSER4	654321	USER.4
5	TESTUSER5	654321	USER.5
6	TESTUSER6	654321	USER.6
7	TESTUSER7	654321	USER.7
9	TESTUSER9	654321	USER.9

CUSTOMER - Google Chrome

Не защищено | 192.168.35.40:8080/BrowserWeb/servlet/BrowserServlet

CUSTOMER 111752 (R18 Model Bank)

Mnemonic	ALURNS	
GB Short Name	Alice	
GB Name 1	Alice Burns	
Sector	1001	Individual
Account Officer	2004	Investment Portfolio
Industry	1000	Private Person (Name)
Target	4	Retail Client - Standard
Nationality	GB	Great Britain
Customer Status	1	Private Client - Standard
Residence	GB	Great Britain
Language	1	English
Company Book	GB-001-0002	MF Branch Lead
Cls Cparty	No	
Title	Ms	
Given Names	Alice	
Family Name	Burns	
Gender	Female	
Date Of Birth	16 DEC 1980	16 DEC 1980
Customer Currency.1	USD	US Dollar
Salary.1	105,000.00	

192.168.35.40 - PuTTY

```

Account Name: R18MB
Password:
START GLOBUS Y/N=N
ish R18MB ~ -->jed FBNK.CUSTOMER 111752
File FBNK.CUSTOMER , Record '111752'
Command->
0001 ALURNS
0002 Alice
0003 Alice Burns
0004
0005
0006
0007
0008
0009
0010
0011
0012
0013

```

```

0683
0684
0685
0686
0687
0688
0689
0690
0691 1001
0692 2004
0693
0694 1000
0695 4
0696 GB
0697 1
0698 GB
0699
0700
0701
0702
0703
0704

```

13. \$INSERT I_COMMON, I_EQUATE, I_F.Application

```

jsh R18MB ~ -->
jsh R18MB ~ -->ied SMW.BP myproc
File SMW.BP , Record 'myproc'                                Insert      00:28:09
Command->
0001 -----
0002 * <Rating>0</Rating>
0003 -----
0004 $INSERT I_COMMON
0005 $INSERT I EQUATE
0006 PROGRAM myproc
0007 CRT "Hello from myproc"
0008 STOP
0009 END
----- End of Record -----

```

```

jsh R18MB ~ -->EB.COMPILE SMW.BP myproc
Source directory : SMW.BP Single item : myproc
Score checks compile catalog
Score checks compile catalog
Current settings of bin & lib unchanged:
c:\T24\R18MB\env\bnk.run\bin & lib
myproc
BASIC_1003.c
Source file myproc compiled successfully
myproc
Object myproc cataloged successfully
<compileoutput><errors></errors><warnings><warning><msg>Java Standards was not checked! Code 2 was returned.</msg><
ne></line><type>Ensure your T24 java environment is configured correctly.</type></warning><warning><msg>warning - fo
nd 'CRT'</msg><line>7</line><type>Incompatible with Browser, Desktop and OFS. Do not use</type></warning></warnings>
codereviews></codereviews><standards></standards><RatingDetail><CodeLines>0</CodeLines><Paralines>0</Paralines><Nest
>0</Nests><Conditions>0</Conditions><Gotos>0</Gotos><SameLine>0</SameLine><Labels>0</Labels><Comments>0</Comments><R
ting>0</Rating><CurrentRating>0</CurrentRating></RatingDetail></compileoutput>

```

```

jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->C:\T24\R18MB\ENV\BNK.RUN\bin\myproc
Hello from myproc
jsh R18MB ~ -->
jsh R18MB ~ -->
jsh R18MB ~ -->

```

```

jsh R18MB ~ -->CT C:\T24\R18MB\ENV\T24_BP I_F.ACCOUNT
I_F.ACCOUNT
001 * I_F.ACCOUNT Created 29 AUG 17 at 11:42AM by karthikv/INPUTTER
002 * PREFIX[AC.] SUFFIX[]
003 EQU AC.CUSTOMER TO 1, Account_Customer TO 1,
004 AC.CATEGORY TO 2, Account_Category TO 2,
005 AC.ACCOUNT.TITLE.1 TO 3, Account_AccountTitle1 TO 3,
006 AC.ACCOUNT.TITLE.2 TO 4, Account_AccountTitle2 TO 4,
007 AC.SHORT.TITLE TO 5, Account_ShortTitle TO 5,
008 AC.MNEMONIC TO 6, Account_Mnemonic TO 6,
009 AC.POSITION.TYPE TO 7, Account_PositionType TO 7,
010 AC.CURRENCY TO 8, Account_Currency TO 8,
011 AC.CURRENCY.MARKET TO 9, Account_CurrencyMarket TO 9,
012 AC.LIMIT.REF TO 10, Account_LimitRef TO 10,
013 AC.ACCOUNT.OFFICER TO 11, Account_AccountOfficer TO 11,
014 AC.OTHER.OFFICER TO 12, Account_OtherOfficer TO 12,
015 AC.POSTING.RESTRICT TO 13, Account_PostingRestrict TO 13
016 ,
017 AC.RECONCILE.ACCT TO 14, Account_ReconcileAcct TO 14,
5, AC.INTEREST.LIQU.ACCT TO 15, Account_InterestLiquAcct TO 1
018 6, AC.INTEREST.COMP.ACCT TO 16, Account_InterestCompAcct TO 1
019 AC.INT.NO.BOOKING TO 17, Account_IntNoBooking TO 17,
020 AC.REFERAL.CODE TO 18, Account_ReferralCode TO 18,
021 AC.WAIVE.LEDGER.FEE TO 19, Account_WaiveLedgerFee TO 19,
022 AC.LOCAL.REF TO 20, Account_LocalRef TO 20,
023 AC.CONDITION.GROUP TO 21, Account_ConditionGroup TO 21,
024 AC.INACTIV.MARKER TO 22, Account_InactivMarker TO 22,
025 AC.OPEN.ACTUAL.BAL TO 23, Account_OpenActualBal TO 23,
026 AC.OPEN.CLEARED.BAL TO 24, Account_OpenClearedBal TO 24,

```



```

jsh R18MB ~ -->CT C:\T24\R18MB\ENV\T24_BP_I_F.CUSTOMER
I_F.CUSTOMER
0001 * I_F.CUSTOMER Created 10 OCT 17 at 04:25PM by vkrishnapriya/INPUTTER
0002 * PREFIX[EB.CUS]
0003 EQU EB.CUS.MNEMONIC TO 1, Customer_Mnemonic TO 1,
0004 EB.CUS.SHORT.NAME TO 2, Customer_ShortName TO 2,
0005 EB.CUS.NAME.1 TO 3, Customer_Name1 TO 3,
0006 EB.CUS.NAME.2 TO 4, Customer_Name2 TO 4,
0007 EB.CUS.STREET TO 5, Customer_Street TO 5,
0008 EB.CUS.ADDRESS TO 6, Customer_Address TO 6,
0009 EB.CUS.TOWN.COUNTRY TO 7, Customer_TownCountry TO 7
0010 ,
0011 EB.CUS.POST.CODE TO 8, Customer_PostCode TO 8,
0012 EB.CUS.COUNTRY TO 9, Customer_Country TO 9,
10, Customer_RelationCode TO
0013 10,
EB.CUS.REL.CUSTOMER TO 11, Customer_RelCustomer TO 1
0014 1,
EB.CUS.REVERS.REL.CODE TO 12, Customer_ReversRelCode TO
0015 12,
EB.CUS.REL.DELIV.OPT TO 13, Customer_RelDelivOpt TO 1
0016 3,
EB.CUS.ROLE TO 14, Customer_Role TO 14,
0017 EB.CUS.ROLE.MORE.INFO TO 15, Customer_RoleMoreInfo TO
15,

```

```

jsh R18MB ~ -->ied SMW.BP myproc
File SMW.BP , Record 'myproc' Insert 01:19:36
Command->
0001 -----
0002 * <Rating>0</Rating>
0003 * -----
0004 $INSERT I_COMMON
0005 $INSERT I_EQUATE
0006 $INSERT I_F.ACCOUNT
0007 PROGRAM myproc
0008 CRT "Hello from myproc"
0009 STOP
0010 END
----- End of Record -----

```

14. Открыть и прочитать запись файла

```

jsh R18MB ~ -->IED SMW.BP MYPROC
File SMW.BP , Record 'MYPROC' Insert 01:00:24
Command-> EX
0001 -----
0002 * <Rating>0</Rating>
0003 * -----
0004 * -----
0005 PROGRAM myproc
0006 $INSERT I_COMMON
0007 $INSERT I_EQUATE
0008 $INSERT I_F.CUSTOMER
0009 CRT "Hello from myproc"
0010 F.CUS=' '
0011 FN.CUS="FBNK.CUSTOMER"
0012 CALL OPF(FN.CUS,F.CUS)
0013 CALL F.READ(FN.CUS,"111752",R.CUS,F.CUS,LOC.ERR)
0014 CRT "MNEMONIC = ", R.CUS<EB.CUS.MNEMONIC>
0015 CRT "SHORT.NAME = ", R.CUS<EB.CUS.SHORT.NAME>
0016 CRT "SECTOR = ", R.CUS<EB.CUS.SECTOR>
0017 STOP
0018 END

```

```

jsh R18MB ~ -->EB.COMPILE SMW.BP myproc
Source directory : SMW.BP Single item : myproc
Score checks Compile Catalog
Score checks Compile Catalog
Current settings of bin & lib unchanged:
      c:\T24\R18MB\env\bnk.run\bin & lib
myproc
BASIC_1001.c
Source file myproc compiled successfully
myproc
Object myproc cataloged successfully
<compileoutput><errors></errors><warnings><warning><msg>Java Standards was not
ne></line><type>Ensure your T24 java environment is configured correctly.</type>
nd 'CRT' 4 times</msg><line>9</line><type>Incompatible with Browser, Desktop an
rnings><codereviews></codereviews><standards></standards><RatingDetail><CodeLin
s><Nests>0</Nests><Conditions>0</Conditions><Gotos>0</Gotos><SameLine>0</SameLi
ents><Rating>0</Rating><CurrentRating>0</CurrentRating></RatingDetail></compile

```

```

jsh R18MB ~ -->c:\T24\R18MB\env\bnk.run\bin\myproc
Hello from myproc
MNEMONIC =      ALURNS
SHORT.NAME =    Alice
SECTOR =      1001
jsh R18MB ~ -->

```

15. jBASE SQL Engine



TEMENOS™

jBASE SQL Engine

Version 4.1.5

```
jsh R18MB ~ -->SQLSELECT MNEMONIC, ADDRESS FROM FBNK.CUSTOMER
MNEMONIC  ADDRESS
-----
ALUGHN
ALOUNG
ROB
DBBRKR    DB HOUSE
BKAUDBANK
COOPERASG3
ANIOTT
EUROCENT
BRITHE
ANGELF
MAITHE
DBLJSG1

MNEMONIC  ADDRESS
-----
STARWOOD
MIURNS
CHRIS
CAOUNG
CONSTELL
MAIVES
PALSON
AURELIO
MORGAN    MORGAN STANLEY FUND HOUSE
SCHWARCR
```

```

jsh R18MB ~ -->LIST FBANK.ACCOUNT MNEMONIC CURRENCY
LIST FBANK.ACCOUNT MNEMONIC CURRENCY PAGE 1 13:41:19 07 MAY 2021

@ID..... MNEMONIC.. CURRENCY
66206                                USD
SGD140100001                        SGD
USD100111501                        USD
USD140300001                        INWCL14030 USD
60739                                DSMITHSB3 USD
USD172150352                        USD
65137                                USD
34584                                MORGANSETT USD
35254                                GBP
60698                                FOXSB     USD
61972                                FUJITUSDSB USD
60623                                WILLNORGBP GBP
10944                                BUFFETUSD USD
GBP1590510030001                    GBP
64726                                USD
61581                                USD
USD141850971                        USD
USD121050001                        RENT12105 USD
USD191050001                        NON-U19105 USD
USD140550169                        USD
LIST FBANK.ACCOUNT MNEMONIC CURRENCY PAGE 2 13:41:31 07 MAY 2021

@ID..... MNEMONIC.. CURRENCY
63328                                MBLANKAAHL USD
64874                                EUR
64998                                USD
CHF141850629                        CHF
11029                                COCACOLGBP GBP
GBP1418508500001                    GBP
JPY1430600060001                    JPY
EUR143040011                        EUR
62464                                NGAGBP   GBP
62642                                CATTAGBP GBP
64882                                USD
62502                                TRWGBP   GBP
64475                                USD
65428                                USD
62197                                DOMINUSDSB USD
28142                                BUFFETMUSD USD
EUR141850966                        EUR
65994                                USD
CHF141850570                        CHF
64165                                BRANSONSL USD
LIST FBANK.ACCOUNT MNEMONIC CURRENCY PAGE 3 13:41:32 07 MAY 2021

@ID..... MNEMONIC.. CURRENCY

```

16. Application, три типа приложений:

Full functionality: data entry, authorization, deletion, history (например, CUSTOMER);

Display data (например, STMT.ENTRY);

Utility (например, ENQUIRY.REPORT).

```

File . , Record 'SMW.PHONE'                                Insert    14:24:08
Command->
0002 * <Rating>0</Rating>
0003 *-----
0004 SUBROUTINE SMW.PHONE
0005 $INSERT I_COMMON
0006 $INSERT I_EQUATE
0007 $INSERT I_Table
0008 $INSERT I_F.PGM.DATA.CONTROL
0009 Table.name = "SMW.PHONE"
0010 Table.title = "PHONE DICTIONARY"
0011 Table.stereotype = "H"
0012 Table.product = "EB"
0013 Table.subProduct = ""
0014 Table.classification = "FIN"
0015 Table.systemClearFile = "Y"
0016 Table.relatedFiles = ""
0017 Table.isPostClosingFile = ""
0018 Table.equatePrefix = "SMW"
0019 Table.idPrefix = ""
0020 Table.blokedFunctions = ""
0021 Table.trigger = ""
0022 RETURN
0023 END

```

```

File . , Record 'SMW.PHONE.FIELDS'                        Insert    14:27:35
Command->
0001 *-----
0002 * <Rating>0</Rating>
0003 *-----
0004 SUBROUTINE SMW.PHONE.FIELDS
0005 $INSERT I_COMMON
0006 $INSERT I_EQUATE
0007 $INSERT I_DataTypes
0008 $INSERT I_Table
0009 CALL Table.defineId("PHONE.NO", T24_String)
0010 *
0011 *CALL Table.addFieldDefinition("CUSTOMER", "25", T24_Customer, "")
0012 fieldName = 'CUSTOMER'
0013 fieldLength = 25
0014 fieldType = 'A'
0015 neighbour = ''
0016 CALL Table.addFieldDefinition(fieldName, fieldLength, fieldType, neighbour)
0017
0018 CALL Field.setCheckFile("CUSTOMER")
0019 *
0020 CALL Table.addFieldDefinition("COMMENT", "25", "ANY", "")
0021 *
0022 CALL Table.addReservedField("RESERVED1.1")

```

EB.COMPILE

SMELOV VLAD Last signed on 17 MAY 2021 at 01:26 with 0 attempt(s)

[Help](#) [Tools](#) [Sign Off](#)

EB.DEV.HELPER



Development Helper - Google Chrome

Не защищено | 192.168.35.40:8080/BrowserWeb/servlet/BrowserServlet

EB.DEV.HELPER SMW.PHONE (R18 Model Bank)

Pgm File	<input checked="" type="checkbox"/>	YES
File Control	<input checked="" type="checkbox"/>	YES
Insert	<input checked="" type="checkbox"/>	YES
Create File	<input checked="" type="checkbox"/>	YES
Update Ss	<input checked="" type="checkbox"/>	YES
Create Das Pgm	<input checked="" type="checkbox"/>	YES
Reserved 9		

Development Helper - Google Chrome

Не защищено | 192.168.35.40:8080/BrowserWeb/servlet/BrowserServlet

EB.DEV.HELPER SMW.PHONE (R18 Model Bank)

Development Helper - Google Chrome

Не защищено | 192.168.35.40:8080/BrowserWeb/servlet/BrowserServlet

EB.DEV.HELPER SMW.PHONE (R18 Model Bank)

Pgm File	Yes
File Control	Yes
Insert	Yes
Create File	Yes
Update Ss	Yes
Create Das Pgms	Yes
Date Time.1	17 MAY 21 09:25
Authoriser	7384_INPUTTER
Co Code	GB-001-0001

R18 Model Bank

PHONE DICTIONARY - Google Chrome

Не защищено | 192.168.35.40:8080/BrowserWeb/servlet/BrowserServlet

SMW.PHONE 222333 (R18 Model Bank)

Customer 111704 Amanda

Comment Comment

Reserved1 1

Reserved1 2

Reserved1 3

Record Status

17. КОДЕЦ

JBCDEV_BIN=c:\T24\R18MB\env\bnk.run\bin

JBCDEV_LIB=c:\T24\R18MB\env\bnk.run\lib