Software Engineering II

Paralell 1

Coding Standars



- Alvarez Alvarado Edmundo
- Durango David
- Loor Porro Renzo
- Parra Tarira Efrén




INDEX


Screenshots of the process	
Checkstyle reports	14
Url of the repository	16


Screenshots of the process


CONFIGURATION OF THE TOOL AND WRITING OF THE ADDITIONAL CODE STEP BY STEP.

Part 1: Install Maven for Eclipse.












Part 2: Install the Eclipse Checkstyle plug-in







Part 3: Download and configure the project





Part 4: Configure Checkstyle







Part 5: Configure Checkstyle using the XML







Part 6: Check for headers.










Part 7: Suppressing Checkstyle Tests







Part 8: Checkstyle with Maven






Part 9: Go to your project directory, open "target→ site" and Check the report






Part 9: Adding the last modules.

- Javadoc Method.
- Method Name, configure a property to match names that begin with a lower-case letter, followed by letters, digits, and underscores.
- Whitespace After, configure a property to check for whitespace only after COMMA and SEMI tokens.






Checkstyle Reports


The report with errors





Copyright © 2020.All rights reserved.

The report without errors



Copyright © 2020.All rights reserved.

Repository's URL

https://github.com/GrupoTwo/Taller2.git

